



## wwPDB EM Validation Summary Report ⓘ

Dec 19, 2022 – 01:10 pm GMT

PDB ID : 7NWT  
EMDB ID : EMD-12635  
Title : Initiated 70S ribosome in complex with 2A protein from encephalomyocarditis virus (EMCV)  
Authors : Hill, C.H.; Naphine, S.; Pekarek, L.; Kibe, A.; Firth, A.E.; Graham, S.C.; Caliskan, N.; Brierley, I.  
Deposited on : 2021-03-17  
Resolution : 2.66 Å (reported)  
Based on initial model : 5MDZ

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	273	
2	C	209	
3	D	201	
4	E	179	
5	F	177	
6	G	149	
7	H	165	
8	I	142	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	J	142	 99% .
10	K	123	 98% .
11	L	144	 98% .
12	M	136	 96% .
13	N	127	 92% . 6%
14	O	117	 97% ..
15	P	115	 97% ..
16	Q	118	 97% ..
17	R	103	 96% .
18	S	110	 95% 5%
19	T	100	 92% . 6%
20	U	104	 98% ..
21	V	94	 98% .
22	W	85	 89% 11%
23	X	78	 97% ..
24	Y	63	 95% . .
25	Z	59	 93% 5% .
26	1	2904	 82% 17% .
27	2	1534	 85% 14%
28	3	120	 90% 10%
29	5	77	 75% 19% . .
30	a	70	 9% 90% . 6%
31	b	57	 98% .
32	c	55	 95% 5%
33	d	46	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	e	65	 95% . .
35	f	38	 95% 5%
36	g	241	 92% . 7%
37	h	233	 89% 11%
38	i	206	 99% .
39	j	167	 91% . 7%
40	k	135	 74% . 23%
41	l	179	 83% . 16%
42	m	130	 98% ..
43	n	130	 93% 5% .
44	o	103	 91% 5% .
45	p	129	 89% . 9%
46	q	124	 95% . .
47	r	118	 97% . .
48	s	101	 99% .
49	t	89	 93% 6% .
50	u	82	 98% .
51	v	84	 94% . 5%
52	w	75	 87% . 12%
53	x	92	 86% . 10%
54	y	87	 99% .
55	z	71	 6% 92% 7% .
56	XX	117	 5% . 93%
57	AA	152	 84% 16%
57	BB	152	 85% . 14%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
57	CC	152	<div><div></div><div>82%</div><div></div><div>18%</div></div>

## 2 Entry composition

There are 61 unique types of molecules in this entry. The entry contains 149932 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	B	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 2 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 3 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	D	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 4 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	E	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 5 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	F	175	Total	C	N	O	S	0	0
			1313	826	241	244	2		

- Molecule 6 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	G	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 7 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	H	130	Total	C	N	O	S	0	0
			980	620	174	182	4		

- Molecule 8 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	I	135	Total	C	N	O	S	0	0
			984	622	171	185	6		

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	J	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	K	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	L	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	M	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	N	119	Total	C	N	O	S	0	0
			951	588	195	163	5		

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	O	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms				AltConf	Trace
15	P	114	Total	C	N	O	S	0
			917	574	179	163	1	0

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
16	Q	117	Total	C	N	O		0
			947	604	192	151		0

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	R	103	Total	C	N	O	S	0
			816	516	153	145	2	0

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	S	110	Total	C	N	O	S	0
			857	532	166	156	3	0

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms				AltConf	Trace
19	T	94	Total	C	N	O	S	0
			746	470	140	134	2	0

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	U	103	Total	C	N	O		0
			788	498	148	142		0

- Molecule 21 is a protein called 50S ribosomal protein L25.



Mol	Chain	Residues	Atoms					AltConf	Trace
21	V	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	W	76	Total	C	N	O	S	0	0
			582	360	117	104	1		

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	X	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	Y	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Z	58	Total	C	N	O	S	0	0
			448	281	87	78	2		

- Molecule 26 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	1	2903	Total	C	N	O	P	0	0
			62336	27816	11470	20147	2903		

- Molecule 27 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	2	1534	Total	C	N	O	P	0	0
			32929	14693	6041	10661	1534		

- Molecule 28 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	3	120	Total	C	N	O	P	0	0
			2569	1144	468	837	120		

- Molecule 29 is a RNA chain called fMet-NH-tRNA(fMet).

Mol	Chain	Residues	Atoms						AltConf	Trace
29	5	76	Total	C	N	O	P	S	0	0
			1622	725	292	528	76	1		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
5	8	4SU	G	conflict	GB 1317722521

- Molecule 30 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	a	66	Total	C	N	O	S	0	0
			522	323	99	94	6		

- Molecule 31 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	b	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 32 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
32	c	52	Total	C	N	O	0	0
			426	275	78	73		

- Molecule 33 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	d	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 34 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	e	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 35 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	f	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 36 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	g	225	Total	C	N	O	S	0	0
			1760	1113	316	323	8		

- Molecule 37 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	h	208	Total	C	N	O	S	0	0
			1636	1036	307	290	3		

- Molecule 38 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	i	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 39 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	j	156	Total	C	N	O	S	0	0
			1152	717	217	212	6		

- Molecule 40 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	k	104	Total	C	N	O	S	0	0
			848	536	153	152	7		

- Molecule 41 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	l	151	Total	C	N	O	S	0	0
			1181	735	227	215	4		

- Molecule 42 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	m	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 43 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	n	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 44 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	o	99	Total	C	N	O	S	0	0
			790	495	151	143	1		

- Molecule 45 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	p	117	Total	C	N	O	S	0	0
			877	540	174	160	3		

- Molecule 46 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	q	123	Total	C	N	O	S	0	0
			957	591	196	165	5		

- Molecule 47 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	r	116	Total	C	N	O	S	0	0
			900	558	181	158	3		

- Molecule 48 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	s	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 49 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	t	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 50 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	u	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 51 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	v	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 52 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	w	66	Total	C	N	O	S	0	0
			544	344	102	97	1		

- Molecule 53 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	x	83	Total	C	N	O	S	0	0
			663	424	126	111	2		

- Molecule 54 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	y	86	Total	C	N	O	S	0	0
			669	414	138	114	3		

- Molecule 55 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	z	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 56 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	XX	8	Total	C	N	O	P	0	0
			176	78	34	56	8		

- Molecule 57 is a protein called Protein 2A.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	AA	127	Total	C	N	O	S	0	0
			1067	690	192	182	3		
57	BB	130	Total	C	N	O	S	2	0
			1111	716	204	188	3		
57	CC	125	Total	C	N	O	S	0	0
			1048	677	190	178	3		

There are 27 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AA	144	GLY	-	expression tag	UNP P12296
AA	145	SER	-	expression tag	UNP P12296
AA	146	LYS	-	expression tag	UNP P12296
AA	147	HIS	-	expression tag	UNP P12296
AA	148	HIS	-	expression tag	UNP P12296
AA	149	HIS	-	expression tag	UNP P12296
AA	150	HIS	-	expression tag	UNP P12296
AA	151	HIS	-	expression tag	UNP P12296
AA	152	HIS	-	expression tag	UNP P12296
BB	144	GLY	-	expression tag	UNP P12296
BB	145	SER	-	expression tag	UNP P12296
BB	146	LYS	-	expression tag	UNP P12296
BB	147	HIS	-	expression tag	UNP P12296
BB	148	HIS	-	expression tag	UNP P12296
BB	149	HIS	-	expression tag	UNP P12296
BB	150	HIS	-	expression tag	UNP P12296
BB	151	HIS	-	expression tag	UNP P12296
BB	152	HIS	-	expression tag	UNP P12296
CC	144	GLY	-	expression tag	UNP P12296
CC	145	SER	-	expression tag	UNP P12296
CC	146	LYS	-	expression tag	UNP P12296

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
CC	147	HIS	-	expression tag	UNP P12296
CC	148	HIS	-	expression tag	UNP P12296
CC	149	HIS	-	expression tag	UNP P12296
CC	150	HIS	-	expression tag	UNP P12296
CC	151	HIS	-	expression tag	UNP P12296
CC	152	HIS	-	expression tag	UNP P12296

- Molecule 58 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
58	B	1	Total Mg 1 1	0
58	C	1	Total Mg 1 1	0
58	M	1	Total Mg 1 1	0
58	N	1	Total Mg 1 1	0
58	Q	1	Total Mg 1 1	0
58	1	290	Total Mg 290 290	0
58	2	128	Total Mg 128 128	0
58	3	8	Total Mg 8 8	0
58	5	3	Total Mg 3 3	0
58	b	1	Total Mg 1 1	0
58	i	1	Total Mg 1 1	0
58	BB	1	Total Mg 1 1	0

- Molecule 59 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: C<sub>6</sub>H<sub>11</sub>NO<sub>3</sub>S).



Mol	Chain	Residues	Atoms					AltConf
59	5	1	Total	C	N	O	S	0
			10	6	1	2	1	

- Molecule 60 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
60	a	1	Total	Zn	0
			1	1	
60	f	1	Total	Zn	0
			1	1	

- Molecule 61 is water.

Mol	Chain	Residues	Atoms		AltConf
61	B	2	Total	O	0
			2	2	



### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L2

Chain B:  97%



- Molecule 2: 50S ribosomal protein L3

Chain C:  98%



- Molecule 3: 50S ribosomal protein L4

Chain D:  98%



- Molecule 4: 50S ribosomal protein L5

Chain E:  94% 5%




- Molecule 5: 50S ribosomal protein L6



Chain F:  95%




- Molecule 6: 50S ribosomal protein L9



- Molecule 7: 50S ribosomal protein L10



- Molecule 8: 50S ribosomal protein L11



- Molecule 9: 50S ribosomal protein L13



- Molecule 10: 50S ribosomal protein L14



- Molecule 11: 50S ribosomal protein L15



- Molecule 12: 50S ribosomal protein L16

Chain M:  96% .



- Molecule 13: 50S ribosomal protein L17

Chain N:  92% • 6%



- Molecule 14: 50S ribosomal protein L18

Chain O:  97% ..



- Molecule 15: 50S ribosomal protein L19

Chain P:  97% ..



- Molecule 16: 50S ribosomal protein L20

Chain Q:  97% ..



- Molecule 17: 50S ribosomal protein L21

Chain R:  96% .




- Molecule 18: 50S ribosomal protein L22

Chain S:  95% 5%



- Molecule 19: 50S ribosomal protein L23

Chain T:  92% • 6%



- Molecule 20: 50S ribosomal protein L24

Chain U:  98% ..





- Molecule 21: 50S ribosomal protein L25

Chain V:  98% •



- Molecule 22: 50S ribosomal protein L27

Chain W:  89% 11%




- Molecule 23: 50S ribosomal protein L28

Chain X:  97% ..




- Molecule 24: 50S ribosomal protein L29

Chain Y:  95% • •




- Molecule 25: 50S ribosomal protein L30

Chain Z:  93% 5% •




- Molecule 26: 23S ribosomal RNA






• Molecule 27: 16S ribosomal RNA

Chain 2: 85% 14%




• Molecule 28: 5S ribosomal RNA

Chain 3: 90% 10%





• Molecule 29: fMet-NH-tRNA(fMet)

Chain 5: 75% 19%




• Molecule 30: 50S ribosomal protein L31



- Molecule 31: 50S ribosomal protein L32



- Molecule 32: 50S ribosomal protein L33



- Molecule 33: 50S ribosomal protein L34




There are no outlier residues recorded for this chain.

- Molecule 34: 50S ribosomal protein L35




- Molecule 35: 50S ribosomal protein L36




- Molecule 36: 30S ribosomal protein S2



- Molecule 37: 30S ribosomal protein S3

Chain h:  89% 11%





- Molecule 38: 30S ribosomal protein S4

Chain i:  99% .




- Molecule 39: 30S ribosomal protein S5

Chain j:  91% . 7%





- Molecule 40: 30S ribosomal protein S6

Chain k:  74% . 23%




- Molecule 41: 30S ribosomal protein S7

Chain l:  83% . 16%



- Molecule 42: 30S ribosomal protein S8

Chain m:  98% ..




- Molecule 43: 30S ribosomal protein S9

Chain n:  93% . 5%




- Molecule 44: 30S ribosomal protein S10




Chain o:  91% 5% .




- Molecule 45: 30S ribosomal protein S11

Chain p:  89% . 9%



- Molecule 46: 30S ribosomal protein S12

Chain q:  95% . .



- Molecule 47: 30S ribosomal protein S13

Chain r:  97% . .



- Molecule 48: 30S ribosomal protein S14

Chain s:  99% .



- Molecule 49: 30S ribosomal protein S15

Chain t:  93% 6% .



- Molecule 50: 30S ribosomal protein S16

Chain u:  98% .



- Molecule 51: 30S ribosomal protein S17


MET  
THR  
ASP  
K4  
V79  
V83  
LEU

- |     |
|-----|
| MET |
| ALA |
| ARG |
| TYR |
| PHE |
| ARG |
| ARG |
| ARG |
| LYS |
| F10 |
| H74 |
| Q75 |

- MET  
 P2  
 E20  
 K28  
 Q56  
 R81  
 A84  
 ALA  
 ASP  
 LYS  
 LYS  
 ALA  
 LYS  
 LYS  
 LYS

- Chain  $\gamma$ : 





- Chain z:  6% 92% 7%





- 
- Diagram illustrating a DNA sequence alignment. The top sequence is G G G G A A U U U C C A A A A A U U U G U U U U U A A A G G A A G A A U U U U U U U A U C C A A C U C G. The bottom sequence is G C C G C G C A G G U U G U C C A U A A C C A A U U G G G C C U C A A C C C U U C C G G A A C C A C C U U U G G C C C A G A U C U. The alignment is shown with vertical lines connecting the two sequences. The top sequence has a green box labeled 'U1' at position 18, a yellow box labeled 'G5' at position 20, and a yellow box labeled 'G8' at position 22. The bottom sequence has a green box labeled 'U1' at position 18, a yellow box labeled 'G5' at position 20, and a yellow box labeled 'G8' at position 22.

- |     |     |     |     |     |     |     |     |     |     |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| SER | PRO | ASN | PRO | LEU | ASP | VAL | SER | LYS | T10 | H136 | ASP | VAL | GLU | THR | ASN | PRO | GLY | GLY | SER | LYS | HIS | HIS | HIS | HIS | HIS |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|

● Molecule 57: Protein 2A



● Molecule 57: Protein 2A



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	120749	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION; The contrast transfer function (CTF) was estimated per-image using CtfFind4. All further phase+amplitude correction was performed internally in Relion. Per-particle CTF refinement was done after polishing	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	54.4	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	75000	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	1.011	Depositor
Minimum map value	-0.498	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.021	Depositor
Recommended contour level	0.05	Depositor
Map size (Å)	481.50003, 481.50003, 481.50003	wwPDB
Map dimensions	450, 450, 450	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.07, 1.07, 1.07	Depositor

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 1MG, 0TD, 7MG, 4OC, PSU, UR3, FME, MG, 4SU, G7M, 3TD, ZN, OMU, MA6, 2MG, 8AN, OMG, 2MA, 6MZ, H2U, 5MU, 5MC, OMC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	B	0.54	0/2121	0.68	0/2852
2	C	0.50	0/1586	0.59	0/2134
3	D	0.47	0/1571	0.56	0/2113
4	E	0.40	0/1434	0.53	0/1926
5	F	0.36	0/1333	0.52	0/1805
6	G	0.32	0/1122	0.52	0/1515
7	H	0.26	0/993	0.54	0/1340
8	I	0.25	0/998	0.48	0/1348
9	J	0.53	0/1152	0.55	0/1551
10	K	0.49	0/955	0.63	0/1279
11	L	0.44	0/1062	0.65	0/1413
12	M	0.49	0/1093	0.60	0/1460
13	N	0.51	0/964	0.65	0/1289
14	O	0.43	0/902	0.55	0/1209
15	P	0.52	0/929	0.59	0/1242
16	Q	0.58	0/960	0.61	0/1278
17	R	0.52	0/829	0.59	0/1107
18	S	0.49	0/864	0.62	0/1156
19	T	0.46	0/752	0.54	0/1005
20	U	0.45	0/796	0.57	0/1062
21	V	0.44	0/766	0.52	0/1025
22	W	0.51	0/589	0.62	0/779
23	X	0.48	0/635	0.62	0/848
24	Y	0.35	0/502	0.52	0/667
25	Z	0.43	0/452	0.62	0/605
26	1	1.33	41/69286 (0.1%)	1.00	84/108087 (0.1%)
27	2	1.14	0/36588	0.86	21/57066 (0.0%)
28	3	1.01	0/2872	0.80	0/4478
29	5	0.81	0/1672	0.81	0/2603
30	a	0.35	0/531	0.53	0/709
31	b	0.47	0/450	0.63	0/599

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
32	c	0.47	0/433	0.56	0/576
33	d	0.49	0/380	0.72	0/498
34	e	0.51	0/513	0.63	0/676
35	f	0.46	0/303	0.61	0/397
36	g	0.35	0/1791	0.48	0/2413
37	h	0.42	0/1663	0.55	0/2241
38	i	0.46	0/1665	0.55	0/2227
39	j	0.45	0/1165	0.59	0/1568
40	k	0.42	0/867	0.52	0/1171
41	l	0.36	0/1195	0.54	0/1602
42	m	0.47	0/989	0.55	0/1326
43	n	0.43	0/1034	0.59	0/1375
44	o	0.41	1/800 (0.1%)	0.61	0/1082
45	p	0.42	0/893	0.58	0/1205
46	q	0.50	0/960	0.64	0/1286
47	r	0.39	0/909	0.60	0/1215
48	s	0.41	0/817	0.56	0/1088
49	t	0.41	0/722	0.55	0/964
50	u	0.50	0/659	0.59	0/884
51	v	0.45	0/657	0.58	0/881
52	w	0.50	0/553	0.58	0/743
53	x	0.39	0/680	0.55	0/915
54	y	0.39	0/675	0.50	0/895
55	z	0.42	0/597	0.60	0/792
56	XX	1.11	0/197	0.77	0/306
57	AA	0.37	0/1102	0.58	0/1498
57	BB	0.42	0/1146	0.61	0/1555
57	CC	0.31	0/1082	0.56	0/1469
All	All	1.07	42/161206 (0.0%)	0.86	105/240398 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
6	G	0	1

The worst 5 of 42 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	1	585	G	C8-N7	-7.00	1.26	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	1	778	G	C8-N7	-6.48	1.27	1.30
26	1	578	G	C8-N7	-6.32	1.27	1.30
26	1	1973	G	C8-N7	-6.27	1.27	1.30
26	1	685	A	C8-N7	-6.24	1.27	1.31

The worst 5 of 105 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	1	512	G	O4'-C1'-N9	10.32	116.45	108.20
26	1	1779	U	N3-C2-O2	-9.18	115.77	122.20
27	2	1158	C	C2-N1-C1'	7.94	127.53	118.80
26	1	139	U	C2-N1-C1'	7.64	126.87	117.70
27	2	328	C	N1-C2-O2	7.64	123.48	118.90

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
6	G	71	LYS	Peptide

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	269/273 (98%)	262 (97%)	7 (3%)	0	100	100
2	C	207/209 (99%)	202 (98%)	5 (2%)	0	100	100
3	D	199/201 (99%)	195 (98%)	4 (2%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	E	175/179 (98%)	173 (99%)	2 (1%)	0	100	100
5	F	173/177 (98%)	169 (98%)	4 (2%)	0	100	100
6	G	147/149 (99%)	140 (95%)	7 (5%)	0	100	100
7	H	128/165 (78%)	108 (84%)	20 (16%)	0	100	100
8	I	133/142 (94%)	121 (91%)	12 (9%)	0	100	100
9	J	140/142 (99%)	137 (98%)	3 (2%)	0	100	100
10	K	121/123 (98%)	119 (98%)	2 (2%)	0	100	100
11	L	142/144 (99%)	138 (97%)	4 (3%)	0	100	100
12	M	134/136 (98%)	134 (100%)	0	0	100	100
13	N	117/127 (92%)	114 (97%)	3 (3%)	0	100	100
14	O	114/117 (97%)	114 (100%)	0	0	100	100
15	P	112/115 (97%)	112 (100%)	0	0	100	100
16	Q	115/118 (98%)	115 (100%)	0	0	100	100
17	R	101/103 (98%)	97 (96%)	4 (4%)	0	100	100
18	S	108/110 (98%)	107 (99%)	1 (1%)	0	100	100
19	T	92/100 (92%)	91 (99%)	1 (1%)	0	100	100
20	U	101/104 (97%)	97 (96%)	4 (4%)	0	100	100
21	V	92/94 (98%)	90 (98%)	2 (2%)	0	100	100
22	W	74/85 (87%)	73 (99%)	1 (1%)	0	100	100
23	X	75/78 (96%)	74 (99%)	1 (1%)	0	100	100
24	Y	60/63 (95%)	59 (98%)	1 (2%)	0	100	100
25	Z	56/59 (95%)	56 (100%)	0	0	100	100
30	a	64/70 (91%)	62 (97%)	2 (3%)	0	100	100
31	b	54/57 (95%)	53 (98%)	1 (2%)	0	100	100
32	c	50/55 (91%)	50 (100%)	0	0	100	100
33	d	44/46 (96%)	44 (100%)	0	0	100	100
34	e	62/65 (95%)	60 (97%)	2 (3%)	0	100	100
35	f	36/38 (95%)	36 (100%)	0	0	100	100
36	g	223/241 (92%)	218 (98%)	5 (2%)	0	100	100
37	h	206/233 (88%)	201 (98%)	5 (2%)	0	100	100
38	i	203/206 (98%)	203 (100%)	0	0	100	100

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
39	j	154/167 (92%)	151 (98%)	3 (2%)	0	100	100
40	k	102/135 (76%)	102 (100%)	0	0	100	100
41	l	149/179 (83%)	146 (98%)	3 (2%)	0	100	100
42	m	127/130 (98%)	124 (98%)	3 (2%)	0	100	100
43	n	125/130 (96%)	118 (94%)	7 (6%)	0	100	100
44	o	97/103 (94%)	88 (91%)	9 (9%)	0	100	100
45	p	115/129 (89%)	111 (96%)	4 (4%)	0	100	100
46	q	120/124 (97%)	117 (98%)	3 (2%)	0	100	100
47	r	114/118 (97%)	110 (96%)	4 (4%)	0	100	100
48	s	98/101 (97%)	97 (99%)	1 (1%)	0	100	100
49	t	86/89 (97%)	84 (98%)	2 (2%)	0	100	100
50	u	80/82 (98%)	79 (99%)	1 (1%)	0	100	100
51	v	78/84 (93%)	77 (99%)	1 (1%)	0	100	100
52	w	64/75 (85%)	62 (97%)	2 (3%)	0	100	100
53	x	81/92 (88%)	81 (100%)	0	0	100	100
54	y	84/87 (97%)	84 (100%)	0	0	100	100
55	z	68/71 (96%)	67 (98%)	1 (2%)	0	100	100
57	AA	125/152 (82%)	119 (95%)	6 (5%)	0	100	100
57	BB	130/152 (86%)	125 (96%)	5 (4%)	0	100	100
57	CC	123/152 (81%)	119 (97%)	3 (2%)	1 (1%)	19	29
All	All	6247/6676 (94%)	6085 (97%)	161 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
57	CC	71	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	216/218 (99%)	209 (97%)	7 (3%)	39	56
2	C	164/164 (100%)	159 (97%)	5 (3%)	41	59
3	D	165/165 (100%)	161 (98%)	4 (2%)	49	67
4	E	148/150 (99%)	139 (94%)	9 (6%)	18	29
5	F	136/138 (99%)	130 (96%)	6 (4%)	28	43
6	G	114/114 (100%)	107 (94%)	7 (6%)	18	29
7	H	99/123 (80%)	91 (92%)	8 (8%)	11	17
8	I	104/110 (94%)	93 (89%)	11 (11%)	6	10
9	J	116/116 (100%)	114 (98%)	2 (2%)	60	77
10	K	104/104 (100%)	101 (97%)	3 (3%)	42	60
11	L	103/103 (100%)	100 (97%)	3 (3%)	42	60
12	M	109/109 (100%)	104 (95%)	5 (5%)	27	41
13	N	99/103 (96%)	97 (98%)	2 (2%)	55	73
14	O	86/87 (99%)	84 (98%)	2 (2%)	50	68
15	P	99/100 (99%)	97 (98%)	2 (2%)	55	73
16	Q	89/90 (99%)	86 (97%)	3 (3%)	37	53
17	R	84/84 (100%)	80 (95%)	4 (5%)	25	39
18	S	93/93 (100%)	88 (95%)	5 (5%)	22	34
19	T	81/84 (96%)	79 (98%)	2 (2%)	47	66
20	U	84/85 (99%)	83 (99%)	1 (1%)	71	84
21	V	78/78 (100%)	76 (97%)	2 (3%)	46	64
22	W	58/63 (92%)	58 (100%)	0	100	100
23	X	67/68 (98%)	66 (98%)	1 (2%)	65	80
24	Y	54/55 (98%)	52 (96%)	2 (4%)	34	50
25	Z	48/49 (98%)	45 (94%)	3 (6%)	18	28
30	a	59/62 (95%)	56 (95%)	3 (5%)	24	37
31	b	47/48 (98%)	47 (100%)	0	100	100
32	c	47/49 (96%)	47 (100%)	0	100	100
33	d	38/38 (100%)	38 (100%)	0	100	100
34	e	51/52 (98%)	49 (96%)	2 (4%)	32	48
35	f	34/34 (100%)	32 (94%)	2 (6%)	19	30
36	g	187/199 (94%)	183 (98%)	4 (2%)	53	72

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
37	h	171/190 (90%)	170 (99%)	1 (1%)	86	92
38	i	172/173 (99%)	170 (99%)	2 (1%)	71	84
39	j	119/126 (94%)	115 (97%)	4 (3%)	37	53
40	k	91/116 (78%)	87 (96%)	4 (4%)	28	43
41	l	124/147 (84%)	121 (98%)	3 (2%)	49	67
42	m	104/105 (99%)	103 (99%)	1 (1%)	76	86
43	n	105/107 (98%)	99 (94%)	6 (6%)	20	31
44	o	86/90 (96%)	82 (95%)	4 (5%)	26	40
45	p	90/99 (91%)	88 (98%)	2 (2%)	52	70
46	q	102/103 (99%)	98 (96%)	4 (4%)	32	48
47	r	94/96 (98%)	92 (98%)	2 (2%)	53	72
48	s	83/84 (99%)	83 (100%)	0	100	100
49	t	76/77 (99%)	71 (93%)	5 (7%)	16	25
50	u	65/65 (100%)	63 (97%)	2 (3%)	40	57
51	v	74/78 (95%)	73 (99%)	1 (1%)	67	81
52	w	57/65 (88%)	56 (98%)	1 (2%)	59	75
53	x	72/79 (91%)	68 (94%)	4 (6%)	21	33
54	y	65/66 (98%)	65 (100%)	0	100	100
55	z	60/61 (98%)	55 (92%)	5 (8%)	11	16
57	AA	115/138 (83%)	115 (100%)	0	100	100
57	BB	120/138 (87%)	119 (99%)	1 (1%)	81	89
57	CC	113/138 (82%)	113 (100%)	0	100	100
All	All	5219/5476 (95%)	5057 (97%)	162 (3%)	43	57

5 of 162 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
39	j	115	LEU
49	t	17	ARG
40	k	84	VAL
43	n	123	ARG
51	v	79	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
24	Y	39	GLN
36	g	39	HIS
44	o	20	GLN
57	AA	105	GLN
57	CC	105	GLN

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
26	1	2898/2904 (99%)	411 (14%)	7 (0%)
27	2	1527/1534 (99%)	209 (13%)	4 (0%)
28	3	119/120 (99%)	12 (10%)	0
29	5	73/77 (94%)	14 (19%)	2 (2%)
56	XX	7/117 (5%)	2 (28%)	0
All	All	4624/4752 (97%)	648 (14%)	13 (0%)

5 of 648 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
26	1	10	A
26	1	15	G
26	1	34	U
26	1	46	G
26	1	60	G

5 of 13 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
27	2	428	G
27	2	516	PSU
29	5	47	U
27	2	1145	A
29	5	17	U

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

40 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
26	PSU	1	2504	26	18,21,22	1.02	1 (5%)	22,30,33	1.87	4 (18%)
26	OMC	1	2498	26,58	19,22,23	2.69	8 (42%)	26,31,34	0.97	1 (3%)
27	5MC	2	967	27	18,22,23	3.33	7 (38%)	26,32,35	1.06	2 (7%)
26	PSU	1	2457	26	18,21,22	1.15	1 (5%)	22,30,33	2.13	5 (22%)
26	PSU	1	2605	26	18,21,22	1.15	2 (11%)	22,30,33	1.64	4 (18%)
26	OMU	1	2552	26	19,22,23	2.65	7 (36%)	26,31,34	2.10	7 (26%)
26	1MG	1	745	26	18,26,27	2.46	5 (27%)	19,39,42	1.65	4 (21%)
46	0TD	q	89	46	7,9,10	1.47	0	6,11,13	2.30	2 (33%)
26	OMG	1	2251	29,26	18,26,27	2.34	8 (44%)	19,38,41	1.44	3 (15%)
26	2MA	1	2503	26,58	17,25,26	2.37	5 (29%)	17,37,40	1.35	3 (17%)
26	PSU	1	2580	26,58	18,21,22	1.31	3 (16%)	22,30,33	1.89	4 (18%)
27	5MC	2	1407	27	18,22,23	3.19	7 (38%)	26,32,35	1.12	1 (3%)
26	5MC	1	1962	26	18,22,23	3.23	7 (38%)	26,32,35	1.05	2 (7%)
27	2MG	2	966	27	18,26,27	2.26	7 (38%)	16,38,41	1.41	3 (18%)
29	4SU	5	8	29	18,21,22	3.64	8 (44%)	26,30,33	2.22	5 (19%)
27	PSU	2	516	27,58	18,21,22	1.08	1 (5%)	22,30,33	1.81	3 (13%)
27	UR3	2	1498	27	19,22,23	2.43	6 (31%)	26,32,35	1.44	2 (7%)
26	PSU	1	746	26	18,21,22	1.09	1 (5%)	22,30,33	1.70	4 (18%)
26	G7M	1	2069	26	20,26,27	1.72	5 (25%)	17,39,42	1.31	3 (17%)
27	7MG	2	527	27	22,26,27	3.26	10 (45%)	29,39,42	1.95	8 (27%)
26	6MZ	1	2030	26	18,25,26	1.70	5 (27%)	16,36,39	2.96	5 (31%)
26	5MU	1	747	26	19,22,23	4.78	7 (36%)	28,32,35	3.41	8 (28%)
29	PSU	5	55	29	18,21,22	1.04	1 (5%)	22,30,33	1.78	5 (22%)
29	4OC	5	32	29	20,23,24	2.83	8 (40%)	26,32,35	0.97	2 (7%)
29	H2U	5	20	29,58	18,21,22	3.54	3 (16%)	21,30,33	2.02	5 (23%)
26	3TD	1	1915	26	18,22,23	4.49	7 (38%)	22,32,35	1.71	3 (13%)
26	2MG	1	2445	3,26	18,26,27	2.25	6 (33%)	16,38,41	1.48	4 (25%)
27	4OC	2	1402	27	20,23,24	2.84	8 (40%)	26,32,35	0.95	1 (3%)
27	2MG	2	1516	27	18,26,27	2.21	7 (38%)	16,38,41	1.60	4 (25%)
27	MA6	2	1518	27	19,26,27	1.36	2 (10%)	18,38,41	3.36	2 (11%)
26	2MG	1	1835	26	18,26,27	2.09	7 (38%)	16,38,41	1.41	4 (25%)
26	PSU	1	1911	26	18,21,22	1.06	1 (5%)	22,30,33	1.70	4 (18%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
26	PSU	1	1917	26	18,21,22	1.02	2 (11%)	22,30,33	1.66	4 (18%)
27	MA6	2	1519	27	19,26,27	1.37	2 (10%)	18,38,41	3.50	2 (11%)
29	5MU	5	54	29	19,22,23	4.75	7 (36%)	28,32,35	3.65	9 (32%)
26	6MZ	1	1618	26	18,25,26	1.77	5 (27%)	16,36,39	1.89	3 (18%)
27	2MG	2	1207	27	18,26,27	2.35	7 (38%)	16,38,41	1.47	4 (25%)
26	5MU	1	1939	26,58	19,22,23	4.68	7 (36%)	28,32,35	3.87	12 (42%)
26	PSU	1	955	26	18,21,22	1.15	1 (5%)	22,30,33	2.02	4 (18%)
29	8AN	5	76	59,29,58	19,24,25	5.61	8 (42%)	13,35,38	3.10	3 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
26	PSU	1	2504	26	-	0/7/25/26	0/2/2/2
26	OMC	1	2498	26,58	-	1/9/27/28	0/2/2/2
27	5MC	2	967	27	-	0/7/25/26	0/2/2/2
26	PSU	1	2457	26	-	0/7/25/26	0/2/2/2
26	PSU	1	2605	26	-	0/7/25/26	0/2/2/2
26	OMU	1	2552	26	-	1/9/27/28	0/2/2/2
26	1MG	1	745	26	-	0/3/25/26	0/3/3/3
46	0TD	q	89	46	-	1/7/12/14	-
26	OMG	1	2251	29,26	-	1/5/27/28	0/3/3/3
26	2MA	1	2503	26,58	-	2/3/25/26	0/3/3/3
26	PSU	1	2580	26,58	-	0/7/25/26	0/2/2/2
27	5MC	2	1407	27	-	0/7/25/26	0/2/2/2
26	5MC	1	1962	26	-	0/7/25/26	0/2/2/2
27	2MG	2	966	27	-	2/5/27/28	0/3/3/3
29	4SU	5	8	29	-	4/7/25/26	0/2/2/2
27	PSU	2	516	27,58	-	2/7/25/26	0/2/2/2
27	UR3	2	1498	27	-	0/7/25/26	0/2/2/2
26	PSU	1	746	26	-	2/7/25/26	0/2/2/2
26	G7M	1	2069	26	-	1/3/25/26	0/3/3/3
27	7MG	2	527	27	-	2/7/37/38	0/3/3/3
26	6MZ	1	2030	26	-	2/5/27/28	0/3/3/3
26	5MU	1	747	26	-	0/7/25/26	0/2/2/2
29	PSU	5	55	29	-	0/7/25/26	0/2/2/2
29	4OC	5	32	29	-	0/9/29/30	0/2/2/2

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
29	H2U	5	20	29,58	-	5/7/38/39	0/2/2/2
26	3TD	1	1915	26	-	5/7/25/26	0/2/2/2
26	2MG	1	2445	3,26	-	2/5/27/28	0/3/3/3
27	4OC	2	1402	27	-	2/9/29/30	0/2/2/2
27	2MG	2	1516	27	-	0/5/27/28	0/3/3/3
27	MA6	2	1518	27	-	0/7/29/30	0/3/3/3
26	2MG	1	1835	26	-	0/5/27/28	0/3/3/3
26	PSU	1	1911	26	-	0/7/25/26	0/2/2/2
26	PSU	1	1917	26	-	0/7/25/26	0/2/2/2
27	MA6	2	1519	27	-	0/7/29/30	0/3/3/3
29	5MU	5	54	29	-	2/7/25/26	0/2/2/2
26	6MZ	1	1618	26	-	2/5/27/28	0/3/3/3
27	2MG	2	1207	27	-	0/5/27/28	0/3/3/3
26	5MU	1	1939	26,58	-	0/7/25/26	0/2/2/2
26	PSU	1	955	26	-	0/7/25/26	0/2/2/2
29	8AN	5	76	59,29,58	-	3/3/25/26	0/3/3/3

The worst 5 of 200 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
29	5	76	8AN	C2'-C1'	-15.41	1.30	1.53
29	5	76	8AN	O4'-C1'	15.38	1.62	1.41
26	1	1915	3TD	C6-C5	14.20	1.51	1.35
29	5	20	H2U	C2-N1	12.18	1.53	1.35
29	5	54	5MU	C2-N1	10.92	1.56	1.38

The worst 5 of 158 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
27	2	1519	MA6	N1-C6-N6	-13.54	102.81	117.06
27	2	1518	MA6	N1-C6-N6	-12.74	103.65	117.06
29	5	54	5MU	C5-C4-N3	12.27	125.79	115.31
26	1	747	5MU	C5-C4-N3	11.28	124.94	115.31
26	1	1939	5MU	C5-C4-N3	11.27	124.93	115.31

There are no chirality outliers.

5 of 42 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
27	2	516	PSU	O4'-C1'-C5-C4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
27	2	516	PSU	O4'-C1'-C5-C6
29	5	20	H2U	O4'-C1'-N1-C6
46	q	89	0TD	CG-CB-SB-CSB
26	1	746	PSU	C2'-C1'-C5-C4

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 440 ligands modelled in this entry, 439 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
59	FME	5	104	29	8,9,10	0.88	0	7,9,11	1.82	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
59	FME	5	104	29	-	4/7/9/11	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
59	5	104	FME	CA-N-CN	4.05	129.05	122.82

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
59	5	104	FME	CB-CA-N-CN
59	5	104	FME	N-CA-CB-CG
59	5	104	FME	CB-CG-SD-CE
59	5	104	FME	CA-CB-CG-SD

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
27	2	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	2	147:G	O3'	148:G	P	3.01
1	2	1276:G	O3'	1277:C	P	2.98


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-12635. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 225



Y Index: 225




Z Index: 225


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 225



Y Index: 215



Z Index: 264

The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)


### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.5.1 emd\_12635\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1344  $\text{nm}^3$ ; this corresponds to an approximate mass of 1214 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.376 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.376 Å<sup>-1</sup>



## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.66	-	-
Author-provided FSC curve	2.65	2.96	2.69
Unmasked-calculated*	-	-	-

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-12635 and PDB model 7NWT. Per-residue inclusion information can be found in section [3](#) on page [17](#).


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 95% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary



















































The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9548	 0.6140
1	 0.9723	 0.6290
2	 0.9882	 0.6210
3	 0.9926	 0.6160
5	 0.9474	 0.5870
AA	 0.8727	 0.4670
B	 0.9856	 0.6810
BB	 0.8915	 0.5400
C	 0.9721	 0.6640
CC	 0.7046	 0.4130
D	 0.9632	 0.6350
E	 0.9213	 0.5760
F	 0.9184	 0.5590
G	 0.6551	 0.4570
H	 0.5479	 0.1950
I	 0.2567	 0.1390
J	 0.9727	 0.6590
K	 0.9707	 0.6640
L	 0.9727	 0.6570
M	 0.9645	 0.6500
N	 0.9912	 0.6780
O	 0.9525	 0.6090
P	 0.9617	 0.6570
Q	 0.9857	 0.6770
R	 0.9586	 0.6400
S	 0.9641	 0.6590
T	 0.9507	 0.6390
U	 0.9549	 0.6110
V	 0.9363	 0.6110
W	 0.9700	 0.6670
X	 0.9700	 0.6630
XX	 0.9716	 0.5960
Y	 0.9325	 0.5850
Z	 0.9679	 0.6460
a	 0.8398	 0.4930



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
b	 0.9604	 0.6600
c	 0.9402	 0.6330
d	 0.9831	 0.6980
e	 0.9878	 0.6850
f	 0.9829	 0.6520
g	 0.9028	 0.5490
h	 0.9258	 0.5950
i	 0.9503	 0.6120
j	 0.9664	 0.6410
k	 0.9359	 0.5860
l	 0.9073	 0.5700
m	 0.9667	 0.6320
n	 0.9479	 0.5840
o	 0.9072	 0.5440
p	 0.9461	 0.6100
q	 0.9523	 0.6450
r	 0.9332	 0.5890
s	 0.9638	 0.6180
t	 0.9551	 0.6200
u	 0.9537	 0.6300
v	 0.9415	 0.6000
w	 0.9312	 0.6130
x	 0.9428	 0.5800
y	 0.9602	 0.6210
z	 0.8104	 0.5550