



Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 06:28 am BST

PDB ID : 1A4E
Title : CATALASE A FROM SACCHAROMYCES CEREVISIAE
Authors : Mate, M.J.
Deposited on : 1998-01-29
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	488	<div> <div>2%</div> <div>85%13%</div> </div>
1	B	488	<div> <div>1%</div> <div>87%12%</div> </div>
1	C	488	<div> <div>86%12%</div> </div>
1	D	488	<div> <div>2%</div> <div>84%14%</div> </div>

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 16879 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CATALASE A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	488	Total	C	N	O	S	29	0	0
			3932	2493	695	732	12			
1	B	488	Total	C	N	O	S	0	0	0
			3932	2493	695	732	12			
1	C	488	Total	C	N	O	S	0	0	0
			3932	2493	695	732	12			
1	D	488	Total	C	N	O	S	0	0	0
			3932	2493	695	732	12			

- Molecule 2 is AZIDE ION (three-letter code: AZI) (formula: N₃).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	N	0	0
			3	3		
2	B	1	Total	N	0	0
			3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	C	1	Total	N	0	0
			3	3		
2	D	1	Total	N	0	0
			3	3		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	221	Total	O	0	0
			221	221		
5	B	262	Total	O	0	0
			262	262		
5	C	242	Total	O	0	0
			242	242		
5	D	232	Total	O	0	0
			232	232		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CATALASE A



• Molecule 1: CATALASE A




• Molecule 1: CATALASE A





• Molecule 1: CATALASE A

Chain D: 2% 84% 14% .



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	184.17Å 184.17Å 304.98Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.40 30.00 – 2.35	Depositor EDS
% Data completeness (in resolution range)	93.9 (20.00-2.40) 97.4 (30.00-2.35)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.84 (at 2.36Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.154 , 0.198 0.188 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	33.3	Xtriage
Anisotropy	0.117	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 51.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16879	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.68% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AZI, SO4, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.67	0/4047	1.19	33/5505 (0.6%)
1	B	0.66	0/4047	1.21	33/5505 (0.6%)
1	C	0.67	0/4047	1.22	41/5505 (0.7%)
1	D	0.66	0/4047	1.19	42/5505 (0.8%)
All	All	0.67	0/16188	1.20	149/22020 (0.7%)

There are no bond length outliers.

All (149) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	107	ARG	NE-CZ-NH1	12.19	126.40	120.30
1	C	425	TRP	CD1-CG-CD2	9.76	114.11	106.30
1	B	125	ARG	NE-CZ-NH1	9.48	125.04	120.30
1	C	425	TRP	CE2-CD2-CG	-9.46	99.73	107.30
1	B	125	ARG	NE-CZ-NH2	-9.16	115.72	120.30
1	D	425	TRP	CD1-CG-CD2	8.78	113.32	106.30
1	B	107	ARG	NE-CZ-NH2	-8.63	115.98	120.30
1	A	125	ARG	NE-CZ-NH2	-8.51	116.05	120.30
1	A	226	TRP	CD1-CG-CD2	8.45	113.06	106.30
1	D	226	TRP	CD1-CG-CD2	8.42	113.04	106.30
1	C	178	TRP	CD1-CG-CD2	8.41	113.03	106.30
1	C	362	ARG	NE-CZ-NH1	8.39	124.50	120.30
1	C	125	ARG	NE-CZ-NH1	8.35	124.47	120.30
1	D	178	TRP	CD1-CG-CD2	8.32	112.96	106.30
1	A	178	TRP	CD1-CG-CD2	8.24	112.90	106.30
1	B	178	TRP	CD1-CG-CD2	8.15	112.82	106.30
1	B	425	TRP	CD1-CG-CD2	8.15	112.82	106.30
1	A	125	ARG	NE-CZ-NH1	8.11	124.36	120.30
1	C	362	ARG	NE-CZ-NH2	-8.11	116.25	120.30
1	C	226	TRP	CD1-CG-CD2	8.09	112.77	106.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	425	TRP	CD1-CG-CD2	8.05	112.74	106.30
1	A	300	TRP	CD1-CG-CD2	8.03	112.72	106.30
1	A	178	TRP	CE2-CD2-CG	-7.98	100.91	107.30
1	B	226	TRP	CD1-CG-CD2	7.88	112.60	106.30
1	C	125	ARG	NE-CZ-NH2	-7.87	116.36	120.30
1	C	178	TRP	CE2-CD2-CG	-7.86	101.01	107.30
1	D	178	TRP	CE2-CD2-CG	-7.81	101.05	107.30
1	D	300	TRP	CD1-CG-CD2	7.80	112.54	106.30
1	D	425	TRP	CE2-CD2-CG	-7.77	101.09	107.30
1	B	274	TRP	CE2-CD2-CG	-7.72	101.13	107.30
1	B	178	TRP	CE2-CD2-CG	-7.71	101.13	107.30
1	B	300	TRP	CD1-CG-CD2	7.71	112.47	106.30
1	C	300	TRP	CD1-CG-CD2	7.71	112.47	106.30
1	D	274	TRP	CD1-CG-CD2	7.64	112.41	106.30
1	A	274	TRP	CD1-CG-CD2	7.63	112.41	106.30
1	C	274	TRP	CD1-CG-CD2	7.62	112.40	106.30
1	C	207	ARG	NE-CZ-NH1	7.55	124.07	120.30
1	A	226	TRP	CE2-CD2-CG	-7.54	101.27	107.30
1	B	274	TRP	CD1-CG-CD2	7.52	112.32	106.30
1	D	107	ARG	NE-CZ-NH1	7.52	124.06	120.30
1	B	434	TRP	CD1-CG-CD2	7.48	112.28	106.30
1	A	425	TRP	CE2-CD2-CG	-7.45	101.34	107.30
1	D	434	TRP	CD1-CG-CD2	7.42	112.24	106.30
1	C	274	TRP	CE2-CD2-CG	-7.42	101.36	107.30
1	D	226	TRP	CE2-CD2-CG	-7.40	101.38	107.30
1	D	274	TRP	CE2-CD2-CG	-7.39	101.39	107.30
1	D	451	ARG	NE-CZ-NH2	7.39	124.00	120.30
1	A	274	TRP	CE2-CD2-CG	-7.36	101.41	107.30
1	C	226	TRP	CE2-CD2-CG	-7.34	101.43	107.30
1	B	425	TRP	CE2-CD2-CG	-7.33	101.43	107.30
1	D	219	TRP	CD1-CG-CD2	7.25	112.10	106.30
1	A	300	TRP	CE2-CD2-CG	-7.25	101.50	107.30
1	C	434	TRP	CE2-CD2-CG	-7.20	101.54	107.30
1	C	219	TRP	CD1-CG-CD2	7.19	112.05	106.30
1	C	434	TRP	CD1-CG-CD2	7.19	112.05	106.30
1	D	219	TRP	CE2-CD2-CG	-7.16	101.57	107.30
1	A	140	TRP	CD1-CG-CD2	7.16	112.03	106.30
1	B	226	TRP	CE2-CD2-CG	-7.16	101.57	107.30
1	C	140	TRP	CD1-CG-CD2	7.15	112.02	106.30
1	B	434	TRP	CE2-CD2-CG	-7.15	101.58	107.30
1	A	38	ARG	NE-CZ-NH2	-7.11	116.74	120.30
1	B	140	TRP	CD1-CG-CD2	7.11	111.99	106.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	300	TRP	CE2-CD2-CG	-7.10	101.62	107.30
1	A	434	TRP	CD1-CG-CD2	7.08	111.96	106.30
1	C	219	TRP	CE2-CD2-CG	-7.07	101.65	107.30
1	C	140	TRP	CE2-CD2-CG	-7.01	101.69	107.30
1	C	300	TRP	CE2-CD2-CG	-7.00	101.70	107.30
1	D	434	TRP	CE2-CD2-CG	-6.94	101.75	107.30
1	D	300	TRP	CE2-CD2-CG	-6.93	101.75	107.30
1	B	219	TRP	CE2-CD2-CG	-6.87	101.80	107.30
1	D	140	TRP	CE2-CD2-CG	-6.86	101.82	107.30
1	B	140	TRP	CE2-CD2-CG	-6.85	101.82	107.30
1	A	434	TRP	CE2-CD2-CG	-6.84	101.83	107.30
1	A	140	TRP	CE2-CD2-CG	-6.82	101.84	107.30
1	B	219	TRP	CD1-CG-CD2	6.77	111.72	106.30
1	C	488	ARG	NE-CZ-NH1	6.77	123.68	120.30
1	B	17	ARG	NE-CZ-NH1	6.73	123.66	120.30
1	D	122	ARG	NE-CZ-NH2	-6.72	116.94	120.30
1	D	140	TRP	CD1-CG-CD2	6.70	111.66	106.30
1	A	219	TRP	CE2-CD2-CG	-6.69	101.94	107.30
1	C	425	TRP	CG-CD2-CE3	6.67	139.90	133.90
1	D	125	ARG	NE-CZ-NH1	6.63	123.61	120.30
1	D	125	ARG	NE-CZ-NH2	-6.54	117.03	120.30
1	B	176	MET	CA-CB-CG	6.31	124.03	113.30
1	C	107	ARG	NE-CZ-NH1	6.23	123.42	120.30
1	D	207	ARG	NE-CZ-NH1	6.21	123.40	120.30
1	B	67	ARG	NE-CZ-NH1	6.18	123.39	120.30
1	D	142	TYR	CB-CG-CD2	-6.18	117.29	121.00
1	B	142	TYR	CB-CG-CD2	-6.17	117.30	121.00
1	A	219	TRP	CD1-CG-CD2	6.14	111.21	106.30
1	C	484	ASP	CB-CG-OD1	6.14	123.82	118.30
1	A	17	ARG	NE-CZ-NH1	6.13	123.37	120.30
1	A	178	TRP	CG-CD2-CE3	6.13	139.42	133.90
1	C	207	ARG	NE-CZ-NH2	-6.00	117.30	120.30
1	D	17	ARG	NE-CZ-NH1	6.00	123.30	120.30
1	D	178	TRP	CG-CD2-CE3	5.94	139.24	133.90
1	C	416	ARG	NE-CZ-NH1	5.90	123.25	120.30
1	A	447	ARG	NE-CZ-NH2	-5.83	117.39	120.30
1	A	284	ARG	NE-CZ-NH1	5.81	123.20	120.30
1	C	178	TRP	CG-CD2-CE3	5.76	139.09	133.90
1	C	309	ARG	NE-CZ-NH2	-5.71	117.44	120.30
1	B	178	TRP	CG-CD2-CE3	5.70	139.03	133.90
1	A	481	ARG	NE-CZ-NH2	-5.65	117.48	120.30
1	C	351	ARG	NE-CZ-NH1	5.59	123.10	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	176	MET	CA-CB-CG	5.59	122.80	113.30
1	D	38	ARG	NE-CZ-NH2	-5.57	117.51	120.30
1	B	48	GLN	CA-CB-CG	5.57	125.65	113.40
1	D	488	ARG	NE-CZ-NH2	-5.52	117.54	120.30
1	B	284	ARG	NE-CZ-NH1	5.51	123.06	120.30
1	B	274	TRP	CG-CD2-CE3	5.49	138.84	133.90
1	D	425	TRP	CG-CD1-NE1	-5.47	104.63	110.10
1	A	274	TRP	CG-CD2-CE3	5.46	138.82	133.90
1	C	142	TYR	CB-CG-CD2	-5.46	117.72	121.00
1	D	67	ARG	NE-CZ-NH1	5.46	123.03	120.30
1	D	219	TRP	CG-CD2-CE3	5.43	138.79	133.90
1	A	274	TRP	CB-CG-CD1	-5.39	120.00	127.00
1	B	361	TYR	CB-CG-CD2	-5.38	117.78	121.00
1	A	61	ARG	NE-CZ-NH1	5.36	122.98	120.30
1	C	434	TRP	CG-CD2-CE3	5.34	138.70	133.90
1	B	274	TRP	CB-CG-CD1	-5.30	120.10	127.00
1	D	122	ARG	NE-CZ-NH1	5.28	122.94	120.30
1	C	178	TRP	CG-CD1-NE1	-5.26	104.84	110.10
1	C	274	TRP	CB-CG-CD1	-5.24	120.19	127.00
1	D	207	ARG	NE-CZ-NH2	-5.23	117.69	120.30
1	D	362	ARG	NE-CZ-NH2	-5.23	117.69	120.30
1	C	308	ARG	NE-CZ-NH2	-5.22	117.69	120.30
1	A	142	TYR	CB-CG-CD2	-5.20	117.88	121.00
1	C	481	ARG	NE-CZ-NH2	-5.20	117.70	120.30
1	D	226	TRP	CG-CD1-NE1	-5.19	104.91	110.10
1	B	447	ARG	NE-CZ-NH2	-5.18	117.71	120.30
1	D	274	TRP	CG-CD2-CE3	5.14	138.53	133.90
1	D	425	TRP	CG-CD2-CE3	5.13	138.52	133.90
1	D	178	TRP	CG-CD1-NE1	-5.13	104.97	110.10
1	C	425	TRP	CB-CG-CD1	-5.12	120.34	127.00
1	C	67	ARG	NE-CZ-NH1	5.11	122.85	120.30
1	D	200	ARG	NE-CZ-NH2	-5.10	117.75	120.30
1	D	274	TRP	CB-CG-CD1	-5.09	120.38	127.00
1	C	274	TRP	CG-CD2-CE3	5.08	138.47	133.90
1	A	226	TRP	CG-CD1-NE1	-5.06	105.04	110.10
1	D	425	TRP	CB-CG-CD1	-5.05	120.43	127.00
1	A	207	ARG	NE-CZ-NH1	5.04	122.82	120.30
1	B	67	ARG	NE-CZ-NH2	-5.04	117.78	120.30
1	C	226	TRP	CG-CD1-NE1	-5.04	105.06	110.10
1	A	483	TYR	CB-CG-CD2	-5.04	117.98	121.00
1	A	493	LEU	CA-CB-CG	5.02	126.85	115.30
1	D	176	MET	CA-CB-CG	5.02	121.83	113.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	362	ARG	NE-CZ-NH1	5.01	122.81	120.30
1	B	178	TRP	CG-CD1-NE1	-5.01	105.09	110.10
1	C	488	ARG	NE-CZ-NH2	-5.01	117.80	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3932	0	3749	33	0
1	B	3932	0	3749	28	0
1	C	3932	0	3749	32	0
1	D	3932	0	3749	38	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
2	C	3	0	0	0	0
2	D	3	0	0	0	0
3	A	5	0	0	0	0
3	D	5	0	0	0	0
4	A	43	0	30	0	0
4	B	43	0	30	0	0
4	C	43	0	30	0	0
4	D	43	0	30	0	0
5	A	221	0	0	0	0
5	B	262	0	0	0	0
5	C	242	0	0	1	0
5	D	232	0	0	0	0
All	All	16879	0	15116	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:39:ILE:HG13	1:C:39:ILE:HG13	1.68	0.74
1:A:444:VAL:HG12	1:A:448:ASN:HD21	1.52	0.73
1:B:39:ILE:HG13	1:D:39:ILE:HG13	1.73	0.71
1:B:321:ASN:HD22	1:B:324:ALA:H	1.41	0.68
1:A:320:LEU:H	1:A:325:GLN:HE22	1.41	0.68
1:B:320:LEU:H	1:B:325:GLN:HE22	1.45	0.64
1:C:148:PHE:HB3	1:C:296:LEU:HD13	1.79	0.62
1:A:445:GLN:HA	1:A:448:ASN:HD22	1.66	0.61
1:C:320:LEU:H	1:C:325:GLN:HE22	1.49	0.61
1:B:147:VAL:HG23	1:B:192:GLN:HE21	1.66	0.61
1:D:320:LEU:H	1:D:325:GLN:HE22	1.48	0.60
1:D:321:ASN:HD22	1:D:324:ALA:H	1.48	0.59
1:A:349:GLN:HE22	1:B:48:GLN:HE21	1.50	0.59
1:B:148:PHE:HB3	1:B:296:LEU:HD13	1.86	0.58
1:C:321:ASN:HD22	1:C:324:ALA:H	1.51	0.58
1:D:148:PHE:HB3	1:D:296:LEU:HD13	1.85	0.57
1:A:148:PHE:HB3	1:A:296:LEU:HD13	1.86	0.57
1:C:48:GLN:HE21	1:D:349:GLN:HE22	1.53	0.56
1:A:48:GLN:HE21	1:B:349:GLN:HE22	1.54	0.56
1:D:17:ARG:HD3	1:D:19:ASP:OD1	2.06	0.55
1:C:66:GLN:NE2	1:C:115:LYS:H	2.04	0.55
1:C:349:GLN:HE22	1:D:48:GLN:HE21	1.55	0.55
1:B:17:ARG:HD3	1:B:19:ASP:OD1	2.07	0.55
1:D:125:ARG:H	1:D:144:ASN:ND2	2.06	0.54
1:B:207:ARG:HG2	1:B:272:PRO:HB3	1.90	0.53
1:C:94:MET:SD	1:C:138:LEU:HD12	2.49	0.52
1:C:125:ARG:H	1:C:144:ASN:ND2	2.07	0.52
1:A:431:PRO:HD2	1:C:420:GLN:HG3	1.91	0.52
1:D:282:THR:HG22	1:D:284:ARG:H	1.74	0.52
1:B:66:GLN:NE2	1:B:115:LYS:H	2.07	0.51
1:B:426:ASN:HD22	1:D:426:ASN:HD22	1.58	0.51
1:A:125:ARG:H	1:A:144:ASN:ND2	2.08	0.51
1:D:138:LEU:HG	1:D:337:VAL:HG22	1.92	0.51
1:D:152:ASP:HB2	1:D:155:LYS:HE2	1.93	0.50
1:D:204:ALA:HA	1:D:242:LEU:HG	1.93	0.50
1:A:440:ASP:O	1:A:444:VAL:HG23	2.12	0.50
1:B:125:ARG:H	1:B:144:ASN:ND2	2.10	0.50
1:B:66:GLN:HE22	1:B:115:LYS:H	1.60	0.50
1:D:213:SER:HB2	1:D:231:VAL:H	1.77	0.50
1:C:17:ARG:HB3	1:D:379:LYS:HE2	1.93	0.49
1:D:66:GLN:NE2	1:D:115:LYS:H	2.10	0.49
1:A:114:ASP:HB2	1:D:116:GLY:HA3	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:138:LEU:HG	1:C:337:VAL:HG22	1.93	0.49
1:C:66:GLN:HE22	1:C:115:LYS:H	1.59	0.49
1:D:320:LEU:N	1:D:325:GLN:HE22	2.10	0.49
1:B:321:ASN:ND2	1:B:324:ALA:H	2.10	0.48
1:C:204:ALA:HA	1:C:242:LEU:HG	1.94	0.48
1:A:404:ALA:HB3	1:A:407:LYS:HG3	1.96	0.48
1:A:420:GLN:HG3	1:C:431:PRO:HD2	1.95	0.48
1:D:281:MET:HG2	1:D:285:ASP:HB2	1.96	0.47
1:A:16:VAL:HG11	1:A:20:ARG:NH1	2.29	0.47
1:D:321:ASN:H	1:D:325:GLN:NE2	2.12	0.47
1:C:281:MET:HG2	1:C:285:ASP:HB2	1.98	0.46
1:A:444:VAL:HG12	1:A:448:ASN:ND2	2.23	0.46
1:C:321:ASN:ND2	1:D:395:ASN:HD22	2.14	0.46
1:B:116:GLY:H	1:C:116:GLY:H	1.64	0.45
1:C:365:PRO:HG3	1:D:61:ARG:HD3	1.97	0.45
1:A:395:ASN:HD22	1:B:321:ASN:HD21	1.64	0.45
1:D:365:PRO:HG2	1:D:389:PRO:HD2	1.99	0.45
1:A:204:ALA:HA	1:A:242:LEU:HG	1.99	0.45
1:D:365:PRO:CG	1:D:389:PRO:HD2	2.46	0.45
1:D:440:ASP:O	1:D:444:VAL:HG23	2.17	0.44
1:C:207:ARG:HG2	1:C:272:PRO:HB3	1.99	0.44
1:B:321:ASN:H	1:B:325:GLN:HE21	1.66	0.44
1:A:44:PRO:HB2	1:C:46:LEU:HD22	2.00	0.44
1:A:467:ILE:O	1:A:471:VAL:HG23	2.18	0.44
1:C:17:ARG:HD3	1:C:19:ASP:OD1	2.17	0.44
1:A:65:PRO:HG3	1:D:65:PRO:HD3	2.00	0.43
1:A:94:MET:SD	1:A:138:LEU:HD12	2.58	0.43
1:B:477:GLN:O	1:B:481:ARG:HG3	2.18	0.43
1:C:28:ASN:HA	1:C:29:PRO:HD3	1.91	0.43
1:C:64:ILE:HG22	1:D:389:PRO:HG3	1.99	0.43
1:A:17:ARG:HD3	1:A:19:ASP:OD1	2.18	0.43
1:D:220:SER:HB3	1:D:226:TRP:HB3	2.01	0.43
1:A:496:ALA:HA	1:A:499:LYS:HD2	2.01	0.43
1:B:184:PRO:HA	1:B:187:GLN:NE2	2.34	0.42
1:C:162:THR:HG21	1:C:180:PHE:HB2	2.01	0.42
1:C:411:TYR:CZ	1:D:33:PRO:HB3	2.55	0.42
1:D:145:THR:HA	1:D:146:PRO:HD3	1.94	0.42
1:A:175:ASP:O	1:A:179:ASP:HB2	2.20	0.42
1:D:175:ASP:O	1:D:179:ASP:HB2	2.20	0.42
1:B:254:ASN:HD21	1:B:260:GLN:NE2	2.17	0.41
1:C:321:ASN:HD21	1:D:395:ASN:HD22	1.67	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:320:LEU:N	1:A:325:GLN:HE22	2.12	0.41
1:B:321:ASN:H	1:B:325:GLN:NE2	2.17	0.41
1:C:271:TYR:HA	1:C:272:PRO:HD2	1.94	0.41
1:C:320:LEU:N	1:C:325:GLN:HE22	2.17	0.41
1:D:207:ARG:HD3	1:D:261:ASP:OD2	2.20	0.41
1:D:450:TYR:CE1	1:D:493:LEU:HG	2.55	0.41
1:B:421:HIS:H	1:B:421:HIS:CD2	2.37	0.41
1:C:283:GLU:HG2	1:C:287:LYS:HE3	2.02	0.41
1:A:147:VAL:HG23	1:A:192:GLN:HE21	1.85	0.41
1:D:28:ASN:HA	1:D:29:PRO:HD3	1.91	0.41
1:B:114:ASP:HB2	1:C:116:GLY:CA	2.51	0.41
1:A:86:ILE:HG21	1:A:310:VAL:HG22	2.03	0.41
1:B:426:ASN:HD22	1:D:426:ASN:ND2	2.18	0.41
1:A:138:LEU:HG	1:A:337:VAL:HG22	2.02	0.41
1:B:440:ASP:O	1:B:444:VAL:HG23	2.21	0.41
1:C:70:HIS:O	1:C:107:ARG:NH2	2.54	0.41
1:A:70:HIS:CE1	1:A:111:VAL:HG22	2.56	0.41
1:B:60:ASN:HA	5:C:568:HOH:O	2.21	0.41
1:D:38:ARG:HG3	1:D:40:GLY:O	2.21	0.41
1:B:156:PHE:HB3	1:B:157:PRO:HD3	2.03	0.41
1:A:152:ASP:HB2	1:A:155:LYS:HE2	2.02	0.40
1:B:300:TRP:HA	1:B:301:PRO:HD3	1.92	0.40
1:D:70:HIS:HA	1:D:110:THR:O	2.22	0.40
1:A:184:PRO:HA	1:A:187:GLN:NE2	2.37	0.40
1:A:254:ASN:HD21	1:A:260:GLN:NE2	2.19	0.40
1:A:471:VAL:HG21	1:A:482:VAL:HG11	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	486/488 (100%)	471 (97%)	15 (3%)	0	100	100
1	B	486/488 (100%)	472 (97%)	14 (3%)	0	100	100
1	C	486/488 (100%)	472 (97%)	14 (3%)	0	100	100
1	D	486/488 (100%)	470 (97%)	16 (3%)	0	100	100
All	All	1944/1952 (100%)	1885 (97%)	59 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	422/422 (100%)	412 (98%)	10 (2%)	49	68
1	B	422/422 (100%)	407 (96%)	15 (4%)	35	54
1	C	422/422 (100%)	407 (96%)	15 (4%)	35	54
1	D	422/422 (100%)	409 (97%)	13 (3%)	40	60
All	All	1688/1688 (100%)	1635 (97%)	53 (3%)	40	60

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	LEU
1	A	47	LEU
1	A	123	ASP
1	A	127	PHE
1	A	133	THR
1	A	138	LEU
1	A	144	ASN
1	A	155	LYS
1	A	296	LEU
1	A	493	LEU
1	B	47	LEU
1	B	69	PRO
1	B	123	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	127	PHE
1	B	138	LEU
1	B	144	ASN
1	B	155	LYS
1	B	190	ILE
1	B	296	LEU
1	B	312	LYS
1	B	352	LEU
1	B	371	PRO
1	B	420	GLN
1	B	475	CYS
1	B	493	LEU
1	C	17	ARG
1	C	31	ASN
1	C	45	LEU
1	C	47	LEU
1	C	123	ASP
1	C	127	PHE
1	C	138	LEU
1	C	144	ASN
1	C	155	LYS
1	C	190	ILE
1	C	296	LEU
1	C	352	LEU
1	C	420	GLN
1	C	475	CYS
1	C	493	LEU
1	D	17	ARG
1	D	45	LEU
1	D	47	LEU
1	D	123	ASP
1	D	127	PHE
1	D	138	LEU
1	D	144	ASN
1	D	155	LYS
1	D	190	ILE
1	D	296	LEU
1	D	352	LEU
1	D	493	LEU
1	D	502	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (42) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	GLN
1	A	48	GLN
1	A	63	ASN
1	A	144	ASN
1	A	192	GLN
1	A	223	ASN
1	A	260	GLN
1	A	325	GLN
1	A	421	HIS
1	A	448	ASN
1	B	37	GLN
1	B	48	GLN
1	B	66	GLN
1	B	144	ASN
1	B	192	GLN
1	B	260	GLN
1	B	304	GLN
1	B	321	ASN
1	B	325	GLN
1	B	421	HIS
1	C	31	ASN
1	C	37	GLN
1	C	48	GLN
1	C	66	GLN
1	C	144	ASN
1	C	170	ASN
1	C	192	GLN
1	C	260	GLN
1	C	321	ASN
1	C	325	GLN
1	C	421	HIS
1	D	31	ASN
1	D	37	GLN
1	D	48	GLN
1	D	66	GLN
1	D	144	ASN
1	D	192	GLN
1	D	260	GLN
1	D	321	ASN
1	D	325	GLN
1	D	421	HIS
1	D	426	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	SO4	D	2	-	4,4,4	0.77	0	6,6,6	0.28	0
4	HEM	D	503	1,2	27,50,50	1.57	5 (18%)	17,82,82	1.48	2 (11%)
4	HEM	B	503	1,2	27,50,50	1.58	5 (18%)	17,82,82	1.47	3 (17%)
2	AZI	B	504	4	0,2,2	0.00	-	0,1,1	0.00	-
2	AZI	D	504	4	0,2,2	0.00	-	0,1,1	0.00	-
4	HEM	A	503	1,2	27,50,50	1.58	6 (22%)	17,82,82	1.41	1 (5%)
3	SO4	A	1	-	4,4,4	0.76	0	6,6,6	0.38	0
2	AZI	A	504	4	0,2,2	0.00	-	0,1,1	0.00	-
2	AZI	C	504	4	0,2,2	0.00	-	0,1,1	0.00	-
4	HEM	C	503	1,2	27,50,50	1.60	6 (22%)	17,82,82	1.46	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HEM	D	503	1,2	-	0/6/54/54	-
4	HEM	B	503	1,2	-	0/6/54/54	-
4	HEM	C	503	1,2	-	0/6/54/54	-
4	HEM	A	503	1,2	-	0/6/54/54	-

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	503	HEM	C3C-CAC	-4.22	1.39	1.47
4	D	503	HEM	C3C-CAC	-3.93	1.39	1.47
4	C	503	HEM	C3C-CAC	-3.92	1.39	1.47
4	A	503	HEM	C3C-CAC	-3.86	1.39	1.47
4	A	503	HEM	C3B-CAB	-3.76	1.40	1.47
4	D	503	HEM	C3B-CAB	-3.75	1.40	1.47
4	C	503	HEM	C3B-CAB	-3.73	1.40	1.47
4	B	503	HEM	C3B-CAB	-3.66	1.40	1.47
4	B	503	HEM	CBB-CAB	2.76	1.47	1.29
4	C	503	HEM	C3C-C2C	-2.67	1.36	1.40
4	D	503	HEM	C3C-C2C	-2.66	1.36	1.40
4	A	503	HEM	C3C-C2C	-2.62	1.36	1.40
4	D	503	HEM	CBB-CAB	2.54	1.46	1.29
4	C	503	HEM	CBC-CAC	2.52	1.45	1.29
4	A	503	HEM	CBC-CAC	2.51	1.45	1.29
4	A	503	HEM	CBB-CAB	2.50	1.45	1.29
4	C	503	HEM	CBB-CAB	2.47	1.45	1.29
4	B	503	HEM	C3C-C2C	-2.45	1.37	1.40
4	D	503	HEM	CBC-CAC	2.43	1.45	1.29
4	B	503	HEM	CBC-CAC	2.39	1.45	1.29
4	C	503	HEM	C3B-C2B	-2.28	1.37	1.40
4	A	503	HEM	C3B-C2B	-2.27	1.37	1.40

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	503	HEM	CMB-C2B-C3B	2.91	130.13	124.68
4	B	503	HEM	CMB-C2B-C3B	2.80	129.91	124.68
4	C	503	HEM	CMB-C2B-C3B	2.70	129.72	124.68
4	A	503	HEM	CMB-C2B-C3B	2.62	129.59	124.68
4	C	503	HEM	CAA-CBA-CGA	2.49	116.86	112.67
4	B	503	HEM	C3B-C4B-NB	2.12	111.96	109.21
4	B	503	HEM	CMC-C2C-C3C	2.07	128.56	124.68
4	D	503	HEM	CBA-CAA-C2A	-2.06	108.69	112.49


There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	484/488 (99%)	-0.42	4 (0%)	86 84	19, 29, 53, 85	0
1	B	488/488 (100%)	-0.39	7 (1%)	75 73	19, 29, 52, 81	3 (0%)
1	C	488/488 (100%)	-0.59	2 (0%)	92 91	18, 31, 52, 90	3 (0%)
1	D	488/488 (100%)	-0.23	12 (2%)	57 55	21, 35, 56, 81	3 (0%)
All	All	1948/1952 (99%)	-0.41	25 (1%)	77 75	18, 31, 54, 90	9 (0%)

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	15	ASP	7.5
1	A	15	ASP	4.9
1	B	15	ASP	4.9
1	D	451	ARG	4.3
1	C	15	ASP	3.9
1	C	18	GLU	3.7
1	D	303	GLY	3.6
1	D	223	ASN	3.1
1	D	18	GLU	3.1
1	D	477	GLN	2.8
1	D	448	ASN	2.7
1	D	304	GLN	2.6
1	B	461	LYS	2.5
1	B	448	ASN	2.5
1	B	438	PRO	2.5
1	A	448	ASN	2.4
1	B	408	SER	2.4
1	D	500	VAL	2.4
1	A	284	ARG	2.2
1	D	499	LYS	2.2
1	D	456	GLN	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	18	GLU	2.1
1	B	499	LYS	2.0
1	A	499	LYS	2.0
1	D	501	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	AZI	B	504	3/3	0.91	0.17	25,25,27,27	0
3	SO4	A	1	5/5	0.93	0.44	79,82,85,87	0
4	HEM	D	503	43/43	0.95	0.14	21,26,28,30	0
2	AZI	D	504	3/3	0.95	0.16	27,27,28,32	0
4	HEM	B	503	43/43	0.95	0.15	18,22,25,28	0
2	AZI	A	504	3/3	0.95	0.19	25,25,28,28	0
3	SO4	D	2	5/5	0.97	0.43	70,77,79,80	0
4	HEM	A	503	43/43	0.97	0.12	18,23,25,27	0
4	HEM	C	503	43/43	0.98	0.11	12,22,25,29	0
2	AZI	C	504	3/3	0.99	0.10	20,20,21,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEM D 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM C 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.