



Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 12:42 am BST

PDB ID : 5A4L
Title : DYRK1A IN COMPLEX WITH FLUORO BENZOTHAZOLE FRAGMENT
Authors : Rothweiler, U.
Deposited on : 2015-06-10
Resolution : 2.73 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.73 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1271 (2.76-2.72)
Clashscore	141614	1322 (2.76-2.72)
Ramachandran outliers	138981	1297 (2.76-2.72)
Sidechain outliers	138945	1298 (2.76-2.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	368	
1	B	368	
1	C	368	
1	D	368	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 11309 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called DUAL SPECIFICITY TYROSINE-PHOSPHORYLATION-REGULATED KINASE 1A.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	342	Total	C	N	O	P	S	0	0	0
			2790	1795	476	501	1	17			
1	B	340	Total	C	N	O	P	S	0	0	0
			2761	1777	471	495	1	17			
1	C	333	Total	C	N	O	P	S	0	0	0
			2678	1724	452	484	1	17			
1	D	335	Total	C	N	O	P	S	0	0	0
			2732	1763	460	491	1	17			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	123	GLY	-	expression tag	UNP Q13627
A	124	ALA	-	expression tag	UNP Q13627
A	125	SER	-	expression tag	UNP Q13627
B	123	GLY	-	expression tag	UNP Q13627
B	124	ALA	-	expression tag	UNP Q13627
B	125	SER	-	expression tag	UNP Q13627
C	123	GLY	-	expression tag	UNP Q13627
C	124	ALA	-	expression tag	UNP Q13627
C	125	SER	-	expression tag	UNP Q13627
D	123	GLY	-	expression tag	UNP Q13627
D	124	ALA	-	expression tag	UNP Q13627
D	125	SER	-	expression tag	UNP Q13627

- Molecule 2 is N-(5-FLUORANYL-1,3-BENZOTHAZOL-2-YL)ETHANAMIDE (three-letter code: ZC3) (formula: C₉H₇FN₂OS).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0	1
			28	18	2	4	2	2		
2	B	1	Total	C	F	N	O	S	0	0
			14	9	1	2	1	1		
2	C	1	Total	C	F	N	O	S	0	0
			14	9	1	2	1	1		
2	D	1	Total	C	F	N	O	S	0	0
			14	9	1	2	1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	68	Total	O	0	0
			68	68		
3	B	64	Total	O	0	0
			64	64		
3	C	75	Total	O	0	0
			75	75		
3	D	71	Total	O	0	0
			71	71		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DUAL SPECIFICITY TYROSINE-PHOSPHORYLATION- REGULATED KINASE 1A




- Molecule 1: DUAL SPECIFICITY TYROSINE-PHOSPHORYLATION- REGULATED KINASE 1A



- Molecule 1: DUAL SPECIFICITY TYROSINE-PHOSPHORYLATION- REGULATED KINASE 1A



- Molecule 1: DUAL SPECIFICITY TYROSINE-PHOSPHORYLATION- REGULATED KINASE 1A



GLU
GLY
THR
ASN
THR
SER

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	87.99 Å 87.47 Å 228.26 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.08 – 2.73 48.08 – 2.74	Depositor EDS
% Data completeness (in resolution range)	98.4 (48.08-2.73) 99.2 (48.08-2.74)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.56 (at 2.73 Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.221 , 0.267 0.279 , 0.306	Depositor DCC
R_{free} test set	2379 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	48.4	Xtriage
Anisotropy	0.723	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 20.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.029 for k,h,-l	Xtriage
Reported twinning fraction	0.753 for H, K, L 0.247 for K, H, -L	Depositor
Outliers	0 of 47004 reflections	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	11309	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PTR, ZC3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/2838	0.55	0/3829
1	B	0.30	0/2808	0.50	0/3789
1	C	0.30	0/2724	0.49	0/3686
1	D	0.31	0/2779	0.49	0/3750
All	All	0.32	0/11149	0.51	0/15054

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2790	0	2776	16	0
1	B	2761	0	2745	7	0
1	C	2678	0	2599	10	0
1	D	2732	0	2715	5	0
2	A	28	0	0	2	0
2	B	14	0	0	0	0
2	C	14	0	0	1	0
2	D	14	0	0	1	0
3	A	68	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	64	0	0	0	0
3	C	75	0	0	1	0
3	D	71	0	0	1	0
All	All	11309	0	10835	42	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (42) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:1481[B]:ZC3:CAA	2:A:1481[B]:ZC3:NAG	2.12	1.10
2:A:1481[A]:ZC3:CAA	2:A:1481[A]:ZC3:NAG	2.29	0.94
1:A:361:PHE:CE1	1:A:373:ILE:HA	2.44	0.52
1:C:365:ASN:ND2	3:C:2057:HOH:O	2.42	0.52
1:C:222:VAL:HA	1:C:304:LYS:HD3	1.92	0.52
1:A:336:MET:HB3	1:A:337:PRO:HD2	1.92	0.51
2:D:1480:ZC3:NAG	2:D:1480:ZC3:CAA	2.74	0.51
1:C:458:ARG:HG3	1:C:468:ILE:HB	1.93	0.50
1:B:212:LYS:O	1:B:213:HIS:HB2	2.13	0.49
1:A:328:ARG:NH1	1:A:366:GLU:OE2	2.39	0.49
1:C:225:LYS:HE3	1:C:239:GLU:HA	1.96	0.48
2:C:1480:ZC3:NAG	2:C:1480:ZC3:CAA	2.76	0.48
1:D:453:LYS:NZ	3:D:2062:HOH:O	2.47	0.47
1:A:317:ARG:NH1	1:A:335:GLY:O	2.48	0.47
1:A:170:PHE:CD1	1:A:171:GLY:N	2.83	0.46
1:B:388:ALA:HB3	1:B:391:ALA:HB2	1.96	0.46
1:D:327:TYR:OH	1:D:353:GLU:OE1	2.21	0.46
1:B:242:SER:OG	1:B:243:TYR:N	2.48	0.46
1:B:212:LYS:O	1:B:213:HIS:CB	2.64	0.45
1:D:352:VAL:HG11	1:D:360:LEU:HD13	1.98	0.45
1:B:385:LEU:HD21	1:B:395:PHE:CD2	2.52	0.44
1:C:338:TYR:HB2	1:C:342:ILE:HG21	2.00	0.44
1:A:350:ILE:O	1:A:354:MET:HG2	2.18	0.43
1:D:171:GLY:HA2	1:D:191:LYS:HG3	2.00	0.43
1:A:295:LEU:HD23	1:A:303:ILE:HG22	2.00	0.43
1:A:368:ASP:O	1:A:372:LYS:HG3	2.19	0.43
1:A:376:VAL:HG12	1:A:377:LEU:HD23	2.00	0.42
1:B:244:ASN:OD1	1:B:246:TYR:N	2.53	0.42
1:C:391:ALA:O	1:C:395:PHE:N	2.52	0.42
1:A:164:LEU:HD11	1:A:172:GLN:HB3	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:336:MET:HB3	1:D:337:PRO:HD2	2.01	0.42
1:A:359:PRO:HB2	1:A:362:SER:HB3	2.01	0.42
1:C:247:ASP:OD1	1:C:250:ARG:NH2	2.52	0.41
1:A:429:VAL:HG22	1:A:449:TYR:HB3	2.02	0.41
1:A:289:LYS:HA	1:A:350:ILE:HD11	2.03	0.41
1:A:383:HIS:O	1:A:387:GLN:HG2	2.21	0.41
1:C:431:THR:HG22	1:C:432:GLY:H	1.85	0.41
1:B:216:GLU:O	1:B:218:LYS:N	2.53	0.41
1:C:352:VAL:HG13	1:C:427:LEU:HD21	2.04	0.40
1:A:290:PRO:HD3	1:A:350:ILE:HG12	2.04	0.40
1:C:220:TYR:C	1:C:221:ILE:HD12	2.41	0.40
1:A:458:ARG:HB3	1:A:468:ILE:HB	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	337/368 (92%)	314 (93%)	23 (7%)	0	100	100
1	B	335/368 (91%)	309 (92%)	23 (7%)	3 (1%)	17	32
1	C	326/368 (89%)	301 (92%)	24 (7%)	1 (0%)	41	61
1	D	328/368 (89%)	304 (93%)	23 (7%)	1 (0%)	41	61
All	All	1326/1472 (90%)	1228 (93%)	93 (7%)	5 (0%)	34	55

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	217	MET
1	B	213	HIS
1	C	242	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	300	ARG
1	B	311	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	300/324 (93%)	294 (98%)	6 (2%)	55	72
1	B	296/324 (91%)	292 (99%)	4 (1%)	67	80
1	C	282/324 (87%)	279 (99%)	3 (1%)	73	84
1	D	295/324 (91%)	292 (99%)	3 (1%)	76	85
All	All	1173/1296 (90%)	1157 (99%)	16 (1%)	67	80

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	146	ASP
1	A	205	ARG
1	A	211	ASN
1	A	214	ASP
1	A	286	CYS
1	A	312	CYS
1	B	146	ASP
1	B	217	MET
1	B	286	CYS
1	B	296	CYS
1	C	280	GLU
1	C	286	CYS
1	C	306	VAL
1	D	286	CYS
1	D	312	CYS
1	D	324	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	387	GLN
1	A	425	ASN
1	B	213	HIS
1	C	365	ASN
1	D	144	ASN
1	D	251	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	PTR	D	321	1	15,16,17	0.74	0	19,22,24	0.71	0
1	PTR	A	321	1	15,16,17	0.75	0	19,22,24	0.84	1 (5%)
1	PTR	C	321	1	15,16,17	0.77	0	19,22,24	0.83	1 (5%)
1	PTR	B	321	1	15,16,17	0.72	0	19,22,24	0.75	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PTR	D	321	1	-	1/10/11/13	0/1/1/1
1	PTR	A	321	1	-	0/10/11/13	0/1/1/1
1	PTR	C	321	1	-	0/10/11/13	0/1/1/1
1	PTR	B	321	1	-	0/10/11/13	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	321	PTR	O3P-P-O2P	2.08	115.58	107.64
1	A	321	PTR	O3P-P-O2P	2.04	115.44	107.64

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	D	321	PTR	O-C-CA-CB

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ZC3	B	1481	-	12,15,15	2.07	4 (33%)	12,21,21	2.06	3 (25%)
2	ZC3	D	1480	-	12,15,15	2.07	5 (41%)	12,21,21	2.23	5 (41%)
2	ZC3	C	1480	-	12,15,15	2.01	3 (25%)	12,21,21	2.09	4 (33%)
2	ZC3	A	1481[A]	-	12,15,15	2.08	3 (25%)	12,21,21	1.85	3 (25%)
2	ZC3	A	1481[B]	-	12,15,15	1.97	3 (25%)	12,21,21	2.05	4 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ZC3	B	1481	-	-	2/2/4/4	0/2/2/2
2	ZC3	D	1480	-	-	2/2/4/4	0/2/2/2
2	ZC3	C	1480	-	-	2/2/4/4	0/2/2/2
2	ZC3	A	1481[A]	-	-	2/2/4/4	0/2/2/2
2	ZC3	A	1481[B]	-	-	2/2/4/4	0/2/2/2

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1481[B]	ZC3	CAF-CAM	-5.03	1.34	1.41
2	A	1481[A]	ZC3	CAF-CAM	-5.01	1.34	1.41
2	D	1480	ZC3	CAF-CAM	-4.93	1.34	1.41
2	B	1481	ZC3	CAF-CAM	-4.88	1.34	1.41
2	C	1480	ZC3	CAF-CAM	-4.70	1.34	1.41
2	C	1480	ZC3	CAF-CAK	2.53	1.40	1.36
2	A	1481[A]	ZC3	CAE-CAN	-2.36	1.33	1.40
2	D	1480	ZC3	CAF-CAK	2.29	1.39	1.36
2	D	1480	ZC3	CAE-CAN	-2.29	1.33	1.40
2	A	1481[B]	ZC3	CAE-CAN	-2.22	1.33	1.40
2	B	1481	ZC3	CAE-CAN	-2.20	1.33	1.40
2	C	1480	ZC3	CAE-CAN	-2.16	1.33	1.40
2	A	1481[B]	ZC3	CAM-CAN	-2.14	1.35	1.42
2	B	1481	ZC3	CAM-CAN	-2.14	1.35	1.42
2	A	1481[A]	ZC3	CAM-CAN	-2.13	1.35	1.42
2	D	1480	ZC3	CAM-CAN	-2.11	1.35	1.42
2	D	1480	ZC3	FAC-CAK	2.07	1.41	1.36
2	B	1481	ZC3	FAC-CAK	-2.01	1.31	1.36

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1480	ZC3	CAD-CAK-CAF	-4.27	118.51	123.23
2	A	1481[B]	ZC3	CAD-CAK-CAF	-4.25	118.54	123.23
2	A	1481[A]	ZC3	CAD-CAK-CAF	-4.19	118.60	123.23
2	B	1481	ZC3	CAD-CAK-CAF	-4.06	118.75	123.23
2	C	1480	ZC3	CAD-CAK-CAF	-3.71	119.14	123.23
2	B	1481	ZC3	CAM-CAN-SAI	-3.42	107.32	111.85
2	C	1480	ZC3	CAA-CAJ-NAH	3.27	119.78	114.98
2	D	1480	ZC3	CAA-CAJ-NAH	3.15	119.60	114.98
2	A	1481[B]	ZC3	CAM-CAN-SAI	-3.10	107.74	111.85

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1480	ZC3	CAM-CAN-SAI	-3.06	107.80	111.85
2	A	1481[A]	ZC3	CAM-CAN-SAI	-2.98	107.90	111.85
2	C	1480	ZC3	CAM-CAN-SAI	-2.82	108.11	111.85
2	B	1481	ZC3	CAA-CAJ-NAH	2.74	119.00	114.98
2	A	1481[B]	ZC3	CAK-CAF-CAM	2.38	121.49	118.30
2	D	1480	ZC3	CAK-CAF-CAM	2.37	121.47	118.30
2	D	1480	ZC3	CAN-CAM-NAG	2.18	113.13	108.04
2	C	1480	ZC3	CAN-CAM-NAG	2.17	113.09	108.04
2	A	1481[B]	ZC3	CAN-CAM-NAG	2.16	113.06	108.04
2	A	1481[A]	ZC3	CAK-CAF-CAM	2.08	121.08	118.30

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	1480	ZC3	OAB-CAJ-NAH-CAL
2	D	1480	ZC3	CAA-CAJ-NAH-CAL
2	C	1480	ZC3	CAA-CAJ-NAH-CAL
2	A	1481[A]	ZC3	CAA-CAJ-NAH-CAL
2	A	1481[B]	ZC3	CAA-CAJ-NAH-CAL
2	B	1481	ZC3	CAA-CAJ-NAH-CAL
2	C	1480	ZC3	OAB-CAJ-NAH-CAL
2	A	1481[A]	ZC3	OAB-CAJ-NAH-CAL
2	A	1481[B]	ZC3	OAB-CAJ-NAH-CAL
2	B	1481	ZC3	OAB-CAJ-NAH-CAL

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	1480	ZC3	1	0
2	C	1480	ZC3	1	0
2	A	1481[A]	ZC3	1	0
2	A	1481[B]	ZC3	1	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.