



# Full wwPDB X-ray Structure Validation Report ⓘ

May 15, 2020 – 09:59 am BST

PDB ID : 1A5H  
Title : CATALYTIC DOMAIN OF HUMAN TWO-CHAIN TISSUE PLASMINO-  
GEN ACTIVATOR COMPLEX OF A BIS-BENZAMIDINE  
Authors : Renatus, M.; Bode, W.; Stubbs, M.T.  
Deposited on : 1998-02-17  
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.





Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	2172 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	C	7	 43% 57%
1	D	7	 57% 43%
2	A	252	 75% 25%
2	B	252	 71% 29%

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5341 atoms, of which 1128 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called TISSUE PLASMINOGEN ACTIVATOR.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	C	7	Total	C	H	N	O	S	31	0	0
			76	35	18	11	11	1			
1	D	7	Total	C	H	N	O	S	31	0	0
			76	35	18	11	11	1			

- Molecule 2 is a protein called TISSUE PLASMINOGEN ACTIVATOR.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	A	252	Total	C	H	N	O	S	601	0	0
			2422	1238	447	352	371	14			
2	B	252	Total	C	H	N	O	S	595	0	0
			2422	1238	447	352	371	14			

- Molecule 3 is 2,7-BIS-(4-AMIDINO BENZYLIDENE)-CYCLOHEPTAN-1-ONE (three-letter code: BBA) (formula: C<sub>23</sub>H<sub>28</sub>N<sub>4</sub>O).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	8	0
			36	23	8	4	1		
3	B	1	Total	C	H	N	O	8	0
			36	23	8	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	2	Total	H	O	4	0
			6	4	2		
4	A	46	Total	H	O	92	0
			138	92	46		
4	D	1	Total	H	O	2	0
			3	2	1		
4	B	42	Total	H	O	84	0
			126	84	42		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: TISSUE PLASMINOGEN ACTIVATOR

Chain C: 




#### • Molecule 1: TISSUE PLASMINOGEN ACTIVATOR

Chain D: 




#### • Molecule 2: TISSUE PLASMINOGEN ACTIVATOR

Chain A: 



#### • Molecule 2: TISSUE PLASMINOGEN ACTIVATOR

Chain B: 



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	151.83Å 60.50Å 62.61Å 90.00° 110.50° 90.00°	Depositor
Resolution (Å)	7.00 – 2.90	Depositor
% Data completeness (in resolution range)	81.0 (7.00-2.90)	Depositor
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	X-PLOR 3.1	Depositor
R, $R_{free}$	0.178 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	5341	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	14.0	wwPDB-VP

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BBA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	C	0.41	0/58	0.61	0/75
1	D	0.41	0/58	0.58	0/75
2	A	0.37	0/2024	0.64	0/2745
2	B	0.36	0/2024	0.65	0/2745
All	All	0.37	0/4164	0.64	0/5640

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	58	18	57	6	0
1	D	58	18	57	6	0
2	A	1975	447	1903	50	0
2	B	1975	447	1903	53	0
3	A	28	8	25	4	0
3	B	28	8	25	3	0
4	A	46	92	0	1	0
4	B	42	84	0	1	0
4	C	2	4	0	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	1	2	0	0	0
All	All	4213	1128	3970	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:88:TYR:HB3	2:A:106:LEU:HD13	1.67	0.76
2:A:110:SER:HB2	2:A:111:CYS:SG	2.28	0.72
2:B:29:TRP:CB	2:B:121:VAL:HG22	2.20	0.72
2:B:88:TYR:HB3	2:B:106:LEU:HD13	1.72	0.72
2:A:29:TRP:CB	2:A:121:VAL:HG22	2.23	0.69
2:A:16:ILE:HB	2:A:156:LYS:HD3	1.76	0.68
3:A:250:BBA:H32	4:A:1130:HOH:O	1.94	0.67
2:A:147:LEU:H	2:A:147:LEU:HD23	1.62	0.65
2:B:172:LEU:HD12	2:B:217:LEU:HD13	1.79	0.65
2:A:201:CYS:SG	2:A:210:VAL:HG21	2.38	0.64
2:A:146:ALA:HB2	2:A:220:CYS:SG	2.37	0.64
2:A:39:ARG:HH22	2:A:60(C):PHE:HZ	1.45	0.64
2:B:36:LYS:HB3	2:B:38:GLU:HG2	1.81	0.63
1:D:1(A):THR:HG22	1:D:1:CYS:H	1.65	0.62
1:D:1(A):THR:HB	2:B:206:ARG:HH12	1.65	0.62
2:B:192:GLN:HG2	3:B:250:BBA:H22	1.81	0.62
2:B:201:CYS:SG	2:B:210:VAL:HG21	2.39	0.62
2:A:88:TYR:CB	2:A:106:LEU:HD13	2.29	0.62
2:B:88:TYR:CB	2:B:106:LEU:HD13	2.29	0.62
2:B:29:TRP:HB2	2:B:121:VAL:HG22	1.81	0.61
2:A:192:GLN:HG2	3:A:250:BBA:H22	1.82	0.61
2:A:29:TRP:HB2	2:A:121:VAL:HG22	1.83	0.60
2:B:147:LEU:HD12	2:B:147:LEU:H	1.68	0.59
2:A:172:LEU:HD12	2:A:217:LEU:HD13	1.85	0.58
1:C:1(A):THR:HG22	1:C:1:CYS:H	1.67	0.58
2:A:52:ILE:HG13	2:A:106:LEU:HB2	1.85	0.58
2:A:203:ASN:HB3	2:A:208:THR:OG1	2.03	0.57
2:B:154:ARG:HG2	2:B:155:LEU:N	2.19	0.56
2:A:30:GLN:OE1	2:A:198:PRO:HD2	2.06	0.56
2:B:163:TYR:CE2	2:B:225:PRO:HB3	2.40	0.56
2:A:99:TYR:CE2	3:A:250:BBA:H24	2.40	0.56
2:B:39:ARG:HH22	2:B:60(C):PHE:HZ	1.51	0.55

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:203:ASN:HB3	2:B:208:THR:OG1	2.06	0.55
2:A:163:TYR:CE2	2:A:225:PRO:HB3	2.41	0.55
2:B:16:ILE:HB	2:B:156:LYS:HD3	1.89	0.55
1:D:1(A):THR:HB	2:B:206:ARG:NH1	2.22	0.55
2:B:52:ILE:HG13	2:B:106:LEU:HB2	1.90	0.54
2:B:110:SER:HB2	2:B:111:CYS:SG	2.48	0.54
2:A:147:LEU:HD23	2:A:147:LEU:N	2.22	0.54
2:B:45:ILE:HG23	2:B:198:PRO:HB3	1.90	0.53
1:C:1(A):THR:HB	2:A:206:ARG:HH12	1.74	0.52
2:A:27:HIS:N	2:A:28:PRO:HD3	2.25	0.51
2:B:143:LYS:HB3	2:B:145:GLU:O	2.10	0.51
2:B:27:HIS:N	2:B:28:PRO:HD3	2.26	0.51
2:A:18:GLY:O	2:A:156:LYS:HE2	2.11	0.51
2:A:163:TYR:HB2	2:A:182:CYS:O	2.12	0.50
2:B:21:PHE:HB3	2:B:154:ARG:NH1	2.27	0.50
2:B:185:ASP:HB3	2:B:187:LEU:HD22	1.93	0.50
2:A:94:PHE:HA	2:A:101:ASN:HB2	1.93	0.50
2:A:154:ARG:HG2	2:A:155:LEU:N	2.26	0.50
1:C:3:LEU:HB3	4:C:1004:HOH:O	2.12	0.49
2:B:132:ASP:HB3	2:B:164:PRO:HG3	1.95	0.49
2:A:110:SER:CB	2:A:111:CYS:SG	3.00	0.49
1:C:1(A):THR:HB	2:A:206:ARG:NH1	2.28	0.49
2:A:45:ILE:HG23	2:A:198:PRO:HB3	1.96	0.48
2:B:86:GLU:HB2	2:B:109:LYS:HG3	1.94	0.48
2:B:99:TYR:CE2	3:B:250:BBA:H24	2.49	0.48
2:B:94:PHE:HA	2:B:101:ASN:HB2	1.95	0.48
2:B:30:GLN:NE2	2:B:140:GLY:HA2	2.29	0.47
2:A:132:ASP:HB3	2:A:164:PRO:HG3	1.96	0.47
2:A:29:TRP:HB3	2:A:121:VAL:HG22	1.95	0.47
2:A:35:ALA:O	2:A:39:ARG:N	2.47	0.47
2:B:29:TRP:HB3	2:B:121:VAL:HG22	1.96	0.47
2:B:59:PHE:CZ	2:B:106:LEU:HD21	2.49	0.47
2:A:100:ASP:O	2:A:101:ASN:HB2	2.15	0.47
2:B:232:THR:HG23	4:B:1029:HOH:O	2.14	0.46
2:B:39:ARG:NH2	2:B:60(C):PHE:HZ	2.13	0.46
1:C:4:ARG:HD2	2:A:26:SER:O	2.16	0.46
2:B:194:ASP:HB3	2:B:213:ILE:HD13	1.97	0.46
2:B:57:HIS:HB2	2:B:60:GLN:OE1	2.16	0.46
2:A:74:VAL:O	2:A:76:PRO:HD3	2.16	0.46
2:A:45:ILE:HG22	2:A:121:VAL:HG21	1.98	0.45
2:A:45:ILE:CG2	2:A:198:PRO:HB3	2.47	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:211:GLY:HA2	2:B:231:VAL:HG23	1.98	0.45
2:A:45:ILE:HG12	2:A:198:PRO:HD3	1.99	0.45
2:B:124:PRO:HA	2:B:125:PRO:HD3	1.87	0.45
1:D:1(A):THR:O	2:B:119:ARG:HD3	2.16	0.45
2:B:74:VAL:O	2:B:74:VAL:HG12	2.17	0.44
2:A:21:PHE:HB3	2:A:154:ARG:NH1	2.32	0.44
2:B:140:GLY:HA3	2:B:194:ASP:OD1	2.17	0.44
1:C:1:CYS:C	2:A:122:CYS:SG	2.96	0.44
2:A:172:LEU:O	2:A:174:ARG:NH1	2.50	0.44
2:B:45:ILE:CG2	2:B:198:PRO:HB3	2.47	0.44
2:B:181:LEU:O	2:B:227:VAL:HA	2.18	0.44
2:A:124:PRO:HA	2:A:125:PRO:HD3	1.89	0.44
2:B:68:LEU:O	2:B:80:GLU:HB2	2.18	0.44
2:A:234:TYR:O	2:A:238:ILE:HG13	2.18	0.43
2:A:140:GLY:HA3	2:A:194:ASP:OD1	2.18	0.43
2:B:133:TRP:O	2:B:161:ARG:HD3	2.17	0.43
1:D:4:ARG:HD2	2:B:26:SER:O	2.18	0.43
2:B:171:LEU:HD13	2:B:176:VAL:HG21	2.00	0.43
2:B:98:THR:O	3:B:250:BBA:N26	2.52	0.43
2:A:181:LEU:O	2:A:227:VAL:HA	2.19	0.42
2:A:36:LYS:HE2	2:A:63:HIS:CD2	2.53	0.42
2:B:18:GLY:O	2:B:156:LYS:HE2	2.19	0.42
2:A:211:GLY:HA2	2:A:231:VAL:HG23	2.00	0.42
2:B:131:PRO:HD2	2:B:134:THR:HG21	2.02	0.42
2:A:59:PHE:CZ	2:A:106:LEU:HD21	2.55	0.41
2:A:99:TYR:CZ	3:A:250:BBA:H24	2.55	0.41
2:A:194:ASP:HB3	2:A:213:ILE:HD13	2.01	0.41
2:A:68:LEU:O	2:A:80:GLU:HB2	2.21	0.41
2:B:100:ASP:O	2:B:101:ASN:HB2	2.20	0.41
1:D:1(A):THR:CB	2:B:206:ARG:HH12	2.33	0.41
2:B:215:TRP:CZ2	2:B:227:VAL:HG21	2.56	0.41
2:B:85:VAL:HG21	2:B:106:LEU:HD12	2.03	0.41
2:A:46:LEU:HG	2:A:120:THR:HG22	2.02	0.41
2:B:232:THR:HA	2:B:235:LEU:HG	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

### 5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	BBA	B	250	-	28,30,30	2.17	6 (21%)	24,41,41	2.67	4 (16%)
3	BBA	A	250	-	28,30,30	2.16	8 (28%)	24,41,41	2.56	3 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BBA	B	250	-	-	6/16/31/31	1/3/3/3
3	BBA	A	250	-	-	6/16/31/31	1/3/3/3

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	250	BBA	C8-C1	-6.56	1.35	1.53
3	A	250	BBA	C8-C1	-6.39	1.35	1.53
3	B	250	BBA	C18-C5	-6.14	1.36	1.53
3	A	250	BBA	C18-C5	-5.47	1.38	1.53
3	B	250	BBA	C21-C22	2.92	1.44	1.39
3	A	250	BBA	C11-C12	2.73	1.44	1.39
3	A	250	BBA	C21-C22	2.68	1.43	1.39
3	A	250	BBA	C11-C10	2.65	1.43	1.38
3	B	250	BBA	C11-C12	2.34	1.43	1.39
3	A	250	BBA	C20-C19	2.28	1.43	1.38
3	B	250	BBA	C10-C9	2.25	1.43	1.38
3	A	250	BBA	C14-C9	2.17	1.43	1.38
3	B	250	BBA	C11-C10	2.14	1.42	1.38
3	A	250	BBA	C24-C19	2.01	1.43	1.38

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	250	BBA	C19-C18-C5	9.18	130.56	113.72
3	A	250	BBA	C19-C18-C5	8.99	130.22	113.72
3	B	250	BBA	C9-C8-C1	7.81	128.05	113.72
3	A	250	BBA	C9-C8-C1	7.63	127.72	113.72
3	B	250	BBA	C12-C15-N16	2.70	122.12	118.05
3	B	250	BBA	C22-C25-N26	2.69	122.10	118.05
3	A	250	BBA	C12-C15-N16	2.53	121.87	118.05

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	250	BBA	C2-C1-C8-C9
3	B	250	BBA	C6-C1-C8-C9
3	A	250	BBA	C2-C1-C8-C9
3	A	250	BBA	C6-C1-C8-C9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	B	250	BBA	C5-C18-C19-C24
3	A	250	BBA	C5-C18-C19-C24
3	B	250	BBA	C5-C18-C19-C20
3	A	250	BBA	C5-C18-C19-C20
3	B	250	BBA	C1-C8-C9-C14
3	A	250	BBA	C1-C8-C9-C14
3	B	250	BBA	C1-C8-C9-C10
3	A	250	BBA	C1-C8-C9-C10



All (2) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	250	BBA	C-C1-C2-C3-C4-C5-C6
3	B	250	BBA	C-C1-C2-C3-C4-C5-C6

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	250	BBA	3	0
3	A	250	BBA	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section is therefore empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section is therefore empty.