



wwPDB EM Validation Summary Report ⓘ

Dec 18, 2022 – 06:56 am GMT

PDB ID : 7A5J
EMDB ID : EMD-11645
Title : Structure of the split human mitoribosomal large subunit with P-and E-site mt-tRNAs
Authors : Desai, N.; Yang, H.; Chandrasekaran, V.; Kazi, R.; Minczuk, M.; Ramakrishnan, V.
Deposited on : 2020-08-21
Resolution : 3.10 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	D	305	
2	E	348	
3	F	311	
4	C	267	
4	H	267	
5	I	261	
6	J	192	
7	K	178	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	L	145	
9	M	296	
10	N	251	
11	O	175	
12	P	179	
13	Q	292	
14	R	149	
15	S	205	
16	T	212	
17	U	153	
18	V	216	
19	W	148	
20	X	256	
21	Y	250	
22	Z	161	
23	0	188	
24	1	65	
25	2	92	
26	3	188	
27	4	103	
28	5	423	
29	6	380	
30	7	338	
31	8	206	
32	9	137	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	a	142	
34	b	155	
35	c	332	
36	d	306	
37	e	279	
38	f	194	
39	g	166	
40	h	158	
41	i	128	
42	j	123	
43	k	112	
44	l	138	
45	m	128	
46	o	102	
47	p	206	
48	q	222	
49	r	196	
50	s	439	
51	t	28	
52	u	234	
53	v	70	
54	w	156	
55	n	229	
56	A	1559	
57	B	69	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
58	Y2	29	<div><div></div><div>100%</div><div></div><div>93%</div><div>7%</div></div>
59	G	73	<div><div></div><div>99%</div><div></div><div>56%</div><div>44%</div></div>
59	x	73	<div><div></div><div>100%</div><div></div><div>58%</div><div>42%</div></div>
60	y	32	<div><div></div><div>100%</div><div></div><div>100%</div><div></div></div>
61	z	14	<div><div></div><div>100%</div><div></div><div>100%</div><div></div></div>

2 Entry composition [i](#)

There are 66 unique types of molecules in this entry. The entry contains 106132 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 39S ribosomal protein L2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	D	236	Total	C	N	O	S	0	0
			1842	1145	373	315	9		

- Molecule 2 is a protein called 39S ribosomal protein L3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	E	304	Total	C	N	O	S	0	0
			2396	1539	416	430	11		

- Molecule 3 is a protein called 39S ribosomal protein L4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	F	250	Total	C	N	O	S	0	0
			2013	1294	365	348	6		

- Molecule 4 is a protein called 39S ribosomal protein L9, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	H	95	Total	C	N	O		0	0
			784	498	152	134			
4	C	80	Total	C	N	O	S	0	0
			648	421	111	112	4		

- Molecule 5 is a protein called 39S ribosomal protein L10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	I	158	Total	C	N	O	S	0	0
			1283	828	235	210	10		

- Molecule 6 is a protein called 39S ribosomal protein L11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	J	140	Total	C	N	O	S	0	0
			1061	680	192	187	2		

- Molecule 7 is a protein called 39S ribosomal protein L13, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	K	177	Total	C	N	O	S	0	0
			1451	934	259	251	7		

- Molecule 8 is a protein called 39S ribosomal protein L14, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	L	115	Total	C	N	O	S	0	0
			889	559	171	154	5		

- Molecule 9 is a protein called 39S ribosomal protein L15, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	M	287	Total	C	N	O	S	0	0
			2305	1472	425	402	6		

- Molecule 10 is a protein called 39S ribosomal protein L16, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	N	205	Total	C	N	O	S	0	0
			1654	1056	308	280	10		

- Molecule 11 is a protein called 39S ribosomal protein L17, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	O	152	Total	C	N	O	S	0	0
			1245	784	239	215	7		

- Molecule 12 is a protein called Mitochondrial ribosomal protein L18, isoform CRA_b.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	P	141	Total	C	N	O	S	0	0
			1148	719	221	203	5		

- Molecule 13 is a protein called 39S ribosomal protein L19, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	Q	217	Total	C	N	O	S	0	0
			1805	1159	317	320	9		

- Molecule 14 is a protein called 39S ribosomal protein L20, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	R	140	Total	C	N	O	S	0	0
			1153	732	231	186	4		

- Molecule 15 is a protein called 39S ribosomal protein L21, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	S	156	Total	C	N	O	S	0	0
			1251	806	222	219	4		

- Molecule 16 is a protein called 39S ribosomal protein L22, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	T	166	Total	C	N	O	S	0	0
			1368	875	254	232	7		

- Molecule 17 is a protein called 39S ribosomal protein L23, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	U	152	Total	C	N	O	S	0	0
			1218	772	233	210	3		

- Molecule 18 is a protein called 39S ribosomal protein L24, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	V	202	Total	C	N	O	S	0	0
			1624	1032	291	293	8		

- Molecule 19 is a protein called 39S ribosomal protein L27, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	W	109	Total	C	N	O	S	0	0
			859	552	162	142	3		

- Molecule 20 is a protein called 39S ribosomal protein L28, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	X	243	Total	C	N	O	S	0	0
			2035	1317	351	362	5		

- Molecule 21 is a protein called 39S ribosomal protein L47, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	Y	176	Total	C	N	O	S	0	0
			1517	970	291	252	4		

- Molecule 22 is a protein called 39S ribosomal protein L30, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	Z	120	Total	C	N	O	S	0	0
			978	626	183	166	3		

- Molecule 23 is a protein called 39S ribosomal protein L32, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	0	108	Total	C	N	O	S	0	0
			880	545	172	157	6		

- Molecule 24 is a protein called 39S ribosomal protein L33, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	1	52	Total	C	N	O	S	0	0
			433	278	83	70	2		

- Molecule 25 is a protein called 39S ribosomal protein L34, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	2	45	Total	C	N	O	S	0	0
			367	227	81	58	1		

- Molecule 26 is a protein called 39S ribosomal protein L35, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	3	95	Total	C	N	O	S	0	0
			831	539	162	127	3		

- Molecule 27 is a protein called 39S ribosomal protein L36, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	4	37	Total	C	N	O	S	0	0
			333	212	71	47	3		

- Molecule 28 is a protein called 39S ribosomal protein L37, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	5	387	Total	C	N	O	S	0	0
			3156	2039	548	558	11		

- Molecule 29 is a protein called 39S ribosomal protein L38, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	6	324	Total	C	N	O	S	0	0
			2640	1694	470	468	8		

- Molecule 30 is a protein called 39S ribosomal protein L39, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	7	287	Total	C	N	O	S	0	0
			2334	1495	397	425	17		

- Molecule 31 is a protein called 39S ribosomal protein L40, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	8	110	Total	C	N	O	S	0	0
			890	567	155	166	2		

- Molecule 32 is a protein called 39S ribosomal protein L41, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	9	117	Total	C	N	O	S	0	0
			947	614	163	168	2		

- Molecule 33 is a protein called 39S ribosomal protein L42, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	a	82	Total	C	N	O	S	0	0
			686	434	124	123	5		

- Molecule 34 is a protein called 39S ribosomal protein L43, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	b	148	Total	C	N	O	S	0	0
			1178	733	229	213	3		

- Molecule 35 is a protein called 39S ribosomal protein L44, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	c	275	Total	C	N	O	S	0	0
			2217	1415	383	410	9		

- Molecule 36 is a protein called 39S ribosomal protein L45, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	d	211	Total	C	N	O	S	0	0
			1741	1123	299	309	10		

- Molecule 37 is a protein called 39S ribosomal protein L46, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	e	217	Total	C	N	O	S	0	0
			1762	1124	310	323	5		

- Molecule 38 is a protein called 39S ribosomal protein L48, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	f	116	Total	C	N	O	S	0	0
			915	585	152	175	3		

- Molecule 39 is a protein called 39S ribosomal protein L49, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	g	129	Total	C	N	O	S	0	0
			1067	690	185	190	2		

- Molecule 40 is a protein called 39S ribosomal protein L50, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	h	100	Total	C	N	O	S	0	0
			827	524	146	155	2		

- Molecule 41 is a protein called 39S ribosomal protein L51, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	i	97	Total	C	N	O	S	0	0
			827	532	165	126	4		

- Molecule 42 is a protein called cDNA FLJ76418, highly similar to Homo sapiens mitochondrial ribosomal protein L52 (MRPL52), transcript variant 1, mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	j	85	Total	C	N	O	S	0	0
			684	423	133	126	2		

- Molecule 43 is a protein called 39S ribosomal protein L53, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	k	80	Total	C	N	O	S	0	0
			627	392	116	114	5		

- Molecule 44 is a protein called 39S ribosomal protein L54, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
44	l	23	Total	C	N	O	0	0
			221	137	52	32		

- Molecule 45 is a protein called 39S ribosomal protein L55, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	m	45	Total	C	N	O	S	0	0
			372	232	76	62	2		

- Molecule 46 is a protein called Ribosomal protein 63, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	o	91	Total	C	N	O	S	0	0
			771	487	156	125	3		

- Molecule 47 is a protein called Peptidyl-tRNA hydrolase ICT1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	p	127	Total	C	N	O	S	0	0
			1058	661	201	192	4		

- Molecule 48 is a protein called Growth arrest and DNA damage-inducible proteins-interacting protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	q	128	Total	C	N	O	S	0	0
			1076	671	208	192	5		

- Molecule 49 is a protein called 39S ribosomal protein S18a, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	r	146	Total	C	N	O	S	0	0
			1203	764	232	199	8		

- Molecule 50 is a protein called 39S ribosomal protein S30, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	s	370	Total	C	N	O	S	0	0
			3036	1946	542	534	14		

- Molecule 51 is a protein called Unknown protein/protein extension.

Mol	Chain	Residues	Atoms				AltConf	Trace
51	t	28	Total	C	N	O	0	0
			140	84	28	28		

- Molecule 52 is a protein called Mitochondrial assembly of ribosomal large subunit protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	u	111	Total	C	N	O	S	0	0
			927	595	155	167	10		

- Molecule 53 is a protein called MIEF1 upstream open reading frame protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
53	v	69	Total	C	N	O	0	0
			588	372	116	100		

- Molecule 54 is a protein called Acyl carrier protein, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	w	79	Total	C	N	O	S	0	0
			638	410	95	128	5		

- Molecule 55 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	n	228	Total	C	N	O	S	4	0
			1767	1121	321	322	3		

- Molecule 56 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	A	1492	Total	C	N	O	P	0	0
			31684	14216	5726	10250	1492		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	3107	U	UNK	conflict	GB 1025814679

- Molecule 57 is a RNA chain called mt-tRNAVal.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	B	56	Total	C	N	O	P	0	0
			1191	534	214	387	56		

- Molecule 58 is a protein called nascent chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
58	Y2	29	Total	C	N	O	0	0
			145	87	29	29		

- Molecule 59 is a RNA chain called mt-tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	G	73	Total	C	N	O	P	0	0
			1547	696	280	499	72		
59	x	73	Total	C	N	O	P	0	0
			1547	696	280	499	72		

- Molecule 60 is a protein called Unknown protein/protein extension.

Mol	Chain	Residues	Atoms				AltConf	Trace
60	y	32	Total	C	N	O	0	0
			160	96	32	32		

- Molecule 61 is a protein called unknown protein/protein extension.

Mol	Chain	Residues	Atoms				AltConf	Trace
61	z	14	Total	C	N	O	0	0
			70	42	14	14		


- Molecule 62 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
62	D	1	Total	Mg	0
			1	1	
62	g	1	Total	Mg	0
			1	1	
62	A	90	Total	Mg	0
			90	90	

- Molecule 63 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
63	0	1	Total	Zn	0
			1	1	
63	4	1	Total	Zn	0
			1	1	
63	r	1	Total	Zn	0
			1	1	

- Molecule 64 is 4'-PHOSPHOPANTETHEINE (three-letter code: PNS) (formula: C₁₁H₂₃N₂O₇PS).



Mol	Chain	Residues	Atoms					AltConf
64	v	1	Total	C	N	O	P	S
			21	11	2	6	1	1
								0

- Molecule 65 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		AltConf
65	n	2	Total	Cl	
			2	2	0


- Molecule 66 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		AltConf
66	n	3	Total	Na	
			3	3	0
66	A	1	Total	Na	
			1	1	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 39S ribosomal protein L2, mitochondrial



- Molecule 2: 39S ribosomal protein L3, mitochondrial




- Molecule 3: 39S ribosomal protein L4, mitochondrial




- Molecule 4: 39S ribosomal protein L9, mitochondrial







• Molecule 4: 39S ribosomal protein L9, mitochondrial




• Molecule 5: 39S ribosomal protein L10, mitochondrial







- Molecule 7: 39S ribosomal protein L13, mitochondrial




- Molecule 8: 39S ribosomal protein L14, mitochondrial





- Molecule 9: 39S ribosomal protein L15, mitochondrial





- Molecule 10: 39S ribosomal protein L16, mitochondrial





- Molecule 11: 39S ribosomal protein L17, mitochondrial




- Molecule 12: Mitochondrial ribosomal protein L18, isoform CRA_b




- Molecule 13: 39S ribosomal protein L19, mitochondrial





- Molecule 14: 39S ribosomal protein L20, mitochondrial




- Molecule 15: 39S ribosomal protein L21, mitochondrial




- Molecule 16: 39S ribosomal protein L22, mitochondrial




- Molecule 17: 39S ribosomal protein L23, mitochondrial




- Molecule 18: 39S ribosomal protein L24, mitochondrial




- Molecule 19: 39S ribosomal protein L27, mitochondrial




- Molecule 20: 39S ribosomal protein L28, mitochondrial




- Molecule 21: 39S ribosomal protein L47, mitochondrial



- Molecule 22: 39S ribosomal protein L30, mitochondrial




- Molecule 23: 39S ribosomal protein L32, mitochondrial




-
- Sequence logo for the 10th position. The y-axis represents information content in bits, ranging from 0 to 1. The x-axis shows amino acids: MET, PHE, LEU, SER, ALA, VAL, PHE, PHE, ALA, LYS, LYS, SER, SER, K14, R34, L37, L65. The bar for L37 is highlighted in red and has a red diamond above it, indicating a mutation site.

- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| MET | ALA | VAL | LEU | ALA | GLY | SER | LEU | LEU | GLY | THR | SER | ARG | SER | ALA | LEU | LEU | GLY | GLY | ANG | TRP | LEU | GLN | PRO | ARG | ALA | TRP | GLY | PHE | PRO | ASP | ALA | TRP | GLY | LEU | PRO | THR | PRO | GLN | GLN | ALA | ARG | GLY | LYS | A48 | PRO |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|


- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| MET | ALA | ALA | SER | PHE | ALA | ALA | ALA | VAL | ARG | ALA | ALA | SER | GLY | ILE | LEU | ARG | PRO | LEU | ASN | ILE | LEU | SER | SER | THR | TYR | ARG | ASN | CYS | VAL | VAL | LYS | ASN | ALA | ALA | SER | LEU | ILE | SER | SER | ALA | LEU | SER | THR | THR | PRO | VAL | VAL | SER | SER | THR | THR | PRO | ARG |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|



- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| MET | ALA | ALA | ASN | ASN | LEU | PHE | ILE | ARG | LYS | MET | VAL | ASN | ASN | PRO | LEU | LEU | LEU | TYR | LEU | SER | ARG | HIS | THR | VAL | LYS | VAL | PRO | ARG | ALA | ALA | LEU | SER | SER | THR | PHE | PHE | LEU | GLY | GLY | SER | ILE | ARG | GLY | ALA | ALA | ALA | VAL | VAL | VAL | GLU | PRO | PRO | GLY | GLY | ALA | ALA | VAL | VAL | ARG | SER | LEU | LEU | LEU | PRO | PRO | HIS |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|




- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|------|------|
| NET | ALA | LEU | ALA | SER | GLY | PRO | ALA | ALA | ARG | ARG | ALA | LEU | ALA | GLY | SER | GLY | GLN | LEU | GLY | LEU | GLY | GLY | PHE | GLY | ALA | ALA | PRO | ARG | ARG | GLY | ALA | ALA | Y31 | K40 | S41 | E42 | P43 | D47 | E56 | D84 | H94 | L98 | D101 | E130 | E134 | S138 | D141 | D142 | P143 | T147 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|------|------|




- Molecule 29: 39S ribosomal protein L38, mitochondrial

Chain 6: 13% 84% 15%




- Molecule 30: 39S ribosomal protein L39, mitochondrial

Chain 7: 16% 84% 15%




- Molecule 31: 39S ribosomal protein L40, mitochondrial

Chain 8: 45% 50% 47%




- Molecule 32: 39S ribosomal protein L41, mitochondrial




- Molecule 33: 39S ribosomal protein L42, mitochondrial




- Molecule 34: 39S ribosomal protein L43, mitochondrial





- Molecule 35: 39S ribosomal protein L44, mitochondrial




- Molecule 36: 39S ribosomal protein L45, mitochondrial




- Molecule 37: 39S ribosomal protein L46, mitochondrial




- Molecule 38: 39S ribosomal protein L48, mitochondrial




- Molecule 39: 39S ribosomal protein L49, mitochondrial








- Molecule 40: 39S ribosomal protein L50, mitochondrial




- Molecule 41: 39S ribosomal protein L51, mitochondrial




- Molecule 42: cDNA FLJ76418, highly similar to Homo sapiens mitochondrial ribosomal protein L52 (MRPL52), transcript variant 1, mRNA




- Molecule 43: 39S ribosomal protein L53, mitochondrial




- Molecule 44: 39S ribosomal protein L54, mitochondrial




- Molecule 45: 39S ribosomal protein L55, mitochondrial




- Molecule 46: Ribosomal protein 63, mitochondrial




- Molecule 47: Peptidyl-tRNA hydrolase ICT1, mitochondrial





- Molecule 48: Growth arrest and DNA damage-inducible proteins-interacting protein 1




- Molecule 49: 39S ribosomal protein S18a, mitochondrial




• Molecule 50: 39S ribosomal protein S30, mitochondrial



• Molecule 51: Unknown protein/protein extension




• Molecule 52: Mitochondrial assembly of ribosomal large subunit protein 1




• Molecule 53: MIEF1 upstream open reading frame protein








• Molecule 54: Acyl carrier protein, mitochondrial




• Molecule 55: 50S ribosomal protein L1




• Molecule 56: 16S rRNA






• Molecule 57: mt-tRNAVal









• Molecule 58: nascent chain




• Molecule 59: mt-tRNA




• Molecule 59: mt-tRNA



• Molecule 60: Unknown protein/protein extension



• Molecule 61: unknown protein/protein extension



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	54398	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.926	Depositor
Minimum map value	-0.488	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.013	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	644.80255, 644.80255, 644.80255	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.25938, 1.25938, 1.25938	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, PNS, CL, MG, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	D	0.42	0/1879	0.59	0/2527
2	E	0.51	0/2465	0.57	0/3344
3	F	0.51	0/2071	0.56	0/2817
4	C	0.32	0/665	0.60	0/905
4	H	0.46	0/798	0.59	0/1073
5	I	0.34	0/1308	0.63	2/1761 (0.1%)
6	J	0.32	0/1077	0.62	1/1452 (0.1%)
7	K	0.51	0/1495	0.55	0/2029
8	L	0.43	0/904	0.59	0/1218
9	M	0.51	0/2359	0.57	0/3185
10	N	0.48	0/1697	0.56	0/2281
11	O	0.51	0/1269	0.59	0/1708
12	P	0.46	0/1173	0.54	0/1588
13	Q	0.43	0/1846	0.57	0/2487
14	R	0.56	0/1174	0.56	0/1572
15	S	0.53	0/1276	0.61	0/1729
16	T	0.52	0/1402	0.55	0/1886
17	U	0.49	0/1247	0.62	1/1689 (0.1%)
18	V	0.40	0/1666	0.57	2/2260 (0.1%)
19	W	0.61	0/881	0.58	0/1188
20	X	0.45	0/2090	0.55	0/2825
21	Y	0.46	0/1552	0.51	0/2079
22	Z	0.47	0/1003	0.56	0/1354
23	0	0.45	0/895	0.54	0/1201
24	1	0.47	0/438	0.65	0/583
25	2	0.53	0/373	0.55	0/496
26	3	0.56	0/852	0.54	0/1136
27	4	0.57	0/341	0.52	0/451
28	5	0.44	0/3250	0.58	0/4429
29	6	0.43	0/2726	0.54	1/3715 (0.0%)
30	7	0.41	0/2391	0.55	1/3234 (0.0%)
31	8	0.33	0/909	0.67	3/1227 (0.2%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	g	0.45	0/972	0.54	0/1306
33	a	0.44	0/709	0.55	0/963
34	b	0.49	0/1202	0.58	1/1626 (0.1%)
35	c	0.40	0/2264	0.50	0/3059
36	d	0.38	0/1790	0.52	0/2423
37	e	0.32	0/1797	0.60	1/2422 (0.0%)
38	f	0.39	0/931	0.59	0/1259
39	g	0.47	0/1102	0.57	0/1503
40	h	0.35	0/847	0.49	0/1150
41	i	0.56	0/849	0.61	1/1135 (0.1%)
42	j	0.42	0/698	0.48	0/940
43	k	0.33	0/635	0.58	0/855
44	l	0.30	0/226	0.39	0/299
45	m	0.30	0/379	0.66	0/510
46	o	0.48	0/792	0.54	0/1064
47	p	0.35	0/1071	0.54	0/1433
48	q	0.37	0/1107	0.47	0/1498
49	r	0.46	0/1238	0.56	0/1676
50	s	0.47	0/3114	0.58	2/4225 (0.0%)
52	u	0.30	0/949	0.58	0/1281
53	v	0.29	0/597	0.52	0/796
54	w	0.30	0/647	0.57	0/871
55	n	0.31	0/1813	0.67	1/2443 (0.0%)
56	A	0.91	1/35440 (0.0%)	1.10	184/55140 (0.3%)
57	B	0.46	0/1328	0.95	1/2056 (0.0%)
59	G	0.29	0/1731	0.92	1/2693 (0.0%)
59	x	0.29	0/1731	0.92	1/2693 (0.0%)
All	All	0.63	1/111431 (0.0%)	0.81	204/158748 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1
5	I	0	1
15	S	0	1
28	5	0	1
31	8	0	2
58	Y2	0	2
All	All	0	8

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
56	A	1828	A	N9-C4	-6.49	1.33	1.37

The worst 5 of 204 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
56	A	2920	C	O5'-P-OP2	-30.64	73.93	110.70
56	A	2920	C	OP1-P-OP2	-26.62	79.67	119.60
56	A	2920	C	O5'-P-OP1	16.96	131.05	110.70
56	A	2919	A	OP2-P-O3'	14.12	136.26	105.20
56	A	2523	C	N1-C2-O2	13.54	127.03	118.90

There are no chirality outliers.

5 of 8 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
28	5	217	SER	Peptide
31	8	180	PRO	Peptide
1	D	206	TYR	Peptide
5	I	160	LYS	Peptide
15	S	101	PHE	Peptide

5.2 Too-close contacts ⓘ

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	234/305 (77%)	223 (95%)	9 (4%)	2 (1%)	17	52
2	E	302/348 (87%)	286 (95%)	16 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	F	248/311 (80%)	234 (94%)	14 (6%)	0	100	100
4	C	78/267 (29%)	66 (85%)	12 (15%)	0	100	100
4	H	93/267 (35%)	88 (95%)	5 (5%)	0	100	100
5	I	154/261 (59%)	142 (92%)	12 (8%)	0	100	100
6	J	138/192 (72%)	125 (91%)	13 (9%)	0	100	100
7	K	175/178 (98%)	170 (97%)	5 (3%)	0	100	100
8	L	113/145 (78%)	105 (93%)	8 (7%)	0	100	100
9	M	285/296 (96%)	277 (97%)	8 (3%)	0	100	100
10	N	203/251 (81%)	198 (98%)	5 (2%)	0	100	100
11	O	150/175 (86%)	147 (98%)	3 (2%)	0	100	100
12	P	139/179 (78%)	133 (96%)	6 (4%)	0	100	100
13	Q	215/292 (74%)	204 (95%)	11 (5%)	0	100	100
14	R	138/149 (93%)	136 (99%)	2 (1%)	0	100	100
15	S	154/205 (75%)	148 (96%)	6 (4%)	0	100	100
16	T	164/212 (77%)	158 (96%)	6 (4%)	0	100	100
17	U	148/153 (97%)	134 (90%)	12 (8%)	2 (1%)	11	40
18	V	200/216 (93%)	186 (93%)	13 (6%)	1 (0%)	29	64
19	W	107/148 (72%)	103 (96%)	4 (4%)	0	100	100
20	X	241/256 (94%)	230 (95%)	11 (5%)	0	100	100
21	Y	174/250 (70%)	167 (96%)	7 (4%)	0	100	100
22	Z	118/161 (73%)	111 (94%)	7 (6%)	0	100	100
23	0	106/188 (56%)	99 (93%)	7 (7%)	0	100	100
24	1	50/65 (77%)	50 (100%)	0	0	100	100
25	2	43/92 (47%)	42 (98%)	1 (2%)	0	100	100
26	3	93/188 (50%)	87 (94%)	6 (6%)	0	100	100
27	4	35/103 (34%)	35 (100%)	0	0	100	100
28	5	383/423 (90%)	363 (95%)	20 (5%)	0	100	100
29	6	316/380 (83%)	305 (96%)	11 (4%)	0	100	100
30	7	285/338 (84%)	266 (93%)	19 (7%)	0	100	100
31	8	108/206 (52%)	92 (85%)	11 (10%)	5 (5%)	2	15
32	9	113/137 (82%)	106 (94%)	7 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
33	a	78/142 (55%)	75 (96%)	3 (4%)	0	100	100
34	b	146/155 (94%)	132 (90%)	14 (10%)	0	100	100
35	c	271/332 (82%)	266 (98%)	5 (2%)	0	100	100
36	d	203/306 (66%)	191 (94%)	12 (6%)	0	100	100
37	e	211/279 (76%)	196 (93%)	14 (7%)	1 (0%)	29	64
38	f	110/194 (57%)	96 (87%)	13 (12%)	1 (1%)	17	52
39	g	127/166 (76%)	122 (96%)	5 (4%)	0	100	100
40	h	96/158 (61%)	92 (96%)	4 (4%)	0	100	100
41	i	95/128 (74%)	91 (96%)	4 (4%)	0	100	100
42	j	83/123 (68%)	80 (96%)	3 (4%)	0	100	100
43	k	76/112 (68%)	70 (92%)	6 (8%)	0	100	100
44	l	21/138 (15%)	20 (95%)	1 (5%)	0	100	100
45	m	43/128 (34%)	32 (74%)	11 (26%)	0	100	100
46	o	89/102 (87%)	85 (96%)	3 (3%)	1 (1%)	14	46
47	p	119/206 (58%)	114 (96%)	5 (4%)	0	100	100
48	q	126/222 (57%)	124 (98%)	2 (2%)	0	100	100
49	r	140/196 (71%)	133 (95%)	7 (5%)	0	100	100
50	s	366/439 (83%)	353 (96%)	13 (4%)	0	100	100
52	u	109/234 (47%)	100 (92%)	9 (8%)	0	100	100
53	v	67/70 (96%)	65 (97%)	2 (3%)	0	100	100
54	w	77/156 (49%)	72 (94%)	5 (6%)	0	100	100
55	n	230/229 (100%)	213 (93%)	17 (7%)	0	100	100
All	All	8386/11552 (73%)	7938 (95%)	435 (5%)	13 (0%)	50	79

5 of 13 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	207	ILE
17	U	117	SER
31	8	186	GLN
31	8	187	PRO
31	8	188	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	190/245 (78%)	190 (100%)	0	100	100
2	E	259/290 (89%)	259 (100%)	0	100	100
3	F	217/262 (83%)	216 (100%)	1 (0%)	88	94
4	C	73/228 (32%)	73 (100%)	0	100	100
4	H	86/228 (38%)	86 (100%)	0	100	100
5	I	145/232 (62%)	143 (99%)	2 (1%)	67	86
6	J	113/150 (75%)	113 (100%)	0	100	100
7	K	155/156 (99%)	154 (99%)	1 (1%)	86	94
8	L	98/124 (79%)	97 (99%)	1 (1%)	76	90
9	M	245/249 (98%)	242 (99%)	3 (1%)	71	88
10	N	172/211 (82%)	171 (99%)	1 (1%)	86	94
11	O	133/150 (89%)	132 (99%)	1 (1%)	81	92
12	P	123/154 (80%)	121 (98%)	2 (2%)	62	84
13	Q	199/256 (78%)	198 (100%)	1 (0%)	88	94
14	R	118/126 (94%)	117 (99%)	1 (1%)	81	92
15	S	141/180 (78%)	139 (99%)	2 (1%)	67	86
16	T	146/182 (80%)	146 (100%)	0	100	100
17	U	124/135 (92%)	123 (99%)	1 (1%)	81	92
18	V	172/191 (90%)	170 (99%)	2 (1%)	71	88
19	W	89/119 (75%)	89 (100%)	0	100	100
20	X	219/229 (96%)	217 (99%)	2 (1%)	78	91
21	Y	159/223 (71%)	159 (100%)	0	100	100
22	Z	111/147 (76%)	111 (100%)	0	100	100
23	0	97/164 (59%)	97 (100%)	0	100	100
24	1	49/60 (82%)	48 (98%)	1 (2%)	55	80
25	2	39/72 (54%)	39 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
26	3	88/166 (53%)	88 (100%)	0	100	100
27	4	36/89 (40%)	36 (100%)	0	100	100
28	5	348/368 (95%)	347 (100%)	1 (0%)	92	96
29	6	265/332 (80%)	262 (99%)	3 (1%)	73	89
30	7	263/303 (87%)	260 (99%)	3 (1%)	73	89
31	8	91/190 (48%)	90 (99%)	1 (1%)	73	89
32	9	99/112 (88%)	98 (99%)	1 (1%)	76	90
33	a	78/133 (59%)	78 (100%)	0	100	100
34	b	130/135 (96%)	129 (99%)	1 (1%)	81	92
35	c	241/288 (84%)	240 (100%)	1 (0%)	91	96
36	d	193/274 (70%)	191 (99%)	2 (1%)	76	90
37	e	188/236 (80%)	186 (99%)	2 (1%)	73	89
38	f	101/173 (58%)	101 (100%)	0	100	100
39	g	119/148 (80%)	117 (98%)	2 (2%)	60	83
40	h	95/148 (64%)	95 (100%)	0	100	100
41	i	86/110 (78%)	86 (100%)	0	100	100
42	j	68/97 (70%)	68 (100%)	0	100	100
43	k	71/90 (79%)	70 (99%)	1 (1%)	67	86
44	l	23/116 (20%)	23 (100%)	0	100	100
45	m	40/113 (35%)	40 (100%)	0	100	100
46	o	78/87 (90%)	78 (100%)	0	100	100
47	p	117/181 (65%)	116 (99%)	1 (1%)	78	91
48	q	110/178 (62%)	109 (99%)	1 (1%)	78	91
49	r	133/169 (79%)	131 (98%)	2 (2%)	65	85
50	s	326/381 (86%)	322 (99%)	4 (1%)	71	88
52	u	105/200 (52%)	105 (100%)	0	100	100
53	v	59/60 (98%)	58 (98%)	1 (2%)	60	83
54	w	73/136 (54%)	73 (100%)	0	100	100
55	n	184/181 (102%)	177 (96%)	7 (4%)	33	66
All	All	7480/9957 (75%)	7424 (99%)	56 (1%)	84	93

5 of 56 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
30	7	319	ARG
55	n	223	ARG
37	e	51	LEU
55	n	102	LYS
55	n	53[A]	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 71 such sidechains are listed below:

Mol	Chain	Res	Type
42	j	102	GLN
43	k	46	ASN
49	r	148	ASN
19	W	76	HIS
17	U	82	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
56	A	1477/1559 (94%)	386 (26%)	21 (1%)
57	B	51/69 (73%)	14 (27%)	1 (1%)
59	G	73/73 (100%)	30 (41%)	2 (2%)
59	x	72/73 (98%)	30 (41%)	0
All	All	1673/1774 (94%)	460 (27%)	24 (1%)

5 of 460 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
56	A	1676	A
56	A	1678	C
56	A	1680	A
56	A	1681	G
56	A	1685	C

5 of 24 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
56	A	2757	A
56	A	2905	A
56	A	2900	C
56	A	2989	G
56	A	2186	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 102 ligands modelled in this entry, 101 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
64	PNS	v	101	53,54	13,20,21	2.33	3 (23%)	18,26,29	1.29	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
64	PNS	v	101	53,54	-	7/24/26/27	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
64	v	101	PNS	C34-N36	5.42	1.45	1.33
64	v	101	PNS	C39-N41	5.26	1.45	1.33
64	v	101	PNS	O35-C34	-2.16	1.19	1.23

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
64	v	101	PNS	C31-C29-C32	3.02	114.05	108.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
64	v	101	PNS	C37-N36-C34	-2.40	118.30	122.59

There are no chirality outliers.


5 of 7 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
64	v	101	PNS	C28-C29-C32-O33
64	v	101	PNS	C28-C29-C32-C34
64	v	101	PNS	C30-C29-C32-O33
64	v	101	PNS	C30-C29-C32-C34
64	v	101	PNS	C31-C29-C32-O33

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
56	A	1
17	U	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	2585:G	O3'	2586:U	P	8.18
1	U	124:ASP	C	125:ASP	N	6.70


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11645. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 236




Y Index: 291




Z Index: 248


6.3.2 Raw map



X Index: 281



Y Index: 291




Z Index: 246

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.5.1 emd_11645_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 618 nm³; this corresponds to an approximate mass of 558 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	3.12	3.90	3.18
Unmasked-calculated*	4.39	9.70	5.82

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.39 differs from the reported value 3.1 by more than 10 %

9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-11645 and PDB model 7A5J. Per-residue inclusion information can be found in [section 3](#) on [page 17](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)


This section was not generated.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).




































9.4 Atom inclusion [i](#)



At the recommended contour level, 73% of all backbone atoms, 69% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary






























The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion
All	 0.6860
0	 0.7351
1	 0.7452
2	 0.9031
3	 0.8759
4	 0.8365
5	 0.7302
6	 0.6925
7	 0.6307
8	 0.2400
9	 0.6869
A	 0.8274
B	 0.5365
C	 0.0865
D	 0.7091
E	 0.7823
F	 0.8175
G	 0.0394
H	 0.6728
I	 0.4769
J	 0.2368
K	 0.8231
L	 0.7062
M	 0.8216
N	 0.7928
O	 0.8058
P	 0.7403
Q	 0.7110
R	 0.8493
S	 0.8036
T	 0.7852
U	 0.6610
V	 0.5878
W	 0.8319
X	 0.7296



Continued on next page...

Continued from previous page...

Chain	Atom inclusion
Y	 0.7618
Y2	 0.0759
Z	 0.8063
a	 0.7669
b	 0.8243
c	 0.7271
d	 0.5669
e	 0.1414
f	 0.3607
g	 0.8071
h	 0.6398
i	 0.8365
j	 0.7489
k	 0.5302
l	 0.6699
m	 0.2323
n	 0.0596
o	 0.8459
p	 0.6517
q	 0.6308
r	 0.8021
s	 0.7736
t	 0.1286
u	 0.1293
v	 0.0448
w	 0.0316
x	 0.0737
y	 0.0500
z	 0.1000