



# Full wwPDB X-ray Structure Validation Report ⓘ

May 18, 2020 – 09:41 pm BST

PDB ID : 3AJH  
Title : Crystal structure of PcyA V225D-biliverdin XIII alpha complex  
Authors : Wada, K.; Hagiwara, Y.; Fukuyama, K.  
Deposited on : 2010-06-05  
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1377 (2.26-2.26)
Clashscore	141614	1487 (2.26-2.26)
Ramachandran outliers	138981	1449 (2.26-2.26)
Sidechain outliers	138945	1450 (2.26-2.26)
RSRZ outliers	127900	1356 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	248	<div> <div>3%</div> <div> <div></div> <div>49%</div> <div>41%</div> <div>6%</div> <div>• •</div> </div> </div>
1	B	248	<div> <div>5%</div> <div> <div></div> <div>52%</div> <div>37%</div> <div>6%</div> <div>• •</div> </div> </div>

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4064 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Phycocyanobilin:ferredoxin oxidoreductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	240	Total	C	N	O	S	0	0	0
			1918	1220	328	359	11			
1	B	241	Total	C	N	O	S	0	0	0
			1926	1226	329	360	11			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	225	ASP	VAL	ENGINEERED MUTATION	UNP Q55891
B	225	ASP	VAL	ENGINEERED MUTATION	UNP Q55891

- Molecule 2 is 3-[2-[(Z)-[3-(2-carboxyethyl)-5-[(Z)-(3-ethenyl-4-methyl-5-oxo-pyrrol-2-ylidene)methyl]-4-methyl-pyrrol-2-ylidene)methyl]-5-[(Z)-(3-ethenyl-4-methyl-5-oxo-pyrrol-2-ylidene)methyl]-4-methyl-1H-pyrrol-3-yl]propanoic acid (three-letter code: BL3) (formula:  $C_{33}H_{34}N_4O_6$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			43	33	4	6		
2	B	1	Total	C	N	O	0	0
			43	33	4	6		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	63	Total	O	0	0
			63	63		
3	B	71	Total	O	0	0
			71	71		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Phycocyanobilin:ferredoxin oxidoreductase



#### • Molecule 1: Phycocyanobilin:ferredoxin oxidoreductase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	74.61Å 74.61Å 84.63Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	27.98 – 2.25 27.98 – 2.25	Depositor EDS
% Data completeness (in resolution range)	97.9 (27.98-2.25) 97.8 (27.98-2.25)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	7.45 (at 2.24Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, $R_{free}$	0.251 , 0.289 0.245 , 0.284	Depositor DCC
$R_{free}$ test set	1112 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	42.5	Xtriage
Anisotropy	0.383	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 40.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.487 for k,h,-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	4064	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.25% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BL3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.46	0/1964	0.82	7/2664 (0.3%)
1	B	0.45	1/1972 (0.1%)	1.01	17/2675 (0.6%)
All	All	0.45	1/3936 (0.0%)	0.92	24/5339 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	201	GLN	N-CA	-6.17	1.34	1.46

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	199	GLU	CA-C-N	-14.15	86.08	117.20
1	B	201	GLN	N-CA-C	-14.13	72.84	111.00
1	B	200	ALA	CA-C-N	-12.63	89.42	117.20
1	B	198	SER	O-C-N	-10.31	106.20	122.70
1	A	145	PHE	N-CA-C	10.06	138.15	111.00
1	B	198	SER	CA-C-N	8.89	136.75	117.20
1	B	199	GLU	C-N-CA	8.53	143.02	121.70
1	B	200	ALA	C-N-CA	8.34	142.55	121.70
1	B	200	ALA	N-CA-CB	7.95	121.22	110.10
1	B	199	GLU	CA-C-O	7.81	136.49	120.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	144	GLU	C-N-CA	7.30	139.95	121.70
1	B	199	GLU	N-CA-CB	7.28	123.71	110.60
1	B	199	GLU	O-C-N	7.03	133.96	122.70
1	A	145	PHE	CA-C-N	-6.99	101.83	117.20
1	B	200	ALA	CA-C-O	6.66	134.08	120.10
1	A	145	PHE	C-N-CA	6.54	138.06	121.70
1	B	200	ALA	CB-CA-C	6.36	119.63	110.10
1	B	197	LEU	O-C-N	-5.94	113.19	122.70
1	B	198	SER	CB-CA-C	5.79	121.11	110.10
1	B	197	LEU	C-N-CA	5.64	135.81	121.70
1	B	198	SER	C-N-CA	5.62	135.75	121.70
1	A	145	PHE	CB-CG-CD1	5.22	124.45	120.80
1	A	145	PHE	O-C-N	5.12	130.90	122.70
1	A	175	ARG	C-N-CA	-5.07	109.02	121.70

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	200	ALA	Mainchain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1918	0	1885	106	0
1	B	1926	0	1896	125	0
2	A	43	0	32	14	0
2	B	43	0	32	4	0
3	A	63	0	0	13	0
3	B	71	0	0	13	0
All	All	4064	0	3845	241	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 31.

All (241) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:250:BL3:HMC	2:B:250:BL3:HBC	1.40	1.01
2:A:250:BL3:HMC	2:A:250:BL3:HBC	1.40	1.00
1:B:82:LYS:HG2	1:B:83:GLY:N	1.80	0.95
1:B:204:GLU:HB2	3:B:259:HOH:O	1.77	0.84
1:B:157:ILE:HG21	1:B:211:HIS:CD2	2.17	0.80
1:A:50:GLU:HG3	1:A:59:VAL:HG22	1.64	0.80
1:B:127:ARG:HE	1:B:157:ILE:HG22	1.47	0.80
1:B:200:ALA:HB1	1:B:203:LEU:H	1.46	0.79
1:A:220:ASP:O	1:A:224:ARG:HB3	1.82	0.79
1:A:151:LEU:HB3	3:A:273:HOH:O	1.84	0.78
1:B:200:ALA:HA	1:B:202:THR:N	1.96	0.78
1:A:150:GLU:O	1:A:150:GLU:HG2	1.85	0.77
1:B:197:LEU:O	1:B:201:GLN:HG3	1.85	0.76
1:B:209:GLN:O	1:B:212:TYR:HB3	1.86	0.76
1:B:203:LEU:HD11	3:B:278:HOH:O	1.84	0.75
1:A:143:PRO:HB3	3:A:292:HOH:O	1.87	0.75
1:B:142:GLN:CD	1:B:143:PRO:HD2	2.08	0.74
1:B:189:HIS:CD2	1:B:190:GLN:HE21	2.06	0.73
1:A:208:GLY:HA2	3:A:278:HOH:O	1.89	0.73
1:B:198:SER:OG	1:B:201:GLN:HG3	1.90	0.71
1:B:200:ALA:HA	1:B:202:THR:HB	1.72	0.71
1:B:237:ARG:O	1:B:241:GLN:HB2	1.91	0.70
1:A:217:GLN:NE2	1:A:239:MET:HB3	2.06	0.69
1:B:126:ASP:O	1:B:128:GLN:HG2	1.93	0.69
2:A:250:BL3:CMB	2:A:250:BL3:HBB	2.23	0.68
1:A:58:LEU:HD13	1:A:80:VAL:HG13	1.76	0.68
1:B:156:GLU:OE1	1:B:157:ILE:HG23	1.93	0.68
1:B:58:LEU:HD23	1:B:80:VAL:HG13	1.75	0.67
1:B:143:PRO:HD3	1:B:179:ARG:NH1	2.08	0.67
1:B:200:ALA:HA	1:B:202:THR:CB	2.25	0.67
1:A:223:ARG:O	1:A:227:GLU:HG3	1.96	0.66
1:B:84:LEU:HD11	1:B:107:VAL:HG13	1.77	0.66
1:A:221:LYS:HZ3	2:A:250:BL3:CBD	2.08	0.66
1:B:154:TRP:HA	1:B:215:GLN:NE2	2.11	0.66
1:B:23:GLN:NE2	3:B:274:HOH:O	2.28	0.65
1:A:169:ASN:C	1:A:171:THR:H	1.98	0.65
1:B:239:MET:CE	1:B:243:LEU:HD12	2.26	0.65
1:A:148:GLN:HG2	1:A:149:ARG:H	1.59	0.65
1:B:142:GLN:OE1	1:B:143:PRO:HD2	1.95	0.65
1:A:128:GLN:HA	1:A:128:GLN:HE21	1.62	0.65
1:A:122:PRO:HD3	1:A:159:SER:HB2	1.78	0.64
1:B:24:LEU:CD1	1:B:28:ILE:HD11	2.28	0.64

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:250:BL3:HBB	2:B:250:BL3:CMB	2.27	0.64
1:B:157:ILE:HG21	1:B:211:HIS:HD2	1.61	0.63
1:B:215:GLN:O	1:B:218:LYS:HB2	1.97	0.63
1:A:179:ARG:NH1	3:A:292:HOH:O	2.30	0.63
1:B:117:ILE:HG13	1:B:163:LEU:O	1.98	0.63
1:B:211:HIS:HA	1:B:214:GLN:OE1	1.98	0.62
1:B:206:ARG:HA	1:B:209:GLN:HB3	1.81	0.62
1:A:101:LEU:HB3	1:A:121:SER:HB2	1.81	0.62
1:B:52:ARG:HH21	1:B:55:GLY:C	2.03	0.62
1:A:56:GLU:HB3	1:A:81:GLY:HA2	1.82	0.61
1:B:202:THR:O	1:B:205:HIS:N	2.32	0.61
1:A:219:ASN:ND2	2:A:250:BL3:C1C	2.64	0.61
1:A:146:GLU:O	1:A:147:GLN:HB2	2.01	0.60
1:A:221:LYS:NZ	2:A:250:BL3:HBD	2.17	0.60
1:A:52:ARG:NH2	1:A:55:GLY:O	2.35	0.59
1:A:221:LYS:HZ3	2:A:250:BL3:HBD	1.68	0.58
1:A:125:SER:OG	1:A:204:GLU:HG3	2.03	0.58
1:B:197:LEU:HD23	1:B:201:GLN:HB3	1.86	0.58
1:A:159:SER:OG	1:A:160:GLU:N	2.33	0.58
1:B:133:TYR:O	1:B:137:LEU:HB2	2.03	0.58
1:B:202:THR:N	3:B:259:HOH:O	2.37	0.57
1:B:50:GLU:HG3	1:B:59:VAL:HG22	1.86	0.57
1:A:130:PRO:O	1:A:134:GLN:HG3	2.04	0.57
1:B:170:VAL:HG12	1:B:174:GLU:HG3	1.86	0.57
1:B:82:LYS:HE2	1:B:83:GLY:H	1.70	0.57
1:A:221:LYS:NZ	2:A:250:BL3:CBDA	2.68	0.56
1:A:123:THR:HG23	1:A:205:HIS:ND1	2.21	0.56
1:B:205:HIS:O	1:B:206:ARG:HG3	2.05	0.56
1:A:166:ARG:NH1	3:A:299:HOH:O	2.36	0.56
1:B:87:LEU:HD23	1:B:87:LEU:C	2.26	0.56
1:B:200:ALA:CB	1:B:203:LEU:H	2.18	0.56
1:A:221:LYS:HZ3	2:A:250:BL3:HBDA	1.71	0.55
1:A:215:GLN:OE1	1:A:218:LYS:HD2	2.06	0.55
1:A:157:ILE:HD13	1:A:215:GLN:HB2	1.89	0.55
1:A:147:GLN:OE1	1:A:166:ARG:HD3	2.07	0.55
1:A:213:CYS:HB3	1:A:244:PHE:HB3	1.89	0.55
1:A:40:TYR:HB3	1:A:64:CYS:HB3	1.88	0.54
1:A:129:LEU:HB2	3:A:289:HOH:O	2.07	0.54
1:B:57:LYS:HG2	1:B:59:VAL:HG23	1.89	0.54
1:A:126:ASP:O	1:A:126:ASP:OD2	2.26	0.54
1:B:206:ARG:NH2	3:B:306:HOH:O	2.41	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:58:LEU:HD13	1:A:80:VAL:HA	1.90	0.54
1:A:219:ASN:OD1	1:A:221:LYS:HD2	2.08	0.54
1:B:71:ARG:HH21	1:B:92:PHE:HB3	1.72	0.54
1:A:219:ASN:C	1:A:221:LYS:H	2.11	0.54
1:A:192:ILE:HG13	1:A:193:VAL:HG13	1.90	0.53
1:A:170:VAL:O	1:A:170:VAL:HG12	2.08	0.53
1:B:119:ASP:OD2	1:B:162:CYS:HB2	2.08	0.53
1:B:206:ARG:CA	1:B:209:GLN:HB3	2.39	0.53
1:B:144:GLU:O	1:B:145:PHE:HB2	2.08	0.53
1:A:145:PHE:CD1	1:A:165:ILE:HD13	2.43	0.53
1:B:19:PRO:O	1:B:23:GLN:HG3	2.09	0.52
1:B:144:GLU:O	1:B:145:PHE:CB	2.56	0.52
1:B:151:LEU:HD12	1:B:151:LEU:H	1.73	0.52
1:B:56:GLU:OE1	1:B:82:LYS:NZ	2.37	0.52
1:A:143:PRO:CB	3:A:292:HOH:O	2.53	0.52
1:A:136:SER:O	1:A:139:GLU:HG2	2.09	0.52
1:A:128:GLN:HA	1:A:128:GLN:NE2	2.24	0.52
1:A:84:LEU:HD11	1:A:107:VAL:HG13	1.90	0.51
1:B:163:LEU:HD11	1:B:179:ARG:HG2	1.92	0.51
1:B:58:LEU:HD13	1:B:58:LEU:C	2.31	0.51
1:A:18:ASN:ND2	1:A:20:MET:H	2.09	0.51
1:A:169:ASN:C	1:A:171:THR:N	2.65	0.51
1:B:71:ARG:HD2	1:B:92:PHE:HB3	1.92	0.51
1:A:235:ALA:O	1:A:239:MET:HG2	2.11	0.50
1:B:198:SER:OG	1:B:201:GLN:CG	2.59	0.50
1:A:143:PRO:O	1:A:144:GLU:CB	2.59	0.50
1:A:206:ARG:O	1:A:210:ILE:HG13	2.11	0.50
2:A:250:BL3:HMBB	2:A:250:BL3:HBB	1.94	0.50
1:B:207:GLN:NE2	3:B:278:HOH:O	2.44	0.50
1:B:239:MET:HE2	1:B:243:LEU:HD12	1.93	0.50
1:B:197:LEU:O	1:B:198:SER:OG	2.24	0.50
1:A:84:LEU:HD12	1:A:108:ALA:O	2.12	0.50
1:A:143:PRO:CG	3:A:292:HOH:O	2.60	0.50
1:A:143:PRO:O	1:A:143:PRO:HG2	2.12	0.50
1:B:71:ARG:CD	3:B:257:HOH:O	2.60	0.49
1:A:119:ASP:OD2	1:A:162:CYS:HB2	2.12	0.49
1:B:142:GLN:HG3	1:B:143:PRO:N	2.26	0.49
1:A:90:VAL:HG11	1:A:92:PHE:CZ	2.46	0.49
2:A:250:BL3:HMC	2:A:250:BL3:CBC	2.27	0.49
1:B:157:ILE:HD12	1:B:157:ILE:O	2.13	0.49
1:B:71:ARG:HD3	3:B:257:HOH:O	2.12	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:250:BL3:HMC	2:B:250:BL3:CBC	2.26	0.49
1:B:18:ASN:ND2	1:B:20:MET:H	2.10	0.48
1:B:62:ASN:OD1	1:B:76:GLU:HG3	2.14	0.48
1:A:146:GLU:O	1:A:147:GLN:CB	2.61	0.48
1:A:117:ILE:HG13	1:A:163:LEU:O	2.14	0.48
1:B:24:LEU:HD13	1:B:28:ILE:CD1	2.44	0.48
1:A:87:LEU:HD23	1:A:87:LEU:C	2.33	0.48
1:B:167:PRO:HB3	1:B:173:GLU:HG3	1.96	0.48
1:B:82:LYS:HE2	3:B:282:HOH:O	2.13	0.48
1:B:101:LEU:HD13	1:B:212:TYR:CD2	2.49	0.48
1:B:145:PHE:C	1:B:147:GLN:H	2.15	0.48
1:A:147:GLN:HE22	1:A:166:ARG:HH21	1.62	0.47
1:B:159:SER:O	1:B:162:CYS:HB3	2.14	0.47
1:B:200:ALA:HB2	1:B:202:THR:HB	1.96	0.47
1:A:154:TRP:HB2	1:A:218:LYS:HD3	1.95	0.47
1:B:200:ALA:CA	1:B:202:THR:HB	2.43	0.47
1:B:200:ALA:HA	1:B:202:THR:CA	2.45	0.47
1:B:202:THR:HG22	1:B:206:ARG:HD2	1.97	0.47
1:B:223:ARG:HH22	1:B:236:GLU:HA	1.80	0.47
1:A:216:GLN:HA	1:A:216:GLN:OE1	2.14	0.47
1:A:240:SER:O	1:A:245:ASP:HA	2.14	0.47
1:B:154:TRP:HB2	1:B:215:GLN:HB3	1.96	0.47
1:A:149:ARG:HB2	1:A:164:PHE:CG	2.50	0.47
1:A:93:PRO:CD	1:A:101:LEU:HD22	2.44	0.47
1:A:62:ASN:ND2	1:A:76:GLU:HG3	2.29	0.46
1:B:101:LEU:HB2	1:B:121:SER:HB2	1.96	0.46
1:B:145:PHE:C	1:B:147:GLN:N	2.68	0.46
1:A:160:GLU:C	1:A:162:CYS:H	2.18	0.46
1:A:142:GLN:NE2	3:A:306:HOH:O	2.48	0.46
1:A:142:GLN:NE2	1:A:142:GLN:HA	2.30	0.46
1:B:145:PHE:O	1:B:147:GLN:N	2.49	0.46
1:B:192:ILE:HG13	1:B:193:VAL:HG13	1.98	0.46
1:A:211:HIS:HB3	3:A:278:HOH:O	2.16	0.45
1:B:169:ASN:HD21	1:B:171:THR:HB	1.81	0.45
1:A:178:GLN:HE21	1:A:182:ASP:CG	2.20	0.45
1:B:58:LEU:CD2	1:B:80:VAL:HG13	2.44	0.45
1:A:152:PRO:HB2	1:A:154:TRP:CE3	2.52	0.45
1:A:119:ASP:HB2	1:A:162:CYS:HB2	1.98	0.45
1:B:6:LEU:O	1:B:7:SER:O	2.35	0.45
1:B:142:GLN:HG3	1:B:143:PRO:O	2.17	0.45
1:B:202:THR:C	1:B:204:GLU:N	2.67	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:56:GLU:HB3	1:A:81:GLY:CA	2.47	0.45
1:B:105:ASP:HB3	3:B:316:HOH:O	2.16	0.45
1:A:169:ASN:O	1:A:171:THR:N	2.50	0.45
1:A:219:ASN:O	1:A:221:LYS:N	2.49	0.45
1:A:219:ASN:ND2	2:A:250:BL3:NC	2.65	0.45
1:B:198:SER:HG	1:B:201:GLN:HG3	1.81	0.45
1:B:20:MET:HE2	1:B:176:PHE:CD1	2.52	0.45
1:B:245:ASP:OD2	1:B:245:ASP:C	2.55	0.45
1:B:82:LYS:CG	1:B:83:GLY:N	2.66	0.45
1:A:38:LYS:HB2	1:A:38:LYS:NZ	2.32	0.44
1:B:151:LEU:HA	1:B:152:PRO:HD3	1.72	0.44
1:A:178:GLN:NE2	1:A:182:ASP:OD1	2.50	0.44
1:B:151:LEU:HD12	1:B:151:LEU:N	2.33	0.44
1:B:10:ASN:ND2	3:B:293:HOH:O	2.47	0.44
1:A:215:GLN:OE1	1:A:215:GLN:HA	2.17	0.44
1:A:151:LEU:N	1:A:151:LEU:CD1	2.80	0.44
1:A:38:LYS:O	1:A:66:GLN:N	2.50	0.44
1:B:156:GLU:H	1:B:156:GLU:CD	2.20	0.44
1:B:84:LEU:HD12	1:B:108:ALA:O	2.17	0.44
1:A:213:CYS:CB	1:A:244:PHE:HB3	2.48	0.43
2:A:250:BL3:HMBA	2:A:250:BL3:HBB	2.00	0.43
1:A:160:GLU:HG3	1:A:161:TYR:N	2.34	0.43
1:B:189:HIS:CD2	1:B:190:GLN:NE2	2.82	0.43
1:A:179:ARG:CZ	3:A:292:HOH:O	2.65	0.43
1:A:154:TRP:CB	1:A:218:LYS:HD3	2.48	0.43
1:A:13:LEU:HD21	1:A:59:VAL:CG1	2.49	0.43
1:A:239:MET:SD	1:A:243:LEU:HD12	2.58	0.43
1:B:6:LEU:N	1:B:65:TYR:HH	2.17	0.43
1:B:235:ALA:O	1:B:239:MET:HG2	2.18	0.43
1:A:106:ILE:HD13	1:A:116:ALA:HA	2.01	0.43
1:B:144:GLU:O	1:B:145:PHE:CG	2.72	0.43
1:B:69:GLN:HG2	1:B:191:SER:O	2.19	0.43
1:B:64:CYS:HA	1:B:73:MET:O	2.19	0.43
1:A:199:GLU:HG2	1:A:199:GLU:H	1.46	0.42
2:A:250:BL3:CMB	2:A:250:BL3:CBB	2.97	0.42
1:B:154:TRP:CE3	1:B:218:LYS:HG2	2.54	0.42
1:B:24:LEU:CD1	1:B:28:ILE:CD1	2.97	0.42
1:B:171:THR:O	1:B:175:ARG:HB2	2.19	0.42
1:A:216:GLN:C	1:A:218:LYS:N	2.73	0.42
1:B:152:PRO:HD3	1:B:164:PHE:CE1	2.54	0.42
1:B:6:LEU:N	3:B:302:HOH:O	2.53	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:165:ILE:HG13	1:B:166:ARG:N	2.34	0.42
1:B:52:ARG:NH2	1:B:56:GLU:HA	2.34	0.42
1:A:224:ARG:O	1:A:228:LYS:HG3	2.19	0.42
1:A:95:PRO:HD2	3:A:296:HOH:O	2.18	0.42
1:B:125:SER:HB3	3:B:312:HOH:O	2.20	0.42
1:B:245:ASP:O	1:B:246:VAL:HG22	2.19	0.42
1:A:146:GLU:HB2	1:A:172:GLU:OE1	2.20	0.42
1:A:157:ILE:HB	1:A:212:TYR:HD1	1.85	0.42
1:A:62:ASN:HD21	1:A:76:GLU:HG3	1.82	0.42
1:B:209:GLN:HE21	1:B:209:GLN:HB2	1.59	0.42
1:B:212:TYR:O	1:B:216:GLN:HG2	2.19	0.42
1:B:50:GLU:HA	1:B:58:LEU:O	2.20	0.42
1:B:121:SER:HA	1:B:122:PRO:HD3	1.77	0.42
1:B:217:GLN:C	1:B:219:ASN:N	2.72	0.42
2:B:250:BL3:HMBB	2:B:250:BL3:HBB	2.00	0.41
1:B:32:TRP:HB3	1:B:37:LEU:HD11	2.01	0.41
1:A:32:TRP:HB3	1:A:37:LEU:HD11	2.02	0.41
1:B:126:ASP:OD1	1:B:128:GLN:HB2	2.21	0.41
1:B:152:PRO:HA	1:B:153:PRO:HD3	1.85	0.41
1:A:21:ILE:CD1	1:A:106:ILE:HB	2.51	0.41
1:A:71:ARG:HD3	1:A:209:GLN:OE1	2.19	0.41
1:A:91:MET:O	1:A:101:LEU:HD13	2.20	0.41
1:A:119:ASP:CG	1:A:162:CYS:HB2	2.41	0.41
1:B:200:ALA:CB	1:B:202:THR:HB	2.50	0.41
1:B:24:LEU:HD13	1:B:28:ILE:HD11	2.00	0.41
1:A:147:GLN:HE22	1:A:166:ARG:NH2	2.18	0.41
1:A:151:LEU:HD12	1:A:151:LEU:N	2.35	0.41
1:B:193:VAL:O	1:B:193:VAL:HG23	2.20	0.41
1:A:224:ARG:CG	1:A:225:ASP:N	2.83	0.41
1:B:158:PHE:O	1:B:159:SER:HB3	2.20	0.41
1:B:209:GLN:HG2	1:B:210:ILE:HD12	2.03	0.40
1:A:222:THR:HG23	2:A:250:BL3:HMBB	2.02	0.40
1:B:58:LEU:CD2	1:B:80:VAL:HA	2.50	0.40
1:A:117:ILE:HG23	3:A:301:HOH:O	2.21	0.40
1:B:52:ARG:NH2	1:B:55:GLY:O	2.52	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	238/248 (96%)	218 (92%)	13 (6%)	7 (3%)	4	2
1	B	239/248 (96%)	210 (88%)	18 (8%)	11 (5%)	2	0
All	All	477/496 (96%)	428 (90%)	31 (6%)	18 (4%)	3	1

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	145	PHE
1	A	220	ASP
1	B	7	SER
1	B	144	GLU
1	B	145	PHE
1	A	170	VAL
1	B	198	SER
1	B	201	GLN
1	B	164	PHE
1	B	202	THR
1	A	219	ASN
1	B	146	GLU
1	A	96	LEU
1	A	144	GLU
1	B	54	GLU
1	B	159	SER
1	B	143	PRO
1	A	167	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/216 (97%)	187 (90%)	22 (10%)	7	5
1	B	210/216 (97%)	197 (94%)	13 (6%)	18	17
All	All	419/432 (97%)	384 (92%)	35 (8%)	11	9

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	ASN
1	A	33	GLN
1	A	35	LEU
1	A	43	PRO
1	A	82	LYS
1	A	101	LEU
1	A	137	LEU
1	A	143	PRO
1	A	144	GLU
1	A	150	GLU
1	A	156	GLU
1	A	159	SER
1	A	162	CYS
1	A	164	PHE
1	A	169	ASN
1	A	199	GLU
1	A	201	GLN
1	A	203	LEU
1	A	204	GLU
1	A	217	GLN
1	A	221	LYS
1	A	246	VAL
1	B	24	LEU
1	B	35	LEU
1	B	71	ARG
1	B	82	LYS
1	B	126	ASP
1	B	137	LEU
1	B	146	GLU
1	B	156	GLU
1	B	159	SER
1	B	197	LEU
1	B	209	GLN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	B	227	GLU
1	B	241	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	ASN
1	A	33	GLN
1	A	62	ASN
1	A	124	GLN
1	A	128	GLN
1	A	134	GLN
1	A	178	GLN
1	A	189	HIS
1	A	217	GLN
1	A	219	ASN
1	B	18	ASN
1	B	41	GLN
1	B	69	GLN
1	B	124	GLN
1	B	178	GLN
1	B	189	HIS
1	B	211	HIS
1	B	241	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	BL3	A	250	-	36,46,46	2.20	15 (41%)	47,67,67	1.62	12 (25%)
2	BL3	B	250	-	36,46,46	2.32	15 (41%)	47,67,67	1.70	11 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BL3	A	250	-	-	2/22/74/74	0/4/4/4
2	BL3	B	250	-	-	0/22/74/74	0/4/4/4

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	250	BL3	CHA-C4D	6.08	1.40	1.35
2	A	250	BL3	CHA-C4D	5.70	1.39	1.35
2	A	250	BL3	C4D-C3D	-4.30	1.38	1.45
2	B	250	BL3	C2B-C1B	-4.18	1.38	1.45
2	B	250	BL3	C4D-C3D	-4.09	1.39	1.45
2	B	250	BL3	C3C-C4C	-4.02	1.38	1.45
2	A	250	BL3	C3C-C4C	-3.66	1.39	1.45
2	B	250	BL3	C4B-C3B	-3.26	1.38	1.47
2	A	250	BL3	C1D-C2D	-3.18	1.39	1.45
2	B	250	BL3	C1C-C2C	-3.15	1.39	1.47
2	A	250	BL3	CAB-C2B	-3.05	1.39	1.47
2	A	250	BL3	C4B-C3B	-3.01	1.39	1.47
2	A	250	BL3	C2B-C1B	-3.00	1.40	1.45
2	B	250	BL3	CHB-C1B	2.93	1.40	1.34
2	B	250	BL3	C1D-C2D	-2.89	1.39	1.45
2	B	250	BL3	CAC-C3C	-2.84	1.39	1.47

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	250	BL3	CAB-C2B	-2.82	1.39	1.47
2	A	250	BL3	CAC-C3C	-2.80	1.39	1.47
2	A	250	BL3	C1C-C2C	-2.79	1.40	1.47
2	B	250	BL3	C4C-NC	-2.73	1.33	1.37
2	A	250	BL3	C4C-NC	-2.71	1.33	1.37
2	B	250	BL3	C1B-NB	-2.63	1.33	1.37
2	B	250	BL3	C4D-ND	-2.61	1.33	1.38
2	A	250	BL3	C1B-NB	-2.55	1.33	1.37
2	A	250	BL3	C4B-NB	-2.54	1.32	1.38
2	A	250	BL3	CHB-C1B	2.31	1.39	1.34
2	A	250	BL3	C4D-ND	-2.26	1.33	1.38
2	B	250	BL3	C1C-NC	-2.19	1.33	1.38
2	A	250	BL3	C1C-NC	-2.07	1.33	1.38
2	B	250	BL3	C4B-NB	-2.03	1.33	1.38

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	250	BL3	C1A-CHA-C4D	-4.33	123.63	128.81
2	A	250	BL3	CHD-C1D-ND	4.28	133.89	124.93
2	B	250	BL3	CHD-C1D-ND	3.96	133.23	124.93
2	B	250	BL3	CHB-C1B-C2B	-3.62	118.58	127.91
2	B	250	BL3	CHD-C4C-C3C	-3.49	118.92	127.91
2	A	250	BL3	CHD-C4C-C3C	-3.38	119.19	127.91
2	A	250	BL3	CHA-C4D-C3D	-3.28	117.74	125.32
2	A	250	BL3	CHB-C1B-C2B	-3.13	119.84	127.91
2	B	250	BL3	CHA-C4D-C3D	-3.06	118.24	125.32
2	B	250	BL3	C4C-CHD-C1D	-2.97	120.82	128.08
2	A	250	BL3	C4C-CHD-C1D	-2.88	121.05	128.08
2	A	250	BL3	CHA-C4D-ND	2.87	132.81	128.83
2	B	250	BL3	CHD-C4C-NC	2.75	131.96	126.06
2	A	250	BL3	CAD-C3D-C4D	2.58	129.58	125.01
2	B	250	BL3	CHA-C4D-ND	2.56	132.38	128.83
2	A	250	BL3	CHD-C1D-C2D	-2.46	118.58	124.90
2	A	250	BL3	CHD-C4C-NC	2.39	131.19	126.06
2	B	250	BL3	CHD-C1D-C2D	-2.34	118.89	124.90
2	B	250	BL3	CMC-C2C-C1C	2.24	126.66	121.39
2	A	250	BL3	CMB-C3B-C4B	2.09	126.31	121.39
2	B	250	BL3	C4D-ND-C1D	2.07	110.40	106.51
2	A	250	BL3	C4D-ND-C1D	2.06	110.39	106.51
2	A	250	BL3	C1A-CHA-C4D	-2.04	126.37	128.81

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	250	BL3	C2A-CAA-CBA-CGA
2	A	250	BL3	C3D-CAD-CBD-CGD


There are no ring outliers.

2 monomers are involved in 18 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	250	BL3	14	0
2	B	250	BL3	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


## Ligand BL3 A 250




Bond lengths




Bond angles



Torsions



Rings



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	240/248 (96%)	0.21	8 (3%) 46 48	22, 49, 82, 103	2 (0%)
1	B	241/248 (97%)	0.29	12 (4%) 28 31	23, 50, 90, 103	1 (0%)
All	All	481/496 (96%)	0.25	20 (4%) 36 38	22, 50, 86, 103	3 (0%)

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	155	GLY	4.9
1	B	158	PHE	4.6
1	A	154	TRP	4.1
1	B	200	ALA	4.0
1	A	150	GLU	4.0
1	A	151	LEU	3.3
1	B	96	LEU	3.2
1	A	110	PRO	3.1
1	A	145	PHE	3.0
1	B	157	ILE	2.8
1	B	144	GLU	2.6
1	B	198	SER	2.5
1	B	244	PHE	2.4
1	A	161	TYR	2.4
1	B	146	GLU	2.3
1	B	208	GLY	2.3
1	A	96	LEU	2.1
1	B	199	GLU	2.1
1	A	217	GLN	2.0
1	B	165	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	BL3	A	250	43/43	0.70	0.30	66,92,110,114	0
2	BL3	B	250	43/43	0.74	0.33	54,83,98,109	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around BL3 A 250:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around BL3 B 250:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.