



# Full wwPDB X-ray Structure Validation Report ⓘ

May 23, 2020 – 07:05 am BST

PDB ID : 2AMQ  
Title : Crystal Structure Of SARS\_CoV Mpro in Complex with an Inhibitor N3  
Authors : Yang, H.; Xue, X.; Yang, K.; Zhao, Q.; Bartlam, M.; Rao, Z.  
Deposited on : 2005-08-10  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	311	<div> <div>2%</div> <div> <div></div> <div>74%</div> <div>21%</div> <div>• •</div> </div> </div>
1	B	311	<div> <div>3%</div> <div> <div></div> <div>65%</div> <div>30%</div> <div>• •</div> </div> </div>
2	C	6	<div> <div></div> <div> <div>67%</div> <div>17%</div> <div>17%</div> </div> </div>
2	D	6	<div> <div></div> <div> <div>33%</div> <div>50%</div> <div>17%</div> </div> </div>

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 5111 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3C-like proteinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	303	Total	C	N	O	S	0	0	0
			2351	1489	401	439	22			
1	B	302	Total	C	N	O	S	0	0	0
			2336	1476	400	438	22			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	CLONING ARTIFACT	UNP P59641
A	-3	PRO	-	CLONING ARTIFACT	UNP P59641
A	-2	LEU	-	CLONING ARTIFACT	UNP P59641
A	-1	GLY	-	CLONING ARTIFACT	UNP P59641
A	0	SER	-	CLONING ARTIFACT	UNP P59641
B	-4	GLY	-	CLONING ARTIFACT	UNP P59641
B	-3	PRO	-	CLONING ARTIFACT	UNP P59641
B	-2	LEU	-	CLONING ARTIFACT	UNP P59641
B	-1	GLY	-	CLONING ARTIFACT	UNP P59641
B	0	SER	-	CLONING ARTIFACT	UNP P59641

- Molecule 2 is a protein called N-[(5-METHYLISOXAZOL-3-YL)CARBONYL]ALANYL-L-VALYL-N 1 -((1R,2Z)-4-(BENZYLOXY)-4-OXO-1-{[(3R)-2-OXOPYRROLIDIN-3-YL]METHYL}BUT-2-ENYL)-L-LEUCINAMIDE.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	6	Total	C	N	O	0	0	0
			49	35	6	8			
2	D	6	Total	C	N	O	0	0	0
			49	35	6	8			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	170	Total 170	O 170	0	0
3	B	150	Total 150	O 150	0	0
3	C	2	Total 2	O 2	0	0
3	D	4	Total 4	O 4	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: 3C-like proteinase



#### • Molecule 1: 3C-like proteinase



#### • Molecule 2: N-[(5-METHYLISOXAZOL-3-YL)CARBONYL]ALANYL-L-VALYL-N 1 -((1R,2Z)-4-(BENZYLOXY)-4-OXO-1-[(3R)-2-OXOPYRROLIDIN-3-YL]METHYL}BUT-2-ENYL)-L-L EUCINAMIDE



● Molecule 2: N-[(5-METHYLISOXAZOL-3-YL)CARBONYL]ALANYL-L-VALYL-N 1 -((1R,2Z)-4-(BENZYLOXY)-4-OXO-1-[[[(3R)-2-OXOPYRROLIDIN-3-YL]METHYL}BUT-2-ENYL)-L-L EUCINAMIDE

Chain D: 33% 50% 17%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	52.06Å 95.70Å 67.59Å 90.00° 102.88° 90.00°	Depositor
Resolution (Å)	50.00 – 2.30 38.72 – 2.30	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-2.30) 94.8 (38.72-2.30)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.51 (at 2.29Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.194 , 0.230 0.185 , 0.224	Depositor DCC
$R_{free}$ test set	1320 reflections (4.67%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	30.7	Xtriage
Anisotropy	0.066	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 49.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	5111	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.07% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 010, PJE, 02J

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.51	0/2404	0.73	0/3267
1	B	0.51	0/2388	0.72	0/3244
2	C	0.45	0/19	0.78	0/25
2	D	0.30	0/19	0.61	0/25
All	All	0.51	0/4830	0.73	0/6561

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2351	0	2302	77	0
1	B	2336	0	2288	116	0
2	C	49	0	44	4	0
2	D	49	0	44	8	0
3	A	170	0	0	22	0
3	B	150	0	0	34	0
3	C	2	0	0	1	0
3	D	4	0	0	4	0
All	All	5111	0	4678	196	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (196) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:45:THR:HG21	1:B:47:GLU:OE1	1.45	1.15
1:B:163:HIS:HE1	1:B:172:HIS:HB3	1.16	1.02
1:A:163:HIS:HE1	1:A:172:HIS:HB3	1.22	1.00
1:B:19:GLN:NE2	1:B:119:ASN:HD22	1.60	0.99
1:B:55:GLU:HB2	3:B:472:HOH:O	1.68	0.92
1:B:4:ARG:H	1:B:299:GLN:HE22	1.16	0.92
1:A:127:GLN:HB2	3:A:554:HOH:O	1.70	0.91
1:B:64:HIS:HE1	3:B:493:HOH:O	1.54	0.90
1:B:45:THR:CG2	1:B:47:GLU:OE1	2.22	0.88
1:B:135:THR:HG22	3:B:539:HOH:O	1.72	0.88
1:A:61:LYS:HE2	3:A:448:HOH:O	1.74	0.88
1:B:233:VAL:HG21	1:B:269:LYS:HE2	1.55	0.87
1:B:163:HIS:CE1	1:B:172:HIS:HB3	2.07	0.86
1:B:135:THR:HA	3:B:539:HOH:O	1.76	0.83
1:A:222:ARG:HG2	1:A:222:ARG:HH11	1.42	0.83
1:B:45:THR:HG23	1:B:46:ALA:N	1.93	0.82
1:B:51:ASN:HD22	1:B:188:ARG:HH12	1.28	0.81
1:A:163:HIS:CE1	1:A:172:HIS:HB3	2.11	0.81
1:A:5:LYS:HE2	1:A:127:GLN:HB3	1.63	0.80
1:B:19:GLN:HE21	1:B:119:ASN:HD22	1.25	0.80
1:B:224:THR:HG22	3:B:526:HOH:O	1.83	0.79
1:B:4:ARG:H	1:B:299:GLN:NE2	1.79	0.78
2:D:6:O10:C1	3:D:101:HOH:O	2.32	0.78
1:A:51:ASN:ND2	1:A:188:ARG:HE	1.82	0.77
1:B:68:VAL:HG23	1:B:75:LEU:HB2	1.68	0.75
1:A:5:LYS:HD3	3:A:547:HOH:O	1.86	0.75
1:B:51:ASN:HD22	1:B:188:ARG:NH1	1.86	0.73
1:B:168:PRO:HG3	2:D:1:O2J:C41	2.19	0.72
1:A:165:MET:HG2	2:C:4:LEU:HD12	1.70	0.72
1:B:168:PRO:HG3	2:D:1:O2J:O42	1.89	0.72
1:B:231:ASN:HB3	1:B:235:MET:CE	2.20	0.72
1:A:236:LYS:N	3:A:488:HOH:O	2.23	0.71
1:A:6:MET:CE	1:A:299:GLN:HG3	2.20	0.70
1:A:153:ASP:O	1:A:154:TYR:HB2	1.90	0.70
1:B:110:GLN:HG2	3:B:512:HOH:O	1.93	0.68
1:B:244:GLN:O	1:B:247:VAL:HG22	1.94	0.68
1:B:47:GLU:CD	1:B:47:GLU:H	1.97	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:107:GLN:NE2	3:B:535:HOH:O	2.21	0.67
1:B:110:GLN:HG3	3:B:470:HOH:O	1.93	0.67
1:B:165:MET:HE3	1:B:185:PHE:HB3	1.77	0.66
1:A:155:ASP:HA	3:A:446:HOH:O	1.95	0.66
1:A:279:ARG:HB3	3:A:473:HOH:O	1.96	0.65
1:B:45:THR:C	3:B:494:HOH:O	2.34	0.65
1:A:40:ARG:HA	1:A:87:LEU:HG	1.79	0.64
1:B:231:ASN:HB3	1:B:235:MET:HE3	1.78	0.64
1:A:222:ARG:HG2	1:A:222:ARG:O	1.97	0.63
1:A:243:THR:H	1:A:246:HIS:HD2	1.47	0.63
1:B:45:THR:HG23	1:B:47:GLU:H	1.63	0.63
1:A:15:GLY:HA2	3:A:544:HOH:O	1.97	0.63
1:A:305:PHE:HB3	3:A:446:HOH:O	1.98	0.63
1:B:165:MET:HE2	1:B:181:PHE:CE2	2.34	0.63
1:A:6:MET:HE1	1:A:299:GLN:HG3	1.82	0.61
1:B:131:ARG:HD3	1:B:197:ASP:OD1	2.00	0.61
1:B:269:LYS:NZ	3:B:462:HOH:O	2.34	0.61
1:A:86:LEU:HG	1:A:179:GLY:CA	2.31	0.61
1:A:19:GLN:NE2	1:A:119:ASN:HD22	1.98	0.60
1:B:45:THR:CG2	1:B:47:GLU:CD	2.70	0.60
2:D:6:O10:H1	3:D:101:HOH:O	1.96	0.60
1:A:6:MET:HE2	1:A:299:GLN:HG3	1.83	0.60
1:B:285:THR:HB	3:B:456:HOH:O	2.02	0.59
1:B:167:LEU:HD21	1:B:185:PHE:CE2	2.36	0.59
1:B:209:TYR:O	1:B:213:ILE:HG23	2.02	0.59
1:B:45:THR:CG2	1:B:46:ALA:N	2.66	0.58
1:A:109:GLY:HA2	1:A:200:ILE:HD13	1.86	0.57
1:B:213:ILE:CD1	1:B:300:CYS:HB3	2.35	0.56
1:A:243:THR:H	1:A:246:HIS:CD2	2.23	0.56
1:B:46:ALA:N	3:B:494:HOH:O	2.37	0.56
1:B:40:ARG:HA	1:B:87:LEU:HG	1.86	0.56
1:B:169:THR:CG2	1:B:171:VAL:HG22	2.36	0.56
1:A:242:LEU:HD12	3:A:570:HOH:O	2.04	0.56
1:A:286:ILE:HD12	1:A:286:ILE:C	2.25	0.56
1:A:127:GLN:CB	3:A:554:HOH:O	2.41	0.56
1:B:51:ASN:HA	1:B:188:ARG:NH1	2.20	0.56
1:B:4:ARG:N	1:B:299:GLN:HE22	1.95	0.56
1:B:44:CYS:HB3	1:B:48:ASP:HB2	1.88	0.55
1:A:222:ARG:CG	1:A:222:ARG:NH1	2.68	0.54
1:B:169:THR:HG23	1:B:171:VAL:HG22	1.88	0.54
1:B:244:GLN:NE2	1:B:247:VAL:CG2	2.71	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:45:THR:OG1	1:A:47:GLU:OE1	2.25	0.54
1:A:141:LEU:HD23	1:B:1:SER:HB2	1.88	0.54
1:B:180:LYS:HE3	3:B:543:HOH:O	2.07	0.53
1:A:240:GLU:HG3	3:A:511:HOH:O	2.09	0.53
1:B:165:MET:CE	1:B:181:PHE:CE2	2.92	0.53
1:A:118:TYR:CE1	1:A:144:SER:HB3	2.44	0.53
1:B:1:SER:HB3	3:B:430:HOH:O	2.09	0.53
1:A:86:LEU:HG	1:A:179:GLY:HA2	1.89	0.53
1:A:60:ARG:NH1	3:A:448:HOH:O	2.42	0.53
1:A:5:LYS:HZ2	1:B:4:ARG:HH12	1.56	0.52
1:B:252:PRO:HD2	3:B:528:HOH:O	2.10	0.52
1:B:19:GLN:HE21	1:B:119:ASN:ND2	2.01	0.52
1:A:31:TRP:CE2	1:A:95:ASN:HB2	2.45	0.51
1:B:229:ASP:HB3	3:B:462:HOH:O	2.11	0.51
1:B:298:ARG:NH2	3:B:437:HOH:O	2.44	0.51
1:A:236:LYS:HG2	1:A:237:TYR:CE1	2.45	0.51
1:A:82:MET:HE3	3:A:495:HOH:O	2.10	0.51
1:B:238:ASN:HB3	3:B:550:HOH:O	2.10	0.51
1:B:153:ASP:O	1:B:154:TYR:HB2	2.11	0.51
1:B:244:GLN:HA	1:B:247:VAL:HG22	1.92	0.51
1:B:110:GLN:CG	3:B:512:HOH:O	2.55	0.51
1:B:45:THR:HG23	1:B:47:GLU:CD	2.31	0.50
1:A:222:ARG:HG2	1:A:222:ARG:NH1	2.15	0.50
1:A:6:MET:C	3:A:554:HOH:O	2.49	0.50
1:B:131:ARG:HH22	1:B:289:ASP:CG	2.15	0.50
1:A:52:PRO:HG2	1:A:54:TYR:CE1	2.47	0.50
1:B:8:PHE:HD1	1:B:113:SER:HG	1.58	0.50
1:A:55:GLU:CD	1:A:55:GLU:H	2.15	0.50
1:B:131:ARG:CD	1:B:197:ASP:OD1	2.59	0.50
1:B:244:GLN:NE2	1:B:247:VAL:HG21	2.27	0.49
3:A:423:HOH:O	1:B:1:SER:HA	2.13	0.49
1:B:213:ILE:HD11	1:B:300:CYS:HB3	1.93	0.49
1:A:75:LEU:HD21	1:A:93:THR:HB	1.93	0.49
1:B:61:LYS:NZ	3:B:426:HOH:O	2.32	0.49
1:B:108:PRO:HA	1:B:130:MET:CG	2.43	0.49
1:B:31:TRP:CD2	1:B:95:ASN:HB2	2.48	0.48
1:B:28:ASN:ND2	1:B:144:SER:O	2.45	0.48
1:A:164:HIS:O	2:C:5:PJE:N5	2.46	0.48
1:B:244:GLN:O	1:B:247:VAL:CG2	2.61	0.48
1:B:31:TRP:CE2	1:B:95:ASN:HB2	2.48	0.48
1:A:51:ASN:HD22	1:A:188:ARG:HE	1.56	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:224:THR:N	3:B:526:HOH:O	2.29	0.47
1:B:97:LYS:NZ	3:B:522:HOH:O	2.47	0.47
1:A:31:TRP:CE2	1:A:75:LEU:HD11	2.49	0.47
1:A:214:ASN:C	1:A:214:ASN:OD1	2.52	0.47
1:B:180:LYS:CE	3:B:543:HOH:O	2.63	0.47
1:B:287:LEU:HD12	3:B:428:HOH:O	2.14	0.47
1:B:64:HIS:CE1	3:B:493:HOH:O	2.43	0.47
1:A:19:GLN:HE21	1:A:119:ASN:HD22	1.63	0.46
2:D:6:010:C	3:D:101:HOH:O	2.63	0.46
1:B:298:ARG:NH2	3:B:434:HOH:O	2.29	0.46
1:A:126:TYR:HE1	1:A:128:CYS:HG	1.62	0.46
1:A:240:GLU:HG2	3:A:481:HOH:O	2.15	0.46
1:B:276:MET:HE2	1:B:280:THR:HA	1.96	0.46
1:B:47:GLU:CD	1:B:47:GLU:N	2.67	0.46
1:A:286:ILE:HD11	1:A:288:GLU:OE2	2.15	0.46
1:B:45:THR:HG23	1:B:46:ALA:H	1.77	0.46
1:B:83:GLN:HG2	1:B:178:GLU:O	2.15	0.46
2:D:4:LEU:HD12	2:D:4:LEU:HA	1.81	0.46
1:B:165:MET:HE2	1:B:181:PHE:HE2	1.81	0.46
1:A:240:GLU:CG	3:A:511:HOH:O	2.64	0.45
1:B:269:LYS:CE	3:B:462:HOH:O	2.65	0.45
1:A:126:TYR:CE2	1:B:6:MET:HE1	2.51	0.45
1:B:143:GLY:HA2	2:D:5:PJE:O7	2.16	0.45
1:A:166:GLU:HB2	2:C:5:PJE:C29	2.47	0.45
1:A:114:VAL:O	1:A:125:VAL:HA	2.16	0.45
1:A:285:THR:OG1	3:A:528:HOH:O	2.21	0.45
2:C:5:PJE:C22	3:C:101:HOH:O	2.65	0.45
1:A:236:LYS:HG2	1:A:237:TYR:CD1	2.52	0.45
1:B:40:ARG:CZ	1:B:54:TYR:CD1	3.00	0.45
1:A:31:TRP:CD2	1:A:95:ASN:HB2	2.52	0.44
2:D:6:010:C6	3:D:101:HOH:O	2.60	0.44
1:B:101:TYR:HA	1:B:157:VAL:O	2.18	0.44
1:B:243:THR:H	1:B:246:HIS:CD2	2.34	0.44
1:A:214:ASN:O	1:A:214:ASN:OD1	2.35	0.44
1:A:245:ASP:O	1:A:249:ILE:HG13	2.17	0.44
1:B:213:ILE:HG13	1:B:214:ASN:N	2.32	0.44
1:A:72:ASN:ND2	3:A:552:HOH:O	2.50	0.44
1:A:276:MET:CE	1:A:280:THR:HA	2.47	0.44
1:B:176:ASP:HB2	3:B:408:HOH:O	2.16	0.44
1:B:46:ALA:HB3	1:B:47:GLU:OE2	2.18	0.44
1:B:227:LEU:HD21	1:B:242:LEU:O	2.18	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:276:MET:HE2	1:A:280:THR:HA	2.00	0.43
1:B:45:THR:CG2	1:B:47:GLU:H	2.31	0.43
1:B:148:VAL:HG22	3:B:414:HOH:O	2.17	0.43
1:B:175:THR:HG22	1:B:181:PHE:HA	2.00	0.43
1:B:228:ASN:O	1:B:232:LEU:HG	2.18	0.43
1:A:30:LEU:HD11	1:A:32:LEU:HD11	1.99	0.43
1:A:48:ASP:OD2	1:A:57:LEU:HD11	2.19	0.43
1:B:45:THR:HG23	1:B:47:GLU:OE2	2.19	0.43
1:A:286:ILE:HD12	1:A:286:ILE:O	2.18	0.43
1:B:234:ALA:O	1:B:239:TYR:HB2	2.18	0.43
1:B:269:LYS:HE3	3:B:462:HOH:O	2.19	0.43
1:B:68:VAL:HG23	1:B:75:LEU:CB	2.44	0.43
1:B:277:ASN:HA	3:B:549:HOH:O	2.18	0.43
1:A:127:GLN:HG2	3:A:413:HOH:O	2.18	0.42
1:A:240:GLU:CG	3:A:481:HOH:O	2.67	0.42
1:A:126:TYR:HE1	1:A:128:CYS:SG	2.43	0.42
1:B:269:LYS:O	1:B:273:GLN:HG3	2.19	0.42
1:B:207:TRP:O	1:B:210:ALA:HB3	2.19	0.42
1:B:253:LEU:HD21	1:B:296:VAL:HG12	2.02	0.42
1:A:40:ARG:HG2	1:A:85:CYS:O	2.20	0.42
1:B:121:SER:HA	1:B:122:PRO:HD3	1.82	0.42
1:B:144:SER:O	1:B:145:CYS:C	2.56	0.42
1:B:86:LEU:HG	1:B:179:GLY:HA2	2.02	0.42
1:A:140:PHE:HB3	1:A:144:SER:OG	2.20	0.41
1:A:153:ASP:N	1:A:153:ASP:OD1	2.53	0.41
1:B:40:ARG:O	1:B:43:ILE:HG12	2.19	0.41
1:A:5:LYS:NZ	1:A:290:GLU:OE1	2.54	0.41
1:B:173:ALA:HB2	3:B:539:HOH:O	2.21	0.41
1:A:276:MET:HE2	1:A:279:ARG:O	2.21	0.41
1:A:240:GLU:CB	3:A:481:HOH:O	2.68	0.40
1:B:18:VAL:HA	3:B:500:HOH:O	2.22	0.40
1:B:108:PRO:HA	1:B:130:MET:HG3	2.02	0.40
1:B:113:SER:OG	1:B:127:GLN:NE2	2.55	0.40
1:B:244:GLN:C	1:B:247:VAL:HG22	2.42	0.40
1:B:82:MET:HG2	3:B:527:HOH:O	2.21	0.40
1:A:30:LEU:CD1	1:A:32:LEU:HD11	2.51	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	301/311 (97%)	287 (95%)	13 (4%)	1 (0%)	41	50
1	B	300/311 (96%)	289 (96%)	9 (3%)	2 (1%)	22	26
2	C	1/6 (17%)	1 (100%)	0	0	100	100
2	D	1/6 (17%)	1 (100%)	0	0	100	100
All	All	603/634 (95%)	578 (96%)	22 (4%)	3 (0%)	29	35

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	145	CYS
1	A	154	TYR
1	B	154	TYR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	261/266 (98%)	247 (95%)	14 (5%)	22	30
1	B	259/266 (97%)	253 (98%)	6 (2%)	50	67
2	C	2/2 (100%)	1 (50%)	1 (50%)	0	0
2	D	2/2 (100%)	1 (50%)	1 (50%)	0	0
All	All	524/536 (98%)	502 (96%)	22 (4%)	30	42

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ARG
1	A	27	LEU
1	A	30	LEU
1	A	47	GLU
1	A	51	ASN
1	A	75	LEU
1	A	123	SER
1	A	153	ASP
1	A	188	ARG
1	A	214	ASN
1	A	227	LEU
1	A	229	ASP
1	A	268	LEU
1	A	289	ASP
1	B	45	THR
1	B	55	GLU
1	B	75	LEU
1	B	127	GLN
1	B	228	ASN
1	B	268	LEU
2	C	4	LEU
2	D	4	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	19	GLN
1	A	51	ASN
1	A	69	GLN
1	A	84	ASN
1	A	246	HIS
1	A	277	ASN
1	B	19	GLN
1	B	51	ASN
1	B	69	GLN
1	B	127	GLN
1	B	228	ASN
1	B	244	GLN
1	B	246	HIS
1	B	299	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PJE	D	5	2	12,13,14	1.87	1 (8%)	12,16,18	6.51	5 (41%)
2	02J	C	1	2	6,8,9	7.35	3 (50%)	4,10,12	3.82	2 (50%)
2	PJE	C	5	2	12,13,14	2.21	3 (25%)	12,16,18	5.80	5 (41%)
2	02J	D	1	2	6,8,9	6.91	3 (50%)	4,10,12	4.86	3 (75%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PJE	D	5	2	-	4/7/18/19	0/1/1/1
2	02J	C	1	2	-	0/0/2/4	0/1/1/1
2	PJE	C	5	2	-	3/7/18/19	0/1/1/1
2	02J	D	1	2	-	0/0/2/4	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1	02J	C4-C3	15.64	1.68	1.39
2	D	1	02J	C3-N2	13.34	1.57	1.33
2	D	1	02J	C4-C3	-8.00	1.25	1.39
2	C	1	02J	C3-C41	7.29	1.56	1.48
2	D	1	02J	C3-C41	6.15	1.55	1.48
2	C	5	PJE	C21-C20	5.73	1.56	1.33

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	5	PJE	C21-C20	5.72	1.56	1.33
2	C	1	02J	C3-N2	-4.61	1.24	1.33
2	C	5	PJE	C19-C20	3.75	1.55	1.50
2	C	5	PJE	C21-C22	2.73	1.52	1.44

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	5	PJE	C19-C20-C21	-18.47	98.01	124.41
2	C	5	PJE	C19-C20-C21	-16.92	100.23	124.41
2	D	5	PJE	C25-C19-N5	9.14	130.67	110.32
2	D	1	02J	C3-C4-C5	7.84	116.13	106.06
2	C	5	PJE	C25-C19-N5	7.81	127.72	110.32
2	D	5	PJE	O7-C22-C21	6.78	148.80	125.67
2	C	1	02J	C4-C3-N2	-6.70	97.82	109.94
2	C	5	PJE	C20-C19-N5	5.88	123.22	110.56
2	D	5	PJE	C20-C19-N5	4.72	120.72	110.56
2	D	1	02J	O42-C41-C3	-4.21	120.23	124.22
2	D	1	02J	C4-C3-N2	-3.73	103.20	109.94
2	C	1	02J	O42-C41-C3	-3.46	120.95	124.22
2	C	5	PJE	O8-C29-N6	-3.04	121.33	125.54
2	D	5	PJE	O8-C29-N6	-3.01	121.36	125.54
2	C	5	PJE	O7-C22-C21	2.42	133.93	125.67

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	5	PJE	N5-C19-C25-C26
2	D	5	PJE	C20-C21-C22-O7
2	C	5	PJE	C20-C21-C22-O7
2	D	5	PJE	C19-C20-C21-C22
2	D	5	PJE	C19-C25-C26-C27
2	C	5	PJE	C19-C25-C26-C27
2	C	5	PJE	C19-C20-C21-C22

There are no ring outliers.

3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	5	PJE	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	5	PJE	3	0
2	D	1	02J	2	0

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	303/311 (97%)	-0.13	7 (2%) 60 67	16, 29, 50, 68	0
1	B	302/311 (97%)	-0.02	8 (2%) 56 63	17, 30, 46, 64	0
2	C	3/6 (50%)	0.31	0 100 100	52, 52, 54, 59	0
2	D	3/6 (50%)	0.38	0 100 100	49, 49, 50, 57	0
All	All	611/634 (96%)	-0.07	15 (2%) 57 64	16, 30, 51, 68	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	301	SER	4.9
1	A	278	GLY	4.5
1	B	302	GLY	3.2
1	A	46	ALA	3.2
1	A	277	ASN	3.1
1	B	277	ASN	3.1
1	A	50	LEU	3.0
1	B	50	LEU	3.0
1	B	46	ALA	2.9
1	B	154	TYR	2.9
1	A	154	TYR	2.8
1	B	47	GLU	2.6
1	A	155	ASP	2.3
1	B	45	THR	2.2
1	A	276	MET	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column

labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	02J	D	1	8/9	0.67	0.36	65,69,70,70	0
2	02J	C	1	8/9	0.77	0.27	65,68,69,70	0
2	PJE	C	5	13/14	0.92	0.19	52,53,65,66	0
2	PJE	D	5	13/14	0.93	0.20	50,52,60,62	0

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

### 6.5 Other polymers [i](#)

There are no such residues in this entry.