



# Full wwPDB X-ray Structure Validation Report ⓘ

May 23, 2020 – 05:55 pm BST

PDB ID : 3ANM  
Title : Crystal structure of 1-deoxy-D-xylulose 5-phosphate reductoisomerase (DXR) complexed with 5-phenylpyridin-2-ylmethylphosphonic acid  
Authors : Endo, K.; Kato, M.; Deng, L.; Song, Y.; Yajima, S.  
Deposited on : 2010-09-03  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	420	<div> <div>5%</div> <div> <div></div> <div>77%</div> <div>16%</div> <div>• 5%</div> </div> </div>
1	B	420	<div> <div>5%</div> <div> <div></div> <div>75%</div> <div>15%</div> <div>• 5%</div> </div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6572 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 1-deoxy-D-xylulose 5-phosphate reductoisomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	400	Total	C	N	O	S	0	0	0
			3036	1895	536	579	26			
1	B	398	Total	C	N	O	S	0	0	0
			3025	1889	534	576	26			

There are 46 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	MET	-	EXPRESSION TAG	UNP P45568
A	-9	ARG	-	EXPRESSION TAG	UNP P45568
A	-8	GLY	-	EXPRESSION TAG	UNP P45568
A	-7	SER	-	EXPRESSION TAG	UNP P45568
A	-6	HIS	-	EXPRESSION TAG	UNP P45568
A	-5	HIS	-	EXPRESSION TAG	UNP P45568
A	-4	HIS	-	EXPRESSION TAG	UNP P45568
A	-3	HIS	-	EXPRESSION TAG	UNP P45568
A	-2	HIS	-	EXPRESSION TAG	UNP P45568
A	-1	HIS	-	EXPRESSION TAG	UNP P45568
A	0	GLY	-	EXPRESSION TAG	UNP P45568
A	398	SER	-	EXPRESSION TAG	UNP P45568
A	399	ALA	-	EXPRESSION TAG	UNP P45568
A	400	CYS	-	EXPRESSION TAG	UNP P45568
A	401	ASP	-	EXPRESSION TAG	UNP P45568
A	402	LEU	-	EXPRESSION TAG	UNP P45568
A	403	GLY	-	EXPRESSION TAG	UNP P45568
A	404	THR	-	EXPRESSION TAG	UNP P45568
A	405	PRO	-	EXPRESSION TAG	UNP P45568
A	406	GLY	-	EXPRESSION TAG	UNP P45568
A	407	ARG	-	EXPRESSION TAG	UNP P45568
A	408	PRO	-	EXPRESSION TAG	UNP P45568
A	409	ALA	-	EXPRESSION TAG	UNP P45568
B	-10	MET	-	EXPRESSION TAG	UNP P45568
B	-9	ARG	-	EXPRESSION TAG	UNP P45568

*Continued on next page...*

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-8	GLY	-	EXPRESSION TAG	UNP P45568
B	-7	SER	-	EXPRESSION TAG	UNP P45568
B	-6	HIS	-	EXPRESSION TAG	UNP P45568
B	-5	HIS	-	EXPRESSION TAG	UNP P45568
B	-4	HIS	-	EXPRESSION TAG	UNP P45568
B	-3	HIS	-	EXPRESSION TAG	UNP P45568
B	-2	HIS	-	EXPRESSION TAG	UNP P45568
B	-1	HIS	-	EXPRESSION TAG	UNP P45568
B	0	GLY	-	EXPRESSION TAG	UNP P45568
B	398	SER	-	EXPRESSION TAG	UNP P45568
B	399	ALA	-	EXPRESSION TAG	UNP P45568
B	400	CYS	-	EXPRESSION TAG	UNP P45568
B	401	ASP	-	EXPRESSION TAG	UNP P45568
B	402	LEU	-	EXPRESSION TAG	UNP P45568
B	403	GLY	-	EXPRESSION TAG	UNP P45568
B	404	THR	-	EXPRESSION TAG	UNP P45568
B	405	PRO	-	EXPRESSION TAG	UNP P45568
B	406	GLY	-	EXPRESSION TAG	UNP P45568
B	407	ARG	-	EXPRESSION TAG	UNP P45568
B	408	PRO	-	EXPRESSION TAG	UNP P45568
B	409	ALA	-	EXPRESSION TAG	UNP P45568

- Molecule 2 is [(5-phenylpyridin-2-yl)methyl]phosphonic acid (three-letter code: SYD) (formula: C<sub>12</sub>H<sub>12</sub>NO<sub>3</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			17	12	1	3	1		
2	B	1	Total	C	N	O	P	0	0
			17	12	1	3	1		

- Molecule 3 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula:  $C_{21}H_{30}N_7O_{17}P_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	195	Total	O	0	0
			195	195		
4	B	186	Total	O	0	0
			186	186		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 1-deoxy-D-xylulose 5-phosphate reductoisomerase



- Molecule 1: 1-deoxy-D-xylulose 5-phosphate reductoisomerase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	182.33 Å 59.22 Å 87.03 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.20 – 2.00 29.25 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.3 (29.20-2.00) 99.4 (29.25-2.00)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.19 (at 2.00 Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.192 , 0.216 0.193 , 0.217	Depositor DCC
$R_{free}$ test set	3253 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	22.0	Xtriage
Anisotropy	0.249	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.41 , 55.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	6572	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.76% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NDP, SYD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.77	1/3084 (0.0%)	0.75	1/4181 (0.0%)
1	B	0.77	2/3073 (0.1%)	0.85	10/4166 (0.2%)
All	All	0.77	3/6157 (0.0%)	0.80	11/8347 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	288	ARG	CZ-NH1	6.36	1.41	1.33
1	A	178	VAL	CB-CG2	-5.71	1.40	1.52
1	B	20	VAL	CB-CG2	-5.52	1.41	1.52

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	288	ARG	NE-CZ-NH2	-12.55	114.02	120.30
1	B	21	ARG	NE-CZ-NH2	-8.61	116.00	120.30
1	B	288	ARG	NE-CZ-NH1	8.00	124.30	120.30
1	B	235	ARG	NE-CZ-NH2	-7.80	116.40	120.30
1	B	21	ARG	NE-CZ-NH1	7.19	123.89	120.30
1	A	159	LEU	CB-CG-CD1	5.96	121.12	111.00
1	B	237	LEU	CA-CB-CG	5.92	128.92	115.30
1	B	235	ARG	NE-CZ-NH1	5.55	123.07	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	288	ARG	CG-CD-NE	5.40	123.14	111.80
1	B	288	ARG	CD-NE-CZ	5.20	130.88	123.60
1	B	6	LEU	CB-CG-CD1	5.14	119.73	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	210	ASN	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3036	0	3059	54	0
1	B	3025	0	3049	74	0
2	A	17	0	10	2	0
2	B	17	0	10	0	0
3	A	48	0	26	1	0
3	B	48	0	26	4	0
4	A	195	0	0	1	0
4	B	186	0	0	2	0
All	All	6572	0	6180	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:211:TRP:CD1	1:A:213:MET:SD	2.47	1.07
1:A:211:TRP:HD1	1:A:213:MET:SD	1.83	1.01
1:B:256:HIS:HD2	1:B:269:GLN:HE22	1.07	0.93
1:B:258:MET:HE2	1:B:268:ALA:HB2	1.55	0.89
1:B:256:HIS:CD2	1:B:269:GLN:HE22	1.90	0.89

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:67:MET:O	1:A:71:GLN:HG2	1.78	0.83
1:B:241:SER:H	1:B:244:GLN:HE21	1.25	0.81
1:B:21:ARG:HD3	1:B:47:GLU:OE2	1.82	0.78
1:A:127:LEU:HD11	1:A:135:MET:CE	2.15	0.76
1:A:127:LEU:HD11	1:A:135:MET:HE3	1.69	0.75
1:B:256:HIS:HD2	1:B:269:GLN:NE2	1.85	0.73
1:B:258:MET:CE	1:B:268:ALA:HB2	2.19	0.73
1:A:38:VAL:HG11	1:A:63:LEU:HD22	1.69	0.73
1:B:3:LEU:HD11	1:B:5:ILE:HG13	1.71	0.72
1:B:122:ALA:O	3:B:410:NDP:O4D	2.07	0.72
1:B:3:LEU:CD1	1:B:5:ILE:HG13	2.19	0.71
1:A:241:SER:H	1:A:244:GLN:HE21	1.36	0.71
1:B:3:LEU:HD12	1:B:3:LEU:C	2.11	0.71
1:A:252:GLN:HE22	1:A:305:THR:H	1.38	0.71
1:A:210:ASN:HB3	2:A:800:SYD:H5	1.73	0.71
1:B:252:GLN:HE22	1:B:305:THR:H	1.40	0.69
1:B:252:GLN:NE2	1:B:305:THR:H	1.91	0.68
1:A:13:GLY:O	1:A:16:THR:HG22	1.94	0.67
1:A:96:VAL:HG21	1:A:112:ALA:CB	2.25	0.67
1:A:210:ASN:HB3	2:A:800:SYD:C5	2.25	0.66
1:B:181:LEU:HD23	1:B:246:GLU:HB2	1.76	0.66
1:A:124:LYS:HE2	1:A:233:GLU:OE2	1.96	0.66
1:A:96:VAL:HG21	1:A:112:ALA:HB1	1.78	0.66
1:A:211:TRP:CD1	1:A:213:MET:CG	2.79	0.66
1:B:393:MET:O	1:B:397:SER:HB2	1.96	0.65
1:A:133:LEU:HG	1:A:328:GLN:HE22	1.62	0.65
1:B:235:ARG:HD3	1:B:240:ALA:O	1.97	0.64
1:A:23:ASN:ND2	1:A:289:VAL:HG22	2.12	0.64
1:A:153:ASN:HD21	1:A:281:HIS:CD2	2.17	0.63
1:B:100:ILE:HD12	3:B:410:NDP:N3A	2.14	0.62
1:A:270:LEU:HD22	1:B:258:MET:HE1	1.81	0.62
1:B:374:VAL:O	1:B:377:VAL:HG22	1.99	0.61
1:B:235:ARG:CD	1:B:240:ALA:O	2.48	0.61
1:B:210:ASN:O	1:B:211:TRP:HB2	2.02	0.59
1:A:397:SER:OG	1:A:398:SER:N	2.36	0.59
1:A:68:LEU:HB3	1:A:73:SER:HB3	1.86	0.57
1:B:256:HIS:CD2	1:B:269:GLN:NE2	2.67	0.57
1:B:164:GLN:NE2	1:B:285:TRP:HE1	2.03	0.57
1:A:127:LEU:HD11	1:A:135:MET:HE2	1.87	0.56
1:B:2:GLN:N	1:B:2:GLN:HE21	2.04	0.56
1:A:252:GLN:NE2	1:A:305:THR:H	2.03	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:92:ASP:OD2	1:A:92:ASP:N	2.35	0.56
1:A:362:VAL:O	1:A:366:MET:HG2	2.06	0.56
1:B:166:ASN:HA	1:B:169:TYR:CZ	2.40	0.55
1:B:159:LEU:HD13	1:B:259:VAL:HG21	1.89	0.55
1:B:288:ARG:NH2	4:B:411:HOH:O	2.36	0.55
1:B:153:ASN:ND2	1:B:157:GLN:HE21	2.04	0.55
1:B:3:LEU:HD11	1:B:5:ILE:CG1	2.36	0.55
1:B:2:GLN:HG3	1:B:30:VAL:HG21	1.87	0.55
1:A:164:GLN:NE2	1:A:285:TRP:HE1	2.06	0.54
1:B:211:TRP:HA	1:B:211:TRP:CE3	2.42	0.54
1:B:2:GLN:HG3	1:B:30:VAL:CG2	2.38	0.54
1:B:17:LEU:O	1:B:20:VAL:HG22	2.07	0.54
1:A:344:ALA:HA	1:A:349:GLN:HE21	1.73	0.53
1:A:241:SER:H	1:A:244:GLN:NE2	2.06	0.52
1:B:135:MET:CE	1:B:168:GLY:HA3	2.40	0.52
1:B:122:ALA:O	3:B:410:NDP:C4D	2.56	0.52
1:A:96:VAL:O	1:A:96:VAL:HG23	2.10	0.52
1:A:73:SER:OG	1:A:75:THR:HG23	2.11	0.50
1:B:211:TRP:HE3	1:B:211:TRP:HA	1.77	0.50
1:B:21:ARG:CD	1:B:47:GLU:OE2	2.57	0.50
1:A:152:HIS:HE1	1:A:233:GLU:OE2	1.94	0.50
1:A:134:PHE:O	1:A:138:VAL:HG13	2.12	0.49
1:A:358:LEU:HD11	1:A:395:LEU:HD22	1.93	0.49
1:B:288:ARG:NE	4:B:411:HOH:O	2.09	0.49
1:B:3:LEU:CD1	1:B:5:ILE:CG1	2.89	0.49
1:A:70:GLN:C	1:A:72:GLY:H	2.16	0.47
1:B:20:VAL:HG23	1:B:48:PHE:CE2	2.50	0.47
1:A:147:PRO:HB3	1:A:237:LEU:HD21	1.97	0.47
1:B:334:LEU:HG	1:B:363:LEU:HD11	1.96	0.46
1:A:298:PHE:HA	1:A:301:LEU:HD22	1.97	0.46
1:A:135:MET:CE	1:A:145:LEU:HD11	2.45	0.46
1:A:37:ASN:CG	1:A:40:ARG:HB2	2.34	0.46
1:B:241:SER:H	1:B:244:GLN:NE2	2.03	0.46
1:B:62:LYS:O	1:B:66:THR:HG23	2.15	0.46
1:A:211:TRP:NE1	1:A:213:MET:HG2	2.31	0.46
1:B:135:MET:HE2	1:B:168:GLY:HA3	1.98	0.46
1:B:344:ALA:HA	1:B:349:GLN:HE21	1.81	0.46
1:A:161:GLN:OE1	1:B:161:GLN:HG3	2.15	0.46
1:B:6:LEU:HB2	1:B:97:MET:O	2.16	0.45
1:B:54:VAL:HG22	1:B:78:LEU:HB2	1.98	0.45
1:B:103:ALA:O	1:B:106:LEU:HB2	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:303:ALA:HB1	1:B:303:ALA:HB1	1.98	0.45
1:A:153:ASN:HD21	1:A:281:HIS:HD2	1.63	0.45
1:B:153:ASN:HD21	1:B:157:GLN:HE21	1.64	0.45
1:A:149:ASP:HA	3:A:410:NDP:H5N	1.99	0.45
1:B:38:VAL:O	1:B:42:VAL:HG23	2.17	0.44
1:B:83:ALA:O	1:B:87:MET:HG2	2.17	0.44
1:A:155:ILE:HD13	1:A:180:ILE:CG2	2.48	0.44
1:B:208:HIS:HA	1:B:209:PRO:HD2	1.78	0.44
1:A:288:ARG:HB2	1:B:176:GLY:HA3	1.98	0.44
1:B:2:GLN:HB3	1:B:93:VAL:HA	1.98	0.44
1:B:114:ARG:HG3	1:B:114:ARG:HH11	1.83	0.43
1:A:25:GLU:HB2	4:A:497:HOH:O	2.17	0.43
1:B:389:ARG:O	1:B:393:MET:HG3	2.19	0.43
1:B:394:ARG:O	1:B:397:SER:HB3	2.18	0.43
1:A:71:GLN:H	1:A:71:GLN:HG2	1.64	0.43
1:A:211:TRP:CH2	1:A:273:PRO:HB2	2.54	0.42
1:B:369:ARG:HD2	1:B:369:ARG:H	1.84	0.42
1:B:110:LEU:HD22	1:B:114:ARG:HG2	2.01	0.42
1:A:232:ILE:HD11	1:A:320:ALA:O	2.18	0.42
1:B:147:PRO:HB3	1:B:237:LEU:HD21	2.01	0.42
1:B:17:LEU:HA	1:B:20:VAL:HG22	2.02	0.41
1:A:370:GLU:HA	1:A:370:GLU:OE1	2.19	0.41
1:B:20:VAL:CG2	1:B:48:PHE:CE2	3.03	0.41
1:B:20:VAL:HG23	1:B:48:PHE:HE2	1.86	0.41
1:A:211:TRP:CD1	1:A:213:MET:HG2	2.54	0.41
1:B:61:ALA:CB	1:B:79:SER:HB3	2.50	0.41
1:A:159:LEU:HD13	1:A:259:VAL:HG21	2.03	0.41
1:B:235:ARG:HD2	1:B:240:ALA:O	2.18	0.41
1:B:269:GLN:C	1:B:270:LEU:HD12	2.40	0.41
1:B:290:ASN:ND2	1:B:292:GLY:H	2.18	0.41
1:B:297:ASP:O	1:B:301:LEU:HD13	2.21	0.41
1:A:270:LEU:HD22	1:B:258:MET:CE	2.51	0.41
1:B:3:LEU:O	1:B:3:LEU:HD12	2.22	0.40
1:A:50:PRO:HD2	1:A:75:THR:HG21	2.02	0.40
1:B:149:ASP:HA	3:B:410:NDP:H5N	2.03	0.40
1:B:165:HIS:O	1:B:166:ASN:CB	2.67	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	398/420 (95%)	390 (98%)	7 (2%)	1 (0%)	41	37
1	B	396/420 (94%)	386 (98%)	8 (2%)	2 (0%)	29	23
All	All	794/840 (94%)	776 (98%)	15 (2%)	3 (0%)	34	30

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	211	TRP
1	A	257	SER
1	B	257	SER

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	328/344 (95%)	307 (94%)	21 (6%)	17	13
1	B	327/344 (95%)	311 (95%)	16 (5%)	25	21
All	All	655/688 (95%)	618 (94%)	37 (6%)	21	17

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	LEU
1	A	28	ARG
1	A	69	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	71	GLN
1	A	75	THR
1	A	92	ASP
1	A	106	LEU
1	A	120	LEU
1	A	124	LYS
1	A	127	LEU
1	A	159	LEU
1	A	213	MET
1	A	227	LYS
1	A	239	ASN
1	A	252	GLN
1	A	267	LEU
1	A	289	VAL
1	A	301	LEU
1	A	334	LEU
1	A	363	LEU
1	A	370	GLU
1	B	2	GLN
1	B	3	LEU
1	B	6	LEU
1	B	46	LEU
1	B	106	LEU
1	B	110	LEU
1	B	120	LEU
1	B	159	LEU
1	B	169	TYR
1	B	195	ARG
1	B	235	ARG
1	B	269	GLN
1	B	301	LEU
1	B	334	LEU
1	B	369	ARG
1	B	395	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (38) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	2	GLN
1	A	23	ASN
1	A	26	HIS
1	A	70	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	95	GLN
1	A	144	GLN
1	A	152	HIS
1	A	164	GLN
1	A	165	HIS
1	A	175	ASN
1	A	208	HIS
1	A	226	ASN
1	A	239	ASN
1	A	244	GLN
1	A	252	GLN
1	A	256	HIS
1	A	281	HIS
1	A	328	GLN
1	A	349	GLN
1	B	2	GLN
1	B	26	HIS
1	B	69	GLN
1	B	70	GLN
1	B	82	GLN
1	B	123	ASN
1	B	144	GLN
1	B	153	ASN
1	B	164	GLN
1	B	175	ASN
1	B	244	GLN
1	B	252	GLN
1	B	256	HIS
1	B	269	GLN
1	B	281	HIS
1	B	290	ASN
1	B	349	GLN
1	B	372	GLN
1	B	383	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	NDP	A	410	-	45,52,52	1.57	4 (8%)	53,80,80	1.33	5 (9%)
3	NDP	B	410	-	45,52,52	1.55	4 (8%)	53,80,80	1.21	2 (3%)
2	SYD	B	801	-	18,18,18	1.53	3 (16%)	23,25,25	2.09	7 (30%)
2	SYD	A	800	-	18,18,18	1.46	2 (11%)	23,25,25	1.83	7 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NDP	A	410	-	-	5/30/77/77	0/5/5/5
3	NDP	B	410	-	-	4/30/77/77	0/5/5/5
2	SYD	B	801	-	-	0/9/9/9	0/2/2/2
2	SYD	A	800	-	-	0/9/9/9	0/2/2/2

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	410	NDP	O7N-C7N	6.72	1.40	1.24
3	A	410	NDP	O7N-C7N	6.61	1.40	1.24
3	A	410	NDP	C2A-N3A	4.21	1.38	1.32
3	B	410	NDP	C6N-C5N	3.94	1.40	1.33
3	B	410	NDP	C2A-N3A	3.86	1.38	1.32
2	B	801	SYD	C12-C3	-3.85	1.39	1.49

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	410	NDP	C6N-C5N	3.63	1.39	1.33
2	A	800	SYD	P22-O26	3.49	1.62	1.54
2	A	800	SYD	C12-C3	-2.65	1.42	1.49
2	B	801	SYD	C21-C15	2.60	1.53	1.51
3	A	410	NDP	C2A-N1A	2.57	1.38	1.33
2	B	801	SYD	P22-C21	2.39	1.83	1.79
3	B	410	NDP	C2A-N1A	2.01	1.37	1.33

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	410	NDP	N3A-C2A-N1A	-6.30	118.83	128.68
3	B	410	NDP	N3A-C2A-N1A	-5.77	119.66	128.68
2	B	801	SYD	C21-C15-C16	-5.42	117.51	121.42
2	A	800	SYD	C21-C15-C16	-3.73	118.73	121.42
2	B	801	SYD	C12-C13-N14	-3.66	118.28	124.32
2	B	801	SYD	C13-N14-C15	3.02	121.69	117.82
2	A	800	SYD	C4-C3-C2	2.95	123.48	117.59
3	A	410	NDP	C1B-N9A-C4A	-2.83	121.67	126.64
2	B	801	SYD	C17-C12-C3	-2.73	116.63	121.36
2	A	800	SYD	O27-P22-C21	2.68	113.17	106.92
2	A	800	SYD	C12-C13-N14	-2.57	120.08	124.32
2	B	801	SYD	C5-C4-C3	-2.56	117.35	120.56
2	B	801	SYD	O27-P22-O26	-2.55	100.65	108.08
3	A	410	NDP	C3N-C7N-N7N	2.50	122.11	117.67
2	B	801	SYD	C4-C3-C2	2.47	122.50	117.59
2	A	800	SYD	C2-C3-C12	-2.38	117.24	121.36
3	A	410	NDP	O7N-C7N-C3N	-2.29	116.58	120.90
3	B	410	NDP	C1B-N9A-C4A	-2.27	122.66	126.64
2	A	800	SYD	O27-P22-O26	-2.15	101.82	108.08
3	A	410	NDP	C3B-C2B-C1B	-2.11	98.91	102.89
2	A	800	SYD	O26-P22-O25	-2.09	106.86	112.39

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	410	NDP	C2D-C1D-N1N-C6N
3	A	410	NDP	C2B-O2B-P2B-O2X
3	A	410	NDP	C2B-O2B-P2B-O3X
3	A	410	NDP	O4D-C1D-N1N-C6N
3	B	410	NDP	O4D-C1D-N1N-C6N

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
3	A	410	NDP	C2D-C1D-N1N-C6N
3	A	410	NDP	O4B-C4B-C5B-O5B
3	B	410	NDP	C2B-O2B-P2B-O2X
3	B	410	NDP	O4B-C4B-C5B-O5B


There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	410	NDP	1	0
3	B	410	NDP	4	0
2	A	800	SYD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	400/420 (95%)	0.23	20 (5%) 28 28	10, 19, 45, 66	0
1	B	398/420 (94%)	0.17	21 (5%) 26 25	11, 20, 39, 65	0
All	All	798/840 (95%)	0.20	41 (5%) 28 27	10, 20, 42, 66	0

All (41) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	211	TRP	10.8
1	A	399	ALA	9.8
1	B	209	PRO	8.8
1	A	210	ASN	8.1
1	A	209	PRO	8.0
1	B	210	ASN	8.0
1	A	398	SER	8.0
1	A	211	TRP	6.6
1	A	169	TYR	6.2
1	A	369	ARG	4.7
1	A	367	ASP	4.6
1	B	367	ASP	4.6
1	B	212	SER	4.3
1	B	169	TYR	3.7
1	B	369	ARG	3.7
1	B	208	HIS	3.4
1	B	397	SER	3.4
1	B	122	ALA	3.2
1	A	396	ALA	3.1
1	A	208	HIS	3.1
1	B	394	ARG	3.0
1	A	212	SER	2.7
1	A	25	GLU	2.6
1	A	40	ARG	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	69	GLN	2.6
1	A	67	MET	2.6
1	B	368	MET	2.5
1	A	39	THR	2.5
1	B	132	ARG	2.4
1	B	25	GLU	2.4
1	B	195	ARG	2.4
1	A	43	GLU	2.4
1	A	397	SER	2.4
1	B	237	LEU	2.3
1	A	0	GLY	2.3
1	B	213	MET	2.2
1	B	372	GLN	2.1
1	B	174	GLN	2.1
1	A	213	MET	2.1
1	B	140	GLN	2.1
1	B	326	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	NDP	A	410	48/48	0.93	0.12	25,30,35,35	0
2	SYD	A	800	17/17	0.93	0.15	11,15,17,19	0
2	SYD	B	801	17/17	0.94	0.14	10,13,16,17	0
3	NDP	B	410	48/48	0.95	0.11	21,25,31,37	0


The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around NDP A 410:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.