



# Full wwPDB X-ray Structure Validation Report ⓘ

May 26, 2020 – 05:40 am BST

PDB ID : 6AOC  
Title : Crystal Structure of an N-Hydroxythienopyrimidine-2,4-dione RNase H Active Site Inhibitor with Multiple Binding Modes to HIV Reverse Transcriptase  
Authors : Kirby, K.A.; Sarafianos, S.G.  
Deposited on : 2017-08-15  
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	557	<div> <div>22%</div> <div>80%</div> <div>18%</div> <div>.</div> </div>
1	C	557	<div> <div>6%</div> <div>83%</div> <div>16%</div> <div>.</div> </div>
2	B	429	<div> <div>5%</div> <div>86%</div> <div>12%</div> <div>..</div> </div>
2	D	429	<div> <div>8%</div> <div>84%</div> <div>12%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	EDO	A	618	-	-	X	-
6	EDO	C	625	-	-	-	X

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 18190 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reverse transcriptase/ribonuclease H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	555	Total	C	N	O	S	0	16	0
			4607	2985	767	848	7			
1	C	557	Total	C	N	O	S	0	41	0
			4785	3114	791	871	9			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	initiating methionine	UNP P03366
A	0	VAL	-	expression tag	UNP P03366
A	280	SER	CYS	engineered mutation	UNP P03366
C	-1	MET	-	initiating methionine	UNP P03366
C	0	VAL	-	expression tag	UNP P03366
C	280	SER	CYS	engineered mutation	UNP P03366

- Molecule 2 is a protein called p51 RT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	425	Total	C	N	O	S	4	32	0
			3702	2429	607	659	7			
2	D	416	Total	C	N	O	S	11	21	0
			3565	2333	584	640	8			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	GLY	-	expression tag	UNP P03366
B	280	SER	CYS	engineered mutation	UNP P03366
D	0	GLY	-	expression tag	UNP P03366
D	280	SER	CYS	engineered mutation	UNP P03366

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Mn	0	0
			2	2		
3	C	2	Total	Mn	0	0
			2	2		

- Molecule 4 is 6-benzyl-3-hydroxythieno[2,3-d]pyrimidine-2,4(1H,3H)-dione (three-letter code: ZW2) (formula: C<sub>13</sub>H<sub>10</sub>N<sub>2</sub>O<sub>3</sub>S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			19	13	2	3	1		
4	C	1	Total	C	N	O	S	0	0
			19	13	2	3	1		

- Molecule 5 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			10	6	4		
5	B	1	Total	C	O	0	0
			10	6	4		
5	B	1	Total	C	O	0	0
			10	6	4		
5	B	1	Total	C	O	0	0
			10	6	4		
5	D	1	Total	C	O	0	0
			10	6	4		
5	D	1	Total	C	O	0	0
			10	6	4		

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	D	1	Total C O 4 2 2	0	0
6	D	1	Total C O 4 2 2	0	0
6	D	1	Total C O 4 2 2	0	0
6	D	1	Total C O 4 2 2	0	0
6	D	1	Total C O 4 2 2	0	0
6	D	1	Total C O 4 2 2	0	0
6	D	1	Total C O 4 2 2	0	0
6	D	1	Total C O 4 2 2	0	0
6	D	1	Total C O 4 2 2	0	0
6	D	1	Total C O 4 2 2	0	0
6	D	1	Total C O 4 2 2	0	0
6	D	1	Total C O 4 2 2	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	262	Total O 262 262	0	0
7	B	282	Total O 282 282	0	0
7	C	338	Total O 338 338	0	0
7	D	265	Total O 265 265	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Reverse transcriptase/ribonuclease H




- Molecule 1: Reverse transcriptase/ribonuclease H



- Molecule 2: p51 RT



- Molecule 2: p51 RT



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	70.37Å 89.12Å 112.73Å 105.72° 95.03° 110.72°	Depositor
Resolution (Å)	55.32 – 1.80 55.32 – 1.80	Depositor EDS
% Data completeness (in resolution range)	97.0 (55.32-1.80) 97.1 (55.32-1.80)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.15 (at 1.80Å)	Xtriage
Refinement program	PHENIX (1.11.1_2575)	Depositor
R, $R_{free}$	0.186 , 0.226 0.190 , 0.227	Depositor DCC
$R_{free}$ test set	10776 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	35.7	Xtriage
Anisotropy	0.194	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 59.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	18190	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.28% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZW2, PGE, EDO, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.48	0/4767	0.59	0/6467
1	C	0.47	0/5010	0.58	0/6789
2	B	0.53	0/3892	0.62	0/5277
2	D	0.50	0/3722	0.61	0/5049
All	All	0.49	0/17391	0.60	0/23582

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
2	D	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	67	ASP	Peptide
2	D	357	MET	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4607	0	4711	78	1
1	C	4785	0	4966	75	0
2	B	3702	0	3851	51	0
2	D	3565	0	3651	40	0
3	A	2	0	0	0	0
3	C	2	0	0	0	0
4	A	19	0	0	0	0
4	C	19	0	0	0	0
5	A	10	0	14	4	0
5	B	40	0	56	11	0
5	D	20	0	28	5	0
6	A	56	0	84	6	0
6	B	76	0	114	4	0
6	C	92	0	138	4	0
6	D	48	0	72	1	0
7	A	262	0	0	14	1
7	B	282	0	0	13	0
7	C	338	0	0	18	0
7	D	265	0	0	7	2
All	All	18190	0	17685	243	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (243) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:56:TYR:O	1:A:143:ARG:NH2	1.88	1.06
1:C:122:GLU:OE2	7:C:701:HOH:O	1.82	0.96
1:A:131:THR:OG1	1:A:143:ARG:NH1	2.03	0.91
2:D:30[A]:LYS:NZ	7:D:601:HOH:O	2.10	0.82
1:C:373:GLN:NE2	7:C:703:HOH:O	2.13	0.81
1:A:64:LYS:NZ	1:A:70:LYS:O	2.14	0.80
1:A:323:LYS:NZ	1:A:344:GLU:OE2	2.16	0.79
1:C:247:PRO:O	1:C:307[B]:ARG:NH2	2.15	0.79

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:509[B]:GLN:NE2	7:A:705:HOH:O	2.16	0.78
1:A:500:GLN:OE1	7:A:701:HOH:O	2.00	0.78
1:C:102:LYS:HE3	1:C:236:PRO:O	1.84	0.76
1:C:370:GLU:O	1:C:374:LYS:HD2	1.86	0.76
2:B:423:VAL:N	1:C:138:GLU:OE1	2.17	0.76
2:B:415:GLU:OE2	7:B:601:HOH:O	2.03	0.75
1:C:374:LYS:NZ	7:C:703:HOH:O	2.19	0.75
1:C:208:HIS:ND1	7:C:707:HOH:O	2.22	0.73
2:D:75:VAL:O	5:D:501:PGE:O4	2.06	0.72
1:A:475:GLN:OE1	7:A:703:HOH:O	2.08	0.71
2:B:404:GLU:OE2	7:B:602:HOH:O	2.09	0.71
1:C:428[A]:GLN:OE1	1:C:509:GLN:NE2	2.23	0.71
1:C:452:LEU:HD12	1:C:469:LEU:O	1.91	0.70
1:C:102:LYS:NZ	1:C:236:PRO:O	2.24	0.70
1:C:102:LYS:CE	1:C:236:PRO:O	2.41	0.69
1:A:337:TRP:HE1	1:A:367:GLN:HE21	1.42	0.68
1:A:249:LYS:O	7:A:704:HOH:O	2.12	0.68
2:B:336[B]:GLN:NE2	7:B:609:HOH:O	2.27	0.68
2:D:177:ASP:OD1	7:D:602:HOH:O	2.14	0.66
1:C:364:ASP:OD2	7:C:702:HOH:O	2.13	0.66
2:B:42:GLU:OE1	7:B:603:HOH:O	2.13	0.66
1:C:374:LYS:HE3	7:C:966:HOH:O	1.97	0.65
1:C:211:ARG:NH1	6:C:625:EDO:O1	2.30	0.65
1:A:253:THR:HG23	1:A:289:LEU:O	1.97	0.64
2:D:358:ARG:CZ	2:D:363:ASN:H	2.10	0.64
1:A:254:VAL:HG22	1:A:293:ILE:HD11	1.80	0.64
1:A:394:GLN:HB3	5:A:604:PGE:H12	1.79	0.63
1:A:230:MET:HE3	1:A:232:TYR:HE2	1.63	0.63
5:B:501:PGE:H12	7:B:739:HOH:O	1.98	0.63
1:A:257:ILE:O	1:A:261:VAL:HG23	1.98	0.62
2:B:423:VAL:HG23	1:C:138:GLU:OE1	1.97	0.62
1:A:395:LYS:CG	5:A:604:PGE:H32	2.29	0.62
1:A:247:PRO:O	1:A:307[A]:ARG:NH1	2.24	0.62
2:B:230:MET:O	7:B:604:HOH:O	2.16	0.61
2:B:181:TYR:HA	5:B:504:PGE:H32	1.83	0.61
2:D:358:ARG:NH1	2:D:363:ASN:H	1.97	0.61
2:D:358:ARG:HD2	2:D:361:HIS:HB2	1.82	0.61
1:A:153:TRP:O	7:A:706:HOH:O	2.16	0.60
2:D:356:ARG:NH2	7:D:606:HOH:O	2.35	0.60
1:A:65:LYS:HB3	1:A:72:ARG:HH21	1.68	0.58
1:A:114:ALA:HB1	1:A:214:LEU:HD22	1.84	0.58

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:172[A]:LYS:NZ	7:B:617:HOH:O	2.36	0.58
1:A:92:LEU:HD11	2:B:22[A]:LYS:HD3	1.85	0.57
2:B:96:HIS:HD2	7:B:835:HOH:O	1.88	0.57
2:B:422:LEU:N	1:C:138:GLU:OE1	2.37	0.57
2:B:224:GLU:N	2:B:225:PRO:HD3	2.20	0.56
1:A:230:MET:HE3	1:A:232:TYR:CE2	2.41	0.56
1:A:374:LYS:NZ	7:A:702:HOH:O	2.16	0.56
1:C:275:LYS:HE2	1:C:302:GLU:HG3	1.88	0.55
1:A:87:PHE:HB2	1:A:89:GLU:OE2	2.06	0.54
2:B:411:ILE:O	5:B:501:PGE:H1	2.07	0.54
1:C:507:GLN:NE2	7:C:721:HOH:O	2.39	0.54
1:C:171:PHE:HE2	1:C:178:ILE:CD1	2.20	0.54
2:D:358:ARG:NH1	2:D:367:GLN:NE2	2.54	0.54
1:A:104:LYS:HB2	1:A:192:ASP:HA	1.89	0.54
2:D:77:PHE:H	5:D:501:PGE:H62	1.71	0.54
1:C:362:THR:HG21	1:C:367[A]:GLN:HE21	1.73	0.53
2:B:224:GLU:H	2:B:225:PRO:HD3	1.71	0.53
2:D:196:GLY:O	2:D:200:THR:HG23	2.08	0.53
1:A:16:MET:HB3	1:A:83:ARG:HH11	1.74	0.53
1:A:320:ASP:OD2	1:A:323:LYS:HE3	2.09	0.53
2:D:53:GLU:OE2	2:D:53:GLU:N	2.37	0.53
1:A:272:PRO:HB2	1:A:353[B]:LYS:HG3	1.90	0.53
2:B:64:LYS:HB2	5:B:502:PGE:H4	1.90	0.53
2:B:64:LYS:H	5:B:502:PGE:H5	1.73	0.53
1:A:406:TRP:CE2	1:A:407:GLN:HG3	2.45	0.52
1:A:473:THR:OG1	1:A:476[B]:LYS:HD3	2.10	0.52
2:D:275:LYS:NZ	7:D:611:HOH:O	2.43	0.51
2:D:358:ARG:NH1	2:D:362:THR:HA	2.25	0.51
2:B:232[B]:TYR:HD2	6:B:509:EDO:HO1	1.58	0.51
2:B:65[B]:LYS:HZ2	2:B:227:PHE:HB3	1.76	0.51
2:D:332:GLN:OE1	2:D:424:LYS:HE2	2.09	0.51
1:C:134[B]:SER:O	7:C:705:HOH:O	2.18	0.51
2:D:208:HIS:O	2:D:212:TRP:HD1	1.94	0.51
1:A:125:ARG:HD3	1:A:147:ASN:HA	1.91	0.51
1:A:254:VAL:HA	1:A:257:ILE:HG22	1.92	0.51
1:A:335:GLY:N	6:A:618:EDO:O2	2.40	0.51
1:A:367:GLN:NE2	6:A:618:EDO:O1	2.43	0.50
2:B:210:LEU:HD21	2:B:225:PRO:HB3	1.93	0.50
1:A:79:GLU:HA	1:A:82:LYS:HE3	1.93	0.50
2:B:191:SER:HB2	2:B:193:LEU:HD13	1.93	0.50
2:B:92:LEU:HD23	7:B:743:HOH:O	2.11	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:78:ARG:HH22	1:A:288:ALA:HA	1.77	0.50
1:C:406:TRP:CE3	1:C:407[B]:GLN:HG2	2.46	0.50
1:C:134[B]:SER:O	1:C:135[B]:ILE:HB	2.11	0.50
1:A:385:LYS:NZ	7:A:714:HOH:O	2.32	0.50
1:A:19:PRO:HD2	1:A:56:TYR:HB3	1.93	0.50
2:B:64:LYS:H	5:B:502:PGE:C5	2.25	0.50
2:D:13:LYS:HB2	2:D:16:MET:HE3	1.92	0.50
2:D:13:LYS:HD2	2:D:16:MET:CE	2.41	0.50
1:A:351:THR:O	7:A:708:HOH:O	2.20	0.49
2:B:65[B]:LYS:NZ	2:B:110:ASP:OD2	2.25	0.49
5:B:504:PGE:H4	7:B:847:HOH:O	2.12	0.49
6:A:608:EDO:O2	1:C:70:LYS:HE2	2.13	0.49
1:C:210:LEU:O	1:C:210:LEU:HD23	2.13	0.49
1:A:106:VAL:HG21	6:A:606:EDO:H11	1.94	0.49
1:A:90:VAL:CG1	2:B:141:GLY:H	2.25	0.49
1:A:130:PHE:CE1	1:A:144:TYR:HB2	2.48	0.49
2:B:183:TYR:OH	2:B:386:THR:HG23	2.12	0.49
1:A:536:VAL:HB	1:A:542:ILE:HD13	1.95	0.49
1:C:287:LYS:NZ	7:C:728:HOH:O	2.47	0.48
1:A:395:LYS:HG3	5:A:604:PGE:H32	1.95	0.48
1:A:211:ARG:NH2	7:A:707:HOH:O	2.19	0.48
1:A:257:ILE:HG23	1:A:283:LEU:HD21	1.96	0.48
1:A:450:THR:O	1:A:451:LYS:HB2	2.14	0.48
1:C:370:GLU:O	1:C:374:LYS:CD	2.57	0.48
1:A:101:LYS:NZ	7:A:722:HOH:O	2.43	0.48
1:C:58:THR:HG23	1:C:76:ASP:O	2.13	0.48
1:C:17:ASP:O	1:C:83:ARG:HD3	2.14	0.48
1:A:225:PRO:HB3	1:A:236:PRO:HD3	1.94	0.47
1:C:431:LYS:NZ	7:C:727:HOH:O	2.46	0.47
1:A:399:GLU:OE2	7:A:709:HOH:O	2.20	0.47
2:B:43[B]:LYS:NZ	7:B:626:HOH:O	2.45	0.47
2:B:91:GLN:C	2:B:92:LEU:HD12	2.35	0.47
1:C:41:MET:SD	1:C:73:LYS:HE2	2.55	0.47
1:A:169[A]:GLU:HB3	1:A:170:PRO:HD3	1.96	0.47
1:A:253:THR:HB	1:A:256:ASP:OD2	2.14	0.47
2:B:407:GLN:HE21	5:B:502:PGE:C3	2.28	0.47
2:D:191:SER:HB2	2:D:193:LEU:HD13	1.97	0.47
2:B:90:VAL:O	2:B:91:GLN:HB2	2.14	0.47
6:C:620:EDO:O2	7:C:704:HOH:O	2.18	0.47
1:C:213:GLY:HA3	6:C:613:EDO:H21	1.97	0.46
2:D:90:VAL:HG12	2:D:92:LEU:HD12	1.96	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:405:TYR:CE2	1:C:407[A]:GLN:HB2	2.49	0.46
1:C:136:ASN:C	1:C:138:GLU:H	2.17	0.46
2:B:323[A]:LYS:NZ	2:B:344:GLU:OE2	2.46	0.46
2:D:388[B]:LYS:NZ	7:D:604:HOH:O	2.32	0.46
1:A:114:ALA:HB3	1:A:160:PHE:CE1	2.50	0.46
1:A:364:ASP:OD1	6:A:618:EDO:H12	2.15	0.46
1:C:157:PRO:O	1:C:161[B]:GLN:HG2	2.14	0.46
1:A:295:LEU:HD13	1:A:300:GLU:HG2	1.98	0.46
1:A:19:PRO:HA	1:A:79:GLU:OE1	2.16	0.46
1:A:288:ALA:N	1:A:291:GLU:OE1	2.48	0.46
1:C:306:ASN:HA	1:C:309:ILE:HD12	1.96	0.46
2:D:358:ARG:CZ	2:D:367:GLN:HG3	2.45	0.46
1:A:49:LYS:HG2	1:A:144:TYR:CE1	2.51	0.46
6:B:523:EDO:C2	7:B:705:HOH:O	2.64	0.46
1:C:211:ARG:O	1:C:211:ARG:NH2	2.41	0.46
1:C:201:LYS:NZ	1:C:204:GLU:OE2	2.37	0.45
2:B:423:VAL:HG12	2:B:427:TYR:HD2	1.80	0.45
2:D:291:GLU:OE1	7:D:603:HOH:O	2.21	0.45
1:A:307[B]:ARG:NH2	7:A:729:HOH:O	2.49	0.45
1:A:416:PHE:CB	5:A:604:PGE:H3	2.47	0.45
1:C:544[B]:GLY:N	1:C:547[B]:GLN:OE1	2.49	0.45
2:D:224:GLU:C	2:D:226:PRO:HD3	2.36	0.45
2:B:90:VAL:O	2:B:92:LEU:HD12	2.16	0.45
1:A:503:LEU:O	1:A:507[A]:GLN:HG2	2.17	0.45
1:A:27:THR:OG1	1:A:30:LYS:HG3	2.17	0.45
1:C:95:PRO:HB2	1:C:230:MET:HE1	1.98	0.45
2:B:88:TRP:CD1	2:B:89:GLU:N	2.85	0.45
1:A:40:GLU:O	1:A:43:LYS:HG2	2.16	0.44
2:B:422:LEU:H	1:C:138:GLU:CD	2.20	0.44
1:C:232:TYR:CE1	1:C:241:VAL:HG22	2.53	0.44
2:D:138:GLU:HG2	2:D:139:THR:HG23	1.98	0.44
2:D:24:TRP:CD2	5:D:502:PGE:H4	2.52	0.44
2:D:56:TYR:O	2:D:143:ARG:NH1	2.42	0.44
2:B:425:LEU:H	2:B:425:LEU:HD23	1.83	0.44
1:C:126:LYS:HE2	1:C:127:TYR:CZ	2.53	0.44
1:A:253:THR:HG22	1:A:255:ASN:N	2.33	0.44
1:C:171:PHE:CE2	1:C:178:ILE:CD1	3.00	0.44
1:C:509:GLN:HB3	7:C:963:HOH:O	2.18	0.44
2:D:73[B]:LYS:NZ	2:D:146:TYR:OH	2.36	0.44
1:C:97:PRO:HD3	1:C:232:TYR:CE2	2.53	0.44
1:C:248:GLU:HG3	1:C:307[B]:ARG:NH2	2.32	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:206[B]:ARG:HG3	2:B:228:LEU:HG	1.99	0.44
1:C:406:TRP:CZ3	1:C:407[B]:GLN:OE1	2.71	0.44
1:C:394:GLN:NE2	7:C:713:HOH:O	2.29	0.44
2:D:90:VAL:HG12	2:D:92:LEU:CD1	2.48	0.43
1:A:73:LYS:HZ2	1:A:75:VAL:CG2	2.31	0.43
2:D:358:ARG:NH2	2:D:367:GLN:HG3	2.33	0.43
1:C:357:MET:HE1	7:D:624:HOH:O	2.17	0.43
2:D:13:LYS:HB2	2:D:16:MET:CE	2.49	0.43
2:D:358:ARG:NH2	2:D:363:ASN:H	2.16	0.43
2:B:224:GLU:C	2:B:226:PRO:HD3	2.38	0.43
2:D:403:THR:H	5:D:502:PGE:H62	1.84	0.43
2:D:58:THR:HG23	2:D:76:ASP:O	2.18	0.43
1:C:39:THR:O	1:C:43[B]:LYS:HG2	2.19	0.43
1:C:101:LYS:HD3	1:C:321:PRO:HG3	2.00	0.43
2:B:50:ILE:HG13	2:B:143[A]:ARG:HB3	2.00	0.43
1:C:33:ALA:HB1	1:C:71:TRP:HB2	2.01	0.42
2:B:108:VAL:HG22	2:B:188:TYR:CD2	2.54	0.42
2:B:410:TRP:CB	5:B:501:PGE:H32	2.49	0.42
2:D:350:LYS:HE3	2:D:378:GLU:OE1	2.19	0.42
1:A:337:TRP:HE1	1:A:367:GLN:NE2	2.14	0.42
1:A:331:LYS:HE3	6:A:618:EDO:C1	2.50	0.42
1:C:395[A]:LYS:HE2	1:C:414:TRP:CE2	2.55	0.42
2:D:193:LEU:HD12	2:D:193:LEU:N	2.35	0.42
1:A:18:GLY:HA3	1:A:56:TYR:CD1	2.55	0.42
1:C:423:VAL:O	7:C:706:HOH:O	2.22	0.42
1:A:186:ASP:HB3	1:A:229:TRP:HD1	1.84	0.42
2:B:147:ASN:HB3	6:B:513:EDO:C1	2.49	0.42
2:B:423:VAL:HG12	2:B:427:TYR:CD2	2.55	0.42
2:D:319:TYR:OH	2:D:385:LYS:HE2	2.20	0.42
2:B:407:GLN:HE21	5:B:502:PGE:H32	1.84	0.42
1:C:175:ASN:O	1:C:178:ILE:HG12	2.20	0.42
1:C:402:TRP:CZ3	1:C:403:THR:HG22	2.54	0.42
1:A:253:THR:HG22	1:A:256:ASP:H	1.85	0.41
1:C:433:PRO:HG2	6:D:512:EDO:H21	2.02	0.41
1:A:131:THR:OG1	1:A:143:ARG:CD	2.69	0.41
1:C:413:GLU:HG2	1:C:414:TRP:N	2.36	0.41
2:B:256:ASP:HA	2:B:259:LYS:HE2	2.02	0.41
1:C:413:GLU:O	7:C:708:HOH:O	2.22	0.41
2:B:30[A]:LYS:HE2	2:B:71:TRP:CZ3	2.56	0.41
1:C:202:ILE:O	1:C:206:ARG:HG3	2.21	0.41
1:C:275:LYS:NZ	7:C:740:HOH:O	2.52	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:374:LYS:HE2	7:C:979:HOH:O	2.21	0.41
1:A:172:LYS:HE2	1:A:180:ILE:HB	2.02	0.41
2:B:30[B]:LYS:NZ	7:B:606:HOH:O	2.40	0.41
2:B:410:TRP:HB2	5:B:501:PGE:H32	2.02	0.41
1:C:286:THR:O	1:C:286:THR:HG23	2.21	0.41
1:C:63:ILE:HG22	1:C:64:LYS:N	2.36	0.41
1:A:180:ILE:HA	1:A:188:TYR:O	2.20	0.41
2:B:365:VAL:HG11	2:B:401:TRP:HB2	2.03	0.41
1:C:7:THR:OG1	7:C:701:HOH:O	1.82	0.41
1:A:21:VAL:HG23	1:A:79:GLU:HG3	2.04	0.41
2:B:147:ASN:HB3	6:B:513:EDO:H12	2.03	0.41
2:D:411:ILE:H	5:D:501:PGE:C3	2.34	0.41
1:C:1:PRO:HB3	6:C:613:EDO:H12	2.02	0.40
2:D:358:ARG:NE	2:D:361:HIS:O	2.54	0.40
1:A:337:TRP:O	1:A:353[A]:LYS:HA	2.21	0.40
2:D:365:VAL:HG11	2:D:401:TRP:HB2	2.03	0.40
1:A:253:THR:HG21	7:A:928:HOH:O	2.20	0.40
1:C:224:GLU:HG2	1:C:224:GLU:O	2.21	0.40
1:C:441:TYR:O	1:C:457:TYR:HA	2.22	0.40
1:A:116:PHE:O	1:A:148:VAL:HG11	2.22	0.40
1:A:252:TRP:CD1	1:A:295:LEU:HD11	2.56	0.40
1:A:94:ILE:HG22	1:A:183:TYR:OH	2.22	0.40
1:C:22[B]:LYS:H	1:C:22[B]:LYS:HD2	1.86	0.40
2:D:246:LEU:HD11	2:D:264:LEU:HD21	2.02	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:908:HOH:O	7:D:757:HOH:O[1_656]	2.08	0.12
1:A:399:GLU:OE1	7:D:662:HOH:O[1_656]	2.19	0.01

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	569/557 (102%)	556 (98%)	13 (2%)	0	100	100
1	C	596/557 (107%)	581 (98%)	10 (2%)	5 (1%)	19	7
2	B	453/429 (106%)	441 (97%)	10 (2%)	2 (0%)	34	21
2	D	433/429 (101%)	419 (97%)	10 (2%)	4 (1%)	17	6
All	All	2051/1972 (104%)	1997 (97%)	43 (2%)	11 (0%)	29	15

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	134[A]	SER
1	C	134[B]	SER
1	C	135[A]	ILE
1	C	135[B]	ILE
2	D	225	PRO
2	D	357	MET
2	B	225	PRO
2	D	226	PRO
2	D	356	ARG
1	C	272	PRO
2	B	224	GLU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	509/497 (102%)	499 (98%)	10 (2%)	55	44
1	C	536/497 (108%)	510 (95%)	26 (5%)	25	11
2	B	417/390 (107%)	409 (98%)	8 (2%)	57	46
2	D	398/390 (102%)	390 (98%)	8 (2%)	55	44
All	All	1860/1774 (105%)	1808 (97%)	52 (3%)	53	30

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	GLU
1	A	70	LYS
1	A	130	PHE
1	A	185	ASP
1	A	211	ARG
1	A	218	ASP
1	A	228	LEU
1	A	238	LYS
1	A	358	ARG
1	A	374	LYS
2	B	65[A]	LYS
2	B	65[B]	LYS
2	B	113	ASP
2	B	166[A]	LYS
2	B	166[B]	LYS
2	B	169[A]	GLU
2	B	169[B]	GLU
2	B	425	LEU
1	C	40[A]	GLU
1	C	40[B]	GLU
1	C	53[A]	GLU
1	C	53[B]	GLU
1	C	72[A]	ARG
1	C	72[B]	ARG
1	C	164[A]	MET
1	C	164[B]	MET
1	C	211	ARG
1	C	212[A]	TRP
1	C	212[B]	TRP
1	C	301	LEU
1	C	332	GLN
1	C	358[A]	ARG
1	C	358[B]	ARG
1	C	374	LYS
1	C	395[A]	LYS
1	C	395[B]	LYS
1	C	396[A]	GLU
1	C	396[B]	GLU
1	C	428[A]	GLN
1	C	428[B]	GLN
1	C	512[A]	LYS
1	C	512[B]	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	547[A]	GLN
1	C	547[B]	GLN
2	D	6	GLU
2	D	91	GLN
2	D	113	ASP
2	D	197[A]	GLN
2	D	197[B]	GLN
2	D	242	GLN
2	D	357	MET
2	D	362	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 81 ligands modelled in this entry, 4 are monoatomic - leaving 77 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
6	EDO	B	508	-	3,3,3	0.34	0	2,2,2	0.69	0



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	EDO	C	618	-	3,3,3	0.48	0	2,2,2	0.25	0
6	EDO	B	515	-	3,3,3	0.44	0	2,2,2	0.36	0
6	EDO	A	618	-	3,3,3	0.34	0	2,2,2	0.39	0
6	EDO	A	613	-	3,3,3	0.41	0	2,2,2	0.26	0
6	EDO	C	614	-	3,3,3	0.47	0	2,2,2	0.26	0
6	EDO	B	522	-	3,3,3	0.45	0	2,2,2	0.25	0
6	EDO	C	624	-	3,3,3	0.40	0	2,2,2	0.30	0
6	EDO	B	518	-	3,3,3	0.46	0	2,2,2	0.31	0
6	EDO	D	514	-	3,3,3	0.58	0	2,2,2	0.18	0
6	EDO	B	516	-	3,3,3	0.42	0	2,2,2	0.23	0
6	EDO	B	519	-	3,3,3	0.54	0	2,2,2	0.07	0
6	EDO	C	615	-	3,3,3	0.54	0	2,2,2	0.05	0
6	EDO	A	605	-	3,3,3	0.45	0	2,2,2	0.26	0
6	EDO	C	626	-	3,3,3	0.44	0	2,2,2	0.32	0
6	EDO	A	616	-	3,3,3	0.36	0	2,2,2	0.38	0
6	EDO	C	616	-	3,3,3	0.45	0	2,2,2	0.27	0
6	EDO	A	612	-	3,3,3	0.50	0	2,2,2	0.26	0
6	EDO	C	608	-	3,3,3	0.51	0	2,2,2	0.14	0
6	EDO	D	509	-	3,3,3	0.38	0	2,2,2	0.42	0
6	EDO	C	625	-	3,3,3	0.47	0	2,2,2	0.29	0
6	EDO	C	613	-	3,3,3	0.46	0	2,2,2	0.09	0
6	EDO	B	514	-	3,3,3	0.58	0	2,2,2	0.26	0
6	EDO	A	608	-	3,3,3	0.49	0	2,2,2	0.28	0
6	EDO	B	507	-	3,3,3	0.27	0	2,2,2	0.52	0
6	EDO	B	506	-	3,3,3	0.50	0	2,2,2	0.19	0
6	EDO	A	614	-	3,3,3	0.46	0	2,2,2	0.25	0
6	EDO	A	615	-	3,3,3	0.42	0	2,2,2	0.35	0
6	EDO	A	610	-	3,3,3	0.32	0	2,2,2	0.45	0
6	EDO	C	607	-	3,3,3	0.48	0	2,2,2	0.21	0
6	EDO	A	611	-	3,3,3	0.42	0	2,2,2	0.32	0
6	EDO	D	505	-	3,3,3	0.45	0	2,2,2	0.33	0
6	EDO	B	512	-	3,3,3	0.40	0	2,2,2	0.37	0
6	EDO	C	605	-	3,3,3	0.27	0	2,2,2	0.91	0
6	EDO	D	507	-	3,3,3	0.45	0	2,2,2	0.28	0
6	EDO	B	509	-	3,3,3	0.46	0	2,2,2	0.30	0
6	EDO	D	506	-	3,3,3	0.44	0	2,2,2	0.33	0
6	EDO	C	623	-	3,3,3	0.54	0	2,2,2	0.20	0
5	PGE	B	503	-	9,9,9	0.30	0	8,8,8	0.45	0
6	EDO	D	508	-	3,3,3	0.48	0	2,2,2	0.22	0
6	EDO	C	611	-	3,3,3	0.46	0	2,2,2	0.17	0
6	EDO	C	621	-	3,3,3	0.51	0	2,2,2	0.26	0
6	EDO	A	607	-	3,3,3	0.44	0	2,2,2	0.31	0
6	EDO	B	523	-	3,3,3	0.51	0	2,2,2	0.18	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	PGE	D	501	-	9,9,9	0.28	0	8,8,8	0.52	0
6	EDO	A	606	-	3,3,3	0.45	0	2,2,2	0.12	0
6	EDO	B	521	-	3,3,3	0.40	0	2,2,2	0.23	0
6	EDO	D	511	-	3,3,3	0.46	0	2,2,2	0.25	0
6	EDO	C	610	-	3,3,3	0.44	0	2,2,2	0.60	0
6	EDO	B	520	-	3,3,3	0.41	0	2,2,2	0.23	0
5	PGE	B	501	-	9,9,9	0.36	0	8,8,8	0.78	0
6	EDO	C	606	-	3,3,3	0.39	0	2,2,2	0.30	0
5	PGE	B	504	-	9,9,9	0.27	0	8,8,8	0.43	0
6	EDO	D	513	-	3,3,3	0.41	0	2,2,2	0.25	0
6	EDO	A	609	-	3,3,3	0.43	0	2,2,2	0.38	0
6	EDO	C	622	-	3,3,3	0.43	0	2,2,2	0.35	0
6	EDO	C	609	-	3,3,3	0.40	0	2,2,2	0.38	0
6	EDO	C	617	-	3,3,3	0.37	0	2,2,2	0.42	0
6	EDO	C	612	-	3,3,3	0.46	0	2,2,2	0.23	0
6	EDO	D	510	-	3,3,3	0.40	0	2,2,2	0.43	0
5	PGE	D	502	-	9,9,9	0.31	0	8,8,8	0.58	0
6	EDO	A	617	-	3,3,3	0.43	0	2,2,2	0.34	0
6	EDO	B	510	-	3,3,3	0.58	0	2,2,2	0.10	0
6	EDO	B	511	-	3,3,3	0.45	0	2,2,2	0.47	0
5	PGE	B	502	-	9,9,9	0.32	0	8,8,8	0.69	0
4	ZW2	A	603	3	17,21,21	3.04	8 (47%)	12,30,30	1.20	2 (16%)
6	EDO	C	619	-	3,3,3	0.48	0	2,2,2	0.31	0
4	ZW2	C	603	3	17,21,21	3.03	9 (52%)	12,30,30	1.13	2 (16%)
5	PGE	A	604	-	9,9,9	0.24	0	8,8,8	0.60	0
6	EDO	D	512	-	3,3,3	0.38	0	2,2,2	0.34	0
6	EDO	D	503	-	3,3,3	0.53	0	2,2,2	0.09	0
6	EDO	B	505	-	3,3,3	0.49	0	2,2,2	0.32	0
6	EDO	D	504	-	3,3,3	0.41	0	2,2,2	0.45	0
6	EDO	C	604	-	3,3,3	0.44	0	2,2,2	0.31	0
6	EDO	B	517	-	3,3,3	0.43	0	2,2,2	0.39	0
6	EDO	B	513	-	3,3,3	0.37	0	2,2,2	0.37	0
6	EDO	C	620	-	3,3,3	0.43	0	2,2,2	0.27	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	B	508	-	-	0/1/1/1	-
6	EDO	C	618	-	-	1/1/1/1	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	B	515	-	-	0/1/1/1	-
6	EDO	A	618	-	-	0/1/1/1	-
6	EDO	A	613	-	-	0/1/1/1	-
6	EDO	C	614	-	-	0/1/1/1	-
6	EDO	B	522	-	-	1/1/1/1	-
6	EDO	C	624	-	-	0/1/1/1	-
6	EDO	B	518	-	-	0/1/1/1	-
6	EDO	D	514	-	-	0/1/1/1	-
6	EDO	B	516	-	-	0/1/1/1	-
6	EDO	B	519	-	-	1/1/1/1	-
6	EDO	C	615	-	-	1/1/1/1	-
6	EDO	A	605	-	-	0/1/1/1	-
6	EDO	C	626	-	-	1/1/1/1	-
6	EDO	A	616	-	-	0/1/1/1	-
6	EDO	C	616	-	-	1/1/1/1	-
6	EDO	A	612	-	-	0/1/1/1	-
6	EDO	C	608	-	-	0/1/1/1	-
6	EDO	D	509	-	-	0/1/1/1	-
6	EDO	C	625	-	-	0/1/1/1	-
6	EDO	C	613	-	-	0/1/1/1	-
6	EDO	B	514	-	-	1/1/1/1	-
6	EDO	A	608	-	-	1/1/1/1	-
6	EDO	B	507	-	-	0/1/1/1	-
6	EDO	B	506	-	-	0/1/1/1	-
6	EDO	A	614	-	-	1/1/1/1	-
6	EDO	A	615	-	-	1/1/1/1	-
6	EDO	A	610	-	-	0/1/1/1	-
6	EDO	C	607	-	-	1/1/1/1	-
6	EDO	A	611	-	-	1/1/1/1	-
6	EDO	D	505	-	-	0/1/1/1	-
6	EDO	B	512	-	-	0/1/1/1	-
6	EDO	C	605	-	-	0/1/1/1	-
6	EDO	D	507	-	-	0/1/1/1	-
6	EDO	B	509	-	-	0/1/1/1	-
6	EDO	D	506	-	-	0/1/1/1	-
6	EDO	C	623	-	-	0/1/1/1	-
5	PGE	B	503	-	-	4/7/7/7	-
6	EDO	D	508	-	-	0/1/1/1	-
6	EDO	C	611	-	-	0/1/1/1	-
6	EDO	C	621	-	-	0/1/1/1	-
6	EDO	A	607	-	-	0/1/1/1	-
6	EDO	B	523	-	-	0/1/1/1	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PGE	D	501	-	-	4/7/7/7	-
6	EDO	A	606	-	-	0/1/1/1	-
6	EDO	B	521	-	-	1/1/1/1	-
6	EDO	D	511	-	-	1/1/1/1	-
6	EDO	C	610	-	-	1/1/1/1	-
6	EDO	B	520	-	-	0/1/1/1	-
5	PGE	B	501	-	-	3/7/7/7	-
6	EDO	C	606	-	-	1/1/1/1	-
5	PGE	B	504	-	-	5/7/7/7	-
6	EDO	D	513	-	-	1/1/1/1	-
6	EDO	A	609	-	-	1/1/1/1	-
6	EDO	C	622	-	-	0/1/1/1	-
6	EDO	C	609	-	-	1/1/1/1	-
6	EDO	C	617	-	-	0/1/1/1	-
6	EDO	C	612	-	-	0/1/1/1	-
6	EDO	D	510	-	-	0/1/1/1	-
5	PGE	D	502	-	-	2/7/7/7	-
6	EDO	A	617	-	-	1/1/1/1	-
6	EDO	B	510	-	-	1/1/1/1	-
6	EDO	B	511	-	-	0/1/1/1	-
5	PGE	B	502	-	-	4/7/7/7	-
4	ZW2	A	603	3	-	0/2/4/4	0/3/3/3
6	EDO	C	619	-	-	0/1/1/1	-
4	ZW2	C	603	3	-	0/2/4/4	0/3/3/3
5	PGE	A	604	-	-	3/7/7/7	-
6	EDO	D	512	-	-	0/1/1/1	-
6	EDO	D	503	-	-	0/1/1/1	-
6	EDO	B	505	-	-	0/1/1/1	-
6	EDO	D	504	-	-	0/1/1/1	-
6	EDO	C	604	-	-	1/1/1/1	-
6	EDO	B	517	-	-	1/1/1/1	-
6	EDO	B	513	-	-	0/1/1/1	-
6	EDO	C	620	-	-	1/1/1/1	-

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	603	ZW2	C3-N2	6.09	1.47	1.35
4	C	603	ZW2	C3-N2	5.87	1.47	1.35
4	A	603	ZW2	C1-C2	5.77	1.51	1.41
4	C	603	ZW2	C1-C2	5.70	1.51	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	603	ZW2	C6-S	-5.47	1.64	1.74
4	A	603	ZW2	C6-S	-5.29	1.64	1.74
4	A	603	ZW2	C4-N2	4.75	1.47	1.38
4	C	603	ZW2	C4-N2	4.31	1.46	1.38
4	A	603	ZW2	C7-C6	3.89	1.54	1.51
4	C	603	ZW2	C7-C6	3.39	1.54	1.51
4	A	603	ZW2	C5-C6	3.16	1.44	1.37
4	C	603	ZW2	C5-C6	3.07	1.44	1.37
4	C	603	ZW2	O1-N1	2.54	1.41	1.38
4	C	603	ZW2	C1-N1	2.48	1.44	1.40
4	C	603	ZW2	O2-C1	-2.45	1.18	1.24
4	A	603	ZW2	O2-C1	-2.07	1.19	1.24
4	A	603	ZW2	C1-N1	2.00	1.43	1.40

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	603	ZW2	C2-C3-N2	-2.62	120.58	124.94
4	C	603	ZW2	C2-C3-N2	-2.47	120.83	124.94
4	A	603	ZW2	C4-N2-C3	2.44	119.93	115.39
4	C	603	ZW2	C4-N2-C3	2.05	119.20	115.39

There are no chirality outliers.

All (49) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	501	PGE	O2-C3-C4-O3
5	B	504	PGE	O2-C3-C4-O3
5	B	502	PGE	O2-C3-C4-O3
5	D	501	PGE	O2-C3-C4-O3
5	B	501	PGE	O1-C1-C2-O2
5	B	504	PGE	O1-C1-C2-O2
5	B	504	PGE	O3-C5-C6-O4
5	A	604	PGE	O1-C1-C2-O2
6	B	522	EDO	O1-C1-C2-O2
6	B	514	EDO	O1-C1-C2-O2
6	A	614	EDO	O1-C1-C2-O2
6	C	607	EDO	O1-C1-C2-O2
6	B	517	EDO	O1-C1-C2-O2
6	C	620	EDO	O1-C1-C2-O2
5	B	503	PGE	O1-C1-C2-O2
6	C	618	EDO	O1-C1-C2-O2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
6	C	616	EDO	O1-C1-C2-O2
5	D	502	PGE	C4-C3-O2-C2
5	B	504	PGE	C1-C2-O2-C3
5	B	503	PGE	C3-C4-O3-C5
5	B	503	PGE	O3-C5-C6-O4
6	D	511	EDO	O1-C1-C2-O2
5	B	501	PGE	C6-C5-O3-C4
5	A	604	PGE	O2-C3-C4-O3
5	B	503	PGE	C4-C3-O2-C2
6	B	521	EDO	O1-C1-C2-O2
6	A	609	EDO	O1-C1-C2-O2
6	B	510	EDO	O1-C1-C2-O2
5	A	604	PGE	C6-C5-O3-C4
5	B	504	PGE	C6-C5-O3-C4
5	D	502	PGE	C6-C5-O3-C4
5	B	502	PGE	C4-C3-O2-C2
5	D	501	PGE	O3-C5-C6-O4
5	B	502	PGE	O1-C1-C2-O2
5	B	502	PGE	C6-C5-O3-C4
6	A	615	EDO	O1-C1-C2-O2
6	A	617	EDO	O1-C1-C2-O2
5	D	501	PGE	C1-C2-O2-C3
6	C	606	EDO	O1-C1-C2-O2
6	C	609	EDO	O1-C1-C2-O2
6	C	604	EDO	O1-C1-C2-O2
6	B	519	EDO	O1-C1-C2-O2
6	D	513	EDO	O1-C1-C2-O2
6	C	626	EDO	O1-C1-C2-O2
6	A	608	EDO	O1-C1-C2-O2
6	A	611	EDO	O1-C1-C2-O2
6	C	610	EDO	O1-C1-C2-O2
6	C	615	EDO	O1-C1-C2-O2
5	D	501	PGE	C3-C4-O3-C5

There are no ring outliers.

16 monomers are involved in 35 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	618	EDO	4	0
6	C	625	EDO	1	0
6	C	613	EDO	2	0
6	A	608	EDO	1	0


*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	509	EDO	1	0
6	B	523	EDO	1	0
5	D	501	PGE	3	0
6	A	606	EDO	1	0
5	B	501	PGE	4	0
5	B	504	PGE	2	0
5	D	502	PGE	2	0
5	B	502	PGE	5	0
5	A	604	PGE	4	0
6	D	512	EDO	1	0
6	B	513	EDO	2	0
6	C	620	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	555/557 (99%)	1.23	123 (22%) <b>0</b> <b>0</b>	28, 63, 142, 182	0
1	C	557/557 (100%)	0.11	32 (5%) 23 19	33, 53, 98, 148	0
2	B	425/429 (99%)	0.33	21 (4%) 29 24	25, 45, 93, 157	0
2	D	416/429 (96%)	0.51	36 (8%) 10 8	30, 48, 122, 178	0
All	All	1953/1972 (99%)	0.56	212 (10%) 5 4	25, 53, 129, 182	0

All (212) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	135	ILE	26.1
1	A	139	THR	19.6
1	A	26	LEU	17.6
1	A	136	ASN	14.2
1	A	134	SER	11.0
2	B	215	THR	10.9
2	D	229	TRP	10.9
1	A	132	ILE	10.3
2	D	5	ILE	10.3
2	D	230	MET	10.1
1	A	140	PRO	9.9
1	A	21	VAL	9.8
2	D	359	GLY	9.4
2	D	227	PHE	9.2
1	A	130	PHE	8.8
1	A	74	LEU	8.7
2	B	214	LEU	8.7
1	A	63	ILE	8.5
2	D	225	PRO	8.2
2	D	231	GLY	8.0
1	A	68	SER	8.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	56	TYR	8.0
1	A	133	PRO	7.9
2	D	358	ARG	7.6
1	A	22	LYS	7.6
1	A	223	LYS	7.5
1	A	67	ASP	7.5
1	A	69	THR	7.5
2	D	226	PRO	7.4
2	D	88	TRP	7.4
1	A	2	ILE	7.4
1	A	52	PRO	7.1
1	A	24	TRP	7.1
1	A	37	ILE	7.0
1	A	286	THR	7.0
1	C	2	ILE	6.9
1	A	61	PHE	6.9
2	D	214	LEU	6.9
1	A	138	GLU	6.8
1	A	36	GLU	6.8
2	D	90	VAL	6.7
1	A	128	THR	6.6
2	B	216	THR	6.5
1	A	77	PHE	6.4
1	A	293	ILE	6.4
2	B	229	TRP	6.3
1	A	217	PRO	6.1
1	A	92	LEU	6.1
1	C	220	LYS	6.1
1	A	64	LYS	6.0
1	C	219	LYS	6.0
1	A	71	TRP	5.9
2	D	360	ALA	5.9
1	A	31	ILE	5.6
1	A	15	GLY	5.6
1	A	221	HIS	5.5
1	A	70	LYS	5.5
1	C	67	ASP	5.4
1	A	18	GLY	5.3
2	B	224	GLU	5.3
1	A	60	VAL	5.3
1	A	62	ALA	5.3
2	D	232	TYR	5.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	131	THR	5.2
1	A	28	GLU	5.2
1	A	25	PRO	5.1
1	A	53	GLU	5.1
1	C	0	VAL	5.0
1	A	289	LEU	5.0
1	A	285	GLY	5.0
1	C	223	LYS	4.9
1	A	51	GLY	4.9
1	A	358	ARG	4.9
1	A	20	LYS	4.8
1	A	142	ILE	4.7
1	A	89	GLU	4.7
1	A	282	LEU	4.7
1	A	17	ASP	4.7
1	A	65	LYS	4.7
1	C	266	TRP	4.6
1	A	287	LYS	4.6
2	D	4	PRO	4.6
2	B	90	VAL	4.6
2	B	217	PRO	4.5
2	D	224	GLU	4.5
1	A	43	LYS	4.5
1	A	143	ARG	4.4
2	B	88	TRP	4.4
1	A	284	ARG	4.4
2	D	212	TRP	4.4
2	B	91	GLN	4.4
1	A	279	LEU	4.4
2	D	6	GLU	4.4
1	A	80	LEU	4.4
1	A	90	VAL	4.3
1	C	334	GLN	4.2
1	A	59	PRO	4.2
2	D	94	ILE	4.2
1	A	115	TYR	4.2
1	A	81	ASN	4.2
1	C	286	THR	4.2
1	C	555	GLY	4.1
1	A	295	LEU	4.1
1	A	129	ALA	4.1
1	A	216	THR	4.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	39	THR	4.0
2	D	228	LEU	4.0
1	A	137	ASN	4.0
1	A	29	GLU	4.0
1	A	49	LYS	3.9
2	B	92	LEU	3.9
1	C	-1	MET	3.9
1	A	144	TYR	3.9
1	A	50	ILE	3.8
1	A	19	PRO	3.8
1	A	222	GLN	3.8
1	A	141	GLY	3.8
1	A	75	VAL	3.8
2	D	357	MET	3.7
1	C	66	LYS	3.7
1	A	288	ALA	3.7
1	C	69	THR	3.6
2	D	93	GLY	3.6
1	A	296	THR	3.6
1	A	220	LYS	3.6
2	B	225	PRO	3.5
1	C	406	TRP	3.4
1	A	357	MET	3.4
2	D	89	GLU	3.4
1	C	333	GLY	3.4
1	A	111	VAL	3.3
1	A	27	THR	3.3
1	C	335	GLY	3.2
2	B	212	TRP	3.2
1	A	23	GLN	3.2
1	A	32	LYS	3.2
2	D	66	LYS	3.2
1	A	72	ARG	3.2
2	D	197[A]	GLN	3.2
1	A	83	ARG	3.2
1	A	254	VAL	3.2
1	A	555	GLY	3.2
1	A	58	THR	3.2
2	B	218	ASP	3.1
1	A	66	LYS	3.1
1	A	47	ILE	3.1
1	A	291	GLU	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	16	MET	3.0
2	B	230	MET	2.9
1	C	332	GLN	2.9
2	D	67	ASP	2.8
1	A	73	LYS	2.8
1	A	218	ASP	2.8
1	A	55	PRO	2.8
2	B	195	ILE	2.8
1	A	12	LEU	2.7
2	D	91	GLN	2.7
1	A	1	PRO	2.7
2	D	92	LEU	2.7
1	A	38	CYS	2.7
2	D	361	HIS	2.7
1	A	311	LYS	2.6
1	A	54	ASN	2.6
1	C	359	GLY	2.6
1	C	65	LYS	2.6
2	D	195	ILE	2.6
1	C	216	THR	2.6
1	C	225	PRO	2.6
1	A	127	TYR	2.5
1	C	357	MET	2.5
1	A	42	GLU	2.5
1	A	57	ASN	2.5
1	A	124	PHE	2.5
1	C	111	VAL	2.5
2	B	393	ILE	2.5
2	D	69	THR	2.4
1	A	93	GLY	2.4
1	A	122	GLU	2.4
1	A	82	LYS	2.4
2	D	213	GLY	2.4
2	D	241	VAL	2.4
1	A	185	ASP	2.3
1	A	145	GLN	2.3
2	D	200	THR	2.3
1	C	92	LEU	2.3
1	C	358[A]	ARG	2.3
2	D	237	ASP	2.3
1	A	297	GLU	2.3
2	B	193	LEU	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	84	THR	2.2
2	B	240[A]	THR	2.2
1	A	14	PRO	2.2
1	A	123	ASP	2.2
1	C	72[A]	ARG	2.2
1	A	40	GLU	2.2
1	A	79	GLU	2.2
1	C	70	LYS	2.2
2	B	63	ILE	2.1
1	A	126	LYS	2.1
1	A	252	TRP	2.1
2	D	177	ASP	2.1
2	B	228	LEU	2.1
1	C	68	SER	2.1
2	B	227	PHE	2.1
1	A	13	LYS	2.1
1	C	218	ASP	2.1
1	A	184	MET	2.0
1	A	151	GLN	2.0
1	C	336	GLN	2.0
1	C	221	HIS	2.0
1	A	44	GLU	2.0
1	C	274	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
6	EDO	A	608	4/4	0.01	0.31	123,126,126,128	0
6	EDO	C	613	4/4	0.32	0.20	89,93,93,94	0
6	EDO	C	625	4/4	0.33	1.73	149,154,162,167	0
6	EDO	C	614	4/4	0.46	0.30	92,93,95,97	0
6	EDO	A	609	4/4	0.48	0.39	91,99,105,105	0
6	EDO	C	619	4/4	0.50	0.38	84,85,88,88	0
6	EDO	C	612	4/4	0.58	0.23	75,82,83,84	0
6	EDO	C	626	4/4	0.59	0.14	94,97,98,98	0
5	PGE	B	502	10/10	0.69	0.23	53,63,71,76	0
6	EDO	A	612	4/4	0.71	0.14	52,59,63,71	0
6	EDO	C	607	4/4	0.71	0.22	91,94,96,98	0
6	EDO	D	505	4/4	0.72	0.18	105,109,111,113	0
6	EDO	D	513	4/4	0.72	0.19	70,79,82,85	0
6	EDO	B	518	4/4	0.73	0.29	79,87,91,91	0
5	PGE	B	504	10/10	0.73	0.23	63,78,89,93	10
6	EDO	D	506	4/4	0.74	0.20	84,85,85,86	0
6	EDO	C	622	4/4	0.75	0.14	86,87,92,93	0
6	EDO	C	604	4/4	0.75	0.32	71,77,78,79	0
5	PGE	A	604	10/10	0.76	0.24	45,73,83,84	0
6	EDO	C	605	4/4	0.76	0.29	88,89,91,95	0
6	EDO	B	523	4/4	0.77	0.28	44,59,61,62	0
5	PGE	D	502	10/10	0.77	0.21	43,55,68,70	10
6	EDO	D	508	4/4	0.77	0.19	78,82,83,85	0
6	EDO	A	617	4/4	0.79	0.16	64,68,73,80	0
6	EDO	C	615	4/4	0.79	0.23	59,68,73,75	0
6	EDO	A	607	4/4	0.79	0.13	73,83,86,89	0
6	EDO	C	611	4/4	0.80	0.22	58,68,70,71	0
6	EDO	C	616	4/4	0.80	0.30	66,73,79,81	0
5	PGE	B	503	10/10	0.80	0.27	44,67,78,79	0
6	EDO	B	519	4/4	0.81	0.25	69,78,86,91	0
6	EDO	D	514	4/4	0.81	0.16	49,59,60,62	0
6	EDO	B	509	4/4	0.81	0.18	61,69,80,84	0
6	EDO	C	621	4/4	0.81	0.17	76,79,80,82	0
6	EDO	B	512	4/4	0.81	0.19	59,68,69,72	0
6	EDO	D	511	4/4	0.82	0.21	52,72,77,82	0
6	EDO	B	522	4/4	0.83	0.31	64,72,72,73	0
6	EDO	B	514	4/4	0.84	0.15	77,79,84,86	0
6	EDO	B	510	4/4	0.85	0.16	40,54,63,65	0
5	PGE	B	501	10/10	0.85	0.19	38,52,68,74	0
6	EDO	A	613	4/4	0.85	0.12	91,91,92,94	0
6	EDO	B	516	4/4	0.85	0.18	55,70,74,80	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
6	EDO	D	504	4/4	0.85	0.18	56,67,78,80	0
6	EDO	A	605	4/4	0.85	0.15	63,65,72,75	0
6	EDO	C	623	4/4	0.86	0.17	54,60,61,67	0
6	EDO	C	608	4/4	0.86	0.21	46,65,77,85	0
6	EDO	B	515	4/4	0.86	0.14	82,87,89,89	0
6	EDO	D	509	4/4	0.87	0.21	54,67,69,75	0
6	EDO	C	618	4/4	0.87	0.30	58,69,69,74	0
6	EDO	A	611	4/4	0.87	0.15	67,73,74,76	0
6	EDO	A	618	4/4	0.88	0.24	60,71,76,80	0
6	EDO	B	505	4/4	0.88	0.23	56,56,57,63	0
5	PGE	D	501	10/10	0.88	0.20	54,72,75,77	0
6	EDO	D	507	4/4	0.88	0.09	68,70,73,77	0
6	EDO	B	517	4/4	0.88	0.22	48,53,69,70	0
6	EDO	C	610	4/4	0.89	0.16	66,70,72,73	0
6	EDO	B	520	4/4	0.90	0.15	46,58,65,66	0
6	EDO	A	616	4/4	0.91	0.17	56,62,72,72	0
6	EDO	A	614	4/4	0.91	0.14	76,77,79,81	0
6	EDO	D	503	4/4	0.91	0.13	47,60,64,65	0
6	EDO	B	513	4/4	0.91	0.27	44,46,57,58	0
6	EDO	A	610	4/4	0.92	0.20	61,63,69,72	0
6	EDO	B	521	4/4	0.92	0.13	44,51,63,64	0
6	EDO	C	609	4/4	0.92	0.15	53,69,77,84	0
6	EDO	B	511	4/4	0.92	0.14	39,46,52,52	0
6	EDO	D	512	4/4	0.93	0.18	54,61,68,73	0
6	EDO	C	617	4/4	0.94	0.14	69,69,70,72	0
6	EDO	B	506	4/4	0.94	0.17	37,58,72,82	0
6	EDO	D	510	4/4	0.94	0.11	62,62,62,63	0
4	ZW2	A	603	19/19	0.94	0.20	47,62,120,120	0
6	EDO	A	615	4/4	0.94	0.33	64,74,74,76	0
6	EDO	C	606	4/4	0.94	0.18	64,67,67,68	0
6	EDO	C	624	4/4	0.95	0.18	53,59,72,76	0
4	ZW2	C	603	19/19	0.95	0.16	44,63,105,105	0
6	EDO	A	606	4/4	0.95	0.15	41,53,57,58	0
6	EDO	C	620	4/4	0.95	0.12	43,72,83,89	0
6	EDO	B	507	4/4	0.96	0.13	41,60,70,81	0
6	EDO	B	508	4/4	0.97	0.17	42,47,49,49	0
3	MN	A	602	1/1	0.98	0.08	41,41,41,41	0
3	MN	A	601	1/1	0.99	0.11	41,41,41,41	0
3	MN	C	602	1/1	1.00	0.09	42,42,42,42	0
3	MN	C	601	1/1	1.00	0.05	35,35,35,35	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers



as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around ZW2 A 603:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around ZW2 C 603:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers

There are no such residues in this entry.