



# Full wwPDB X-ray Structure Validation Report ⓘ

May 18, 2020 – 12:50 pm BST

PDB ID : 6ART  
Title : Aspergillus fumigatus Cytosolic Thiolase: Apo enzyme in complex with cesium ions  
Authors : Marshall, A.C.; Bond, C.S.; Bruning, J.B.  
Deposited on : 2017-08-23  
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1377 (2.26-2.26)
Clashscore	141614	1487 (2.26-2.26)
Ramachandran outliers	138981	1449 (2.26-2.26)
Sidechain outliers	138945	1450 (2.26-2.26)
RSRZ outliers	127900	1356 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	399	<div> <div>4%</div> <div> <div></div> <div>89%</div> <div>10%</div> </div> </div>
1	B	399	<div> <div>2%</div> <div> <div></div> <div>92%</div> <div>7%</div> </div> </div>
1	C	399	<div> <div>%</div> <div> <div></div> <div>93%</div> <div>6%</div> </div> </div>
1	D	399	<div> <div>%</div> <div> <div></div> <div>93%</div> <div>6%</div> </div> </div>

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12531 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyl-CoA acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	395	Total	C	N	O	S	0	4	0
			2843	1793	489	550	11			
1	B	396	Total	C	N	O	S	0	0	0
			2839	1784	492	551	12			
1	C	396	Total	C	N	O	S	0	7	0
			2871	1813	493	553	12			
1	D	395	Total	C	N	O	S	0	4	0
			2841	1790	488	551	12			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP Q4WCL5
B	0	GLY	-	expression tag	UNP Q4WCL5
C	0	GLY	-	expression tag	UNP Q4WCL5
D	0	GLY	-	expression tag	UNP Q4WCL5


- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl) (labeled as "Ligand of Interest" by author).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Cl	0	0
			1	1		
2	A	1	Total	Cl	0	0
			1	1		
2	D	1	Total	Cl	0	0
			1	1		
2	C	1	Total	Cl	0	0
			1	1		

- Molecule 3 is CESIUM ION (three-letter code: CS) (formula: Cs) (labeled as "Ligand of Interest" by author).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	3	Total Cs 3 3	0	0
3	A	3	Total Cs 3 3	0	0
3	D	5	Total Cs 5 5	0	0
3	C	4	Total Cs 4 4	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	115	Total O 115 115	0	0
5	B	126	Total O 126 126	0	0
5	C	415	Total O 415 415	0	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	D	444	Total 444	O 444	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acetyl-CoA acetyltransferase




- Molecule 1: Acetyl-CoA acetyltransferase



- Molecule 1: Acetyl-CoA acetyltransferase



- Molecule 1: Acetyl-CoA acetyltransferase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	71.37Å 105.29Å 110.43Å 90.00° 108.60° 90.00°	Depositor
Resolution (Å)	56.91 – 2.25 104.66 – 2.25	Depositor EDS
% Data completeness (in resolution range)	100.0 (56.91-2.25) 100.0 (104.66-2.25)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.97 (at 2.25Å)	Xtriage
Refinement program	PHENIX dev_2747	Depositor
R, $R_{free}$	0.152 , 0.193 0.150 , 0.192	Depositor DCC
$R_{free}$ test set	3811 reflections (5.19%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	21.4	Xtriage
Anisotropy	0.306	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 51.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.018 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	12531	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.76% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CS, GOL, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.30	0/2900	0.50	0/3939
1	B	0.33	0/2882	0.50	0/3908
1	C	0.45	0/2935	0.57	0/3983
1	D	0.44	0/2896	0.58	0/3932
All	All	0.39	0/11613	0.54	0/15762

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	355	PRO	Peptide

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2843	0	2883	25	0
1	B	2839	0	2892	18	0
1	C	2871	0	2947	15	0
1	D	2841	0	2891	13	0
2	A	1	0	0	1	0
2	B	1	0	0	0	0
2	C	1	0	0	1	0
2	D	1	0	0	0	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0
3	C	4	0	0	0	0
3	D	5	0	0	0	0
4	C	6	0	8	0	0
4	D	12	0	16	0	0
5	A	115	0	0	5	0
5	B	126	0	0	1	0
5	C	415	0	0	4	0
5	D	444	0	0	3	0
All	All	12531	0	11637	69	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:4:LEU:HD13	1:C:107:MET:HE1	1.55	0.89
1:B:273:LEU:HD12	1:B:275:LEU:HD21	1.71	0.72
1:A:345:LEU:HD13	1:A:374:LYS:HE3	1.75	0.69
1:A:4:LEU:N	5:A:501:HOH:O	2.25	0.68
1:D:188:GLU:OE1	5:D:501:HOH:O	2.14	0.65
1:B:112:ASP:HB3	1:B:269:LYS:HG3	1.78	0.64
1:B:141:GLN:HG3	1:D:132:LEU:HD21	1.79	0.64
2:A:401:CL:CL	5:A:538:HOH:O	2.53	0.63
1:C:1:MET:HA	1:C:4:LEU:HD12	1.82	0.62
1:C:1:MET:HG2	1:C:282:LEU:O	1.99	0.62
1:A:229:ASN:ND2	5:A:503:HOH:O	2.33	0.60
1:D:362:ARG:O	1:D:365[B]:THR:HG22	2.05	0.57
1:A:270:LEU:HD12	1:A:275:LEU:HB2	1.87	0.56
1:D:1:MET:HG2	1:D:282:LEU:O	2.05	0.56
1:A:149[A]:LYS:NZ	5:A:506:HOH:O	2.40	0.55
1:C:362:ARG:O	1:C:365[B]:THR:HG22	2.07	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:216:ASP:N	1:A:216:ASP:OD1	2.40	0.54
1:C:342:LYS:NZ	5:C:509:HOH:O	2.40	0.53
1:B:270:LEU:HD12	1:B:275:LEU:HB2	1.90	0.53
1:A:322:ASN:ND2	5:A:504:HOH:O	2.35	0.53
1:A:185:ARG:NH1	1:A:340:GLU:OE1	2.42	0.52
1:B:320:GLU:HG3	1:B:367:LEU:HB2	1.92	0.52
1:B:281:ILE:HG23	1:B:393:LEU:HD11	1.92	0.52
2:C:401:CL:CL	5:C:564:HOH:O	2.56	0.51
1:C:4:LEU:HB3	1:C:107:MET:HE3	1.94	0.50
1:D:131:ASN:N	1:D:131:ASN:OD1	2.45	0.48
1:D:1:MET:N	5:D:508:HOH:O	2.46	0.48
1:B:162:GLY:HA3	1:B:240:PHE:CZ	2.48	0.48
1:A:141:GLN:HG3	1:C:132:LEU:HD21	1.95	0.48
1:B:51:ASP:OD1	5:B:501:HOH:O	2.20	0.47
1:B:132:LEU:HD21	1:D:141:GLN:HG3	1.96	0.47
1:A:282:LEU:HB3	1:A:309:ALA:HB1	1.97	0.47
1:C:323:GLU:HB3	1:C:350:VAL:HG23	1.96	0.47
1:D:320:GLU:HG3	1:D:367:LEU:HB2	1.96	0.47
1:A:284:TRP:HB3	1:A:393:LEU:HD12	1.97	0.46
1:A:177:GLU:O	1:A:181:GLU:HG2	2.15	0.46
1:B:11:SER:HB2	1:B:44:VAL:HG22	1.97	0.46
1:A:187:TYR:HB3	1:A:228:LEU:HD22	1.98	0.46
1:A:132:LEU:HD21	1:C:141:GLN:HG3	1.97	0.46
1:D:187:TYR:OH	1:D:224:GLU:OE2	2.35	0.45
1:C:249:ALA:HB3	1:C:250:PRO:HD3	1.98	0.45
1:A:371:LEU:HD11	1:A:379:GLY:HA3	1.98	0.45
1:A:4:LEU:HD23	1:A:4:LEU:HA	1.78	0.45
1:C:188:GLU:OE1	5:C:501:HOH:O	2.21	0.45
1:A:161:MET:HA	1:A:164:GLN:OE1	2.17	0.44
1:B:269:LYS:HD3	1:B:273:LEU:HD21	1.99	0.44
1:A:187:TYR:CD1	1:A:228:LEU:HB2	2.52	0.44
1:A:185:ARG:HD2	1:A:340:GLU:OE2	2.17	0.44
1:B:131:ASN:OD1	1:B:131:ASN:N	2.50	0.44
1:D:381:ALA:O	1:D:392:ALA:HA	2.19	0.43
1:B:237:LYS:HE3	1:B:237:LYS:HB3	1.66	0.43
1:A:17:VAL:HG11	1:A:353:GLY:HA3	2.00	0.43
1:D:162:GLY:HA3	1:D:240:PHE:CZ	2.54	0.43
1:C:381:ALA:O	1:C:392:ALA:HA	2.19	0.42
1:A:33:GLY:O	1:A:37:ILE:HG13	2.19	0.42
1:B:229:ASN:ND2	1:B:232:LYS:HD2	2.34	0.42
1:C:314:ASP:HB2	5:C:808:HOH:O	2.19	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:346:HIS:CE1	1:A:370:VAL:HG22	2.54	0.42
1:A:187:TYR:OH	1:A:224:GLU:OE2	2.38	0.42
1:B:283:GLY:O	1:B:393:LEU:HD12	2.19	0.42
1:B:381:ALA:O	1:B:392:ALA:HA	2.20	0.42
1:A:320:GLU:HG3	1:A:367:LEU:HB2	2.01	0.41
1:C:320:GLU:HG3	1:C:367:LEU:HB2	2.01	0.41
1:D:324:ALA:HB1	5:D:869:HOH:O	2.21	0.41
1:A:238:PRO:HA	1:A:248:THR:HG22	2.02	0.41
1:B:282:LEU:HD11	1:B:396:GLU:HB2	2.03	0.40
1:D:269:LYS:HA	1:D:269:LYS:HD3	1.89	0.40
1:B:4:LEU:HD13	1:B:107:MET:HE3	2.02	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	397/399 (100%)	389 (98%)	7 (2%)	1 (0%)	41	46
1	B	392/399 (98%)	383 (98%)	8 (2%)	1 (0%)	41	46
1	C	399/399 (100%)	390 (98%)	8 (2%)	1 (0%)	41	46
1	D	395/399 (99%)	386 (98%)	8 (2%)	1 (0%)	41	46
All	All	1583/1596 (99%)	1548 (98%)	31 (2%)	4 (0%)	41	46

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	91	VAL
1	C	91	VAL
1	D	91	VAL
1	A	91	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	291/298 (98%)	287 (99%)	4 (1%)	67	76
1	B	293/298 (98%)	291 (99%)	2 (1%)	84	90
1	C	298/298 (100%)	294 (99%)	4 (1%)	69	79
1	D	293/298 (98%)	290 (99%)	3 (1%)	76	84
All	All	1175/1192 (99%)	1162 (99%)	13 (1%)	73	82

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	PHE
1	A	195	LYS
1	A	211	PHE
1	A	327	VAL
1	B	57	PHE
1	B	273	LEU
1	C	57	PHE
1	C	92	CYS
1	C	385	ASN
1	C	393	LEU
1	D	57	PHE
1	D	92	CYS
1	D	393	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 22 ligands modelled in this entry, 19 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	GOL	D	402	-	5,5,5	1.26	0	5,5,5	0.78	0
4	GOL	C	402	-	5,5,5	1.04	0	5,5,5	0.92	0
4	GOL	D	403	-	5,5,5	0.50	0	5,5,5	1.23	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	D	402	-	-	2/4/4/4	-
4	GOL	C	402	-	-	0/4/4/4	-
4	GOL	D	403	-	-	4/4/4/4	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	403	GOL	C3-C2-C1	-2.23	103.02	111.70

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	403	GOL	C1-C2-C3-O3
4	D	402	GOL	C1-C2-C3-O3
4	D	402	GOL	O2-C2-C3-O3
4	D	403	GOL	O1-C1-C2-O2
4	D	403	GOL	O2-C2-C3-O3
4	D	403	GOL	O1-C1-C2-C3

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	395/399 (98%)	0.08	16 (4%) 37 40	22, 52, 82, 135	0
1	B	396/399 (99%)	-0.21	7 (1%) 68 71	23, 44, 69, 113	0
1	C	396/399 (99%)	-0.50	2 (0%) 91 91	8, 17, 37, 80	0
1	D	395/399 (98%)	-0.58	3 (0%) 86 87	9, 16, 33, 78	0
All	All	1582/1596 (99%)	-0.30	28 (1%) 68 71	8, 29, 72, 135	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	169	ALA	5.5
1	B	215	PRO	4.3
1	A	245	GLY	4.1
1	A	165	ALA	3.9
1	B	209	PRO	3.5
1	A	370	VAL	3.3
1	A	341[A]	GLU	3.2
1	D	1	MET	3.0
1	A	211	PHE	3.0
1	A	174	PHE	3.0
1	B	214	LYS	3.0
1	A	168	CYS	2.9
1	A	317	ASP	2.9
1	A	373	ALA	2.8
1	A	181	GLU	2.8
1	A	173	GLY	2.7
1	B	216	ASP	2.6
1	B	244	SER	2.6
1	D	2	SER	2.4
1	A	342	LYS	2.4
1	A	318	ALA	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	210	GLY	2.2
1	C	1	MET	2.2
1	B	231	GLU	2.1
1	A	235	ALA	2.1
1	D	209	PRO	2.1
1	A	172	HIS	2.1
1	C	2	SER	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	GOL	D	403	6/6	0.90	0.23	26,26,26,26	0
4	GOL	C	402	6/6	0.93	0.15	20,20,20,20	0
2	CL	B	401	1/1	0.96	0.08	25,25,25,25	1
4	GOL	D	402	6/6	0.96	0.15	19,28,41,46	0
2	CL	A	401	1/1	0.97	0.11	25,25,25,25	1
3	CS	D	408	1/1	0.98	0.09	82,82,82,82	1
3	CS	A	404	1/1	0.99	0.08	74,74,74,74	0
2	CL	D	401	1/1	0.99	0.12	16,16,16,16	1
3	CS	B	404	1/1	0.99	0.06	92,92,92,92	1
3	CS	A	403	1/1	0.99	0.06	89,89,89,89	0
2	CL	C	401	1/1	0.99	0.09	20,20,20,20	1
3	CS	D	407	1/1	1.00	0.09	29,29,29,29	1
3	CS	D	405	1/1	1.00	0.11	22,22,22,22	1
3	CS	C	405	1/1	1.00	0.10	26,26,26,26	1
3	CS	B	403	1/1	1.00	0.07	62,62,62,62	1
3	CS	C	404	1/1	1.00	0.11	28,28,28,28	1

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	CS	C	406	1/1	1.00	0.09	42,42,42,42	1
3	CS	A	402	1/1	1.00	0.09	58,58,58,58	0
3	CS	B	402	1/1	1.00	0.10	46,46,46,46	0
3	CS	C	403	1/1	1.00	0.12	17,17,17,17	0
3	CS	D	406	1/1	1.00	0.11	26,26,26,26	1
3	CS	D	404	1/1	1.00	0.12	15,15,15,15	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around CL B 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CL A 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CS D 408:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CS A 404:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CL D 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CS B 404:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CS A 403:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CL C 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CS D 407:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CS D 405:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CS C 405:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CS B 403:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CS C 404:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CS C 406:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CS A 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CS B 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CS C 403:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around CS D 406:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers ⓘ

There are no such residues in this entry.