



# Full wwPDB X-ray Structure Validation Report ⓘ

Dec 9, 2020 – 08:10 pm GMT

PDB ID : 7AUC  
Title : Crystal structure of an engineered helicase domain construct for human Bloom syndrome protein (BLM)  
Authors : Chen, X.; Oliver, A.W.  
Deposited on : 2020-11-02  
Resolution : 1.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.15.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.15.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2556 (1.56-1.52)
Clashscore	141614	2634 (1.56-1.52)
Ramachandran outliers	138981	2580 (1.56-1.52)
Sidechain outliers	138945	2577 (1.56-1.52)
RSRZ outliers	127900	2524 (1.56-1.52)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	562	<div> <div>5%</div> <div>82%</div> <div>5%</div> <div>12%</div> </div>

## 2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 4385 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bloom syndrome protein, Bloom syndrome protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	493	Total	C	N	O	S	9	7	0
			3859	2470	658	701	30			

There are 30 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	611	MET	-	initiating methionine	UNP P54132
A	612	GLY	-	expression tag	UNP P54132
A	613	SER	-	expression tag	UNP P54132
A	614	ALA	-	expression tag	UNP P54132
A	615	TRP	-	expression tag	UNP P54132
A	616	SER	-	expression tag	UNP P54132
A	617	HIS	-	expression tag	UNP P54132
A	618	PRO	-	expression tag	UNP P54132
A	619	GLN	-	expression tag	UNP P54132
A	620	PHE	-	expression tag	UNP P54132
A	621	GLU	-	expression tag	UNP P54132
A	622	LYS	-	expression tag	UNP P54132
A	623	SER	-	expression tag	UNP P54132
A	624	SER	-	expression tag	UNP P54132
A	625	GLY	-	expression tag	UNP P54132
A	626	LEU	-	expression tag	UNP P54132
A	627	GLU	-	expression tag	UNP P54132
A	628	VAL	-	expression tag	UNP P54132
A	629	LEU	-	expression tag	UNP P54132
A	630	PHE	-	expression tag	UNP P54132
A	631	GLN	-	expression tag	UNP P54132
A	632	GLY	-	expression tag	UNP P54132
A	633	PRO	-	expression tag	UNP P54132
A	634	HIS	-	expression tag	UNP P54132
A	635	MET	-	expression tag	UNP P54132
A	1197	GLY	-	linker	UNP P54132
A	1198	SER	-	linker	UNP P54132

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1199	GLY	-	linker	UNP P54132
A	1200	GLY	-	linker	UNP P54132
A	1201	SER	-	linker	UNP P54132

- Molecule 2 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula:  $C_2H_6O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C<sub>8</sub>H<sub>18</sub>O<sub>5</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			7	4	3		
4	A	1	Total	C	O	0	0
			10	6	4		


- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:

C<sub>10</sub>H<sub>15</sub>N<sub>5</sub>O<sub>10</sub>P<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	P	0
			27	10	5	10	2	

- Molecule 7 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	2	Total	Mg	0	0
			2	2		

- Molecule 8 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	1	Total	Zn	0	0
			1	1		

- Molecule 9 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	2	Total	Ca	0	0
			2	2		

- Molecule 10 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	431	Total 431	O 431	0	0



### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bloom syndrome protein,Bloom syndrome protein



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	54.28Å 107.69Å 55.20Å 90.00° 109.31° 90.00°	Depositor
Resolution (Å)	51.23 – 1.53 51.23 – 1.53	Depositor EDS
% Data completeness (in resolution range)	98.3 (51.23-1.53) 98.3 (51.23-1.53)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.50 (at 1.53Å)	Xtriage
Refinement program	BUSTER 2.10.3 (6-FEB-2020)	Depositor
R, $R_{free}$	0.189 , 0.208 0.192 , 0.211	Depositor DCC
$R_{free}$ test set	4388 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	22.3	Xtriage
Anisotropy	0.524	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 52.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.022 for l,-k,h	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	4385	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.08% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, ADP, CA, ZN, EDO, PG4, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.42	0/3961	0.54	0/5364

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3859	0	3786	17	0
2	A	16	0	12	0	0
3	A	24	0	36	4	0
4	A	17	0	21	1	0
5	A	6	0	8	1	0
6	A	27	0	12	0	0
7	A	2	0	0	0	0
8	A	1	0	0	0	0
9	A	2	0	0	0	0
10	A	431	0	0	0	0
All	All	4385	0	3875	17	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (17) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:859[A]:ARG:NH1	1:A:978:GLY:O	1.60	1.31
1:A:657:LYS:HA	3:A:1507:EDO:H22	1.48	0.93
1:A:860:HIS:HB2	4:A:1505:PG4:H62	1.84	0.59
1:A:755:LYS:O	1:A:786:ARG:NH1	2.38	0.57
1:A:1039:ILE:HD11	1:A:1052:PRO:HA	1.85	0.57
1:A:657:LYS:HE2	3:A:1506:EDO:H22	1.88	0.56
1:A:639:LEU:HA	1:A:642[B]:GLU:HG2	1.89	0.54
1:A:922:LEU:HB2	1:A:927:ARG:HG3	1.92	0.52
1:A:657:LYS:CA	3:A:1507:EDO:H22	2.32	0.51
1:A:1036:CYS:HB3	1:A:1039:ILE:HD12	1.94	0.49
1:A:894:TYR:HB3	5:A:1511:GOL:H31	1.96	0.48
1:A:869:LYS:HD3	1:A:994:THR:HG22	1.95	0.48
1:A:660[A]:HIS:HD2	3:A:1507:EDO:HO2	1.65	0.44
1:A:738:THR:HG22	1:A:766:THR:HG23	2.02	0.42
1:A:889:ASP:HB3	1:A:959:ARG:HG3	2.02	0.41
1:A:916:LEU:HD13	1:A:930:VAL:HG22	2.02	0.41
1:A:927:ARG:HG2	1:A:949:PHE:HE2	1.85	0.41

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	492/562 (88%)	480 (98%)	10 (2%)	2 (0%)	34 13

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	873	LYS
1	A	796	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	414/499 (83%)	409 (99%)	5 (1%)	71 47

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	762	LEU
1	A	911	ASP
1	A	1060	ASP
1	A	1272[A]	GLU
1	A	1272[B]	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	798	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 5 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	EDO	A	1509	-	3,3,3	0.54	0	2,2,2	0.50	0
5	GOL	A	1511	-	5,5,5	0.09	0	5,5,5	0.28	0
3	EDO	A	1508	-	3,3,3	0.42	0	2,2,2	0.51	0
3	EDO	A	1512	-	3,3,3	0.59	0	2,2,2	0.48	0
3	EDO	A	1506	-	3,3,3	0.41	0	2,2,2	0.55	0
4	PG4	A	1505	-	6,6,12	0.07	0	5,5,11	0.14	0
2	ACT	A	1504	-	1,3,3	4.23	1 (100%)	0,3,3	0.00	-
4	PG4	A	1513	-	9,9,12	0.07	0	8,8,11	0.16	0
6	ADP	A	1514	9,7	24,29,29	0.63	0	29,45,45	0.70	1 (3%)
3	EDO	A	1503	-	3,3,3	0.57	0	2,2,2	0.15	0
2	ACT	A	1502	-	1,3,3	4.25	1 (100%)	0,3,3	0.00	-
3	EDO	A	1507	-	3,3,3	0.48	0	2,2,2	0.60	0
2	ACT	A	1510	-	1,3,3	4.79	1 (100%)	0,3,3	0.00	-
2	ACT	A	1501	-	1,3,3	4.72	1 (100%)	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	1509	-	-	0/1/1/1	-
5	GOL	A	1511	-	-	2/4/4/4	-
3	EDO	A	1508	-	-	0/1/1/1	-
3	EDO	A	1512	-	-	0/1/1/1	-
3	EDO	A	1506	-	-	0/1/1/1	-
4	PG4	A	1505	-	-	1/4/4/10	-
4	PG4	A	1513	-	-	5/7/7/10	-
6	ADP	A	1514	9,7	-	1/12/32/32	0/3/3/3
3	EDO	A	1503	-	-	0/1/1/1	-
3	EDO	A	1507	-	-	0/1/1/1	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1510	ACT	CH3-C	4.79	1.54	1.48
2	A	1501	ACT	CH3-C	4.72	1.54	1.48
2	A	1502	ACT	CH3-C	4.25	1.54	1.48
2	A	1504	ACT	CH3-C	4.23	1.54	1.48

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1514	ADP	C5-C6-N6	2.26	123.79	120.35

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1511	GOL	C1-C2-C3-O3
4	A	1513	PG4	C3-C4-O3-C5
4	A	1513	PG4	C4-C3-O2-C2
6	A	1514	ADP	PA-O3A-PB-O3B
5	A	1511	GOL	O2-C2-C3-O3
4	A	1513	PG4	O2-C3-C4-O3
4	A	1513	PG4	C1-C2-O2-C3
4	A	1513	PG4	C6-C5-O3-C4
4	A	1505	PG4	O3-C5-C6-O4


There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1511	GOL	1	0
3	A	1506	EDO	1	0
4	A	1505	PG4	1	0
3	A	1507	EDO	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	493/562 (87%)	0.33	28 (5%)	23 27	18, 28, 51, 64	3 (0%)

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	771	CYS	7.2
1	A	888	TYR	6.1
1	A	639	LEU	6.0
1	A	1208	VAL	5.2
1	A	817	LEU	4.4
1	A	746	ALA	3.9
1	A	949	PHE	3.9
1	A	1011	GLY	3.8
1	A	1010	ASP	3.5
1	A	772	ALA	3.4
1	A	1207	LYS	3.4
1	A	751	LEU	3.4
1	A	865	TYR	3.3
1	A	770	ILE	3.3
1	A	883	ARG	3.0
1	A	736	TYR	3.0
1	A	1014	HIS	3.0
1	A	881	TRP	2.8
1	A	777	ILE	2.6
1	A	884	LYS	2.5
1	A	798	HIS	2.4
1	A	871	PRO	2.4
1	A	876	PHE	2.3
1	A	816	MET	2.3
1	A	879	LEU	2.2
1	A	979	ARG	2.1
1	A	872	LYS	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	774	ASN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	PG4	A	1513	10/13	0.33	0.38	86,86,86,86	0
3	EDO	A	1503	4/4	0.73	0.15	52,52,52,52	0
5	GOL	A	1511	6/6	0.82	0.25	49,50,51,51	0
3	EDO	A	1512	4/4	0.82	0.13	42,43,43,43	0
3	EDO	A	1508	4/4	0.84	0.20	38,39,40,40	0
2	ACT	A	1502	4/4	0.84	0.16	49,49,49,49	0
4	PG4	A	1505	7/13	0.85	0.15	60,60,60,60	0
3	EDO	A	1509	4/4	0.88	0.18	34,35,35,35	0
3	EDO	A	1507	4/4	0.88	0.19	43,43,44,45	0
2	ACT	A	1510	4/4	0.89	0.10	67,67,67,67	0
2	ACT	A	1504	4/4	0.90	0.13	67,67,67,67	0
9	CA	A	1519	1/1	0.90	0.05	63,63,63,63	0
2	ACT	A	1501	4/4	0.92	0.12	58,58,58,58	0
3	EDO	A	1506	4/4	0.93	0.10	33,33,34,34	0
8	ZN	A	1517	1/1	0.98	0.09	26,26,26,26	0
7	MG	A	1516	1/1	0.98	0.05	27,27,27,27	0
6	ADP	A	1514	27/27	0.99	0.09	18,20,23,25	0
9	CA	A	1518	1/1	0.99	0.04	30,30,30,30	0
7	MG	A	1515	1/1	1.00	0.13	19,19,19,19	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.