



Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 04:07 am BST

PDB ID : 6B5E
Title : Mycobacterium tuberculosis RmlA in complex with dTDP-glucose
Authors : Brown, H.A.; Holden, H.M.
Deposited on : 2017-09-29
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2469 (1.86-1.86)
Clashscore	141614	2625 (1.86-1.86)
Ramachandran outliers	138981	2592 (1.86-1.86)
Sidechain outliers	138945	2592 (1.86-1.86)
RSRZ outliers	127900	2436 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	296	<div><div>%</div><div><div></div><div></div><div></div><div></div><div></div></div><div>90%6%.</div></div>
1	B	296	<div><div>%</div><div><div></div><div></div><div></div><div></div><div></div></div><div>90%7%.</div></div>
1	C	296	<div><div>3%</div><div><div></div><div></div><div></div><div></div><div></div></div><div>89%7%..</div></div>
1	D	296	<div><div>3%</div><div><div></div><div></div><div></div><div></div><div></div></div><div>91%5%.</div></div>
1	E	296	<div><div>5%</div><div><div></div><div></div><div></div><div></div><div></div></div><div>90%6%.</div></div>
1	F	296	<div><div>6%</div><div><div></div><div></div><div></div><div></div><div></div></div><div>89%6%.</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	296	<div><div></div><div>4%</div><div>89%</div><div>6%</div><div></div><div></div></div>
1	H	296	<div><div></div><div>11%</div><div>85%</div><div>8%</div><div></div><div>6%</div></div>

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 19586 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glucose-1-phosphate thymidyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	283	Total	C	N	O	S	0	3	0
			2191	1407	368	410	6			
1	B	286	Total	C	N	O	S	0	2	0
			2219	1423	378	411	7			
1	C	286	Total	C	N	O	S	0	4	0
			2224	1426	378	412	8			
1	D	286	Total	C	N	O	S	0	1	0
			2187	1403	368	409	7			
1	E	286	Total	C	N	O	S	0	5	0
			2214	1423	373	412	6			
1	F	284	Total	C	N	O	S	0	4	0
			2202	1415	370	409	8			
1	G	284	Total	C	N	O	S	0	3	0
			2204	1415	375	407	7			
1	H	279	Total	C	N	O	S	0	0	0
			2142	1376	361	399	6			

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	289	LEU	-	expression tag	UNP P9WH13
A	290	GLU	-	expression tag	UNP P9WH13
A	291	HIS	-	expression tag	UNP P9WH13
A	292	HIS	-	expression tag	UNP P9WH13
A	293	HIS	-	expression tag	UNP P9WH13
A	294	HIS	-	expression tag	UNP P9WH13
A	295	HIS	-	expression tag	UNP P9WH13
A	296	HIS	-	expression tag	UNP P9WH13
B	289	LEU	-	expression tag	UNP P9WH13
B	290	GLU	-	expression tag	UNP P9WH13
B	291	HIS	-	expression tag	UNP P9WH13
B	292	HIS	-	expression tag	UNP P9WH13
B	293	HIS	-	expression tag	UNP P9WH13

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	294	HIS	-	expression tag	UNP P9WH13
B	295	HIS	-	expression tag	UNP P9WH13
B	296	HIS	-	expression tag	UNP P9WH13
C	289	LEU	-	expression tag	UNP P9WH13
C	290	GLU	-	expression tag	UNP P9WH13
C	291	HIS	-	expression tag	UNP P9WH13
C	292	HIS	-	expression tag	UNP P9WH13
C	293	HIS	-	expression tag	UNP P9WH13
C	294	HIS	-	expression tag	UNP P9WH13
C	295	HIS	-	expression tag	UNP P9WH13
C	296	HIS	-	expression tag	UNP P9WH13
D	289	LEU	-	expression tag	UNP P9WH13
D	290	GLU	-	expression tag	UNP P9WH13
D	291	HIS	-	expression tag	UNP P9WH13
D	292	HIS	-	expression tag	UNP P9WH13
D	293	HIS	-	expression tag	UNP P9WH13
D	294	HIS	-	expression tag	UNP P9WH13
D	295	HIS	-	expression tag	UNP P9WH13
D	296	HIS	-	expression tag	UNP P9WH13
E	289	LEU	-	expression tag	UNP P9WH13
E	290	GLU	-	expression tag	UNP P9WH13
E	291	HIS	-	expression tag	UNP P9WH13
E	292	HIS	-	expression tag	UNP P9WH13
E	293	HIS	-	expression tag	UNP P9WH13
E	294	HIS	-	expression tag	UNP P9WH13
E	295	HIS	-	expression tag	UNP P9WH13
E	296	HIS	-	expression tag	UNP P9WH13
F	289	LEU	-	expression tag	UNP P9WH13
F	290	GLU	-	expression tag	UNP P9WH13
F	291	HIS	-	expression tag	UNP P9WH13
F	292	HIS	-	expression tag	UNP P9WH13
F	293	HIS	-	expression tag	UNP P9WH13
F	294	HIS	-	expression tag	UNP P9WH13
F	295	HIS	-	expression tag	UNP P9WH13
F	296	HIS	-	expression tag	UNP P9WH13
G	289	LEU	-	expression tag	UNP P9WH13
G	290	GLU	-	expression tag	UNP P9WH13
G	291	HIS	-	expression tag	UNP P9WH13
G	292	HIS	-	expression tag	UNP P9WH13
G	293	HIS	-	expression tag	UNP P9WH13
G	294	HIS	-	expression tag	UNP P9WH13
G	295	HIS	-	expression tag	UNP P9WH13

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	296	HIS	-	expression tag	UNP P9WH13
H	289	LEU	-	expression tag	UNP P9WH13
H	290	GLU	-	expression tag	UNP P9WH13
H	291	HIS	-	expression tag	UNP P9WH13
H	292	HIS	-	expression tag	UNP P9WH13
H	293	HIS	-	expression tag	UNP P9WH13
H	294	HIS	-	expression tag	UNP P9WH13
H	295	HIS	-	expression tag	UNP P9WH13
H	296	HIS	-	expression tag	UNP P9WH13

- Molecule 2 is 2'DEOXY-THYMIDINE-5'-DIPHOSPHO-ALPHA-D-GLUCOSE (three-letter code: DAU) (formula: C₁₆H₂₆N₂O₁₆P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			36	16	2	16	2		
2	B	1	Total	C	N	O	P	0	0
			36	16	2	16	2		
2	C	1	Total	C	N	O	P	0	0
			36	16	2	16	2		
2	D	1	Total	C	N	O	P	0	0
			36	16	2	16	2		
2	E	1	Total	C	N	O	P	0	0
			36	16	2	16	2		
2	E	1	Total	C	N	O	P	0	0
			36	16	2	16	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	F	1	Total	C	N	O	P	0	0
			36	16	2	16	2		
2	F	1	Total	C	N	O	P	0	0
			36	16	2	16	2		
2	G	1	Total	C	N	O	P	0	0
			36	16	2	16	2		
2	H	1	Total	C	N	O	P	0	0
			36	16	2	16	2		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	G	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		
3	E	1	Total	Mg	0	0
			1	1		
3	H	1	Total	Mg	0	0
			1	1		
3	B	2	Total	Mg	0	0
			2	2		
3	C	1	Total	Mg	0	0
			1	1		
3	A	1	Total	Mg	0	0
			1	1		
3	F	1	Total	Mg	0	0
			1	1		

- Molecule 4 is THYMIDINE-5'-DIPHOSPHATE (three-letter code: TYD) (formula: C₁₀H₁₆N₂O₁₁P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
4	B	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
4	C	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
4	D	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
4	G	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
4	H	1	Total	C	N	O	P	0	0
			25	10	2	11	2		

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Cl	0	0
			1	1		

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	1	Total	Na	0	0
			1	1		
7	C	1	Total	Na	0	0
			1	1		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	249	Total	O	0	0
			249	249		
8	B	254	Total	O	0	0
			254	254		
8	C	188	Total	O	0	0
			188	188		
8	D	148	Total	O	0	0
			148	148		
8	E	191	Total	O	0	0
			191	191		
8	F	167	Total	O	0	0
			167	167		

Continued on next page...



Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	G	181	Total 181	O 181	0	0
8	H	99	Total 99	O 99	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Glucose-1-phosphate thymidyltransferase



- Molecule 1: Glucose-1-phosphate thymidyltransferase




- Molecule 1: Glucose-1-phosphate thymidyltransferase



- Molecule 1: Glucose-1-phosphate thymidyltransferase





- Molecule 1: Glucose-1-phosphate thymidyltransferase




ASN
LEU
GLU
HIS
HIS
HIS
HIS
HIS
HIS

• Molecule 1: Glucose-1-phosphate thymidyltransferase

Chain F:  6% 89% 6%




• Molecule 1: Glucose-1-phosphate thymidyltransferase


Chain G:  4% 89% 6%



ARG
ASN
LEU
GLU
HIS
HIS
HIS
HIS
HIS

• Molecule 1: Glucose-1-phosphate thymidyltransferase

Chain H:  11% 85% 8% 6%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	72.32Å 111.26Å 290.36Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.85 37.82 – 1.85	Depositor EDS
% Data completeness (in resolution range)	97.7 (50.00-1.85) 97.8 (37.82-1.85)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	15.80 (at 1.85Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.171 , 0.218 0.182 , 0.225	Depositor DCC
R_{free} test set	9779 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	19.9	Xtriage
Anisotropy	0.008	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 54.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	19586	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CL, TYD, NA, EDO, DAU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.73	0/2247	0.82	0/3054
1	B	0.72	0/2273	0.84	1/3086 (0.0%)
1	C	0.63	0/2284	0.76	2/3099 (0.1%)
1	D	0.56	0/2238	0.74	1/3043 (0.0%)
1	E	0.66	1/2277 (0.0%)	0.79	4/3096 (0.1%)
1	F	0.61	0/2261	0.75	2/3070 (0.1%)
1	G	0.58	0/2260	0.77	2/3069 (0.1%)
1	H	0.59	0/2187	0.74	3/2969 (0.1%)
All	All	0.64	1/18027 (0.0%)	0.78	15/24486 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	79	THR	CB-CG2	-5.35	1.34	1.52

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	270	ARG	NE-CZ-NH1	10.08	125.34	120.30
1	G	270	ARG	NE-CZ-NH2	-8.97	115.82	120.30
1	F	100	ASP	CB-CG-OD1	7.62	125.15	118.30
1	H	188	LYS	N-CA-C	6.79	129.32	111.00
1	E	208	ARG	NE-CZ-NH2	6.09	123.35	120.30
1	F	100	ASP	CB-CG-OD2	-5.63	113.24	118.30
1	C	67	ASP	CB-CG-OD1	5.38	123.14	118.30
1	D	84	ASP	CB-CG-OD2	5.37	123.13	118.30
1	H	187	LYS	C-N-CA	5.23	134.78	121.70
1	E	208	ARG	NE-CZ-NH1	-5.23	117.69	120.30
1	C	63	ARG	NE-CZ-NH1	-5.07	117.77	120.30
1	B	122	ARG	NE-CZ-NH1	-5.05	117.77	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	51	LEU	CA-CB-CG	5.03	126.86	115.30
1	E	51[A]	LEU	CA-CB-CG	5.02	126.85	115.30
1	E	51[B]	LEU	CA-CB-CG	5.02	126.85	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2191	0	2178	10	0
1	B	2219	0	2225	9	0
1	C	2224	0	2225	12	0
1	D	2187	0	2162	6	0
1	E	2214	0	2217	8	0
1	F	2202	0	2208	11	0
1	G	2204	0	2210	15	0
1	H	2142	0	2126	19	0
2	A	36	0	24	1	0
2	B	36	0	24	0	0
2	C	36	0	24	1	0
2	D	36	0	24	0	0
2	E	72	0	48	0	0
2	F	72	0	48	0	0
2	G	36	0	24	0	0
2	H	36	0	24	1	0
3	A	1	0	0	0	0
3	B	2	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
4	A	25	0	13	0	0
4	B	25	0	13	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	25	0	13	0	0
4	D	25	0	13	0	0
4	G	25	0	13	0	0
4	H	25	0	13	0	0
5	A	1	0	0	0	0
6	A	4	0	6	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
8	A	249	0	0	3	0
8	B	254	0	0	1	0
8	C	188	0	0	3	0
8	D	148	0	0	0	0
8	E	191	0	0	2	0
8	F	167	0	0	1	0
8	G	181	0	0	2	0
8	H	99	0	0	0	0
All	All	19586	0	17875	87	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (87) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:268[B]:ARG:HG3	1:G:268[B]:ARG:HH21	1.01	1.13
1:A:21:ILE:HD12	1:B:21:ILE:HD12	1.36	1.08
1:A:268[B]:ARG:NH1	8:A:401:HOH:O	1.91	0.95
1:F:21:ILE:HD12	1:H:21:ILE:HD12	1.50	0.92
1:G:268[B]:ARG:NH2	1:G:268[B]:ARG:HG3	1.81	0.88
1:A:21:ILE:HD11	1:A:25:LEU:HB2	1.57	0.87
1:H:158:GLU:OE2	2:H:301:DAU:O2	2.03	0.77
1:G:88[B]:GLN:NE2	8:G:401:HOH:O	2.18	0.76
1:H:145:VAL:CG2	1:H:169:VAL:HG22	2.18	0.74
1:B:48:ASP:HB3	8:B:449:HOH:O	1.90	0.71
1:A:21:ILE:HD11	1:A:25:LEU:CB	2.23	0.69
1:A:285:LEU:O	1:A:286:GLU:HB2	1.93	0.69
1:G:268[B]:ARG:CG	1:G:268[B]:ARG:HH21	1.91	0.67
1:E:39[A]:THR:CG2	1:E:253:VAL:HG21	2.28	0.64
1:B:50:GLN:HE22	1:B:93:GLY:HA2	1.63	0.64
1:C:2:ARG:NH1	8:C:402:HOH:O	2.31	0.64
1:H:39:THR:CG2	1:H:253:VAL:HG21	2.29	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:84:ASP:OD1	1:G:88[B]:GLN:CD	2.38	0.62
1:E:201:GLN:NE2	8:E:401:HOH:O	2.26	0.61
1:G:63:ARG:NH1	8:G:402:HOH:O	2.32	0.61
1:F:39[A]:THR:CG2	1:F:253:VAL:HG21	2.31	0.60
1:E:186:LEU:HD11	1:E:199:VAL:HG23	1.84	0.59
1:H:145:VAL:CG2	1:H:169:VAL:CG2	2.82	0.58
1:F:21:ILE:HD11	1:F:25:LEU:HB2	1.84	0.58
1:E:253:VAL:O	1:E:257:MET:HG2	2.05	0.57
1:C:50:GLN:HE22	1:C:93:GLY:HA2	1.70	0.56
1:F:242:ARG:NH1	8:F:401:HOH:O	2.34	0.56
1:B:2[A]:ARG:NH2	1:B:48:ASP:HB3	2.22	0.55
1:G:181:GLU:OE2	1:G:184:ARG:NH1	2.40	0.54
1:H:145:VAL:HG22	1:H:169:VAL:CG2	2.37	0.54
1:D:5:ILE:HD12	1:D:51:LEU:HD22	1.87	0.54
1:F:272:LEU:HD23	1:H:15:TYR:HB3	1.90	0.54
1:G:50:GLN:HE22	1:G:93:GLY:HA2	1.73	0.52
1:D:5:ILE:HD12	1:D:51:LEU:CD2	2.41	0.51
1:A:50:GLN:HE22	1:A:93:GLY:HA2	1.75	0.51
1:A:21:ILE:CD1	1:A:25:LEU:HB2	2.35	0.50
1:G:39:THR:HG23	1:G:253:VAL:HG21	1.93	0.50
1:B:21:ILE:HD13	1:B:26:LEU:HD23	1.94	0.50
1:H:102:VAL:HG11	1:H:179:VAL:HG11	1.92	0.50
1:E:50:GLN:HE22	1:E:93:GLY:HA2	1.77	0.50
1:E:79:THR:HG22	8:E:543:HOH:O	2.12	0.49
1:G:84:ASP:OD1	1:G:88[B]:GLN:OE1	2.31	0.49
1:F:139:PRO:HG3	1:F:166:ASN:HA	1.95	0.48
1:H:50:GLN:HE22	1:H:93:GLY:HA2	1.79	0.48
1:H:158:GLU:O	1:H:159:LYS:HG2	2.12	0.48
1:E:39[A]:THR:HG23	1:E:253:VAL:HG21	1.96	0.48
1:A:208:ARG:HD2	8:A:430:HOH:O	2.14	0.47
2:C:301:DAU:HC52	8:C:424:HOH:O	2.14	0.47
1:C:112:TYR:CE1	1:C:247:VAL:HG11	2.50	0.47
1:D:170:PRO:HB3	1:D:220:TRP:CE2	2.49	0.47
1:A:139:PRO:HG3	1:A:166:ASN:HA	1.96	0.47
1:C:50:GLN:HE22	1:C:93:GLY:CA	2.28	0.46
1:C:138:ASN:CG	1:C:138:ASN:O	2.52	0.46
1:H:5:ILE:HD12	1:H:51:LEU:HD22	1.98	0.46
1:G:267:GLN:HB2	1:G:267:GLN:HE21	1.61	0.46
1:G:39:THR:CG2	1:G:253:VAL:HG21	2.45	0.46
1:G:268[B]:ARG:HA	1:G:268[B]:ARG:HD2	1.58	0.45
1:H:158:GLU:O	1:H:159:LYS:CG	2.64	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:50:GLN:HE22	1:H:93:GLY:CA	2.29	0.45
1:C:285:LEU:O	1:C:286:GLU:HB2	2.16	0.45
1:F:272:LEU:HD13	1:F:277:TYR:CD2	2.52	0.45
1:C:119:SER:OG	1:C:122[B]:ARG:NH2	2.50	0.44
1:F:27:PRO:HG3	1:H:26:LEU:HD22	1.99	0.44
1:C:23:LYS:O	1:C:33[B]:MET:HE3	2.17	0.44
1:D:50:GLN:HE22	1:D:93:GLY:HA2	1.82	0.44
1:B:139:PRO:HG3	1:B:166:ASN:HA	2.00	0.43
1:F:39[A]:THR:HG23	1:F:253:VAL:HG21	1.98	0.43
1:E:269:ALA:HB1	1:E:282:LEU:HG	2.00	0.43
1:A:2:ARG:HD2	1:A:96:HIS:O	2.19	0.43
2:A:301:DAU:HC52	8:A:417:HOH:O	2.19	0.42
1:H:145:VAL:HG23	1:H:169:VAL:HG22	1.98	0.42
1:C:134:TYR:CD2	1:C:214:LEU:HD12	2.55	0.42
1:G:261:ASP:H	1:G:264:GLN:HE21	1.68	0.42
1:C:39:THR:CG2	1:C:253:VAL:HG21	2.50	0.42
1:G:139:PRO:HG3	1:G:166:ASN:HA	2.02	0.42
1:H:58:ALA:HB3	1:H:59:PRO:HD3	2.02	0.41
1:F:28:VAL:HB	1:F:36:TYR:CE1	2.55	0.41
1:D:29:TYR:CE1	1:D:237:ARG:HD3	2.55	0.41
1:B:50:GLN:HE22	1:B:93:GLY:CA	2.30	0.41
1:F:272:LEU:CD2	1:H:15:TYR:HB3	2.50	0.41
1:B:285:LEU:O	1:B:286:GLU:HB2	2.20	0.41
1:C:263:GLU:HB2	8:C:549:HOH:O	2.21	0.41
1:B:273:VAL:HG23	1:B:274:LYS:HG2	2.01	0.41
1:H:84:ASP:HB2	1:H:88:GLN:OE1	2.21	0.40
1:C:119:SER:O	1:C:122[A]:ARG:HG2	2.21	0.40
1:D:51:LEU:HD11	1:D:65:LEU:CD1	2.50	0.40
1:H:170:PRO:HB3	1:H:220:TRP:CE2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	282/296 (95%)	279 (99%)	2 (1%)	1 (0%)	34	19
1	B	286/296 (97%)	282 (99%)	3 (1%)	1 (0%)	41	26
1	C	288/296 (97%)	282 (98%)	5 (2%)	1 (0%)	41	26
1	D	285/296 (96%)	279 (98%)	5 (2%)	1 (0%)	34	19
1	E	289/296 (98%)	285 (99%)	3 (1%)	1 (0%)	41	26
1	F	284/296 (96%)	279 (98%)	4 (1%)	1 (0%)	34	19
1	G	283/296 (96%)	280 (99%)	2 (1%)	1 (0%)	34	19
1	H	273/296 (92%)	264 (97%)	7 (3%)	2 (1%)	22	9
All	All	2270/2368 (96%)	2230 (98%)	31 (1%)	9 (0%)	34	19

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	188	LYS
1	G	29	TYR
1	A	29	TYR
1	B	29	TYR
1	C	29	TYR
1	D	29	TYR
1	E	29	TYR
1	H	29	TYR
1	F	29	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	226/237 (95%)	220 (97%)	6 (3%)	44	29
1	B	229/237 (97%)	222 (97%)	7 (3%)	40	23
1	C	229/237 (97%)	223 (97%)	6 (3%)	46	30
1	D	223/237 (94%)	216 (97%)	7 (3%)	40	23
1	E	229/237 (97%)	221 (96%)	8 (4%)	36	18

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	F	229/237 (97%)	222 (97%)	7 (3%)	40	23
1	G	228/237 (96%)	222 (97%)	6 (3%)	46	30
1	H	219/237 (92%)	214 (98%)	5 (2%)	50	34
All	All	1812/1896 (96%)	1760 (97%)	52 (3%)	43	26

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	ILE
1	A	51	LEU
1	A	138	ASN
1	A	154	LEU
1	A	191	ARG
1	A	274	LYS
1	B	109	ASN
1	B	187	LYS
1	B	191	ARG
1	B	208	ARG
1	B	216	ARG
1	B	263	GLU
1	B	279	ASN
1	C	2	ARG
1	C	109	ASN
1	C	165	SER
1	C	187	LYS
1	C	191	ARG
1	C	263	GLU
1	D	79	THR
1	D	82	GLN
1	D	109	ASN
1	D	154	LEU
1	D	181	GLU
1	D	191	ARG
1	D	274	LYS
1	E	32	PRO
1	E	51[A]	LEU
1	E	51[B]	LEU
1	E	67	ASP
1	E	79	THR
1	E	86	LEU
1	E	191	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	274	LYS
1	F	21	ILE
1	F	79	THR
1	F	82	GLN
1	F	109	ASN
1	F	208	ARG
1	F	263	GLU
1	F	284	LEU
1	G	109	ASN
1	G	152	MET
1	G	216	ARG
1	G	267	GLN
1	G	270	ARG
1	G	274	LYS
1	H	51	LEU
1	H	81	ASP
1	H	109	ASN
1	H	154	LEU
1	H	188	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	GLN
1	A	138	ASN
1	A	166	ASN
1	B	50	GLN
1	C	50	GLN
1	D	50	GLN
1	D	82	GLN
1	E	50	GLN
1	E	200	ASN
1	E	201	GLN
1	E	205	ASN
1	F	82	GLN
1	F	267	GLN
1	G	50	GLN
1	G	264	GLN
1	G	267	GLN
1	H	50	GLN
1	H	95	ASN
1	H	201	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	205	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 29 ligands modelled in this entry, 12 are monoatomic - leaving 17 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	DAU	E	301	3	32,38,38	1.25	5 (15%)	43,58,58	1.77	6 (13%)
2	DAU	F	301	3	32,38,38	0.88	1 (3%)	43,58,58	1.67	4 (9%)
2	DAU	C	301	3	32,38,38	1.06	2 (6%)	43,58,58	1.73	7 (16%)
2	DAU	D	301	3	32,38,38	1.03	2 (6%)	43,58,58	1.64	2 (4%)
2	DAU	A	301	3	32,38,38	1.24	3 (9%)	43,58,58	1.91	4 (9%)
2	DAU	B	301	3	32,38,38	0.99	2 (6%)	43,58,58	1.58	4 (9%)
4	TYD	B	304	-	23,26,26	2.44	4 (17%)	33,40,40	1.85	8 (24%)
2	DAU	F	302	-	32,38,38	0.97	1 (3%)	43,58,58	1.49	2 (4%)
4	TYD	H	303	-	23,26,26	2.43	3 (13%)	33,40,40	2.00	11 (33%)
2	DAU	H	301	3	32,38,38	0.94	2 (6%)	43,58,58	1.76	3 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	TYD	D	303	-	23,26,26	2.43	3 (13%)	33,40,40	2.01	10 (30%)
4	TYD	G	303	-	23,26,26	2.52	5 (21%)	33,40,40	1.74	7 (21%)
4	TYD	A	303	-	23,26,26	2.35	5 (21%)	33,40,40	1.84	8 (24%)
4	TYD	C	303	-	23,26,26	2.45	3 (13%)	33,40,40	1.84	7 (21%)
2	DAU	E	302	-	32,38,38	0.93	1 (3%)	43,58,58	1.50	2 (4%)
6	EDO	A	305	-	3,3,3	0.58	0	2,2,2	0.36	0
2	DAU	G	301	3	32,38,38	0.91	2 (6%)	43,58,58	1.59	3 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DAU	E	301	3	-	2/20/55/55	0/3/3/3
2	DAU	F	301	3	-	2/20/55/55	0/3/3/3
2	DAU	C	301	3	-	2/20/55/55	0/3/3/3
2	DAU	D	301	3	-	2/20/55/55	0/3/3/3
2	DAU	A	301	3	-	3/20/55/55	0/3/3/3
2	DAU	B	301	3	-	2/20/55/55	0/3/3/3
4	TYD	B	304	-	-	2/16/28/28	0/2/2/2
2	DAU	F	302	-	-	1/20/55/55	0/3/3/3
4	TYD	H	303	-	-	2/16/28/28	0/2/2/2
2	DAU	H	301	3	-	2/20/55/55	0/3/3/3
4	TYD	D	303	-	-	1/16/28/28	0/2/2/2
4	TYD	G	303	-	-	1/16/28/28	0/2/2/2
4	TYD	A	303	-	-	0/16/28/28	0/2/2/2
4	TYD	C	303	-	-	1/16/28/28	0/2/2/2
2	DAU	E	302	-	-	5/20/55/55	0/3/3/3
6	EDO	A	305	-	-	0/1/1/1	-
2	DAU	G	301	3	-	3/20/55/55	0/3/3/3

All (44) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	303	TYD	C6-N1	-9.20	1.35	1.46
4	C	303	TYD	C6-N1	-9.18	1.35	1.46
4	H	303	TYD	C6-N1	-9.17	1.35	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	G	303	TYD	C6-N1	-8.76	1.35	1.46
4	B	304	TYD	C6-N1	-8.75	1.35	1.46
4	A	303	TYD	C6-N1	-8.14	1.36	1.46
4	G	303	TYD	C2-N1	5.14	1.43	1.35
4	A	303	TYD	C2-N1	4.44	1.42	1.35
4	D	303	TYD	C6-C5	-4.40	1.38	1.51
4	A	303	TYD	C6-C5	-4.38	1.38	1.51
4	B	304	TYD	C6-C5	-4.34	1.38	1.51
4	C	303	TYD	C6-C5	-4.23	1.38	1.51
4	G	303	TYD	C6-C5	-4.14	1.38	1.51
4	H	303	TYD	C6-C5	-4.14	1.38	1.51
4	H	303	TYD	C2-N1	4.06	1.41	1.35
4	B	304	TYD	C2-N1	4.04	1.41	1.35
4	D	303	TYD	C2-N1	3.96	1.41	1.35
4	C	303	TYD	C2-N1	3.89	1.41	1.35
2	C	301	DAU	C41-C51	3.80	1.49	1.41
2	D	301	DAU	C41-C51	3.77	1.49	1.41
2	F	302	DAU	C41-C51	3.74	1.49	1.41
2	E	302	DAU	C41-C51	3.64	1.49	1.41
2	E	301	DAU	C41-C51	3.59	1.49	1.41
4	B	304	TYD	C2-N3	-3.56	1.31	1.38
2	F	301	DAU	C41-C51	3.54	1.49	1.41
2	H	301	DAU	C41-C51	3.38	1.48	1.41
2	A	301	DAU	C41-C51	2.96	1.47	1.41
2	G	301	DAU	C41-C51	2.96	1.47	1.41
2	E	301	DAU	O4'-C1'	2.93	1.48	1.42
4	G	303	TYD	C2-N3	-2.85	1.32	1.38
2	B	301	DAU	O4'-C1'	2.60	1.48	1.42
2	B	301	DAU	C41-C51	2.41	1.46	1.41
2	C	301	DAU	C21-N31	-2.35	1.33	1.38
2	E	301	DAU	C21-N31	-2.34	1.33	1.38
2	H	301	DAU	C21-N31	-2.32	1.33	1.38
4	G	303	TYD	O2-C2	2.29	1.27	1.23
2	D	301	DAU	C21-N31	-2.29	1.33	1.38
4	A	303	TYD	O2-C2	2.27	1.27	1.23
4	A	303	TYD	O4-C4	2.19	1.27	1.23
2	A	301	DAU	C4-C5	2.19	1.57	1.53
2	G	301	DAU	C21-N31	-2.16	1.33	1.38
2	E	301	DAU	P2-O4P	-2.13	1.45	1.55
2	A	301	DAU	O3-C3	2.11	1.48	1.43
2	E	301	DAU	P2-O1	2.09	1.66	1.60

All (88) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	301	DAU	C41-N31-C21	9.09	122.82	115.14
2	H	301	DAU	C41-N31-C21	8.96	122.70	115.14
2	F	302	DAU	C41-N31-C21	8.28	122.14	115.14
2	A	301	DAU	C41-N31-C21	8.27	122.13	115.14
2	E	302	DAU	C41-N31-C21	8.21	122.07	115.14
2	E	301	DAU	C41-N31-C21	8.12	122.00	115.14
2	G	301	DAU	C41-N31-C21	7.73	121.67	115.14
2	F	301	DAU	C41-N31-C21	7.51	121.49	115.14
2	C	301	DAU	C41-N31-C21	7.42	121.40	115.14
2	B	301	DAU	C41-N31-C21	5.78	120.03	115.14
2	A	301	DAU	O5-C1-O1	-5.60	104.04	111.36
4	B	304	TYD	C5M-C5-C6	5.30	123.66	112.34
4	D	303	TYD	C5-C6-N1	5.17	121.30	111.11
4	C	303	TYD	C5-C6-N1	4.99	120.94	111.11
4	H	303	TYD	C5-C6-N1	4.89	120.73	111.11
4	B	304	TYD	C5-C6-N1	4.76	120.48	111.11
4	G	303	TYD	C5-C6-N1	4.70	120.36	111.11
2	C	301	DAU	C2'-C1'-N11	4.51	124.67	114.27
4	A	303	TYD	C5-C6-N1	4.41	119.79	111.11
4	H	303	TYD	C4-N3-C2	-4.40	121.48	126.86
4	A	303	TYD	C5M-C5-C6	4.39	121.71	112.34
4	C	303	TYD	O2-C2-N1	-4.31	117.70	123.11
4	D	303	TYD	C5M-C5-C6	4.29	121.51	112.34
4	A	303	TYD	C4-N3-C2	-4.26	121.65	126.86
2	B	301	DAU	O5-C1-O1	-4.22	105.85	111.36
2	B	301	DAU	C2'-C1'-N11	4.13	123.79	114.27
4	C	303	TYD	C5M-C5-C6	4.10	121.11	112.34
4	D	303	TYD	C4-N3-C2	-4.01	121.95	126.86
4	H	303	TYD	C5M-C5-C6	3.85	120.56	112.34
2	F	301	DAU	C2'-C1'-N11	3.78	123.00	114.27
4	G	303	TYD	C4-N3-C2	-3.72	122.31	126.86
4	B	304	TYD	C4-N3-C2	-3.70	122.34	126.86
4	A	303	TYD	O2B-PB-O3A	-3.67	92.33	104.64
4	G	303	TYD	C5M-C5-C6	3.61	120.05	112.34
4	H	303	TYD	O2-C2-N1	-3.59	118.59	123.11
2	E	301	DAU	C2'-C1'-N11	3.58	122.54	114.27
4	C	303	TYD	C4-N3-C2	-3.58	122.48	126.86
4	D	303	TYD	O3B-PB-O3A	3.58	116.65	104.64
2	A	301	DAU	C2'-C1'-N11	3.51	122.37	114.27
4	H	303	TYD	N3-C2-N1	3.37	120.22	116.65
4	C	303	TYD	N3-C2-N1	3.32	120.16	116.65
4	D	303	TYD	N3-C2-N1	3.22	120.06	116.65
4	D	303	TYD	O2-C2-N1	-3.16	119.14	123.11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	303	TYD	N3-C2-N1	3.11	119.94	116.65
2	H	301	DAU	C2'-C1'-N11	3.07	121.36	114.27
4	D	303	TYD	O4'-C1'-N1	2.99	112.22	108.41
2	E	301	DAU	P-OPP-P2	-2.93	122.79	132.83
2	E	301	DAU	O4P-P2-O3P	2.92	126.66	112.24
4	H	303	TYD	O2B-PB-O3A	2.90	114.36	104.64
2	F	301	DAU	O4P-P2-O1	2.89	118.19	106.78
4	A	303	TYD	N3-C2-N1	2.88	119.70	116.65
4	B	304	TYD	C2'-C1'-N1	-2.82	112.16	115.61
2	E	301	DAU	OPP-P2-O1	-2.80	96.85	102.48
4	B	304	TYD	O2B-PB-O3A	-2.78	95.30	104.64
4	H	303	TYD	O3A-PB-O1B	-2.78	95.76	111.19
2	C	301	DAU	P-OPP-P2	-2.75	123.40	132.83
2	C	301	DAU	C2-C3-C4	-2.74	106.04	110.82
4	D	303	TYD	C2'-C1'-N1	-2.72	112.29	115.61
2	C	301	DAU	O4-C4-C3	-2.68	104.16	110.35
2	C	301	DAU	OPP-P2-O1	-2.66	97.12	102.48
4	A	303	TYD	C2'-C1'-N1	-2.64	112.38	115.61
4	G	303	TYD	O3B-PB-O3A	2.63	113.47	104.64
2	G	301	DAU	C2'-C1'-N11	2.59	120.25	114.27
2	G	301	DAU	P-OPP-P2	-2.58	123.97	132.83
4	G	303	TYD	O4'-C1'-N1	2.54	111.65	108.41
4	H	303	TYD	O4'-C1'-N1	2.51	111.61	108.41
4	C	303	TYD	O3B-PB-O3A	-2.46	96.37	104.64
2	E	301	DAU	O2P-P-O1P	2.45	124.38	112.24
4	H	303	TYD	C2'-C1'-N1	-2.35	112.74	115.61
2	E	302	DAU	O5-C5-C6	2.33	112.24	106.44
4	D	303	TYD	O3B-PB-O2B	2.33	116.56	107.64
4	B	304	TYD	O4'-C1'-N1	2.33	111.38	108.41
4	A	303	TYD	C6-C5-C4	2.32	118.20	111.53
4	A	303	TYD	O2-C2-N1	-2.31	120.21	123.11
4	B	304	TYD	N3-C2-N1	2.30	119.09	116.65
4	C	303	TYD	C6-C5-C4	2.27	118.03	111.53
2	F	302	DAU	O5-C1-C2	2.25	115.10	110.35
4	B	304	TYD	O2A-PA-O1A	2.19	123.06	112.24
4	H	303	TYD	O3B-PB-O2B	2.11	115.72	107.64
4	G	303	TYD	C6-C5-C4	2.08	117.49	111.53
2	B	301	DAU	O2P-P-O1P	2.07	122.46	112.24
2	C	301	DAU	C3-C4-C5	2.06	113.92	110.24
2	H	301	DAU	C51-C61-N11	-2.06	119.97	122.19
2	D	301	DAU	OPP-P2-O1	-2.05	98.36	102.48
4	D	303	TYD	O2B-PB-O3A	-2.04	97.78	104.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	303	TYD	C6-C5-C4	2.01	117.31	111.53
2	A	301	DAU	O2P-P-O1P	2.01	122.18	112.24
2	F	301	DAU	O4P-P2-O3P	2.00	122.15	112.24

There are no chirality outliers.

All (31) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	301	DAU	O4'-C1'-N11-C61
2	A	301	DAU	C1-O1-P2-OPP
2	A	301	DAU	O4'-C1'-N11-C61
4	B	304	TYD	PA-O3A-PB-O3B
2	E	302	DAU	O4'-C1'-N11-C61
2	D	301	DAU	O4'-C1'-N11-C61
2	F	302	DAU	P2-OPP-P-O5'
2	H	301	DAU	O4'-C1'-N11-C61
4	C	303	TYD	PA-O3A-PB-O2B
2	E	301	DAU	O4'-C1'-N11-C61
2	F	301	DAU	O4'-C1'-N11-C61
2	B	301	DAU	O4'-C1'-N11-C61
2	G	301	DAU	O4'-C1'-N11-C61
2	E	302	DAU	C1-O1-P2-OPP
2	C	301	DAU	C2-C1-O1-P2
2	H	301	DAU	C2-C1-O1-P2
2	E	302	DAU	P-OPP-P2-O1
2	E	301	DAU	C2-C1-O1-P2
2	F	301	DAU	C2-C1-O1-P2
2	A	301	DAU	C1-O1-P2-O3P
2	B	301	DAU	C1-O1-P2-OPP
2	E	302	DAU	O5-C5-C6-O6
4	H	303	TYD	PA-O3A-PB-O1B
4	D	303	TYD	PA-O3A-PB-O1B
4	B	304	TYD	PA-O3A-PB-O1B
4	G	303	TYD	PA-O3A-PB-O1B
2	G	301	DAU	C1-O1-P2-OPP
4	H	303	TYD	PB-O3A-PA-O2A
2	D	301	DAU	C2-C1-O1-P2
2	E	302	DAU	P2-OPP-P-O1P
2	G	301	DAU	C2-C1-O1-P2

There are no ring outliers.


3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	301	DAU	1	0
2	A	301	DAU	1	0
2	H	301	DAU	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand DAU F 301




Bond lengths




Bond angles





Torsions





Rings












Ligand DAU F 302




Bond lengths



Bond angles




Torsions




Rings


Ligand TYD H 303




Bond lengths





Bond angles







Torsions




Rings









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	283/296 (95%)	-0.19	3 (1%)	80 81	10, 18, 41, 70	0
1	B	286/296 (96%)	-0.23	3 (1%)	82 82	9, 17, 37, 69	0
1	C	286/296 (96%)	-0.02	8 (2%)	53 52	14, 23, 50, 88	0
1	D	286/296 (96%)	0.14	9 (3%)	49 47	14, 28, 50, 84	0
1	E	286/296 (96%)	0.04	16 (5%)	24 23	13, 22, 54, 72	0
1	F	284/296 (95%)	0.20	19 (6%)	17 17	14, 25, 51, 77	0
1	G	284/296 (95%)	-0.06	12 (4%)	36 34	13, 23, 43, 59	0
1	H	279/296 (94%)	0.72	34 (12%)	4 4	15, 35, 63, 102	0
All	All	2274/2368 (96%)	0.07	104 (4%)	32 31	9, 23, 51, 102	0

All (104) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	191	ARG	6.8
1	E	149	ALA	6.4
1	C	190	ALA	6.0
1	H	186	LEU	5.5
1	B	190	ALA	5.5
1	F	285	LEU	5.2
1	B	149	ALA	5.2
1	H	154	LEU	5.1
1	F	190	ALA	5.1
1	E	266	VAL	4.8
1	H	188	LYS	4.7
1	C	192	GLY	4.4
1	E	285	LEU	4.3
1	G	148	GLY	4.2
1	E	190	ALA	4.2
1	F	269	ALA	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	286	GLU	4.0
1	E	191	ARG	4.0
1	H	270	ARG	4.0
1	F	282	LEU	3.9
1	E	269	ALA	3.9
1	D	152	MET	3.8
1	E	161	VAL	3.7
1	C	140	SER	3.7
1	H	187	LYS	3.6
1	F	263	GLU	3.6
1	A	162	THR	3.5
1	H	192	GLY	3.5
1	D	149	ALA	3.4
1	H	207	GLY	3.4
1	F	152	MET	3.4
1	F	271	ALA	3.4
1	H	153	ALA	3.4
1	G	255	TRP	3.3
1	D	147	PHE	3.3
1	F	270	ARG	3.3
1	D	187	LYS	3.3
1	F	161	VAL	3.3
1	H	206	GLN	3.2
1	F	267	GLN	3.2
1	H	258	GLY	3.2
1	H	194	TYR	3.1
1	H	266	VAL	3.1
1	H	204	LEU	3.1
1	E	270	ARG	3.1
1	H	191	ARG	3.1
1	H	282	LEU	3.1
1	A	190	ALA	3.1
1	H	262	ASP	3.0
1	H	285	LEU	3.0
1	F	148	GLY	2.9
1	E	151	GLY	2.9
1	D	270	ARG	2.9
1	E	154	LEU	2.8
1	B	150	GLU	2.8
1	H	198	GLU	2.8
1	G	258	GLY	2.8
1	H	185	GLY	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	161	VAL	2.8
1	H	255	TRP	2.8
1	H	190	ALA	2.8
1	G	261	ASP	2.7
1	H	261	ASP	2.7
1	E	150	GLU	2.7
1	H	205	ASN	2.7
1	D	191	ARG	2.7
1	E	148	GLY	2.6
1	H	202	VAL	2.6
1	H	184	ARG	2.6
1	F	151	GLY	2.6
1	F	272	LEU	2.5
1	C	189	SER	2.5
1	C	160	PRO	2.5
1	H	165	SER	2.5
1	C	137	ALA	2.5
1	C	161	VAL	2.5
1	D	148	GLY	2.5
1	G	151	GLY	2.5
1	H	263	GLU	2.5
1	F	262	ASP	2.4
1	G	267	GLN	2.4
1	D	162	THR	2.4
1	G	285	LEU	2.4
1	F	266	VAL	2.4
1	A	154	LEU	2.4
1	G	282	LEU	2.3
1	H	189	SER	2.3
1	E	192	GLY	2.3
1	H	84	ASP	2.3
1	F	255	TRP	2.3
1	E	284	LEU	2.3
1	H	273	VAL	2.2
1	E	255	TRP	2.2
1	H	267	GLN	2.2
1	G	152	MET	2.2
1	F	279	ASN	2.2
1	H	89	ALA	2.2
1	H	265	LEU	2.1
1	D	263	GLU	2.1
1	H	140	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	284	LEU	2.1
1	E	273	VAL	2.1
1	G	190	ALA	2.1
1	F	284	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	DAU	H	301	36/36	0.93	0.12	21,30,39,43	0
4	TYD	H	303	25/25	0.94	0.11	29,33,38,41	0
3	MG	B	303	1/1	0.95	0.07	34,34,34,34	0
3	MG	H	302	1/1	0.95	0.07	30,30,30,30	0
7	NA	B	305	1/1	0.96	0.20	32,32,32,32	0
6	EDO	A	305	4/4	0.96	0.10	23,24,26,29	0
2	DAU	C	301	36/36	0.96	0.09	19,22,27,28	0
4	TYD	C	303	25/25	0.96	0.09	23,26,32,35	0
4	TYD	B	304	25/25	0.97	0.07	16,19,22,27	0
2	DAU	E	302	36/36	0.97	0.09	20,28,50,57	0
2	DAU	D	301	36/36	0.97	0.07	19,23,26,30	0
4	TYD	G	303	25/25	0.97	0.07	24,28,33,34	0
2	DAU	F	302	36/36	0.97	0.08	20,24,40,42	0
4	TYD	D	303	25/25	0.97	0.08	24,27,32,36	0
4	TYD	A	303	25/25	0.97	0.08	18,20,25,29	0
2	DAU	F	301	36/36	0.98	0.07	17,21,26,27	0
2	DAU	B	301	36/36	0.98	0.08	9,12,15,16	0
2	DAU	A	301	36/36	0.98	0.07	12,15,18,20	0
2	DAU	E	301	36/36	0.98	0.06	12,16,18,19	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	DAU	G	301	36/36	0.98	0.07	13,16,19,21	0
3	MG	C	302	1/1	0.99	0.07	20,20,20,20	0
3	MG	D	302	1/1	0.99	0.06	17,17,17,17	0
3	MG	A	302	1/1	0.99	0.06	12,12,12,12	0
7	NA	C	304	1/1	0.99	0.08	17,17,17,17	0
3	MG	E	303	1/1	0.99	0.03	17,17,17,17	0
3	MG	F	303	1/1	0.99	0.09	18,18,18,18	0
3	MG	B	302	1/1	1.00	0.06	10,10,10,10	0
5	CL	A	304	1/1	1.00	0.06	19,19,19,19	0
3	MG	G	302	1/1	1.00	0.06	14,14,14,14	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around TYD H 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around DAU C 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TYD C 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TYD B 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DAU E 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DAU D 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TYD G 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DAU F 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TYD D 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TYD A 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DAU F 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DAU B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around DAU A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DAU E 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around DAU G 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.