



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 12, 2021 – 01:59 PM EDT

PDB ID : 2B83  
Title : A single amino acid substitution in the Clostridium beijerinckii alcohol dehydrogenase is critical for thermostabilization  
Authors : Goihberg, E.; Dym, O.; Israel Structural Proteomics Center (ISPC)  
Deposited on : 2005-10-06  
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.23.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	1487 (2.26-2.26)
Ramachandran outliers	138981	1449 (2.26-2.26)
Sidechain outliers	138945	1450 (2.26-2.26)
RSRZ outliers	127900	1356 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	351	<div> <div>3%</div> <div> <div></div> <div>81%</div> <div>17%</div> <div>.</div> </div> </div>
1	B	351	<div> <div>4%</div> <div> <div></div> <div>79%</div> <div>20%</div> <div>.</div> </div> </div>
1	C	351	<div> <div>5%</div> <div> <div></div> <div>77%</div> <div>22%</div> <div>.</div> </div> </div>
1	D	351	<div> <div>6%</div> <div> <div></div> <div>79%</div> <div>21%</div> <div>.</div> </div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 11080 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADP-dependent alcohol dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	351	Total	C	N	O	S	0	0	0
			2638	1675	459	481	23			
1	B	351	Total	C	N	O	S	0	0	0
			2638	1675	459	481	23			
1	C	351	Total	C	N	O	S	0	0	0
			2638	1675	459	481	23			
1	D	351	Total	C	N	O	S	0	0	0
			2638	1675	459	481	23			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	100	PRO	GLN	engineered mutation	UNP P25984
B	100	PRO	GLN	engineered mutation	UNP P25984
C	100	PRO	GLN	engineered mutation	UNP P25984
D	100	PRO	GLN	engineered mutation	UNP P25984

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		
2	C	1	Total	Zn	0	0
			1	1		
2	D	1	Total	Zn	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	129	Total 129	O 129	0	0
3	B	167	Total 167	O 167	0	0
3	C	118	Total 118	O 118	0	0
3	D	110	Total 110	O 110	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NADP-dependent alcohol dehydrogenase




- Molecule 1: NADP-dependent alcohol dehydrogenase





- Molecule 1: NADP-dependent alcohol dehydrogenase





● Molecule 1: NADP-dependent alcohol dehydrogenase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	79.47Å 103.34Å 193.31Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.53 – 2.25 39.53 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.1 (39.53-2.25) 96.5 (39.53-2.25)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	0.10	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.48 (at 2.24Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.193 , 0.230 0.212 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	26.7	Xtriage
Anisotropy	0.229	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 41.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	11080	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.88% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:  
ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.32	0/2688	0.62	0/3626
1	B	0.32	0/2688	0.63	1/3626 (0.0%)
1	C	0.31	0/2688	0.61	0/3626
1	D	0.30	0/2688	0.60	1/3626 (0.0%)
All	All	0.31	0/10752	0.62	2/14504 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	89	ASP	N-CA-C	-5.51	96.13	111.00
1	D	89	ASP	N-CA-C	-5.30	96.70	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2638	0	2680	62	0
1	B	2638	0	2680	67	0
1	C	2638	0	2680	81	0
1	D	2638	0	2680	65	0
2	A	1	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	129	0	0	2	0
3	B	167	0	0	3	0
3	C	118	0	0	1	0
3	D	110	0	0	1	0
All	All	11080	0	10720	250	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (250) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:269:GLY:HA2	1:B:278:ARG:HD2	1.12	1.07
1:A:269:GLY:CA	1:B:278:ARG:HD2	1.97	0.95
1:C:102:HIS:HD2	1:C:107:LEU:H	1.15	0.92
1:A:102:HIS:HD2	1:A:107:LEU:H	1.20	0.87
1:B:272:ASP:O	1:B:274:LEU:N	2.07	0.86
1:A:269:GLY:HA2	1:B:278:ARG:CD	2.01	0.86
1:C:217:ASN:HD22	1:C:218:TYR:N	1.72	0.85
1:B:217:ASN:HD22	1:B:218:TYR:N	1.75	0.85
1:A:278:ARG:NE	1:B:270:SER:HA	1.93	0.84
1:A:80:ARG:HG3	1:A:80:ARG:HH11	1.41	0.83
1:B:102:HIS:HD2	1:B:107:LEU:H	1.19	0.83
1:A:216:LEU:HD21	1:A:230:LEU:HD11	1.62	0.80
1:D:6:MET:HE2	1:D:44:VAL:HG22	1.62	0.79
1:D:102:HIS:HD2	1:D:107:LEU:H	1.31	0.78
1:B:216:LEU:HD21	1:B:230:LEU:HD11	1.66	0.77
1:A:217:ASN:HD22	1:A:218:TYR:N	1.82	0.77
1:C:102:HIS:CD2	1:C:107:LEU:H	2.04	0.73
1:B:200:ARG:HH11	1:B:342:LYS:HA	1.53	0.72
1:A:6:MET:HE2	1:A:44:VAL:HG22	1.73	0.70
1:C:43:THR:HG23	1:C:49:LEU:HB2	1.73	0.70
1:C:43:THR:HG23	1:C:49:LEU:HD22	1.74	0.69
1:C:287:HIS:ND1	1:D:102:HIS:HE1	1.91	0.69
1:D:6:MET:HE1	1:D:43:THR:HG22	1.72	0.69
1:C:43:THR:CG2	1:C:49:LEU:HD22	2.22	0.69
1:A:6:MET:CE	1:A:43:THR:HG22	2.23	0.68
1:C:52:ARG:HG2	1:C:52:ARG:HH11	1.58	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:272:ASP:C	1:B:274:LEU:H	1.97	0.67
1:C:59:HIS:HD2	1:C:85:CYS:HB2	1.59	0.67
1:D:53:LYS:HE3	1:D:54:ASN:ND2	2.10	0.67
1:B:37:CYS:HB2	1:B:60:GLU:OE2	1.95	0.67
1:A:157:HIS:HA	1:A:160:GLU:OE1	1.96	0.66
1:B:102:HIS:CD2	1:B:107:LEU:H	2.08	0.65
1:D:6:MET:CE	1:D:43:THR:HG22	2.26	0.65
1:C:225:ASP:O	1:C:229:LYS:HG3	1.97	0.65
1:D:12:LEU:HD21	1:D:44:VAL:HG21	1.78	0.65
1:A:6:MET:HE1	1:A:43:THR:HG22	1.79	0.64
1:C:111:LYS:HG2	1:C:115:PHE:CZ	2.33	0.63
1:A:285:MET:HE2	1:B:294:LEU:HA	1.81	0.63
1:B:217:ASN:HD22	1:B:217:ASN:C	1.99	0.63
1:B:6:MET:CE	1:B:43:THR:HG22	2.28	0.62
1:C:273:ALA:HB1	1:D:276:ILE:O	1.98	0.62
1:A:285:MET:HE3	3:B:4938:HOH:O	1.99	0.62
1:A:96:GLN:HG2	1:C:90:TRP:CZ3	2.35	0.62
1:A:278:ARG:CZ	1:B:270:SER:HA	2.30	0.61
1:D:39:SER:OG	1:D:59:HIS:HE1	1.83	0.61
1:B:209:PHE:CE2	1:B:318:LYS:HG3	2.36	0.61
1:C:102:HIS:HD2	1:C:107:LEU:N	1.94	0.61
1:A:6:MET:SD	1:A:52:ARG:HB2	2.42	0.60
1:A:166:MET:HE3	1:A:190:GLY:HA3	1.82	0.60
1:C:32:LEU:HG	1:C:63:GLY:HA2	1.82	0.60
1:D:200:ARG:HD3	3:D:4811:HOH:O	2.01	0.59
1:D:157:HIS:HA	1:D:160:GLU:OE1	2.03	0.59
1:A:171:VAL:HG23	1:A:236:VAL:HG11	1.85	0.59
1:A:278:ARG:HE	1:B:270:SER:HA	1.66	0.59
1:B:6:MET:HE3	1:B:43:THR:HG22	1.84	0.59
1:D:156:PHE:O	1:D:160:GLU:HG3	2.03	0.58
1:D:247:GLU:O	1:D:251:GLN:HG3	2.04	0.58
1:B:142:LEU:O	1:B:146:VAL:HG23	2.04	0.58
1:B:12:LEU:HD21	1:B:44:VAL:HG21	1.86	0.57
1:B:51:ASP:OD2	1:B:53:LYS:HE2	2.05	0.57
1:C:4:PHE:HE2	1:C:334:LEU:HD23	1.70	0.57
1:C:49:LEU:CD2	1:C:52:ARG:HG3	2.35	0.56
1:D:209:PHE:CE2	1:D:318:LYS:HG3	2.40	0.56
1:B:217:ASN:OD1	1:B:219:LYS:HE2	2.06	0.56
1:C:6:MET:CE	1:C:52:ARG:HB2	2.36	0.56
1:C:156:PHE:O	1:C:160:GLU:HG3	2.06	0.56
1:A:102:HIS:CD2	1:A:107:LEU:H	2.10	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:102:HIS:HE1	1:D:287:HIS:ND1	2.03	0.56
1:D:222:HIS:CD2	1:D:224:VAL:HB	2.41	0.55
1:C:49:LEU:HD21	1:C:52:ARG:HG3	1.88	0.55
1:C:217:ASN:HD22	1:C:217:ASN:C	2.10	0.55
1:D:7:LEU:HD12	1:D:7:LEU:N	2.22	0.55
1:B:246:SER:OG	1:B:273:ALA:HB3	2.06	0.55
1:D:53:LYS:HE3	1:D:54:ASN:HD21	1.69	0.55
1:A:142:LEU:O	1:A:146:VAL:HG23	2.06	0.55
1:B:156:PHE:O	1:B:160:GLU:HG3	2.05	0.55
1:A:102:HIS:HE1	1:B:287:HIS:ND1	2.05	0.55
1:B:94:GLU:HG2	1:B:102:HIS:O	2.06	0.55
1:B:225:ASP:O	1:B:229:LYS:HG2	2.07	0.55
1:B:327:PHE:CD1	1:B:351:LEU:HD12	2.42	0.54
1:C:200:ARG:HD3	3:C:4806:HOH:O	2.06	0.54
1:D:102:HIS:CD2	1:D:107:LEU:H	2.18	0.54
1:D:175:ILE:HG12	1:D:198:GLY:HA3	1.90	0.54
1:B:223:ILE:HG12	3:B:4891:HOH:O	2.07	0.54
1:D:351:LEU:H	1:D:351:LEU:HD22	1.72	0.54
1:A:37:CYS:HB2	1:A:60:GLU:OE2	2.07	0.54
1:B:96:GLN:HG2	1:D:90:TRP:CZ3	2.43	0.54
1:B:217:ASN:ND2	1:B:219:LYS:H	2.05	0.54
1:A:269:GLY:HA2	1:B:278:ARG:HH11	1.73	0.53
1:B:42:HIS:O	1:B:46:GLU:HB2	2.08	0.53
1:B:9:ILE:HG22	1:B:10:ASN:ND2	2.23	0.53
1:C:274:LEU:HD12	1:C:274:LEU:N	2.24	0.53
1:D:59:HIS:HD2	1:D:85:CYS:HB2	1.74	0.53
1:A:6:MET:HE3	1:A:43:THR:HG22	1.91	0.53
1:A:49:LEU:HG	1:A:267:TYR:OH	2.08	0.53
1:A:351:LEU:N	1:A:351:LEU:HD22	2.24	0.52
1:A:217:ASN:HD22	1:A:218:TYR:H	1.53	0.52
1:C:49:LEU:O	1:C:49:LEU:HG	2.09	0.52
1:B:48:ALA:HB3	1:B:267:TYR:OH	2.09	0.52
1:C:52:ARG:HD2	1:C:55:MET:SD	2.49	0.52
1:A:287:HIS:ND1	1:B:102:HIS:HE1	2.08	0.52
1:C:47:GLY:C	1:C:49:LEU:H	2.13	0.52
1:C:276:ILE:O	1:D:273:ALA:HB1	2.09	0.52
1:D:7:LEU:HD13	1:D:12:LEU:C	2.30	0.51
1:B:102:HIS:HD2	1:B:107:LEU:N	1.99	0.51
1:C:80:ARG:HH11	1:C:80:ARG:HG3	1.75	0.51
1:C:276:ILE:HD11	1:D:276:ILE:HD11	1.91	0.51
1:D:142:LEU:O	1:D:146:VAL:HG23	2.09	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:43:THR:HG23	1:C:49:LEU:CB	2.40	0.51
1:A:90:TRP:CZ3	1:C:96:GLN:HG2	2.46	0.51
1:C:7:LEU:N	1:C:7:LEU:HD12	2.26	0.51
1:D:274:LEU:N	1:D:274:LEU:HD12	2.26	0.51
1:D:200:ARG:NH1	1:D:342:LYS:HA	2.25	0.51
1:B:20:PRO:HB2	1:B:125:HIS:HB2	1.93	0.51
1:D:6:MET:HE2	1:D:44:VAL:CG2	2.35	0.50
1:C:217:ASN:HD22	1:C:218:TYR:H	1.54	0.50
1:B:217:ASN:ND2	1:B:219:LYS:HG2	2.26	0.50
1:A:94:GLU:HG2	1:A:102:HIS:O	2.10	0.50
1:C:175:ILE:HG12	1:C:198:GLY:HA3	1.92	0.50
1:A:80:ARG:HG3	1:A:80:ARG:NH1	2.15	0.50
1:D:86:THR:HB	1:D:297:GLY:HA3	1.93	0.49
1:D:37:CYS:HB2	1:D:60:GLU:OE2	2.12	0.49
1:C:59:HIS:HD2	1:C:85:CYS:CB	2.23	0.49
1:C:223:ILE:O	1:C:227:VAL:HG23	2.13	0.49
1:A:138:LYS:HG3	3:A:4848:HOH:O	2.12	0.49
1:D:10:ASN:HA	1:D:45:PHE:CD1	2.48	0.48
1:D:253:VAL:HA	1:D:262:ILE:HD11	1.95	0.48
1:B:272:ASP:C	1:B:274:LEU:N	2.62	0.48
1:C:43:THR:HG23	1:C:49:LEU:HD13	1.95	0.48
1:C:287:HIS:CE1	1:D:293:GLY:HA3	2.49	0.48
1:B:6:MET:HG3	1:B:44:VAL:HG22	1.95	0.48
1:C:254:SER:OG	1:C:280:GLU:HG2	2.14	0.48
1:A:42:HIS:O	1:A:46:GLU:HB2	2.14	0.48
1:C:49:LEU:HD11	1:C:52:ARG:NE	2.28	0.48
1:D:327:PHE:HD1	1:D:351:LEU:CD1	2.27	0.48
1:B:6:MET:HE1	1:B:44:VAL:HA	1.94	0.48
1:B:52:ARG:O	1:B:53:LYS:HD3	2.14	0.48
1:A:264:ASN:O	1:A:292:GLY:HA2	2.13	0.48
1:C:9:ILE:HG12	1:C:51:ASP:OD1	2.14	0.48
1:C:217:ASN:ND2	1:C:219:LYS:H	2.12	0.47
1:B:217:ASN:C	1:B:217:ASN:ND2	2.67	0.47
1:C:171:VAL:HG23	1:C:236:VAL:HG11	1.96	0.47
1:A:166:MET:HG3	1:D:160:GLU:OE2	2.14	0.47
1:A:325:HIS:HA	1:A:350:ILE:O	2.15	0.47
1:C:47:GLY:C	1:C:49:LEU:N	2.67	0.47
1:C:166:MET:CE	1:C:190:GLY:HA3	2.44	0.47
1:A:166:MET:CE	1:A:190:GLY:HA3	2.45	0.47
1:B:341:PRO:HB2	1:B:343:ASP:OD1	2.15	0.47
1:D:209:PHE:CD2	1:D:318:LYS:HG3	2.50	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:351:LEU:N	1:B:351:LEU:HD22	2.29	0.47
1:D:49:LEU:O	1:D:52:ARG:NH1	2.47	0.47
1:C:51:ASP:O	1:C:52:ARG:HG2	2.14	0.46
1:A:6:MET:HE2	1:A:44:VAL:CG2	2.44	0.46
1:A:166:MET:HE3	1:A:166:MET:HA	1.96	0.46
1:B:278:ARG:NH1	1:B:283:CYS:SG	2.89	0.46
1:C:6:MET:HE2	1:C:52:ARG:HB2	1.97	0.46
1:C:94:GLU:HB2	1:C:103:SER:HA	1.98	0.46
1:A:327:PHE:C	1:A:329:HIS:H	2.20	0.46
1:A:86:THR:HB	1:A:297:GLY:HA3	1.98	0.46
1:C:217:ASN:CG	1:C:219:LYS:HG2	2.36	0.45
1:D:166:MET:CE	1:D:190:GLY:HA3	2.46	0.45
1:B:209:PHE:CD2	1:B:318:LYS:HG3	2.51	0.45
1:B:299:ARG:O	1:B:303:GLU:HG3	2.16	0.45
1:C:52:ARG:O	1:C:53:LYS:HD3	2.17	0.45
1:D:161:LEU:O	1:D:291:LYS:HD2	2.16	0.45
1:A:217:ASN:HD22	1:A:217:ASN:C	2.20	0.45
1:A:80:ARG:NH1	1:A:80:ARG:CG	2.78	0.45
1:B:90:TRP:CZ3	1:D:96:GLN:HG2	2.52	0.45
1:C:12:LEU:HD21	1:C:44:VAL:HG11	1.98	0.45
1:C:4:PHE:CE1	1:C:331:GLU:HB2	2.52	0.45
1:C:299:ARG:O	1:C:303:GLU:HG3	2.17	0.45
1:D:7:LEU:H	1:D:7:LEU:CD1	2.30	0.45
1:D:9:ILE:HG12	1:D:51:ASP:OD1	2.16	0.45
1:A:267:TYR:CD1	1:A:267:TYR:C	2.91	0.45
1:C:52:ARG:HH11	1:C:52:ARG:CG	2.26	0.45
1:C:234:LYS:O	1:C:257:LYS:HG2	2.16	0.45
1:D:166:MET:HE2	1:D:190:GLY:HA3	1.98	0.45
1:C:247:GLU:O	1:C:251:GLN:HG3	2.17	0.44
1:C:281:TRP:CE3	1:C:284:GLY:HA2	2.52	0.44
1:D:299:ARG:O	1:D:303:GLU:HG3	2.17	0.44
1:B:272:ASP:O	1:B:272:ASP:OD1	2.33	0.44
1:D:39:SER:OG	1:D:59:HIS:CE1	2.68	0.44
1:A:6:MET:HE1	1:A:44:VAL:HA	1.99	0.44
1:B:173:ILE:HD11	1:B:255:MET:CE	2.46	0.44
1:D:34:VAL:HG12	1:D:61:ALA:HB2	2.00	0.44
1:C:80:ARG:HG3	1:C:80:ARG:NH1	2.32	0.44
1:C:86:THR:O	1:C:297:GLY:HA3	2.18	0.44
1:D:222:HIS:HB3	1:D:225:ASP:OD2	2.18	0.44
1:C:43:THR:HG23	1:C:49:LEU:CD2	2.44	0.44
1:B:5:ALA:HB2	1:B:56:ILE:HA	1.99	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:157:HIS:HA	1:C:160:GLU:OE1	2.18	0.44
1:C:166:MET:HE2	1:C:190:GLY:HA3	1.99	0.44
1:D:7:LEU:N	1:D:7:LEU:CD1	2.81	0.44
1:D:171:VAL:HG23	1:D:236:VAL:HG11	1.99	0.44
1:A:157:HIS:CG	1:A:296:PRO:HD3	2.53	0.44
1:B:200:ARG:O	1:B:204:VAL:HG23	2.18	0.43
1:B:9:ILE:HG12	1:B:51:ASP:OD1	2.17	0.43
1:C:136:LEU:HD12	1:C:137:PRO:HD2	2.01	0.43
1:C:174:GLY:O	1:C:179:GLY:HA3	2.19	0.43
1:D:32:LEU:HG	1:D:63:GLY:HA2	2.01	0.43
1:A:177:ALA:HB2	1:A:346:LYS:HG2	2.00	0.43
1:B:228:MET:HE3	1:B:233:GLY:HA2	2.00	0.43
1:C:253:VAL:HA	1:C:262:ILE:HD11	1.99	0.43
1:B:277:PRO:HB2	1:B:280:GLU:OE1	2.19	0.43
1:C:42:HIS:O	1:C:46:GLU:HB2	2.18	0.43
1:C:142:LEU:O	1:C:146:VAL:HG23	2.19	0.43
1:C:106:MET:O	1:C:107:LEU:HB2	2.19	0.43
1:C:325:HIS:O	1:C:329:HIS:HD2	2.02	0.42
1:C:30:ARG:NE	1:C:64:GLU:OE1	2.47	0.42
1:D:59:HIS:HD2	1:D:85:CYS:CB	2.32	0.42
1:B:157:HIS:HA	1:B:160:GLU:OE1	2.19	0.42
1:C:189:ARG:HD2	1:C:189:ARG:HA	1.91	0.42
1:D:37:CYS:SG	1:D:38:THR:N	2.93	0.42
1:A:5:ALA:HB1	1:A:55:MET:O	2.20	0.42
1:A:253:VAL:HA	1:A:262:ILE:HD11	2.02	0.42
1:B:217:ASN:CG	1:B:219:LYS:HG2	2.39	0.42
1:C:224:VAL:HG21	1:C:254:SER:HB2	2.02	0.42
1:C:49:LEU:HG	1:C:52:ARG:HG3	2.00	0.41
1:C:287:HIS:ND1	1:D:102:HIS:CE1	2.80	0.41
1:D:4:PHE:CE1	1:D:331:GLU:HB2	2.55	0.41
1:A:246:SER:HB2	1:A:274:LEU:HD23	2.03	0.41
1:A:281:TRP:CE3	1:A:284:GLY:HA2	2.55	0.41
1:A:96:GLN:HG2	1:C:90:TRP:CH2	2.54	0.41
1:A:217:ASN:ND2	1:A:218:TYR:N	2.61	0.41
1:D:171:VAL:HG22	1:D:195:ILE:HB	2.03	0.41
1:A:94:GLU:HB2	1:A:103:SER:HA	2.03	0.41
1:A:104:ASN:HA	3:A:4922:HOH:O	2.21	0.41
1:B:5:ALA:HB1	1:B:55:MET:O	2.20	0.41
1:B:177:ALA:HB2	1:B:346:LYS:HG2	2.02	0.41
1:D:223:ILE:HG22	1:D:255:MET:CE	2.50	0.41
1:D:327:PHE:HD1	1:D:351:LEU:HD12	1.85	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:293:GLY:HA3	1:B:287:HIS:CE1	2.56	0.41
1:A:336:LEU:HG	1:A:344:LEU:HD22	2.01	0.41
1:B:271:GLY:O	1:B:272:ASP:CB	2.69	0.41
1:C:59:HIS:CD2	1:C:85:CYS:HB2	2.46	0.41
1:C:52:ARG:CG	1:C:52:ARG:NH1	2.83	0.41
1:C:273:ALA:HB3	1:D:275:LEU:HD11	2.02	0.41
1:A:299:ARG:O	1:A:303:GLU:HG3	2.20	0.40
1:B:273:ALA:N	3:B:4870:HOH:O	2.53	0.40
1:B:161:LEU:O	1:B:291:LYS:HD2	2.21	0.40
1:D:62:VAL:HG11	1:D:136:LEU:HD22	2.02	0.40
1:B:264:ASN:O	1:B:292:GLY:HA2	2.21	0.40
1:D:327:PHE:CD1	1:D:351:LEU:CD1	3.04	0.40
1:A:5:ALA:HB2	1:A:56:ILE:HA	2.04	0.40
1:C:86:THR:HB	1:C:297:GLY:HA3	2.03	0.40
1:C:277:PRO:HB2	1:C:280:GLU:OE1	2.21	0.40
1:D:59:HIS:CD2	1:D:85:CYS:HB2	2.54	0.40
1:D:103:SER:O	1:D:104:ASN:HB2	2.22	0.40
1:A:267:TYR:C	1:A:267:TYR:HD1	2.24	0.40
1:D:7:LEU:HD12	1:D:7:LEU:H	1.86	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	349/351 (99%)	330 (95%)	17 (5%)	2 (1%)	25	25
1	B	349/351 (99%)	328 (94%)	17 (5%)	4 (1%)	14	10
1	C	349/351 (99%)	331 (95%)	16 (5%)	2 (1%)	25	25
1	D	349/351 (99%)	332 (95%)	16 (5%)	1 (0%)	41	46
All	All	1396/1404 (99%)	1321 (95%)	66 (5%)	9 (1%)	25	25

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	272	ASP
1	B	273	ALA
1	A	268	HIS
1	B	115	PHE
1	C	51	ASP
1	B	269	GLY
1	C	115	PHE
1	A	328	ASP
1	D	115	PHE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	279/279 (100%)	273 (98%)	6 (2%)	52	61
1	B	279/279 (100%)	276 (99%)	3 (1%)	73	82
1	C	279/279 (100%)	274 (98%)	5 (2%)	59	68
1	D	279/279 (100%)	277 (99%)	2 (1%)	84	90
All	All	1116/1116 (100%)	1100 (99%)	16 (1%)	67	76

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	ASN
1	A	80	ARG
1	A	166	MET
1	A	217	ASN
1	A	267	TYR
1	A	339	ASP
1	B	217	ASN
1	B	267	TYR
1	B	272	ASP
1	C	10	ASN
1	C	46	GLU

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	C	166	MET
1	C	217	ASN
1	C	327	PHE
1	D	10	ASN
1	D	166	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	10	ASN
1	A	102	HIS
1	A	217	ASN
1	A	220	ASN
1	A	312	ASN
1	A	329	HIS
1	B	10	ASN
1	B	102	HIS
1	B	217	ASN
1	B	220	ASN
1	C	10	ASN
1	C	59	HIS
1	C	102	HIS
1	C	217	ASN
1	C	220	ASN
1	C	329	HIS
1	D	10	ASN
1	D	54	ASN
1	D	59	HIS
1	D	102	HIS
1	D	217	ASN
1	D	220	ASN
1	D	222	HIS
1	D	266	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	351/351 (100%)	-0.18	9 (2%) 56 59	16, 25, 49, 60	0
1	B	351/351 (100%)	-0.15	13 (3%) 41 44	15, 25, 54, 65	0
1	C	351/351 (100%)	-0.17	17 (4%) 30 33	17, 26, 57, 76	0
1	D	351/351 (100%)	-0.08	20 (5%) 23 25	18, 29, 64, 80	0
All	All	1404/1404 (100%)	-0.14	59 (4%) 36 38	15, 26, 55, 80	0

All (59) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	273	ALA	11.7
1	C	49	LEU	8.4
1	B	270	SER	6.2
1	D	51	ASP	5.9
1	D	50	GLY	5.7
1	C	272	ASP	5.7
1	C	50	GLY	5.0
1	D	272	ASP	4.7
1	D	273	ALA	4.7
1	B	9	ILE	4.7
1	A	269	GLY	4.7
1	D	10	ASN	4.6
1	C	273	ALA	4.5
1	B	218	TYR	4.4
1	B	272	ASP	4.2
1	C	9	ILE	4.1
1	B	49	LEU	4.0
1	C	51	ASP	4.0
1	C	271	GLY	3.9
1	D	11	LYS	3.8
1	D	271	GLY	3.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	271	GLY	3.4
1	C	8	GLY	3.4
1	D	8	GLY	3.2
1	B	219	LYS	3.2
1	D	7	LEU	3.2
1	D	9	ILE	3.1
1	C	10	ASN	3.0
1	D	49	LEU	3.0
1	B	48	ALA	2.8
1	B	271	GLY	2.7
1	A	49	LEU	2.7
1	C	139	ASP	2.6
1	A	222	HIS	2.6
1	D	13	GLY	2.6
1	B	11	LYS	2.6
1	A	218	TYR	2.6
1	A	10	ASN	2.6
1	C	267	TYR	2.5
1	C	270	SER	2.5
1	B	53	LYS	2.5
1	D	267	TYR	2.5
1	B	10	ASN	2.4
1	C	115	PHE	2.4
1	D	48	ALA	2.4
1	A	21	VAL	2.4
1	A	221	GLY	2.4
1	B	8	GLY	2.4
1	D	47	GLY	2.3
1	C	53	LYS	2.3
1	D	53	LYS	2.2
1	A	270	SER	2.1
1	D	2	LYS	2.1
1	D	270	SER	2.1
1	C	47	GLY	2.1
1	D	12	LEU	2.1
1	C	6	MET	2.1
1	D	14	TRP	2.0
1	C	229	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	ZN	A	1353	1/1	0.99	0.10	36,36,36,36	0
2	ZN	C	3353	1/1	0.99	0.10	33,33,33,33	0
2	ZN	D	4353	1/1	0.99	0.08	36,36,36,36	0
2	ZN	B	2353	1/1	1.00	0.06	38,38,38,38	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.