



## Full wwPDB EM Validation Report ⓘ

Dec 19, 2022 – 12:58 am GMT

PDB ID : 7BJP  
EMDB ID : EMD-12194  
Title : The cryo-EM structure of vesivirus 2117, an adventitious agent and possible cause of haemorrhagic gastroenteritis in dogs.  
Authors : Sutherland, H.; Conley, M.J.; Emmott, E.; Streetley, J.; Goodfellow, I.G.; Bhella, D.  
Deposited on : 2021-01-14  
Resolution : 3.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	533	<div> <div>29%</div> <div>74%</div> <div>21%</div> <div>• •</div> </div>
1	B	533	<div> <div>31%</div> <div>58%</div> <div>31%</div> <div>5%</div> <div>6%</div> </div>
1	C	533	<div> <div>34%</div> <div>71%</div> <div>23%</div> <div>• •</div> </div>

## 2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 23560 atoms, of which 11649 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Capsid protein.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	513	Total	C	H	N	O	S	0	0
			7896	2568	3904	663	744	17		
1	B	501	Total	C	H	N	O	S	0	0
			7733	2517	3824	650	725	17		
1	C	516	Total	C	H	N	O	S	0	0
			7931	2577	3921	667	749	17		


There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP Q6VCZ3
A	357	ASN	SER	conflict	UNP Q6VCZ3
A	370	TYR	HIS	conflict	UNP Q6VCZ3
A	497	PRO	SER	conflict	UNP Q6VCZ3
A	519	TYR	HIS	conflict	UNP Q6VCZ3
B	1	MET	-	initiating methionine	UNP Q6VCZ3
B	357	ASN	SER	conflict	UNP Q6VCZ3
B	370	TYR	HIS	conflict	UNP Q6VCZ3
B	497	PRO	SER	conflict	UNP Q6VCZ3
B	519	TYR	HIS	conflict	UNP Q6VCZ3
C	1	MET	-	initiating methionine	UNP Q6VCZ3
C	357	ASN	SER	conflict	UNP Q6VCZ3
C	370	TYR	HIS	conflict	UNP Q6VCZ3
C	497	PRO	SER	conflict	UNP Q6VCZ3
C	519	TYR	HIS	conflict	UNP Q6VCZ3


### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Capsid protein




#### • Molecule 1: Capsid protein





• Molecule 1: Capsid protein





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, I	Depositor
Number of particles used	15989	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	JEOL CRYO ARM 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	55	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	DIRECT ELECTRON DE-64 (8k x 8k)	Depositor
Maximum map value	0.047	Depositor
Minimum map value	-0.027	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.012	Depositor
Map size (Å)	510.976, 510.976, 510.976	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.998, 0.998, 0.998	Depositor

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	1.74	89/4105 (2.2%)	1.42	32/5594 (0.6%)
1	B	2.28	167/4022 (4.2%)	1.69	46/5482 (0.8%)
1	C	1.95	124/4123 (3.0%)	1.50	31/5621 (0.6%)
All	All	2.00	380/12250 (3.1%)	1.54	109/16697 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	3
1	C	0	2
All	All	0	7

All (380) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	259	ARG	CZ-NH1	-8.50	1.22	1.33
1	C	211	ARG	CZ-NH1	-8.40	1.22	1.33
1	B	153	ARG	CZ-NH1	-8.18	1.22	1.33
1	C	140	ARG	CZ-NH2	-8.12	1.22	1.33
1	C	140	ARG	CZ-NH1	-8.06	1.22	1.33
1	B	99	ARG	CZ-NH2	-7.94	1.22	1.33
1	B	153	ARG	CZ-NH2	-7.91	1.22	1.33
1	B	140	ARG	CZ-NH2	-7.86	1.22	1.33
1	A	455	ARG	CZ-NH1	-7.83	1.22	1.33
1	A	196	ARG	CZ-NH2	-7.83	1.22	1.33
1	B	253	ARG	CZ-NH1	-7.82	1.22	1.33
1	B	140	ARG	CZ-NH1	-7.80	1.23	1.33
1	A	99	ARG	CZ-NH2	-7.79	1.23	1.33
1	B	253	ARG	CZ-NH2	-7.78	1.23	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	455	ARG	CZ-NH2	-7.77	1.23	1.33
1	C	211	ARG	CZ-NH2	-7.75	1.23	1.33
1	B	259	ARG	CZ-NH1	-7.74	1.23	1.33
1	A	196	ARG	CZ-NH1	-7.73	1.23	1.33
1	A	153	ARG	CZ-NH2	-7.72	1.23	1.33
1	C	259	ARG	CZ-NH2	-7.71	1.23	1.33
1	A	77	ARG	CZ-NH1	-7.69	1.23	1.33
1	B	77	ARG	CZ-NH2	-7.67	1.23	1.33
1	B	259	ARG	CZ-NH2	-7.66	1.23	1.33
1	A	153	ARG	CZ-NH1	-7.65	1.23	1.33
1	A	53	TYR	CD2-CE2	-7.64	1.27	1.39
1	B	77	ARG	CZ-NH1	-7.63	1.23	1.33
1	B	234	ARG	CZ-NH2	-7.61	1.23	1.33
1	C	455	ARG	CZ-NH2	-7.61	1.23	1.33
1	A	99	ARG	CZ-NH1	-7.60	1.23	1.33
1	C	54	TYR	CD1-CE1	-7.58	1.27	1.39
1	A	77	ARG	CZ-NH2	-7.54	1.23	1.33
1	B	512	TYR	CD1-CE1	-7.54	1.28	1.39
1	C	455	ARG	CZ-NH1	-7.53	1.23	1.33
1	A	53	TYR	CD1-CE1	-7.50	1.28	1.39
1	B	99	ARG	CZ-NH1	-7.50	1.23	1.33
1	C	444	ARG	CZ-NH1	-7.48	1.23	1.33
1	B	314	ARG	CZ-NH1	-7.48	1.23	1.33
1	B	413	ARG	CZ-NH2	-7.46	1.23	1.33
1	A	259	ARG	CZ-NH1	-7.46	1.23	1.33
1	B	53	TYR	CD2-CE2	-7.46	1.28	1.39
1	B	413	ARG	CZ-NH1	-7.44	1.23	1.33
1	C	278	ARG	CZ-NH2	-7.44	1.23	1.33
1	B	348	ARG	CZ-NH2	-7.41	1.23	1.33
1	B	221	ARG	CZ-NH2	-7.41	1.23	1.33
1	B	278	ARG	CZ-NH2	-7.40	1.23	1.33
1	A	259	ARG	CZ-NH2	-7.40	1.23	1.33
1	C	430	TYR	CD2-CE2	-7.39	1.28	1.39
1	C	444	ARG	CZ-NH2	-7.38	1.23	1.33
1	B	234	ARG	CZ-NH1	-7.38	1.23	1.33
1	C	278	ARG	CZ-NH1	-7.35	1.23	1.33
1	B	314	ARG	CZ-NH2	-7.33	1.23	1.33
1	B	221	ARG	CZ-NH1	-7.33	1.23	1.33
1	B	348	ARG	CZ-NH1	-7.32	1.23	1.33
1	B	278	ARG	CZ-NH1	-7.32	1.23	1.33
1	B	512	TYR	CD2-CE2	-7.28	1.28	1.39
1	C	427	TYR	CD2-CE2	-7.25	1.28	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	376	TYR	CD1-CE1	-7.24	1.28	1.39
1	B	53	TYR	CD1-CE1	-7.17	1.28	1.39
1	B	370	TYR	CD1-CE1	-7.16	1.28	1.39
1	B	462	TYR	CD1-CE1	-7.12	1.28	1.39
1	B	462	TYR	CD2-CE2	-7.10	1.28	1.39
1	B	89	TYR	CD2-CE2	-7.09	1.28	1.39
1	B	54	TYR	CD1-CE1	-7.05	1.28	1.39
1	C	427	TYR	CD1-CE1	-7.02	1.28	1.39
1	A	462	TYR	CD1-CE1	-6.99	1.28	1.39
1	C	430	TYR	CD1-CE1	-6.96	1.28	1.39
1	C	89	TYR	CD2-CE2	-6.96	1.28	1.39
1	C	68	VAL	CB-CG1	-6.95	1.38	1.52
1	C	89	TYR	CD1-CE1	-6.94	1.28	1.39
1	B	427	TYR	CD2-CE2	-6.93	1.28	1.39
1	C	54	TYR	CD2-CE2	-6.92	1.28	1.39
1	B	54	TYR	CD2-CE2	-6.86	1.29	1.39
1	C	519	TYR	CD1-CE1	-6.83	1.29	1.39
1	C	519	TYR	CD2-CE2	-6.81	1.29	1.39
1	A	54	TYR	CD1-CE1	-6.73	1.29	1.39
1	B	89	TYR	CD1-CE1	-6.73	1.29	1.39
1	B	370	TYR	CD2-CE2	-6.71	1.29	1.39
1	A	191	VAL	CB-CG2	-6.68	1.38	1.52
1	A	272	VAL	CB-CG1	-6.66	1.38	1.52
1	C	57	VAL	CB-CG2	-6.62	1.39	1.52
1	C	446	TYR	CD1-CE1	-6.61	1.29	1.39
1	C	115	VAL	CB-CG2	-6.59	1.39	1.52
1	C	169	VAL	CB-CG1	-6.57	1.39	1.52
1	A	21	VAL	CB-CG1	-6.52	1.39	1.52
1	B	416	VAL	CB-CG1	-6.52	1.39	1.52
1	A	54	TYR	CD2-CE2	-6.49	1.29	1.39
1	C	115	VAL	CB-CG1	-6.47	1.39	1.52
1	C	68	VAL	CB-CG2	-6.46	1.39	1.52
1	B	73	GLY	N-CA	-6.44	1.36	1.46
1	C	169	VAL	CB-CG2	-6.44	1.39	1.52
1	A	462	TYR	CD2-CE2	-6.41	1.29	1.39
1	C	445	VAL	CB-CG1	-6.39	1.39	1.52
1	B	427	TYR	CD1-CE1	-6.39	1.29	1.39
1	B	271	GLY	N-CA	-6.37	1.36	1.46
1	A	71	VAL	CB-CG2	-6.35	1.39	1.52
1	C	446	TYR	CD2-CE2	-6.31	1.29	1.39
1	B	169	VAL	CB-CG1	-6.30	1.39	1.52
1	B	135	VAL	CB-CG1	-6.29	1.39	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	145	VAL	CB-CG2	-6.28	1.39	1.52
1	B	57	VAL	CB-CG2	-6.25	1.39	1.52
1	A	465	GLY	N-CA	-6.25	1.36	1.46
1	A	57	VAL	CB-CG2	-6.23	1.39	1.52
1	C	18	GLY	N-CA	-6.23	1.36	1.46
1	B	376	TYR	CD2-CE2	-6.22	1.30	1.39
1	B	169	VAL	CB-CG2	-6.21	1.39	1.52
1	B	115	VAL	CB-CG2	-6.20	1.39	1.52
1	B	465	GLY	N-CA	-6.19	1.36	1.46
1	C	193	VAL	CB-CG2	-6.17	1.40	1.52
1	B	66	GLY	N-CA	-6.14	1.36	1.46
1	C	137	VAL	CB-CG1	-6.13	1.40	1.52
1	C	465	GLY	N-CA	-6.12	1.36	1.46
1	C	471	VAL	CB-CG2	-6.12	1.40	1.52
1	A	193	VAL	CB-CG1	-6.12	1.40	1.52
1	B	145	VAL	CB-CG1	-6.10	1.40	1.52
1	C	126	GLY	N-CA	-6.09	1.36	1.46
1	B	71	VAL	CB-CG2	-6.09	1.40	1.52
1	B	191	VAL	CB-CG2	-6.06	1.40	1.52
1	B	137	VAL	CB-CG1	-6.06	1.40	1.52
1	A	73	GLY	N-CA	-6.04	1.36	1.46
1	C	73	GLY	N-CA	-6.02	1.37	1.46
1	B	137	VAL	CB-CG2	-6.00	1.40	1.52
1	A	19	VAL	CB-CG2	-6.00	1.40	1.52
1	B	92	TRP	CD1-NE1	-5.99	1.27	1.38
1	C	135	VAL	CB-CG2	-5.99	1.40	1.52
1	B	115	VAL	CB-CG1	-5.98	1.40	1.52
1	B	68	VAL	CB-CG1	-5.97	1.40	1.52
1	C	193	VAL	CB-CG1	-5.97	1.40	1.52
1	A	14	GLY	N-CA	-5.97	1.37	1.46
1	C	203	PHE	CD2-CE2	-5.97	1.27	1.39
1	A	180	TYR	CD1-CE1	-5.96	1.30	1.39
1	C	481	TRP	CD1-NE1	-5.95	1.27	1.38
1	C	191	VAL	CB-CG1	-5.94	1.40	1.52
1	B	57	VAL	CB-CG1	-5.94	1.40	1.52
1	B	452	TRP	CD1-NE1	-5.93	1.27	1.38
1	C	106	GLY	N-CA	-5.92	1.37	1.46
1	C	137	VAL	CB-CG2	-5.92	1.40	1.52
1	C	191	VAL	CB-CG2	-5.92	1.40	1.52
1	C	432	VAL	CB-CG1	-5.92	1.40	1.52
1	B	230	TRP	CD1-NE1	-5.91	1.27	1.38
1	B	122	GLY	N-CA	-5.91	1.37	1.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	135	VAL	CB-CG1	-5.89	1.40	1.52
1	B	473	LYS	CE-NZ	-5.89	1.34	1.49
1	C	494	VAL	CB-CG2	-5.89	1.40	1.52
1	B	494	VAL	CB-CG2	-5.87	1.40	1.52
1	C	92	TRP	CD1-NE1	-5.87	1.27	1.38
1	C	157	TRP	CD1-NE1	-5.87	1.27	1.38
1	B	106	GLY	N-CA	-5.87	1.37	1.46
1	B	193	VAL	CB-CG2	-5.85	1.40	1.52
1	A	263	GLY	N-CA	-5.84	1.37	1.46
1	A	19	VAL	CB-CG1	-5.84	1.40	1.52
1	C	57	VAL	CB-CG1	-5.83	1.40	1.52
1	C	125	GLY	N-CA	-5.82	1.37	1.46
1	B	68	VAL	CB-CG2	-5.81	1.40	1.52
1	A	193	VAL	CB-CG2	-5.80	1.40	1.52
1	C	272	VAL	CB-CG2	-5.80	1.40	1.52
1	C	513	VAL	CB-CG1	-5.80	1.40	1.52
1	B	490	GLY	N-CA	-5.79	1.37	1.46
1	B	399	GLY	N-CA	-5.79	1.37	1.46
1	B	481	TRP	CD1-NE1	-5.78	1.28	1.38
1	B	308	TRP	CD1-NE1	-5.78	1.28	1.38
1	B	377	VAL	CB-CG1	-5.77	1.40	1.52
1	B	135	VAL	CB-CG2	-5.77	1.40	1.52
1	A	21	VAL	CB-CG2	-5.76	1.40	1.52
1	A	481	TRP	CD1-NE1	-5.76	1.28	1.38
1	C	294	VAL	CB-CG1	-5.76	1.40	1.52
1	C	514	GLY	N-CA	-5.76	1.37	1.46
1	B	479	GLY	N-CA	-5.75	1.37	1.46
1	C	513	VAL	CB-CG2	-5.74	1.40	1.52
1	C	145	VAL	CB-CG1	-5.74	1.40	1.52
1	B	514	GLY	N-CA	-5.73	1.37	1.46
1	B	126	GLY	N-CA	-5.72	1.37	1.46
1	C	271	GLY	N-CA	-5.72	1.37	1.46
1	B	117	VAL	CB-CG1	-5.72	1.40	1.52
1	C	294	VAL	CB-CG2	-5.72	1.40	1.52
1	A	425	GLY	N-CA	-5.72	1.37	1.46
1	C	424	GLY	N-CA	-5.71	1.37	1.46
1	B	373	GLY	N-CA	-5.71	1.37	1.46
1	A	490	GLY	N-CA	-5.71	1.37	1.46
1	B	294	VAL	CB-CG1	-5.70	1.40	1.52
1	C	425	GLY	N-CA	-5.70	1.37	1.46
1	B	264	TRP	CD1-NE1	-5.70	1.28	1.38
1	A	514	GLY	N-CA	-5.70	1.37	1.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	191	VAL	CB-CG1	-5.70	1.40	1.52
1	C	21	VAL	CB-CG2	-5.69	1.40	1.52
1	C	14	GLY	N-CA	-5.68	1.37	1.46
1	C	432	VAL	CB-CG2	-5.67	1.41	1.52
1	B	193	VAL	CB-CG1	-5.66	1.41	1.52
1	C	307	GLY	N-CA	-5.66	1.37	1.46
1	C	232	GLY	N-CA	-5.65	1.37	1.46
1	B	290	GLY	N-CA	-5.65	1.37	1.46
1	B	157	TRP	CD1-NE1	-5.65	1.28	1.38
1	A	71	VAL	CB-CG1	-5.64	1.41	1.52
1	C	373	GLY	N-CA	-5.64	1.37	1.46
1	A	487	SER	CB-OG	-5.64	1.34	1.42
1	C	445	VAL	CB-CG2	-5.63	1.41	1.52
1	B	117	VAL	CB-CG2	-5.62	1.41	1.52
1	B	513	VAL	CB-CG2	-5.62	1.41	1.52
1	A	479	GLY	N-CA	-5.62	1.37	1.46
1	A	471	VAL	CB-CG2	-5.61	1.41	1.52
1	C	91	GLY	N-CA	-5.61	1.37	1.46
1	A	461	VAL	CB-CG1	-5.60	1.41	1.52
1	B	494	VAL	CB-CG1	-5.60	1.41	1.52
1	A	18	GLY	N-CA	-5.60	1.37	1.46
1	B	264	TRP	CE3-CZ3	-5.59	1.28	1.38
1	A	180	TYR	CD2-CE2	-5.59	1.30	1.39
1	B	425	GLY	N-CA	-5.59	1.37	1.46
1	B	71	VAL	CB-CG1	-5.58	1.41	1.52
1	C	201	PHE	CD2-CE2	-5.57	1.28	1.39
1	C	21	VAL	CB-CG1	-5.56	1.41	1.52
1	A	57	VAL	CB-CG1	-5.54	1.41	1.52
1	B	92	TRP	CE3-CZ3	-5.54	1.29	1.38
1	C	67	LYS	CE-NZ	-5.54	1.35	1.49
1	A	107	VAL	CB-CG1	-5.54	1.41	1.52
1	B	416	VAL	CB-CG2	-5.53	1.41	1.52
1	C	92	TRP	CE3-CZ3	-5.53	1.29	1.38
1	A	495	GLY	N-CA	-5.53	1.37	1.46
1	B	230	TRP	CE3-CZ3	-5.53	1.29	1.38
1	A	385	GLY	N-CA	-5.53	1.37	1.46
1	C	201	PHE	CD1-CE1	-5.52	1.28	1.39
1	B	94	GLY	N-CA	-5.52	1.37	1.46
1	B	272	VAL	CB-CG1	-5.50	1.41	1.52
1	B	67	LYS	CE-NZ	-5.50	1.35	1.49
1	C	241	GLY	N-CA	-5.50	1.37	1.46
1	B	424	GLY	N-CA	-5.49	1.37	1.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	405	GLY	N-CA	-5.49	1.37	1.46
1	B	491	PHE	CD1-CE1	-5.49	1.28	1.39
1	A	120	GLY	N-CA	-5.49	1.37	1.46
1	B	461	VAL	CB-CG1	-5.48	1.41	1.52
1	C	132	PHE	CD2-CE2	-5.48	1.28	1.39
1	A	513	VAL	CB-CG2	-5.48	1.41	1.52
1	B	93	SER	CB-OG	-5.48	1.35	1.42
1	B	368	GLY	N-CA	-5.46	1.37	1.46
1	C	358	GLY	N-CA	-5.46	1.37	1.46
1	B	448	SER	CB-OG	-5.46	1.35	1.42
1	B	411	VAL	CB-CG2	-5.46	1.41	1.52
1	A	216	GLY	N-CA	-5.46	1.37	1.46
1	C	103	SER	CB-OG	-5.46	1.35	1.42
1	B	291	VAL	CB-CG1	-5.45	1.41	1.52
1	A	424	GLY	N-CA	-5.45	1.37	1.46
1	B	227	SER	CB-OG	-5.45	1.35	1.42
1	B	155	VAL	CB-CG2	-5.44	1.41	1.52
1	B	378	GLY	N-CA	-5.44	1.37	1.46
1	C	494	VAL	CB-CG1	-5.44	1.41	1.52
1	B	307	GLY	N-CA	-5.44	1.37	1.46
1	C	517	SER	CB-OG	-5.44	1.35	1.42
1	B	155	VAL	CB-CG1	-5.44	1.41	1.52
1	A	513	VAL	CB-CG1	-5.43	1.41	1.52
1	B	28	SER	CB-OG	-5.42	1.35	1.42
1	B	132	PHE	CD1-CE1	-5.42	1.28	1.39
1	B	230	TRP	CZ3-CH2	-5.42	1.31	1.40
1	C	128	SER	CB-OG	-5.42	1.35	1.42
1	C	66	GLY	N-CA	-5.41	1.38	1.46
1	C	399	GLY	N-CA	-5.41	1.38	1.46
1	C	243	SER	CB-OG	-5.41	1.35	1.42
1	A	95	SER	CB-OG	-5.40	1.35	1.42
1	C	19	VAL	CB-CG2	-5.39	1.41	1.52
1	C	477	SER	CB-OG	-5.39	1.35	1.42
1	B	91	GLY	N-CA	-5.38	1.38	1.46
1	B	132	PHE	CD2-CE2	-5.38	1.28	1.39
1	B	492	SER	CB-OG	-5.38	1.35	1.42
1	B	517	SER	CB-OG	-5.38	1.35	1.42
1	B	487	SER	CB-OG	-5.38	1.35	1.42
1	C	296	GLY	N-CA	-5.37	1.38	1.46
1	B	385	GLY	N-CA	-5.37	1.38	1.46
1	B	248	VAL	CB-CG2	-5.36	1.41	1.52
1	B	477	SER	CB-OG	-5.36	1.35	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	191	VAL	CB-CG1	-5.36	1.41	1.52
1	B	527	ALA	CA-CB	-5.34	1.41	1.52
1	C	471	VAL	CB-CG1	-5.34	1.41	1.52
1	B	521	LYS	CE-NZ	-5.34	1.35	1.49
1	B	412	LYS	CE-NZ	-5.34	1.35	1.49
1	C	237	GLY	N-CA	-5.34	1.38	1.46
1	A	527	ALA	CA-CB	-5.34	1.41	1.52
1	A	103	SER	CB-OG	-5.33	1.35	1.42
1	A	502	SER	CB-OG	-5.33	1.35	1.42
1	A	503	SER	CB-OG	-5.32	1.35	1.42
1	A	10	PRO	N-CD	-5.31	1.40	1.47
1	A	471	VAL	CB-CG1	-5.31	1.41	1.52
1	C	502	SER	CB-OG	-5.31	1.35	1.42
1	A	51	PHE	CD1-CE1	-5.31	1.28	1.39
1	C	495	GLY	N-CA	-5.30	1.38	1.46
1	B	452	TRP	CE3-CZ3	-5.30	1.29	1.38
1	C	105	SER	CB-OG	-5.29	1.35	1.42
1	B	216	GLY	N-CA	-5.29	1.38	1.46
1	A	455	ARG	CG-CD	-5.28	1.38	1.51
1	C	157	TRP	CZ3-CH2	-5.28	1.31	1.40
1	B	475	LYS	CE-NZ	-5.28	1.35	1.49
1	B	482	PHE	CD2-CE2	-5.27	1.28	1.39
1	A	107	VAL	CB-CG2	-5.26	1.41	1.52
1	C	265	SER	CB-OG	-5.26	1.35	1.42
1	C	92	TRP	CZ3-CH2	-5.26	1.31	1.40
1	A	477	SER	CB-OG	-5.25	1.35	1.42
1	A	363	SER	CB-OG	-5.25	1.35	1.42
1	A	493	PHE	CD2-CE2	-5.25	1.28	1.39
1	A	475	LYS	CE-NZ	-5.25	1.35	1.49
1	C	114	ALA	CA-CB	-5.25	1.41	1.52
1	B	201	PHE	CD2-CE2	-5.25	1.28	1.39
1	C	481	TRP	CZ3-CH2	-5.25	1.31	1.40
1	C	473	LYS	CE-NZ	-5.25	1.35	1.49
1	A	67	LYS	CE-NZ	-5.24	1.35	1.49
1	C	157	TRP	CE3-CZ3	-5.24	1.29	1.38
1	C	479	GLY	N-CA	-5.24	1.38	1.46
1	C	454	SER	CB-OG	-5.24	1.35	1.42
1	A	188	SER	CB-OG	-5.24	1.35	1.42
1	A	271	GLY	N-CA	-5.23	1.38	1.46
1	B	87	LYS	CE-NZ	-5.23	1.35	1.49
1	A	399	GLY	N-CA	-5.22	1.38	1.46
1	B	379	GLY	N-CA	-5.22	1.38	1.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	485	GLY	N-CA	-5.22	1.38	1.46
1	B	461	VAL	CB-CG2	-5.21	1.42	1.52
1	A	51	PHE	CD2-CE2	-5.21	1.28	1.39
1	A	60	SER	CA-CB	-5.21	1.45	1.52
1	C	19	VAL	CB-CG1	-5.21	1.42	1.52
1	A	105	SER	CB-OG	-5.21	1.35	1.42
1	B	493	PHE	CD1-CE1	-5.21	1.28	1.39
1	A	324	SER	CB-OG	-5.20	1.35	1.42
1	A	87	LYS	CE-NZ	-5.20	1.36	1.49
1	B	482	PHE	CD1-CE1	-5.19	1.28	1.39
1	A	307	GLY	N-CA	-5.19	1.38	1.46
1	B	411	VAL	CB-CG1	-5.19	1.42	1.52
1	B	363	SER	CB-OG	-5.18	1.35	1.42
1	B	503	SER	CB-OG	-5.18	1.35	1.42
1	C	240	LYS	CE-NZ	-5.18	1.36	1.49
1	A	212	LYS	CE-NZ	-5.18	1.36	1.49
1	B	454	SER	CB-OG	-5.18	1.35	1.42
1	C	75	SER	CB-OG	-5.17	1.35	1.42
1	B	513	VAL	CB-CG1	-5.17	1.42	1.52
1	C	485	GLY	N-CA	-5.17	1.38	1.46
1	B	296	GLY	N-CA	-5.17	1.38	1.46
1	B	157	TRP	CE3-CZ3	-5.17	1.29	1.38
1	C	113	ALA	CA-CB	-5.16	1.41	1.52
1	B	302	SER	CB-OG	-5.15	1.35	1.42
1	B	157	TRP	CZ3-CH2	-5.13	1.31	1.40
1	B	304	VAL	CB-CG2	-5.13	1.42	1.52
1	C	475	LYS	CE-NZ	-5.13	1.36	1.49
1	C	492	SER	CB-OG	-5.13	1.35	1.42
1	A	75	SER	CB-OG	-5.12	1.35	1.42
1	A	455	ARG	CD-NE	-5.12	1.37	1.46
1	A	265	SER	CB-OG	-5.12	1.35	1.42
1	B	145	VAL	CB-CG2	-5.12	1.42	1.52
1	B	502	SER	CB-OG	-5.12	1.35	1.42
1	C	490	GLY	N-CA	-5.12	1.38	1.46
1	B	201	PHE	CD1-CE1	-5.11	1.29	1.39
1	B	265	SER	CB-OG	-5.10	1.35	1.42
1	B	304	VAL	CB-CG1	-5.10	1.42	1.52
1	B	344	LYS	CE-NZ	-5.09	1.36	1.49
1	B	294	VAL	CB-CG2	-5.09	1.42	1.52
1	B	472	PHE	CD2-CE2	-5.09	1.29	1.39
1	C	210	SER	CB-OG	-5.09	1.35	1.42
1	B	491	PHE	CD2-CE2	-5.08	1.29	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	70	PHE	CD2-CE2	-5.08	1.29	1.39
1	A	481	TRP	CZ3-CH2	-5.07	1.31	1.40
1	B	92	TRP	CZ3-CH2	-5.07	1.31	1.40
1	C	203	PHE	CD1-CE1	-5.07	1.29	1.39
1	A	473	LYS	CE-NZ	-5.06	1.36	1.49
1	B	489	GLU	CB-CG	-5.06	1.42	1.52
1	C	481	TRP	CE3-CZ3	-5.06	1.29	1.38
1	B	264	TRP	CZ3-CH2	-5.06	1.31	1.40
1	B	358	GLY	N-CA	-5.05	1.38	1.46
1	C	20	ALA	CA-CB	-5.05	1.41	1.52
1	C	245	LYS	CE-NZ	-5.05	1.36	1.49
1	C	501	PHE	CD1-CE1	-5.05	1.29	1.39
1	A	60	SER	CB-OG	-5.05	1.35	1.42
1	B	153	ARG	CD-NE	-5.05	1.37	1.46
1	B	225	LYS	CE-NZ	-5.04	1.36	1.49
1	C	70	PHE	CD1-CE1	-5.04	1.29	1.39
1	B	220	SER	CB-OG	-5.04	1.35	1.42
1	B	114	ALA	CA-CB	-5.04	1.41	1.52
1	A	272	VAL	CB-CG2	-5.03	1.42	1.52
1	B	272	VAL	CB-CG2	-5.03	1.42	1.52
1	B	245	LYS	CE-NZ	-5.03	1.36	1.49
1	B	128	SER	CB-OG	-5.03	1.35	1.42
1	A	521	LYS	CE-NZ	-5.03	1.36	1.49
1	B	147	PHE	CD2-CE2	-5.01	1.29	1.39
1	A	485	GLY	N-CA	-5.01	1.38	1.46
1	C	147	PHE	CD1-CE1	-5.01	1.29	1.39
1	C	273	LYS	CE-NZ	-5.01	1.36	1.49
1	C	81	PHE	CD1-CE1	-5.01	1.29	1.39
1	C	361	LYS	CE-NZ	-5.01	1.36	1.49
1	B	99	ARG	CD-NE	-5.00	1.38	1.46

All (109) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	446	TYR	CB-CG-CD1	8.77	126.26	121.00
1	C	77	ARG	NE-CZ-NH1	8.66	124.63	120.30
1	B	54	TYR	CB-CG-CD2	8.06	125.83	121.00
1	B	88	MET	CA-CB-CG	7.18	125.51	113.30
1	B	229	PHE	CB-CG-CD2	7.14	125.80	120.80
1	A	348	ARG	NE-CZ-NH1	6.99	123.79	120.30
1	C	430	TYR	CB-CG-CD2	6.93	125.16	121.00
1	C	54	TYR	CB-CG-CD2	6.93	125.16	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	173	TYR	CB-CG-CD1	-6.92	116.85	121.00
1	C	88	MET	CA-CB-CG	6.63	124.57	113.30
1	B	259	ARG	CD-NE-CZ	6.54	132.76	123.60
1	C	501	PHE	CB-CG-CD2	6.53	125.37	120.80
1	A	173	TYR	CB-CG-CD2	-6.52	117.09	121.00
1	B	89	TYR	CB-CG-CD2	6.51	124.91	121.00
1	A	54	TYR	CB-CG-CD2	6.50	124.90	121.00
1	B	278	ARG	CD-NE-CZ	6.49	132.68	123.60
1	B	475	LYS	CA-CB-CG	6.46	127.61	113.40
1	C	278	ARG	CD-NE-CZ	6.45	132.62	123.60
1	A	99	ARG	CD-NE-CZ	6.42	132.58	123.60
1	A	140	ARG	NE-CZ-NH1	6.37	123.49	120.30
1	B	213	MET	CA-CB-CG	6.33	124.07	113.30
1	B	473	LYS	CA-CB-CG	6.30	127.26	113.40
1	A	153	ARG	CD-NE-CZ	6.27	132.38	123.60
1	A	413	ARG	NE-CZ-NH1	6.26	123.43	120.30
1	C	259	ARG	NE-CZ-NH1	-6.22	117.19	120.30
1	A	99	ARG	NE-CZ-NH1	-6.13	117.23	120.30
1	A	259	ARG	NE-CZ-NH1	-6.13	117.23	120.30
1	A	96	MET	CA-CB-CG	6.13	123.72	113.30
1	C	455	ARG	NE-CZ-NH1	-6.12	117.24	120.30
1	B	348	ARG	NE-CZ-NH1	-6.08	117.26	120.30
1	A	153	ARG	NE-CZ-NH1	-6.04	117.28	120.30
1	A	213	MET	CA-CB-CG	6.00	123.51	113.30
1	A	259	ARG	CD-NE-CZ	6.00	132.00	123.60
1	C	278	ARG	NE-CZ-NH1	-6.00	117.30	120.30
1	A	304	VAL	CA-CB-CG2	5.99	119.89	110.90
1	B	253	ARG	CD-NE-CZ	5.97	131.96	123.60
1	C	147	PHE	CB-CG-CD1	5.96	124.98	120.80
1	B	78	MET	CA-CB-CG	5.90	123.33	113.30
1	A	78	MET	CA-CB-CG	5.89	123.32	113.30
1	A	462	TYR	CB-CG-CD2	5.89	124.53	121.00
1	C	89	TYR	CB-CG-CD2	5.84	124.50	121.00
1	C	74	LEU	CA-CB-CG	5.84	128.73	115.30
1	B	501	PHE	CB-CG-CD2	5.84	124.89	120.80
1	A	455	ARG	NE-CZ-NH1	-5.80	117.40	120.30
1	C	205	LEU	CA-CB-CG	5.79	128.62	115.30
1	C	81	PHE	CB-CG-CD2	5.76	124.83	120.80
1	B	446	TYR	CB-CG-CD2	-5.76	117.54	121.00
1	B	462	TYR	CB-CG-CD1	5.75	124.45	121.00
1	C	140	ARG	NE-CZ-NH1	-5.74	117.43	120.30
1	A	77	ARG	NE-CZ-NH1	-5.72	117.44	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	314	ARG	NE-CZ-NH1	-5.71	117.44	120.30
1	B	515	MET	CA-CB-CG	5.68	122.96	113.30
1	B	153	ARG	NE-CZ-NH1	-5.61	117.50	120.30
1	B	53	TYR	CB-CG-CD1	5.61	124.36	121.00
1	B	413	ARG	NE-CZ-NH1	-5.60	117.50	120.30
1	B	99	ARG	NE-CZ-NH2	5.59	123.09	120.30
1	B	77	ARG	NE-CZ-NH1	-5.53	117.53	120.30
1	B	309	PRO	C-N-CA	5.53	135.52	121.70
1	C	519	TYR	CB-CG-CD1	5.50	124.30	121.00
1	B	476	ASP	CB-CG-OD1	-5.49	113.36	118.30
1	B	96	MET	CA-CB-CG	5.48	122.61	113.30
1	A	196	ARG	NE-CZ-NH1	-5.46	117.57	120.30
1	B	247	LEU	CA-CB-CG	5.45	127.83	115.30
1	B	444	ARG	NE-CZ-NH1	5.44	123.02	120.30
1	C	253	ARG	NE-CZ-NH2	5.44	123.02	120.30
1	C	234	ARG	NE-CZ-NH1	5.42	123.01	120.30
1	A	180	TYR	CB-CG-CD2	5.42	124.25	121.00
1	C	136	LEU	CA-CB-CG	5.42	127.76	115.30
1	B	234	ARG	NE-CZ-NH1	-5.41	117.59	120.30
1	C	278	ARG	CG-CD-NE	5.40	123.14	111.80
1	B	469	LEU	CA-CB-CG	5.39	127.69	115.30
1	A	446	TYR	CB-CG-CD2	-5.38	117.78	121.00
1	C	259	ARG	NE-CZ-NH2	5.37	122.98	120.30
1	A	153	ARG	NE-CZ-NH2	5.35	122.97	120.30
1	B	211	ARG	NE-CZ-NH1	5.33	122.97	120.30
1	C	278	ARG	NE-CZ-NH2	5.31	122.96	120.30
1	A	455	ARG	NE-CZ-NH2	5.30	122.95	120.30
1	B	370	TYR	CB-CG-CD2	5.30	124.18	121.00
1	B	348	ARG	NE-CZ-NH2	5.30	122.95	120.30
1	C	430	TYR	CA-CB-CG	5.26	123.39	113.40
1	B	369	LYS	CA-CB-CG	5.25	124.96	113.40
1	C	444	ARG	NE-CZ-NH1	-5.23	117.68	120.30
1	B	221	ARG	CD-NE-CZ	5.23	130.92	123.60
1	A	77	ARG	NE-CZ-NH2	5.21	122.91	120.30
1	C	89	TYR	CD1-CG-CD2	-5.21	112.17	117.90
1	A	259	ARG	NE-CZ-NH2	5.21	122.90	120.30
1	B	427	TYR	CB-CG-CD2	5.20	124.12	121.00
1	C	293	LEU	CA-CB-CG	5.19	127.23	115.30
1	A	311	TYR	CB-CG-CD1	-5.18	117.89	121.00
1	B	259	ARG	NE-CZ-NH1	-5.18	117.71	120.30
1	B	376	TYR	CB-CG-CD1	5.18	124.11	121.00
1	C	455	ARG	NE-CZ-NH2	5.17	122.88	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	99	ARG	NE-CZ-NH2	5.17	122.88	120.30
1	C	140	ARG	NE-CZ-NH2	5.16	122.88	120.30
1	B	259	ARG	NE-CZ-NH2	5.15	122.88	120.30
1	A	196	ARG	NE-CZ-NH2	5.14	122.87	120.30
1	A	105	SER	N-CA-CB	5.12	118.17	110.50
1	B	462	TYR	CD1-CG-CD2	-5.11	112.28	117.90
1	A	421	GLN	CA-CB-CG	5.10	124.62	113.40
1	B	517	SER	N-CA-CB	5.09	118.14	110.50
1	C	446	TYR	CD1-CG-CD2	-5.09	112.30	117.90
1	A	215	PHE	CB-CG-CD2	5.08	124.36	120.80
1	B	99	ARG	NE-CZ-NH1	-5.08	117.76	120.30
1	B	314	ARG	NE-CZ-NH2	5.06	122.83	120.30
1	A	340	ARG	NE-CZ-NH1	5.05	122.83	120.30
1	B	228	MET	CA-CB-CG	5.05	121.88	113.30
1	B	488	CYS	CA-CB-SG	5.01	123.02	114.00
1	B	100	PHE	CB-CG-CD2	5.01	124.31	120.80
1	B	449	GLN	CA-CB-CG	5.00	124.41	113.40

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	311	TYR	Sidechain
1	A	430	TYR	Sidechain
1	B	180	TYR	Sidechain
1	B	312	TYR	Sidechain
1	B	439	TYR	Sidechain
1	C	339	TYR	Sidechain
1	C	348	ARG	Sidechain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3992	3904	3901	35	0
1	B	3909	3824	3824	53	0
1	C	4010	3921	3920	42	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	11911	11649	11645	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:336:VAL:HG13	1:C:387:VAL:HG13	1.50	0.92
1:A:287:THR:O	1:A:320:ASN:N	2.11	0.84
1:B:336:VAL:HG22	1:B:353:ILE:HD12	1.62	0.82
1:A:318:LEU:HD12	1:A:318:LEU:O	1.82	0.78
1:B:314:ARG:NH1	1:B:409:ASP:O	2.16	0.77
1:A:48:LYS:NZ	1:A:198:GLY:O	2.20	0.75
1:C:99:ARG:NH2	1:C:194:GLU:OE2	2.20	0.74
1:C:336:VAL:HG13	1:C:387:VAL:CG1	2.20	0.72
1:C:283:THR:HG22	1:C:283:THR:O	1.91	0.70
1:A:159:ASP:N	1:A:162:ASP:OD2	2.27	0.67
1:B:336:VAL:HG22	1:B:353:ILE:CD1	2.25	0.66
1:B:374:ASN:OD1	1:B:375:PHE:N	2.28	0.66
1:A:519:TYR:HB2	1:B:258:LYS:HE2	1.78	0.65
1:B:118:PRO:HG2	1:B:121:ILE:HD13	1.79	0.64
1:B:433:THR:HG22	1:B:447:ASN:HD21	1.61	0.63
1:B:356:ALA:HB1	1:B:365:ILE:HG21	1.81	0.63
1:A:353:ILE:HG23	1:A:377:VAL:HB	1.81	0.62
1:B:77:ARG:NH2	1:B:83:ASP:OD1	2.32	0.62
1:B:476:ASP:HB3	1:B:508:LEU:HD23	1.82	0.61
1:B:247:LEU:HD12	1:B:248:VAL:H	1.65	0.61
1:B:353:ILE:HG23	1:B:377:VAL:HG13	1.82	0.60
1:B:476:ASP:OD1	1:B:477:SER:N	2.33	0.59
1:B:153:ARG:NH1	1:B:156:LEU:O	2.35	0.59
1:B:282:ASP:OD1	1:B:283:THR:N	2.36	0.59
1:C:449:GLN:NE2	1:C:490:GLY:O	2.34	0.59
1:C:68:VAL:HG22	1:C:171:LEU:HG	1.86	0.58
1:C:244:ILE:HD13	1:C:429:ILE:HG22	1.84	0.58
1:B:457:LEU:HD23	1:B:462:TYR:CD2	2.39	0.58
1:C:429:ILE:HG21	1:C:494:VAL:HG23	1.85	0.57
1:A:336:VAL:HG21	1:A:353:ILE:HG13	1.87	0.56
1:A:54:TYR:OH	1:A:72:GLN:NE2	2.39	0.56
1:C:404:ILE:HB	1:C:445:VAL:HG23	1.88	0.56
1:B:476:ASP:O	1:B:477:SER:OG	2.19	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:248:VAL:HG23	1:B:430:TYR:CZ	2.43	0.54
1:B:262:PHE:CD2	1:B:416:VAL:HG13	2.43	0.54
1:A:77:ARG:NH2	1:A:160:MET:O	2.41	0.53
1:A:422:THR:O	1:A:422:THR:HG23	2.08	0.53
1:C:211:ARG:HH11	1:C:211:ARG:HG3	1.72	0.53
1:C:99:ARG:NE	1:C:194:GLU:OE2	2.43	0.52
1:B:244:ILE:HD12	1:B:428:PRO:O	2.10	0.52
1:A:456:LEU:O	1:A:457:LEU:HB2	2.11	0.51
1:B:432:VAL:HG12	1:B:446:TYR:HD1	1.74	0.51
1:C:54:TYR:CD2	1:C:55:THR:HG22	2.46	0.51
1:A:89:TYR:CD2	1:A:204:HIS:O	2.63	0.51
1:A:209:PRO:O	1:A:210:SER:OG	2.24	0.51
1:A:336:VAL:HG22	1:A:353:ILE:HD12	1.94	0.50
1:B:456:LEU:O	1:B:457:LEU:HB2	2.12	0.50
1:B:476:ASP:OD1	1:B:480:ASN:HB2	2.12	0.50
1:C:423:THR:O	1:C:423:THR:HG23	2.10	0.49
1:A:86:ALA:HB1	1:A:160:MET:HE1	1.94	0.49
1:B:149:ILE:O	1:B:149:ILE:HG23	2.11	0.49
1:A:86:ALA:HB1	1:A:160:MET:CE	2.42	0.49
1:A:204:HIS:O	1:A:205:LEU:C	2.51	0.49
1:C:130:LEU:HD12	1:C:171:LEU:HD22	1.93	0.49
1:C:258:LYS:O	1:C:258:LYS:HG3	2.13	0.49
1:C:244:ILE:HD11	1:C:501:PHE:CZ	2.48	0.48
1:A:261:THR:HG23	1:A:261:THR:O	2.12	0.48
1:B:471:VAL:HG22	1:B:514:GLY:O	2.14	0.48
1:C:248:VAL:HG13	1:C:430:TYR:CE1	2.49	0.47
1:C:99:ARG:CZ	1:C:194:GLU:OE2	2.61	0.47
1:A:469:LEU:HD13	1:A:518:ALA:HB2	1.96	0.47
1:B:288:ASP:OD1	1:B:320:ASN:N	2.47	0.47
1:B:506:PHE:O	1:B:508:LEU:N	2.42	0.47
1:C:24:GLY:O	1:C:25:THR:OG1	2.31	0.47
1:C:477:SER:O	1:C:478:ALA:HB3	2.15	0.47
1:B:121:ILE:HD12	1:B:121:ILE:N	2.30	0.46
1:C:283:THR:O	1:C:283:THR:CG2	2.62	0.46
1:A:318:LEU:HD11	1:A:363:SER:O	2.15	0.46
1:C:102:ILE:H	1:C:102:ILE:HD12	1.81	0.46
1:C:233:ASN:C	1:C:233:ASN:OD1	2.53	0.46
1:B:282:ASP:OD2	1:B:286:LYS:NZ	2.48	0.46
1:C:236:PRO:HG3	1:C:269:HIS:CD2	2.51	0.46
1:C:240:LYS:HG3	1:C:240:LYS:O	2.16	0.46
1:B:140:ARG:HH11	1:B:140:ARG:HG2	1.81	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:ARG:NH2	1:A:156:LEU:O	2.50	0.45
1:B:72:GLN:HA	1:B:72:GLN:OE1	2.17	0.45
1:B:475:LYS:O	1:B:508:LEU:HA	2.17	0.45
1:C:266:THR:OG1	1:C:267:PRO:HD2	2.17	0.45
1:A:209:PRO:O	1:A:210:SER:CB	2.64	0.45
1:B:119:PRO:HD2	1:C:205:LEU:HD22	2.00	0.44
1:A:287:THR:HG22	1:A:320:ASN:H	1.82	0.44
1:A:336:VAL:CG2	1:A:353:ILE:HG13	2.46	0.44
1:B:362:ASN:OD1	1:B:364:THR:OG1	2.28	0.44
1:B:267:PRO:O	1:B:451:LEU:HD11	2.17	0.44
1:C:244:ILE:HD11	1:C:501:PHE:HZ	1.82	0.44
1:C:513:VAL:O	1:C:513:VAL:HG12	2.17	0.44
1:A:98:ILE:HD13	1:A:195:THR:HG22	2.00	0.44
1:A:287:THR:O	1:A:287:THR:HG22	2.18	0.44
1:A:469:LEU:HD13	1:A:518:ALA:CB	2.48	0.44
1:B:413:ARG:HD2	1:B:417:LEU:HD22	2.00	0.44
1:B:311:TYR:CE1	1:B:405:GLY:HA2	2.53	0.44
1:B:344:LYS:O	1:B:344:LYS:HG3	2.17	0.44
1:B:432:VAL:HG12	1:B:446:TYR:CD1	2.52	0.44
1:C:43:MET:HG2	1:C:44:PRO:HD2	2.00	0.44
1:A:519:TYR:CD2	1:A:519:TYR:N	2.84	0.43
1:B:309:PRO:O	1:B:412:LYS:NZ	2.51	0.43
1:C:429:ILE:HG21	1:C:494:VAL:CG2	2.49	0.43
1:C:74:LEU:HD12	1:C:96:MET:HG2	2.01	0.43
1:A:272:VAL:HG23	1:A:306:ASP:O	2.19	0.42
1:B:274:LEU:HD11	1:B:308:TRP:HZ3	1.84	0.42
1:B:223:ILE:HD11	1:B:486:ILE:HD11	2.00	0.42
1:C:19:VAL:HG22	1:C:19:VAL:O	2.19	0.42
1:B:116:MET:SD	1:B:116:MET:O	2.77	0.42
1:B:241:GLY:C	1:B:432:VAL:HG22	2.39	0.42
1:C:142:THR:OG1	1:C:143:GLU:N	2.51	0.42
1:C:244:ILE:CD1	1:C:429:ILE:HG22	2.48	0.42
1:A:205:LEU:HD13	1:C:118:PRO:HB3	2.02	0.42
1:B:134:HIS:O	1:B:134:HIS:ND1	2.52	0.42
1:A:259:ARG:NH2	1:A:458:ALA:O	2.49	0.42
1:C:102:ILE:HG13	1:C:191:VAL:HG22	2.02	0.41
1:A:43:MET:N	1:A:46:GLU:OE2	2.40	0.41
1:A:207:LYS:NZ	1:A:211:ARG:O	2.50	0.41
1:B:162:ASP:C	1:B:162:ASP:OD1	2.59	0.41
1:B:494:VAL:CG1	1:B:495:GLY:N	2.82	0.41
1:C:282:ASP:N	1:C:282:ASP:OD1	2.52	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:244:ILE:HD13	1:B:429:ILE:HG22	2.03	0.41
1:C:100:PHE:CE1	1:C:193:VAL:HG22	2.55	0.41
1:C:97:GLU:HG2	1:C:198:GLY:HA2	2.03	0.41
1:B:71:VAL:HG22	1:B:169:VAL:HG12	2.02	0.41
1:B:261:THR:O	1:B:261:THR:HG23	2.20	0.41
1:C:282:ASP:CB	1:C:291:VAL:H	2.33	0.41
1:B:500:PRO:HD2	1:B:526:ILE:HD11	2.02	0.41
1:B:140:ARG:HG2	1:B:140:ARG:NH1	2.36	0.41
1:A:90:THR:HG22	1:C:121:ILE:HD11	2.04	0.40
1:A:305:PRO:HD2	1:A:308:TRP:HE1	1.86	0.40
1:B:258:LYS:HG3	1:B:258:LYS:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	509/533 (96%)	456 (90%)	51 (10%)	2 (0%)	34	70
1	B	499/533 (94%)	425 (85%)	70 (14%)	4 (1%)	19	57
1	C	514/533 (96%)	452 (88%)	61 (12%)	1 (0%)	47	79
All	All	1522/1599 (95%)	1333 (88%)	182 (12%)	7 (0%)	32	66

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	351	PRO
1	B	325	PHE
1	A	302	SER
1	B	380	ASN
1	C	312	TYR
1	A	133	PRO

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	464	ILE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	430/445 (97%)	428 (100%)	2 (0%)	88	94
1	B	422/445 (95%)	418 (99%)	4 (1%)	78	88
1	C	432/445 (97%)	431 (100%)	1 (0%)	93	97
All	All	1284/1335 (96%)	1277 (100%)	7 (0%)	89	94

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	138	ASP
1	A	173	TYR
1	B	45	GLU
1	B	312	TYR
1	B	376	TYR
1	B	413	ARG
1	C	212	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	72	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-12194. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 211



Y Index: 211




Z Index: 211


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)


### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.012. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2356 nm<sup>3</sup>; this corresponds to an approximate mass of 2128 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.274 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.274 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.65	-	-
Author-provided FSC curve	3.63	4.09	3.69
Unmasked-calculated*	-	-	-


\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-12194 and PDB model 7BJP. Per-residue inclusion information can be found in section 3 on page 4.

### 9.1 Map-model overlays

#### 9.1.1 Map-model overlay [i](#)




#### 9.1.2 Map-model assembly overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.012 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.012).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 52% of all backbone atoms, 52% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.012) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.5184	<div></div> 0.4350
A	<div></div> 0.5311	<div></div> 0.4390
B	<div></div> 0.5264	<div></div> 0.4440
C	<div></div> 0.5051	<div></div> 0.4240

