



# Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 04:11 pm BST

PDB ID : 1BKH  
Title : MUCONATE LACTONIZING ENZYME FROM PSEUDOMONAS PUTIDA  
Authors : Hasson, M.S.; Schlichting, I.; Moulai, J.; Taylor, K.; Barrett, W.; Kenyon, G.L.; Babbitt, P.C.; Gerlt, J.A.; Petsko, G.A.; Ringe, D.  
Deposited on : 1998-07-07  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	369	<div> <div>%</div> <div> <div></div> <div>75%</div> <div>20%</div> <div>• •</div> </div> </div>
1	B	369	<div> <div>%</div> <div> <div></div> <div>78%</div> <div>19%</div> <div>• •</div> </div> </div>
1	C	369	<div> <div></div> <div> <div></div> <div>76%</div> <div>18%</div> <div>• •</div> </div> </div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8721 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MUCONATE LACTONIZING ENZYME.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	358	Total	C	N	O	S	0	0	0
			2709	1700	489	514	6			
1	B	361	Total	C	N	O	S	0	0	0
			2730	1713	493	518	6			
1	C	359	Total	C	N	O	S	0	0	0
			2718	1705	491	516	6			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	138	VAL	GLU	CONFLICT	GB 607908
B	138	VAL	GLU	CONFLICT	GB 607908
C	138	VAL	GLU	CONFLICT	GB 607908


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	172	Total	O	0	0
			172	172		
2	B	196	Total	O	0	0
			196	196		
2	C	196	Total	O	0	0
			196	196		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: MUCONATE LACTONIZING ENZYME



#### • Molecule 1: MUCONATE LACTONIZING ENZYME



#### • Molecule 1: MUCONATE LACTONIZING ENZYME





## 4 Data and refinement statistics

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	136.18Å 136.18Å 265.11Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	5.00 – 2.10 77.91 – 2.00	Depositor EDS
% Data completeness (in resolution range)	77.2 (5.00-2.10) 70.0 (77.91-2.00)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.68 (at 2.00Å)	Xtriage
Refinement program	X-PLOR	Depositor
R, $R_{free}$	0.157 , (Not available) 0.154 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	18.4	Xtriage
Anisotropy	0.115	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 69.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	8721	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.31% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.44	0/2746	0.69	0/3719
1	B	0.46	0/2768	0.69	0/3750
1	C	0.46	0/2755	0.73	0/3731
All	All	0.45	0/8269	0.70	0/11200

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2709	0	2766	53	0
1	B	2730	0	2783	42	0
1	C	2718	0	2774	53	0
2	A	172	0	0	6	0
2	B	196	0	0	5	0
2	C	196	0	0	5	0
All	All	8721	0	8323	143	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:159:GLU:HG2	1:C:159:GLU:HG2	1.30	1.12
1:A:247:MET:HE3	1:A:271:ALA:HB2	1.56	0.88
1:B:196:ARG:HG2	1:B:222:LEU:HG	1.65	0.77
1:B:212:CYS:HB3	1:B:242:THR:HG23	1.67	0.77
1:A:247:MET:CE	1:A:271:ALA:HB2	2.15	0.76
1:A:212:CYS:HB3	1:A:242:THR:HG23	1.70	0.74
1:B:247:MET:HE3	1:B:271:ALA:HB2	1.72	0.71
1:A:167:LYS:HE3	1:A:198:ASP:HB2	1.73	0.71
1:C:337:GLU:HG3	2:C:3282:HOH:O	1.92	0.67
1:B:242:THR:HG22	1:B:244:ALA:H	1.61	0.65
1:C:196:ARG:HG2	1:C:222:LEU:HG	1.77	0.65
1:B:176:GLU:HB2	2:B:3362:HOH:O	1.97	0.64
1:A:366:ARG:HG2	1:A:370:PHE:HE2	1.63	0.63
1:A:284:LEU:O	1:A:288:GLN:HG2	1.98	0.63
1:C:231:ASN:ND2	1:C:234:GLY:H	1.97	0.63
1:C:339:VAL:HG21	1:C:360:LEU:HG	1.82	0.62
1:A:337:GLU:H	1:A:366:ARG:HH21	1.45	0.62
1:C:151:ILE:HD13	1:C:188:GLU:HG3	1.81	0.61
1:C:78:ALA:O	1:C:93:LYS:HE3	2.00	0.61
1:B:147:THR:OG1	1:B:181:HIS:HD2	1.83	0.61
1:B:272:LEU:HD21	1:B:297:LEU:HG	1.82	0.61
1:C:340:ASN:OD1	1:C:361:THR:HG22	2.01	0.60
1:C:346:ARG:HG2	1:C:346:ARG:HH11	1.67	0.60
1:C:167:LYS:HE3	1:C:198:ASP:HB2	1.84	0.59
1:A:317:LEU:HD21	1:A:352:ILE:HD13	1.83	0.59
1:A:288:GLN:OE1	1:C:285:ARG:HG2	2.04	0.58
1:A:88:ASN:HD22	1:A:281:ARG:HH22	1.52	0.58
1:C:337:GLU:H	1:C:366:ARG:HH21	1.52	0.57
1:A:240:GLN:HG3	2:A:3390:HOH:O	2.05	0.57
1:C:212:CYS:HB3	1:C:242:THR:HG23	1.86	0.57
1:A:247:MET:HE3	1:A:271:ALA:CB	2.33	0.56
1:C:82:LEU:HD21	1:C:93:LYS:HD3	1.86	0.56
1:B:247:MET:CE	1:B:271:ALA:HB2	2.35	0.56
1:C:363:ASP:OD2	1:C:366:ARG:HD3	2.06	0.55
1:B:146:ASP:HB3	1:B:149:ARG:HB2	1.87	0.55
1:A:242:THR:HG22	1:A:244:ALA:H	1.73	0.54
1:C:125:SER:H	1:C:314:HIS:HD2	1.54	0.54
1:A:132:VAL:HG11	1:C:92:LEU:HD23	1.89	0.54
1:C:123:PRO:HG2	1:C:126:GLU:HB2	1.90	0.53
1:B:176:GLU:H	1:B:176:GLU:CD	2.12	0.53
1:B:82:LEU:HD11	1:B:93:LYS:HD2	1.90	0.53
1:A:205:GLU:O	1:A:209:ILE:HG12	2.08	0.52

Continued on next page...



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:352:ILE:HD12	1:C:352:ILE:N	2.23	0.52
1:B:159:GLU:HG2	1:C:159:GLU:CG	2.21	0.52
1:B:231:ASN:ND2	1:B:234:GLY:H	2.08	0.51
1:A:151:ILE:HD13	1:A:188:GLU:HG3	1.93	0.51
1:B:162:ARG:HD2	1:B:163:HIS:NE2	2.26	0.51
1:B:167:LYS:HE3	1:B:198:ASP:HB2	1.94	0.50
1:B:306:SER:O	1:B:310:LEU:HD23	2.12	0.50
1:B:313:ALA:O	1:B:317:LEU:HG	2.12	0.50
1:A:288:GLN:OE1	1:C:288:GLN:NE2	2.44	0.49
1:A:40:ARG:HG3	2:A:3421:HOH:O	2.11	0.49
1:B:239:ASN:ND2	1:B:267:ALA:HA	2.27	0.49
1:B:15:ASP:OD2	1:B:372:ARG:HD2	2.12	0.49
1:C:242:THR:HG22	1:C:244:ALA:O	2.13	0.49
1:C:162:ARG:HD2	1:C:163:HIS:NE2	2.27	0.48
1:C:125:SER:H	1:C:314:HIS:CD2	2.29	0.48
1:A:140:TRP:HB2	1:A:163:HIS:CG	2.49	0.48
1:C:265:GLY:HA2	2:C:3239:HOH:O	2.13	0.48
1:A:338:ILE:H	1:A:338:ILE:HD13	1.79	0.48
1:A:71:ILE:HA	1:A:75:LEU:HB2	1.95	0.47
1:A:37:LEU:HD21	1:A:71:ILE:HD13	1.96	0.47
1:B:169:LYS:HE2	1:B:200:ASN:OD1	2.13	0.47
1:A:224:GLU:CD	1:A:247:MET:HE1	2.34	0.47
1:C:144:SER:HB2	1:C:149:ARG:HH11	1.78	0.47
1:A:76:ALA:HB3	1:A:77:PRO:HD3	1.97	0.47
1:A:144:SER:HB2	1:A:149:ARG:HD3	1.97	0.47
1:A:239:ASN:ND2	2:A:3114:HOH:O	2.48	0.46
1:C:313:ALA:O	1:C:317:LEU:HG	2.15	0.46
1:C:341:GLU:OE2	1:C:361:THR:HB	2.16	0.46
1:B:14:VAL:HG12	1:B:16:LEU:HD13	1.97	0.46
1:C:17:PRO:HB2	1:C:335:THR:OG1	2.16	0.46
1:A:184:THR:HG23	1:A:187:ARG:NH2	2.30	0.46
1:C:237:ARG:O	1:C:241:ARG:HG2	2.15	0.46
1:C:297:LEU:HB3	1:C:322:LEU:HD23	1.98	0.46
1:B:162:ARG:HD2	1:B:163:HIS:CD2	2.50	0.46
1:A:199:VAL:HB	1:A:226:PRO:HA	1.98	0.46
1:A:17:PRO:HB2	1:A:335:THR:OG1	2.16	0.45
1:B:39:VAL:O	1:B:46:GLU:HA	2.16	0.45
1:C:317:LEU:HD21	1:C:352:ILE:HD13	1.97	0.45
1:C:40:ARG:HD3	1:C:40:ARG:HA	1.76	0.45
1:C:366:ARG:HG2	1:C:370:PHE:HE2	1.80	0.45
1:C:34:LEU:HD22	1:C:50:GLU:OE2	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:140:TRP:HB2	1:C:163:HIS:CG	2.52	0.45
1:A:256:GLU:CD	1:A:256:GLU:H	2.20	0.45
1:A:11:ALA:O	1:A:68:LYS:HE2	2.17	0.45
1:C:338:ILE:HD13	1:C:338:ILE:H	1.82	0.44
1:C:352:ILE:HA	1:C:353:PRO:HD3	1.78	0.44
1:B:173:ASN:HB3	1:B:174:PRO:CD	2.48	0.44
1:B:37:LEU:HD21	1:B:71:ILE:HD13	1.98	0.44
1:B:167:LYS:HE3	1:B:198:ASP:CB	2.48	0.44
1:B:304:GLU:HG3	1:B:308:GLY:HA3	1.99	0.44
1:A:184:THR:O	1:A:188:GLU:HG2	2.18	0.44
1:B:210:ARG:HB2	2:B:3079:HOH:O	2.16	0.44
1:A:162:ARG:O	1:A:348:PHE:HA	2.18	0.43
1:B:40:ARG:HG3	2:B:3294:HOH:O	2.17	0.43
1:A:180:LYS:HE2	1:A:181:HIS:N	2.32	0.43
1:C:199:VAL:HB	1:C:226:PRO:HA	2.00	0.43
1:C:242:THR:HG22	1:C:244:ALA:H	1.83	0.43
1:C:225:GLN:HG2	1:C:250:GLU:OE1	2.18	0.43
1:A:288:GLN:HG3	2:A:3192:HOH:O	2.18	0.43
1:A:131:ARG:HD2	1:A:354:ARG:HH21	1.83	0.43
1:C:16:LEU:HA	1:C:17:PRO:HD3	1.85	0.43
1:B:173:ASN:HB3	1:B:174:PRO:HD2	2.01	0.43
1:C:175:VAL:O	1:C:179:LEU:HG	2.19	0.43
1:C:60:GLY:HA3	2:C:3227:HOH:O	2.18	0.43
1:A:155:ARG:CG	1:A:155:ARG:HH11	2.32	0.43
1:C:216:GLY:HA3	1:C:243:PRO:HB2	2.00	0.43
1:A:231:ASN:ND2	1:A:234:GLY:H	2.17	0.42
1:A:353:PRO:HG2	2:A:3526:HOH:O	2.18	0.42
1:A:82:LEU:HD11	1:A:93:LYS:HE3	2.00	0.42
1:C:162:ARG:HD2	1:C:163:HIS:CD2	2.54	0.42
1:C:304:GLU:HG3	1:C:308:GLY:HA3	2.01	0.42
1:B:16:LEU:HD23	1:B:334:LEU:HD13	2.00	0.42
1:C:247:MET:HE3	1:C:271:ALA:HB2	2.01	0.42
1:C:284:LEU:HA	1:C:284:LEU:HD23	1.77	0.42
1:A:242:THR:HG22	1:A:244:ALA:O	2.18	0.42
1:A:160:ILE:HG13	1:A:162:ARG:HB2	2.02	0.42
1:A:288:GLN:HG3	2:A:3185:HOH:O	2.19	0.41
1:A:309:THR:HG23	1:A:328:LEU:HB3	2.02	0.41
1:C:338:ILE:CD1	1:C:338:ILE:H	2.33	0.41
1:A:209:ILE:HD12	1:A:241:ARG:NH1	2.35	0.41
1:B:345:TYR:HA	1:B:349:GLN:O	2.21	0.41
1:B:76:ALA:N	1:B:77:PRO:HD2	2.36	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:310:LEU:HA	1:A:310:LEU:HD13	1.95	0.41
1:B:57:LEU:CD2	1:B:63:SER:HB3	2.51	0.41
1:B:151:ILE:HD13	1:B:188:GLU:HG3	2.02	0.41
1:A:122:LEU:HD22	1:A:126:GLU:OE1	2.21	0.41
1:A:304:GLU:HG3	1:A:308:GLY:HA3	2.02	0.41
1:B:60:GLY:HA3	2:B:3030:HOH:O	2.21	0.41
1:B:346:ARG:HD2	2:B:3351:HOH:O	2.21	0.41
1:A:196:ARG:HG2	1:A:222:LEU:HG	2.02	0.41
1:C:314:HIS:HE1	2:C:3269:HOH:O	2.04	0.41
1:B:199:VAL:HB	1:B:226:PRO:HA	2.03	0.40
1:B:236:VAL:O	1:B:240:GLN:HG3	2.21	0.40
1:B:343:PRO:HB2	1:B:345:TYR:CE2	2.56	0.40
1:B:346:ARG:O	1:B:351:HIS:HE1	2.04	0.40
1:A:333:LEU:HA	1:A:333:LEU:HD12	1.93	0.40
1:A:34:LEU:HD22	1:A:50:GLU:OE2	2.21	0.40
1:C:342:PRO:HA	2:C:3475:HOH:O	2.21	0.40
1:A:343:PRO:HB2	1:A:345:TYR:CE2	2.57	0.40
1:A:92:LEU:HD12	1:A:92:LEU:HA	1.81	0.40
1:C:39:VAL:O	1:C:39:VAL:HG23	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	354/369 (96%)	342 (97%)	12 (3%)	0	100	100
1	B	357/369 (97%)	346 (97%)	11 (3%)	0	100	100
1	C	355/369 (96%)	346 (98%)	9 (2%)	0	100	100
All	All	1066/1107 (96%)	1034 (97%)	32 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	280/290 (97%)	260 (93%)	20 (7%)	14	11
1	B	282/290 (97%)	265 (94%)	17 (6%)	19	16
1	C	281/290 (97%)	262 (93%)	19 (7%)	16	13
All	All	843/870 (97%)	787 (93%)	56 (7%)	16	14

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	LEU
1	A	75	LEU
1	A	77	PRO
1	A	92	LEU
1	A	112	LEU
1	A	155	ARG
1	A	162	ARG
1	A	179	LEU
1	A	180	LYS
1	A	215	LEU
1	A	231	ASN
1	A	238	LEU
1	A	256	GLU
1	A	272	LEU
1	A	283	VAL
1	A	333	LEU
1	A	338	ILE
1	A	339	VAL
1	A	347	ASP
1	A	360	LEU
1	B	16	LEU
1	B	92	LEU
1	B	112	LEU
1	B	120	LEU
1	B	126	GLU
1	B	162	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	179	LEU
1	B	215	LEU
1	B	231	ASN
1	B	238	LEU
1	B	272	LEU
1	B	283	VAL
1	B	297	LEU
1	B	333	LEU
1	B	338	ILE
1	B	339	VAL
1	B	360	LEU
1	C	8	ARG
1	C	16	LEU
1	C	40	ARG
1	C	46	GLU
1	C	92	LEU
1	C	112	LEU
1	C	126	GLU
1	C	162	ARG
1	C	215	LEU
1	C	231	ASN
1	C	238	LEU
1	C	272	LEU
1	C	283	VAL
1	C	297	LEU
1	C	338	ILE
1	C	339	VAL
1	C	346	ARG
1	C	360	LEU
1	C	365	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	GLN
1	A	88	ASN
1	A	181	HIS
1	A	231	ASN
1	A	239	ASN
1	A	277	ASN
1	A	340	ASN
1	A	349	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	88	ASN
1	B	181	HIS
1	B	213	GLN
1	B	231	ASN
1	B	239	ASN
1	B	277	ASN
1	B	288	GLN
1	B	351	HIS
1	C	31	GLN
1	C	88	ASN
1	C	181	HIS
1	C	231	ASN
1	C	239	ASN
1	C	277	ASN
1	C	288	GLN
1	C	314	HIS
1	C	321	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	358/369 (97%)	-0.62	3 (0%) 86 88	11, 22, 42, 57	0
1	B	361/369 (97%)	-0.46	2 (0%) 89 91	11, 21, 41, 58	0
1	C	359/369 (97%)	-0.59	1 (0%) 94 94	9, 18, 37, 58	0
All	All	1078/1107 (97%)	-0.56	6 (0%) 89 91	9, 20, 41, 58	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	59	TYR	3.9
1	A	59	TYR	2.9
1	A	55	GLY	2.6
1	A	61	TYR	2.6
1	C	59	TYR	2.6
1	B	61	TYR	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.