



Full wwPDB X-ray Structure Validation Report ⓘ

May 21, 2020 – 09:25 pm BST

PDB ID : 6BOY
Title : Crystal structure of DDB1-CRBN-BRD4(BD1) complex bound to dBET6 PROTAC.
Authors : Nowak, R.P.; DeAngelo, S.L.; Buckley, D.; Bradner, J.E.; Fischer, E.S.
Deposited on : 2017-11-21
Resolution : 3.33 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.33 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1060 (3.38-3.30)
Clashscore	141614	1111 (3.38-3.30)
Ramachandran outliers	138981	1090 (3.38-3.30)
Sidechain outliers	138945	1089 (3.38-3.30)
RSRZ outliers	127900	1028 (3.38-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	864	<div> <div>5%</div> <div> <div></div> <div>83%</div> <div>10%</div> <div>6%</div> </div> </div>
2	B	463	<div> <div>%</div> <div> <div></div> <div>68%</div> <div>12%</div> <div>19%</div> </div> </div>
3	C	127	<div> <div>13%</div> <div> <div></div> <div>80%</div> <div>20%</div> </div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 10373 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA damage-binding protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	808	Total	C	N	O	S	0	0	0
			6249	3962	1043	1209	35			

There are 34 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-27	MET	-	initiating methionine	UNP Q16531
A	-26	GLY	-	expression tag	UNP Q16531
A	-25	SER	-	expression tag	UNP Q16531
A	-24	SER	-	expression tag	UNP Q16531
A	-23	HIS	-	expression tag	UNP Q16531
A	-22	HIS	-	expression tag	UNP Q16531
A	-21	HIS	-	expression tag	UNP Q16531
A	-20	HIS	-	expression tag	UNP Q16531
A	-19	HIS	-	expression tag	UNP Q16531
A	-18	HIS	-	expression tag	UNP Q16531
A	-17	SER	-	expression tag	UNP Q16531
A	-16	ALA	-	expression tag	UNP Q16531
A	-15	ALA	-	expression tag	UNP Q16531
A	-14	HIS	-	expression tag	UNP Q16531
A	-13	ILE	-	expression tag	UNP Q16531
A	-12	VAL	-	expression tag	UNP Q16531
A	-11	MET	-	expression tag	UNP Q16531
A	-10	VAL	-	expression tag	UNP Q16531
A	-9	ASP	-	expression tag	UNP Q16531
A	-8	ALA	-	expression tag	UNP Q16531
A	-7	TYR	-	expression tag	UNP Q16531
A	-6	LYS	-	expression tag	UNP Q16531
A	-5	PRO	-	expression tag	UNP Q16531
A	-4	THR	-	expression tag	UNP Q16531
A	-3	LYS	-	expression tag	UNP Q16531
A	-2	GLY	-	expression tag	UNP Q16531
A	-1	GLY	-	expression tag	UNP Q16531

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	ARG	-	expression tag	UNP Q16531
A	700	GLY	-	linker	UNP Q16531
A	701	ASN	-	linker	UNP Q16531
A	702	GLY	-	linker	UNP Q16531
A	703	ASN	-	linker	UNP Q16531
A	704	SER	-	linker	UNP Q16531
A	705	GLY	-	linker	UNP Q16531

- Molecule 2 is a protein called Protein cereblon.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	375	Total	C	N	O	S	0	0	0
			3005	1919	512	550	24			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-20	MET	-	initiating methionine	UNP Q96SW2
B	-19	GLY	-	expression tag	UNP Q96SW2
B	-18	SER	-	expression tag	UNP Q96SW2
B	-17	SER	-	expression tag	UNP Q96SW2
B	-16	HIS	-	expression tag	UNP Q96SW2
B	-15	HIS	-	expression tag	UNP Q96SW2
B	-14	HIS	-	expression tag	UNP Q96SW2
B	-13	HIS	-	expression tag	UNP Q96SW2
B	-12	HIS	-	expression tag	UNP Q96SW2
B	-11	HIS	-	expression tag	UNP Q96SW2
B	-10	SER	-	expression tag	UNP Q96SW2
B	-9	ALA	-	expression tag	UNP Q96SW2
B	-8	VAL	-	expression tag	UNP Q96SW2
B	-7	ASP	-	expression tag	UNP Q96SW2
B	-6	GLU	-	expression tag	UNP Q96SW2
B	-5	ASN	-	expression tag	UNP Q96SW2
B	-4	LEU	-	expression tag	UNP Q96SW2
B	-3	TYR	-	expression tag	UNP Q96SW2
B	-2	PHE	-	expression tag	UNP Q96SW2
B	-1	GLN	-	expression tag	UNP Q96SW2
B	0	GLY	-	expression tag	UNP Q96SW2
B	1	GLY	-	expression tag	UNP Q96SW2

- Molecule 3 is a protein called Bromodomain-containing protein 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	127	Total	C	N	O	S	0	0	0
			1059	685	173	194	7			


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	43	MET	THR	engineered mutation	UNP O60885

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Zn	0	0
			1	1		

- Molecule 5 is 2-[(6S)-4-(4-chlorophenyl)-2,3,9-trimethyl-6H-thieno[3,2-f][1,2,4]triazolo[4,3-a][1,4]diazepin-6-yl]-N-(8-[[({2-[(3S)-2,6-dioxopiperidin-3-yl]-1,3-dioxo-2,3-dihydro-1H-isoindol-4-yl}oxy)acetyl]amino}octyl)acetamide (three-letter code: RN6) (formula: C₄₂H₄₅ClN₈O₇S) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	B	1	Total	C	Cl	N	O	S	0	0
			59	42	1	8	7	1		

● Molecule 3: Bromodomain-containing protein 4



4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	115.41Å 115.41Å 588.14Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.79 – 3.33 49.79 – 3.33	Depositor EDS
% Data completeness (in resolution range)	99.5 (49.79-3.33) 99.5 (49.79-3.33)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.23 (at 3.33Å)	Xtriage
Refinement program	PHENIX (1.12_2829)	Depositor
R, R_{free}	0.199 , 0.234 0.200 , 0.234	Depositor DCC
R_{free} test set	1839 reflections (5.22%)	wwPDB-VP
Wilson B-factor (Å ²)	149.9	Xtriage
Anisotropy	0.071	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 141.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10373	wwPDB-VP
Average B, all atoms (Å ²)	175.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, RN6

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.24	0/6362	0.44	0/8624
2	B	0.24	0/3077	0.41	0/4177
3	C	0.25	0/1089	0.41	0/1481
All	All	0.24	0/10528	0.43	0/14282

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6249	0	6105	55	0
2	B	3005	0	2985	37	0
3	C	1059	0	1047	16	0
4	B	1	0	0	0	0
5	B	59	0	0	0	0
All	All	10373	0	10137	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1109:VAL:HG12	1:A:1129:LEU:HD22	1.72	0.71
1:A:14:ALA:HB1	1:A:327:ARG:HG3	1.74	0.68
1:A:372:GLN:NE2	1:A:392:ASN:OD1	2.27	0.67
1:A:983:ALA:HB3	1:A:989:ARG:HG2	1.79	0.65
2:B:63:ASP:O	2:B:145:ARG:NH1	2.31	0.63
1:A:143:ILE:HG12	1:A:154:ALA:HB2	1.80	0.63
1:A:941:ASN:OD1	1:A:942:PHE:N	2.31	0.62
2:B:352:PRO:HB3	3:C:78:GLN:HG2	1.83	0.61
2:B:168:LEU:HD11	2:B:183:GLN:HB2	1.82	0.61
3:C:81:TRP:CD1	3:C:82:PRO:HD3	2.35	0.61
3:C:61:ASN:HB2	3:C:168:GLU:HG3	1.82	0.60
3:C:52:ASN:HB3	3:C:55:LYS:HB2	1.84	0.59
1:A:390:ILE:HG12	1:A:712:ILE:HG12	1.85	0.57
1:A:310:ILE:HG21	1:A:328:LEU:HD12	1.87	0.56
1:A:765:VAL:HG12	1:A:806:GLN:HB3	1.88	0.56
1:A:963:ASP:OD1	1:A:979:LYS:NZ	2.33	0.56
1:A:886:SER:HA	1:A:910:MET:HA	1.87	0.56
3:C:103:THR:O	3:C:135:ASN:ND2	2.37	0.56
1:A:928:ARG:HA	1:A:954:MET:HG3	1.88	0.55
2:B:111:ARG:NH2	2:B:153:GLU:OE1	2.39	0.55
3:C:159:GLN:O	3:C:162:ASN:ND2	2.41	0.54
1:A:925:ASP:HB3	1:A:929:SER:HB2	1.90	0.54
2:B:105:GLN:NE2	2:B:175:ASP:O	2.40	0.54
1:A:905:HIS:HB2	1:A:942:PHE:HD2	1.73	0.53
1:A:1055:GLN:OE1	1:A:1090:ASP:N	2.41	0.53
2:B:290:ILE:HD12	2:B:294:LEU:HB3	1.89	0.53
3:C:140:ASN:HD22	3:C:140:ASN:N	2.07	0.53
1:A:970:ASN:O	1:A:973:ASN:ND2	2.38	0.53
1:A:121:ILE:HB	1:A:134:ARG:HB3	1.91	0.52
3:C:139:TYR:HD2	3:C:140:ASN:ND2	2.07	0.52
1:A:1022:THR:HG22	1:A:1024:THR:H	1.75	0.52
2:B:140:GLU:OE1	2:B:162:ARG:NH1	2.44	0.50
1:A:889:ARG:HD2	1:A:891:TYR:CZ	2.46	0.50
1:A:1030:PHE:CZ	1:A:1038:GLY:HA3	2.47	0.49
2:B:253:LEU:O	2:B:257:ILE:HG13	2.13	0.49
1:A:196:SER:O	1:A:200:LYS:N	2.46	0.48
2:B:291:ASP:OD1	2:B:291:ASP:N	2.47	0.48
2:B:367:ASN:HA	2:B:392:LYS:HD2	1.96	0.48
3:C:57:LYS:HB3	3:C:117:ASN:HB2	1.95	0.48
1:A:985:THR:O	1:A:989:ARG:HG3	2.14	0.48
1:A:928:ARG:NH1	1:A:950:ASN:HB3	2.29	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:207:TRP:HB3	1:A:242:GLY:HA2	1.97	0.47
1:A:928:ARG:HB3	1:A:950:ASN:O	2.14	0.47
2:B:64:MET:HG2	2:B:145:ARG:HB2	1.97	0.47
2:B:321:LEU:HD13	2:B:422:LEU:HD13	1.96	0.47
2:B:256:ARG:HB2	2:B:312:LEU:HD11	1.97	0.47
2:B:89:MET:HE1	2:B:91:LEU:HD13	1.97	0.47
1:A:928:ARG:NH2	1:A:994:GLU:OE2	2.48	0.46
3:C:111:LYS:HE2	3:C:115:GLU:OE2	2.14	0.46
1:A:358:PRO:HD2	1:A:380:GLY:HA2	1.96	0.46
2:B:352:PRO:HG3	2:B:378:HIS:CG	2.51	0.46
1:A:5:TYR:HB2	1:A:1043:LEU:HD11	1.96	0.46
1:A:1005:ASN:ND2	2:B:237:LEU:O	2.44	0.46
2:B:150:PHE:HD1	2:B:152:ILE:H	1.63	0.46
1:A:1112:LEU:HD23	1:A:1124:ALA:HB3	1.96	0.46
2:B:295:ARG:NH1	2:B:358:GLU:OE2	2.44	0.46
1:A:126:PRO:HD3	1:A:169:PHE:HB3	1.98	0.45
1:A:850:VAL:HB	1:A:862:ALA:HB3	1.97	0.45
1:A:183:GLN:HE22	2:B:209:PRO:HA	1.81	0.45
2:B:353:HIS:CE1	3:C:81:TRP:HE1	2.34	0.45
2:B:141:ILE:HG23	2:B:157:VAL:HG13	1.99	0.45
1:A:1106:GLN:HA	1:A:1109:VAL:HG22	1.99	0.45
2:B:57:HIS:CE1	2:B:98:PRO:HG3	2.52	0.45
1:A:16:ASN:HB3	1:A:327:ARG:HH21	1.82	0.44
3:C:74:LEU:HD21	3:C:157:PHE:HB2	1.99	0.44
2:B:100:GLN:HG2	2:B:156:LYS:HG2	1.99	0.44
1:A:744:ASP:OD1	1:A:745:THR:N	2.51	0.44
2:B:107:VAL:HG22	2:B:155:VAL:HG12	2.00	0.44
1:A:183:GLN:NE2	2:B:209:PRO:HA	2.32	0.44
2:B:110:VAL:HG11	2:B:155:VAL:HG21	2.00	0.44
1:A:38:ARG:HD3	1:A:38:ARG:HA	1.82	0.44
2:B:257:ILE:HG12	2:B:312:LEU:HG	2.00	0.43
3:C:44:ASN:HD21	3:C:88:ASP:HA	1.82	0.43
3:C:119:TYR:CD1	3:C:124:GLU:HB3	2.54	0.43
1:A:252:ILE:HG13	1:A:281:PHE:HE2	1.84	0.43
1:A:108:VAL:O	1:A:141:LYS:HE2	2.19	0.43
1:A:134:ARG:HH21	1:A:134:ARG:HG3	1.84	0.43
1:A:230:ILE:HD11	1:A:285:LEU:HD21	2.01	0.43
2:B:323:CYS:HB3	2:B:326:CYS:HB2	2.01	0.43
1:A:883:SER:HB2	1:A:911:ALA:HB3	2.01	0.43
1:A:258:ILE:HA	1:A:275:ASP:HA	2.01	0.42
1:A:812:TYR:CZ	2:B:241:PRO:HB3	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:90:ILE:HD13	2:B:296:ILE:HG13	2.01	0.42
1:A:1080:ARG:NH1	2:B:191:PRO:HD3	2.34	0.42
1:A:980:ASP:HB3	1:A:983:ALA:HB2	2.01	0.42
2:B:189:VAL:HG22	2:B:278:ILE:HD11	2.01	0.42
1:A:1112:LEU:HB3	1:A:1113:GLN:H	1.68	0.42
1:A:250:PRO:HA	1:A:251:PRO:HD3	1.94	0.42
1:A:282:MET:HB2	1:A:305:LEU:HD11	2.01	0.42
1:A:60:LYS:HE2	1:A:972:PHE:CE2	2.54	0.42
1:A:182:TYR:CZ	1:A:189:HIS:HB2	2.55	0.42
2:B:151:GLY:HA3	3:C:152:ALA:HB1	2.00	0.42
3:C:114:LEU:HG	3:C:119:TYR:HE2	1.85	0.41
1:A:961:ASP:OD1	1:A:964:ASN:N	2.51	0.41
2:B:406:LYS:HB2	2:B:409:MET:HG3	2.02	0.41
1:A:954:MET:HA	1:A:969:GLU:HA	2.03	0.41
1:A:110:ASP:CG	1:A:141:LYS:HZ1	2.24	0.41
2:B:257:ILE:HG21	2:B:284:VAL:HG21	2.04	0.40
2:B:86:GLN:NE2	2:B:106:GLU:OE2	2.47	0.40
2:B:197:VAL:HG12	2:B:237:LEU:HD12	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	798/864 (92%)	755 (95%)	38 (5%)	5 (1%)	25	60
2	B	371/463 (80%)	356 (96%)	14 (4%)	1 (0%)	41	72
3	C	125/127 (98%)	123 (98%)	2 (2%)	0	100	100
All	All	1294/1454 (89%)	1234 (95%)	54 (4%)	6 (0%)	29	63

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	149	ASP
1	A	368	GLU
1	A	1112	LEU
1	A	36	ASN
1	A	746	SER
1	A	310	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	680/749 (91%)	680 (100%)	0	100	100
2	B	335/416 (80%)	334 (100%)	1 (0%)	92	96
3	C	119/120 (99%)	119 (100%)	0	100	100
All	All	1134/1285 (88%)	1133 (100%)	1 (0%)	93	97

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	162	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	845	GLN
2	B	100	GLN
3	C	78	GLN
3	C	140	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	RN6	B	502	-	59,65,65	0.58	1 (1%)	70,93,93	0.71	3 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	RN6	B	502	-	-	9/30/75/75	0/6/7/7

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	502	RN6	C36-C40	3.09	1.45	1.39

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	502	RN6	C23-C22-N4	3.49	112.26	109.08
5	B	502	RN6	C4-C3-N6	2.74	113.28	109.82
5	B	502	RN6	C26-C22-N4	-2.27	108.34	113.85

There are no chirality outliers.


All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	502	RN6	N3-C14-C15-O
5	B	502	RN6	O5-C14-C15-O
5	B	502	RN6	C11-C12-C13-N3
5	B	502	RN6	C17-C16-O-C15
5	B	502	RN6	C27-C16-O-C15
5	B	502	RN6	C12-C13-N3-C14
5	B	502	RN6	C11-C10-C9-C8
5	B	502	RN6	C3-C4-C5-N2
5	B	502	RN6	C3-C4-C5-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	808/864 (93%)	0.37	42 (5%) 27 27	111, 180, 257, 347	0
2	B	375/463 (80%)	0.11	5 (1%) 77 78	97, 142, 239, 287	0
3	C	127/127 (100%)	0.63	16 (12%) 3 3	126, 176, 257, 310	0
All	All	1310/1454 (90%)	0.32	63 (4%) 30 31	97, 169, 254, 347	0

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1114	TYR	6.5
3	C	42	SER	5.5
1	A	1023	PRO	4.5
1	A	1105	MET	4.3
1	A	297	LEU	4.3
1	A	144	PRO	4.1
3	C	157	PHE	3.8
1	A	130	MET	3.7
1	A	1097	PHE	3.5
3	C	126	ILE	3.4
1	A	48	GLY	3.4
1	A	170	LEU	3.3
2	B	129	GLN	3.3
1	A	1120	MET	3.3
1	A	202	PHE	3.3
1	A	49	LEU	3.2
3	C	168	GLU	3.2
1	A	145	LEU	3.2
2	B	88	MET	3.2
1	A	96	GLU	3.2
1	A	273	LEU	3.2
1	A	770	LEU	3.2
1	A	272	LEU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1108	VAL	3.0
1	A	274	GLY	3.0
3	C	161	ILE	2.9
2	B	130	GLU	2.9
1	A	179	CYS	2.8
1	A	140	PHE	2.7
1	A	195	VAL	2.7
1	A	745	THR	2.6
1	A	1126	ALA	2.6
1	A	1034	ASN	2.6
1	A	769	LYS	2.6
1	A	1116	ASP	2.6
3	C	65	TYR	2.6
1	A	1100	ILE	2.5
1	A	776	ALA	2.5
3	C	61	ASN	2.5
1	A	1117	GLY	2.4
1	A	1129	LEU	2.4
3	C	167	GLU	2.4
3	C	129	PHE	2.4
1	A	232	ILE	2.4
1	A	1095	GLU	2.3
2	B	121	ALA	2.3
3	C	69	VAL	2.3
2	B	271	ASP	2.3
1	A	192	THR	2.2
3	C	107	MET	2.2
1	A	161	GLU	2.2
1	A	90	GLU	2.2
1	A	1134	GLU	2.2
1	A	1112	LEU	2.1
1	A	1055	GLN	2.1
3	C	66	LEU	2.1
3	C	114	LEU	2.1
1	A	1125	THR	2.1
1	A	955	SER	2.1
3	C	125	CYS	2.1
1	A	982	ALA	2.0
3	C	67	LEU	2.0
3	C	83	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	RN6	B	502	59/59	0.88	0.31	109,137,174,187	0
4	ZN	B	501	1/1	0.98	0.25	115,115,115,115	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around RN6 B 502:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.