



Full wwPDB EM Validation Report ⓘ

Nov 16, 2022 – 04:26 PM JST

PDB ID : 7BOY
EMDB ID : EMD-30136
Title : Mature bacteriophage t7 tail nozzle protein gp12
Authors : Chen, W.Y.; Xiao, H.
Deposited on : 2020-03-20
Resolution : 3.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	s	794	<div> <div>20%</div> <div>93%</div> <div>6% ...</div> </div>
1	t	794	<div> <div>19%</div> <div>93%</div> <div>6% ..</div> </div>
1	u	794	<div> <div>19%</div> <div>93%</div> <div>6% ..</div> </div>
1	v	794	<div> <div>19%</div> <div>93%</div> <div>6% ..</div> </div>
1	w	794	<div> <div>19%</div> <div>93%</div> <div>6% ..</div> </div>
1	x	794	<div> <div>19%</div> <div>93%</div> <div>6% ..</div> </div>

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 37794 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Tail tubular protein gp12.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	s	790	Total 6299	C 3995	N 1084	O 1205	S 15	0	0
1	t	790	Total 6299	C 3995	N 1084	O 1205	S 15	0	0
1	u	790	Total 6299	C 3995	N 1084	O 1205	S 15	0	0
1	v	790	Total 6299	C 3995	N 1084	O 1205	S 15	0	0
1	w	790	Total 6299	C 3995	N 1084	O 1205	S 15	0	0
1	x	790	Total 6299	C 3995	N 1084	O 1205	S 15	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Tail tubular protein gp12





- Molecule 1: Tail tubular protein gp12








• Molecule 1: Tail tubular protein gp12





• Molecule 1: Tail tubular protein gp12






• Molecule 1: Tail tubular protein gp12



• Molecule 1: Tail tubular protein gp12



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	55212	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TECNAI ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	24	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	33.233	Depositor
Minimum map value	-14.838	Depositor
Average map value	0.035	Depositor
Map value standard deviation	0.651	Depositor
Recommended contour level	7.0	Depositor
Map size (Å)	447.03998, 447.03998, 447.03998	wwPDB
Map dimensions	352, 352, 352	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.27, 1.27, 1.27	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	s	0.43	0/6458	0.77	17/8782 (0.2%)
1	t	0.43	0/6458	0.77	17/8782 (0.2%)
1	u	0.44	0/6458	0.77	16/8782 (0.2%)
1	v	0.44	0/6458	0.77	17/8782 (0.2%)
1	w	0.44	0/6458	0.77	17/8782 (0.2%)
1	x	0.43	0/6458	0.77	17/8782 (0.2%)
All	All	0.44	0/38748	0.77	101/52692 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	s	0	31
1	t	0	30
1	u	0	30
1	v	0	30
1	w	0	30
1	x	0	30
All	All	0	181

There are no bond length outliers.

All (101) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	w	414	LEU	CA-CB-CG	10.40	139.22	115.30
1	u	414	LEU	CA-CB-CG	10.38	139.17	115.30
1	x	414	LEU	CA-CB-CG	10.37	139.16	115.30
1	s	414	LEU	CA-CB-CG	10.35	139.11	115.30
1	v	414	LEU	CA-CB-CG	10.34	139.08	115.30
1	t	414	LEU	CA-CB-CG	10.34	139.07	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	s	218	GLY	N-CA-C	8.15	133.49	113.10
1	u	218	GLY	N-CA-C	8.13	133.43	113.10
1	v	218	GLY	N-CA-C	8.13	133.42	113.10
1	t	218	GLY	N-CA-C	8.12	133.40	113.10
1	x	218	GLY	N-CA-C	8.12	133.40	113.10
1	w	218	GLY	N-CA-C	8.09	133.32	113.10
1	w	588	GLU	C-N-CD	-7.62	103.83	120.60
1	v	588	GLU	C-N-CD	-7.60	103.88	120.60
1	u	588	GLU	C-N-CD	-7.60	103.89	120.60
1	t	588	GLU	C-N-CD	-7.59	103.89	120.60
1	x	588	GLU	C-N-CD	-7.58	103.92	120.60
1	s	588	GLU	C-N-CD	-7.58	103.93	120.60
1	s	596	MET	CA-CB-CG	7.37	125.83	113.30
1	u	596	MET	CA-CB-CG	7.36	125.81	113.30
1	w	596	MET	CA-CB-CG	7.32	125.74	113.30
1	x	596	MET	CA-CB-CG	7.28	125.67	113.30
1	v	596	MET	CA-CB-CG	7.28	125.67	113.30
1	t	596	MET	CA-CB-CG	7.27	125.65	113.30
1	v	388	ASP	CB-CG-OD1	7.11	124.70	118.30
1	u	388	ASP	CB-CG-OD1	7.08	124.67	118.30
1	s	388	ASP	CB-CG-OD1	7.07	124.67	118.30
1	x	388	ASP	CB-CG-OD1	7.06	124.66	118.30
1	w	388	ASP	CB-CG-OD1	7.04	124.63	118.30
1	t	388	ASP	CB-CG-OD1	7.02	124.62	118.30
1	t	63	ALA	C-N-CD	6.73	142.54	128.40
1	v	63	ALA	C-N-CD	6.67	142.40	128.40
1	s	63	ALA	C-N-CD	6.67	142.40	128.40
1	w	63	ALA	C-N-CD	6.66	142.39	128.40
1	x	63	ALA	C-N-CD	6.62	142.31	128.40
1	v	68	LEU	CA-CB-CG	6.43	130.09	115.30
1	s	68	LEU	CA-CB-CG	6.41	130.04	115.30
1	w	68	LEU	CA-CB-CG	6.41	130.04	115.30
1	x	68	LEU	CA-CB-CG	6.40	130.03	115.30
1	u	68	LEU	CA-CB-CG	6.40	130.03	115.30
1	t	68	LEU	CA-CB-CG	6.39	130.00	115.30
1	u	63	ALA	C-N-CD	6.34	141.71	128.40
1	w	208	LEU	CA-CB-CG	6.22	129.61	115.30
1	t	208	LEU	CA-CB-CG	6.22	129.61	115.30
1	x	208	LEU	CA-CB-CG	6.22	129.60	115.30
1	s	208	LEU	CA-CB-CG	6.21	129.59	115.30
1	u	208	LEU	CA-CB-CG	6.21	129.57	115.30
1	v	208	LEU	CA-CB-CG	6.19	129.53	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	x	64	PRO	CA-N-CD	-5.59	103.68	111.50
1	x	452	PHE	C-N-CA	5.43	133.71	122.30
1	t	452	PHE	C-N-CA	5.41	133.66	122.30
1	w	452	PHE	C-N-CA	5.41	133.66	122.30
1	v	452	PHE	C-N-CA	5.40	133.64	122.30
1	u	452	PHE	C-N-CA	5.39	133.62	122.30
1	s	452	PHE	C-N-CA	5.37	133.58	122.30
1	v	64	PRO	CA-N-CD	-5.36	104.00	111.50
1	s	64	PRO	CA-N-CD	-5.32	104.05	111.50
1	v	770	SER	C-N-CA	5.32	134.99	121.70
1	t	64	PRO	CA-N-CD	-5.29	104.09	111.50
1	v	717	ASP	C-N-CA	5.29	134.94	121.70
1	s	770	SER	C-N-CA	5.29	134.93	121.70
1	t	771	ASP	N-CA-C	-5.29	96.71	111.00
1	x	771	ASP	N-CA-C	-5.29	96.72	111.00
1	t	588	GLU	C-N-CA	5.29	144.20	122.00
1	w	588	GLU	C-N-CA	5.29	144.21	122.00
1	u	717	ASP	C-N-CA	5.29	134.91	121.70
1	w	64	PRO	CA-N-CD	-5.29	104.10	111.50
1	w	770	SER	C-N-CA	5.28	134.91	121.70
1	u	770	SER	C-N-CA	5.28	134.90	121.70
1	u	771	ASP	N-CA-C	-5.28	96.75	111.00
1	t	717	ASP	C-N-CA	5.28	134.89	121.70
1	u	588	GLU	C-N-CA	5.28	144.15	122.00
1	w	771	ASP	N-CA-C	-5.28	96.76	111.00
1	x	588	GLU	C-N-CA	5.28	144.16	122.00
1	s	717	ASP	C-N-CA	5.27	134.88	121.70
1	v	588	GLU	C-N-CA	5.27	144.12	122.00
1	v	771	ASP	N-CA-C	-5.26	96.78	111.00
1	x	770	SER	C-N-CA	5.26	134.86	121.70
1	s	771	ASP	N-CA-C	-5.26	96.79	111.00
1	s	588	GLU	C-N-CA	5.26	144.08	122.00
1	t	770	SER	C-N-CA	5.25	134.83	121.70
1	x	717	ASP	C-N-CA	5.25	134.83	121.70
1	w	717	ASP	C-N-CA	5.23	134.78	121.70
1	t	385	LEU	CA-CB-CG	5.23	127.33	115.30
1	v	385	LEU	CA-CB-CG	5.22	127.31	115.30
1	w	385	LEU	CA-CB-CG	5.22	127.31	115.30
1	s	385	LEU	CA-CB-CG	5.19	127.24	115.30
1	x	385	LEU	CA-CB-CG	5.18	127.22	115.30
1	u	385	LEU	CA-CB-CG	5.16	127.17	115.30
1	t	295	LEU	CA-CB-CG	5.10	127.03	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	u	295	LEU	CA-CB-CG	5.10	127.02	115.30
1	t	705	ARG	CA-CB-CG	5.10	124.61	113.40
1	v	705	ARG	CA-CB-CG	5.09	124.60	113.40
1	x	705	ARG	CA-CB-CG	5.09	124.60	113.40
1	x	295	LEU	CA-CB-CG	5.09	127.00	115.30
1	w	705	ARG	CA-CB-CG	5.08	124.59	113.40
1	v	295	LEU	CA-CB-CG	5.08	126.97	115.30
1	s	705	ARG	CA-CB-CG	5.07	124.56	113.40
1	s	295	LEU	CA-CB-CG	5.07	126.97	115.30
1	u	705	ARG	CA-CB-CG	5.07	124.55	113.40
1	w	295	LEU	CA-CB-CG	5.06	126.93	115.30

There are no chirality outliers.

All (181) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	s	152	GLY	Peptide
1	s	183	SER	Peptide
1	s	184	GLN	Peptide
1	s	208	LEU	Peptide
1	s	217	GLN	Peptide
1	s	218	GLY	Peptide
1	s	261	ALA	Peptide
1	s	262	PRO	Peptide
1	s	285	ASP	Peptide
1	s	286	ALA	Peptide
1	s	304	LEU	Peptide
1	s	314	ARG	Peptide
1	s	315	ALA	Peptide
1	s	336	ASP	Peptide
1	s	352	PHE	Peptide
1	s	355	ARG	Peptide
1	s	402	ILE	Peptide
1	s	411	GLU	Peptide
1	s	412	GLU	Peptide
1	s	414	LEU	Peptide
1	s	421	GLN	Peptide
1	s	498	ASN	Peptide
1	s	542	HIS	Peptide
1	s	557	ILE	Peptide
1	s	588	GLU	Peptide
1	s	591	ARG	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	s	594	MET	Peptide
1	s	688	ALA	Peptide
1	s	717	ASP	Peptide
1	s	743	ALA	Peptide
1	s	771	ASP	Peptide
1	t	152	GLY	Peptide
1	t	183	SER	Peptide
1	t	184	GLN	Peptide
1	t	208	LEU	Peptide
1	t	217	GLN	Peptide
1	t	218	GLY	Peptide
1	t	262	PRO	Peptide
1	t	285	ASP	Peptide
1	t	286	ALA	Peptide
1	t	304	LEU	Peptide
1	t	314	ARG	Peptide
1	t	315	ALA	Peptide
1	t	336	ASP	Peptide
1	t	352	PHE	Peptide
1	t	355	ARG	Peptide
1	t	402	ILE	Peptide
1	t	411	GLU	Peptide
1	t	412	GLU	Peptide
1	t	414	LEU	Peptide
1	t	421	GLN	Peptide
1	t	498	ASN	Peptide
1	t	542	HIS	Peptide
1	t	557	ILE	Peptide
1	t	588	GLU	Peptide
1	t	591	ARG	Peptide
1	t	594	MET	Peptide
1	t	688	ALA	Peptide
1	t	717	ASP	Peptide
1	t	743	ALA	Peptide
1	t	771	ASP	Peptide
1	u	152	GLY	Peptide
1	u	183	SER	Peptide
1	u	184	GLN	Peptide
1	u	208	LEU	Peptide
1	u	217	GLN	Peptide
1	u	218	GLY	Peptide
1	u	262	PRO	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	u	285	ASP	Peptide
1	u	286	ALA	Peptide
1	u	304	LEU	Peptide
1	u	314	ARG	Peptide
1	u	315	ALA	Peptide
1	u	336	ASP	Peptide
1	u	352	PHE	Peptide
1	u	355	ARG	Peptide
1	u	402	ILE	Peptide
1	u	411	GLU	Peptide
1	u	412	GLU	Peptide
1	u	414	LEU	Peptide
1	u	421	GLN	Peptide
1	u	498	ASN	Peptide
1	u	542	HIS	Peptide
1	u	557	ILE	Peptide
1	u	588	GLU	Peptide
1	u	591	ARG	Peptide
1	u	594	MET	Peptide
1	u	688	ALA	Peptide
1	u	717	ASP	Peptide
1	u	743	ALA	Peptide
1	u	771	ASP	Peptide
1	v	152	GLY	Peptide
1	v	183	SER	Peptide
1	v	184	GLN	Peptide
1	v	208	LEU	Peptide
1	v	217	GLN	Peptide
1	v	218	GLY	Peptide
1	v	262	PRO	Peptide
1	v	285	ASP	Peptide
1	v	286	ALA	Peptide
1	v	304	LEU	Peptide
1	v	314	ARG	Peptide
1	v	315	ALA	Peptide
1	v	336	ASP	Peptide
1	v	352	PHE	Peptide
1	v	355	ARG	Peptide
1	v	402	ILE	Peptide
1	v	411	GLU	Peptide
1	v	412	GLU	Peptide
1	v	414	LEU	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	v	421	GLN	Peptide
1	v	498	ASN	Peptide
1	v	542	HIS	Peptide
1	v	557	ILE	Peptide
1	v	588	GLU	Peptide
1	v	591	ARG	Peptide
1	v	594	MET	Peptide
1	v	688	ALA	Peptide
1	v	717	ASP	Peptide
1	v	743	ALA	Peptide
1	v	771	ASP	Peptide
1	w	152	GLY	Peptide
1	w	183	SER	Peptide
1	w	184	GLN	Peptide
1	w	208	LEU	Peptide
1	w	217	GLN	Peptide
1	w	218	GLY	Peptide
1	w	262	PRO	Peptide
1	w	285	ASP	Peptide
1	w	286	ALA	Peptide
1	w	304	LEU	Peptide
1	w	314	ARG	Peptide
1	w	315	ALA	Peptide
1	w	336	ASP	Peptide
1	w	352	PHE	Peptide
1	w	355	ARG	Peptide
1	w	402	ILE	Peptide
1	w	411	GLU	Peptide
1	w	412	GLU	Peptide
1	w	414	LEU	Peptide
1	w	421	GLN	Peptide
1	w	498	ASN	Peptide
1	w	542	HIS	Peptide
1	w	557	ILE	Peptide
1	w	588	GLU	Peptide
1	w	591	ARG	Peptide
1	w	594	MET	Peptide
1	w	688	ALA	Peptide
1	w	717	ASP	Peptide
1	w	743	ALA	Peptide
1	w	771	ASP	Peptide
1	x	152	GLY	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	x	183	SER	Peptide
1	x	184	GLN	Peptide
1	x	208	LEU	Peptide
1	x	217	GLN	Peptide
1	x	218	GLY	Peptide
1	x	262	PRO	Peptide
1	x	285	ASP	Peptide
1	x	286	ALA	Peptide
1	x	304	LEU	Peptide
1	x	314	ARG	Peptide
1	x	315	ALA	Peptide
1	x	336	ASP	Peptide
1	x	352	PHE	Peptide
1	x	355	ARG	Peptide
1	x	402	ILE	Peptide
1	x	411	GLU	Peptide
1	x	412	GLU	Peptide
1	x	414	LEU	Peptide
1	x	421	GLN	Peptide
1	x	498	ASN	Peptide
1	x	542	HIS	Peptide
1	x	557	ILE	Peptide
1	x	588	GLU	Peptide
1	x	591	ARG	Peptide
1	x	594	MET	Peptide
1	x	688	ALA	Peptide
1	x	717	ASP	Peptide
1	x	743	ALA	Peptide
1	x	771	ASP	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	s	6299	0	6061	0	0
1	t	6299	0	6061	0	0
1	u	6299	0	6061	0	0
1	v	6299	0	6061	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	w	6299	0	6061	0	0
1	x	6299	0	6061	0	0
All	All	37794	0	36366	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	s	786/794 (99%)	649 (83%)	128 (16%)	9 (1%)	14	51
1	t	786/794 (99%)	651 (83%)	126 (16%)	9 (1%)	14	51
1	u	786/794 (99%)	650 (83%)	127 (16%)	9 (1%)	14	51
1	v	786/794 (99%)	650 (83%)	127 (16%)	9 (1%)	14	51
1	w	786/794 (99%)	651 (83%)	126 (16%)	9 (1%)	14	51
1	x	786/794 (99%)	650 (83%)	127 (16%)	9 (1%)	14	51
All	All	4716/4764 (99%)	3901 (83%)	761 (16%)	54 (1%)	18	51

All (54) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	s	286	ALA
1	s	422	PHE
1	s	718	ILE
1	s	771	ASP
1	s	772	GLU
1	t	286	ALA
1	t	422	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	t	718	ILE
1	t	771	ASP
1	t	772	GLU
1	u	286	ALA
1	u	422	PHE
1	u	718	ILE
1	u	771	ASP
1	u	772	GLU
1	v	286	ALA
1	v	422	PHE
1	v	718	ILE
1	v	771	ASP
1	v	772	GLU
1	w	286	ALA
1	w	422	PHE
1	w	718	ILE
1	w	771	ASP
1	w	772	GLU
1	x	286	ALA
1	x	422	PHE
1	x	718	ILE
1	x	771	ASP
1	x	772	GLU
1	s	596	MET
1	t	596	MET
1	u	596	MET
1	v	596	MET
1	w	596	MET
1	x	64	PRO
1	x	596	MET
1	s	64	PRO
1	t	64	PRO
1	v	64	PRO
1	s	595	ASP
1	t	595	ASP
1	u	595	ASP
1	v	595	ASP
1	w	64	PRO
1	w	595	ASP
1	x	595	ASP
1	v	218	GLY
1	s	218	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	t	218	GLY
1	u	64	PRO
1	u	218	GLY
1	w	218	GLY
1	x	218	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	s	687/688 (100%)	675 (98%)	12 (2%)	60	78
1	t	687/688 (100%)	676 (98%)	11 (2%)	62	79
1	u	687/688 (100%)	675 (98%)	12 (2%)	60	78
1	v	687/688 (100%)	675 (98%)	12 (2%)	60	78
1	w	687/688 (100%)	675 (98%)	12 (2%)	60	78
1	x	687/688 (100%)	676 (98%)	11 (2%)	62	79
All	All	4122/4128 (100%)	4052 (98%)	70 (2%)	62	78

All (70) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	s	51	LEU
1	s	54	LEU
1	s	60	LEU
1	s	64	PRO
1	s	114	ASN
1	s	178	LYS
1	s	288	ARG
1	s	376	ASN
1	s	404	LYS
1	s	414	LEU
1	s	567	ASN
1	s	789	ARG
1	t	51	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	t	54	LEU
1	t	62	GLN
1	t	114	ASN
1	t	178	LYS
1	t	288	ARG
1	t	376	ASN
1	t	404	LYS
1	t	414	LEU
1	t	567	ASN
1	t	789	ARG
1	u	51	LEU
1	u	54	LEU
1	u	62	GLN
1	u	64	PRO
1	u	114	ASN
1	u	178	LYS
1	u	288	ARG
1	u	376	ASN
1	u	404	LYS
1	u	414	LEU
1	u	567	ASN
1	u	789	ARG
1	v	51	LEU
1	v	54	LEU
1	v	60	LEU
1	v	114	ASN
1	v	178	LYS
1	v	288	ARG
1	v	376	ASN
1	v	404	LYS
1	v	414	LEU
1	v	567	ASN
1	v	687	THR
1	v	789	ARG
1	w	51	LEU
1	w	54	LEU
1	w	60	LEU
1	w	114	ASN
1	w	178	LYS
1	w	288	ARG
1	w	376	ASN
1	w	404	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	w	414	LEU
1	w	567	ASN
1	w	687	THR
1	w	789	ARG
1	x	51	LEU
1	x	54	LEU
1	x	60	LEU
1	x	114	ASN
1	x	178	LYS
1	x	288	ARG
1	x	376	ASN
1	x	404	LYS
1	x	414	LEU
1	x	567	ASN
1	x	789	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (56) such sidechains are listed below:

Mol	Chain	Res	Type
1	s	6	GLN
1	s	10	ASN
1	s	31	GLN
1	s	114	ASN
1	s	376	ASN
1	s	457	ASN
1	s	567	ASN
1	s	570	ASN
1	s	726	ASN
1	s	777	ASN
1	t	6	GLN
1	t	31	GLN
1	t	62	GLN
1	t	114	ASN
1	t	376	ASN
1	t	457	ASN
1	t	567	ASN
1	t	570	ASN
1	t	726	ASN
1	t	777	ASN
1	u	6	GLN
1	u	10	ASN
1	u	31	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	u	62	GLN
1	u	114	ASN
1	u	376	ASN
1	u	457	ASN
1	u	494	ASN
1	u	567	ASN
1	u	726	ASN
1	u	777	ASN
1	v	6	GLN
1	v	31	GLN
1	v	114	ASN
1	v	376	ASN
1	v	457	ASN
1	v	567	ASN
1	v	726	ASN
1	v	777	ASN
1	w	6	GLN
1	w	31	GLN
1	w	114	ASN
1	w	376	ASN
1	w	457	ASN
1	w	567	ASN
1	w	726	ASN
1	w	777	ASN
1	x	6	GLN
1	x	31	GLN
1	x	114	ASN
1	x	376	ASN
1	x	457	ASN
1	x	494	ASN
1	x	567	ASN
1	x	726	ASN
1	x	777	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-30136. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 176



Y Index: 176



Z Index: 176


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 164



Y Index: 158




Z Index: 243


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 7.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 190 nm^3 ; this corresponds to an approximate mass of 172 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.263 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-30136 and PDB model 7BOY. Per-residue inclusion information can be found in [section 3](#) on [page 4](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 7.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (7.0).

9.4 Atom inclusion [i](#)



At the recommended contour level, 77% of all backbone atoms, 62% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (7.0) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div><div></div></div> 0.6183	<div><div></div></div> 0.4320
s	<div><div></div></div> 0.6139	<div><div></div></div> 0.4330
t	<div><div></div></div> 0.6188	<div><div></div></div> 0.4300
u	<div><div></div></div> 0.6204	<div><div></div></div> 0.4320
v	<div><div></div></div> 0.6194	<div><div></div></div> 0.4290
w	<div><div></div></div> 0.6181	<div><div></div></div> 0.4300
x	<div><div></div></div> 0.6193	<div><div></div></div> 0.4370

1.0

0.0

<0.0