



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 9, 2020 – 01:34 AM BST

PDB ID : 6BPP  
Title : E. coli MsbA in complex with LPS and inhibitor G092  
Authors : Ho, H.; Koth, C.M.; Payandeh, J.  
Deposited on : 2017-11-24  
Resolution : 2.92 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2307 (2.94-2.90)
Clashscore	141614	2531 (2.94-2.90)
Ramachandran outliers	138981	2462 (2.94-2.90)
Sidechain outliers	138945	2464 (2.94-2.90)
RSRZ outliers	127900	2248 (2.94-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	582	<div> <div>3%</div> <div> <div></div> <div>90%</div> <div>9%</div> <div></div> </div> </div>
1	B	582	<div> <div>7%</div> <div> <div></div> <div>89%</div> <div>7%</div> <div></div> </div> </div>
2	C	10	<div> <div></div> <div> <div></div> <div>80%</div> <div>20%</div> <div></div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	KDO	C	10	-	-	-	X
2	GCS	C	2	-	-	-	X
2	GLC	C	7	-	-	-	X
2	GLC	C	8	-	-	-	X
4	FTT	B	613	-	-	-	X
6	3PE	A	605	-	X	-	-
6	3PE	A	606	-	X	-	-
6	3PE	B	617	-	X	-	-
8	MYR	B	615	-	-	-	X

## 2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 8851 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Lipid A export ATP-binding/permease protein MsbA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	576	Total	C	N	O	S	0	0	0
			4389	2780	757	826	26			
1	B	561	Total	C	N	O	S	0	0	0
			4124	2617	709	773	25			

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	SER	-	expression tag	UNP Q8FJB1
A	65	VAL	MET	conflict	UNP Q8FJB1
A	84	VAL	ILE	conflict	UNP Q8FJB1
B	1	SER	-	expression tag	UNP Q8FJB1
B	65	VAL	MET	conflict	UNP Q8FJB1
B	84	VAL	ILE	conflict	UNP Q8FJB1

- Molecule 2 is an oligosaccharide called alpha-D-glucopyranose-(1-3)-[alpha-D-glucopyranose-(1-6)]alpha-D-glucopyranose-(1-3)-[L-glycero-alpha-D-manno-heptopyranose-(1-7)]L-glycero-alpha-D-manno-heptopyranose-(1-3)-L-glycero-alpha-D-manno-heptopyranose-(1-5)-[3-deoxy-alpha-D-manno-oct-2-ulopyranosonic acid-(2-4)]3-deoxy-alpha-D-manno-oct-2-ulopyranosonic acid-(2-6)-2-amino-2-deoxy-beta-D-glucopyranose-(1-6)-2-amino-2-deoxy-alpha-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	10	Total	C	N	O	0	0	0
			125	67	2	56			

- Molecule 3 is (2E)-3-{6-[(1S)-1-(3-amino-2,6-dichlorophenyl)ethoxy]-4-cyclopropylquinolin-3-yl}prop-2-enoic acid (three-letter code: E1M) (formula: C<sub>23</sub>H<sub>20</sub>Cl<sub>2</sub>N<sub>2</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Cl	N	O	0	0
			30	23	2	2	3		
3	B	1	Total	C	Cl	N	O	0	0
			30	23	2	2	3		

- Molecule 4 is 3-HYDROXY-TETRADECANOIC ACID (three-letter code: FTT) (formula: C<sub>14</sub>H<sub>28</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			16	14	2		

Continued on next page...

*Continued from previous page...*


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			16	14	2		
4	B	1	Total	C	O	0	0
			16	14	2		
4	B	1	Total	C	O	0	0
			16	14	2		

- Molecule 5 is LAURIC ACID (three-letter code: DAO) (formula: C<sub>12</sub>H<sub>24</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			13	12	1		

- Molecule 6 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOETHANOLAMINE (three-letter code: 3PE) (formula: C<sub>41</sub>H<sub>82</sub>NO<sub>8</sub>P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	O	P		0	0
			10	3	6	1			
6	A	1	Total	C	N	O	P	0	0
			9	3	1	4	1		
6	A	1	Total	C	O	P		0	0
			10	3	6	1			
6	A	1	Total	C				0	0
			5	5					
6	B	1	Total	O	P			0	0
			5	4	1				
6	B	1	Total	C				0	0
			5	5					
6	B	1	Total	C	N	O	P	0	0
			9	3	1	4	1		

- Molecule 7 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	O	P	0	0
			4	3	1		
7	B	1	Total	O	P	0	0
			4	3	1		

- Molecule 8 is MYRISTIC ACID (three-letter code: MYR) (formula:  $C_{14}H_{28}O_2$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			15	14	1		




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Lipid A export ATP-binding/permease protein MsbA



- Molecule 1: Lipid A export ATP-binding/permease protein MsbA



- Molecule 2: alpha-D-glucopyranose-(1-3)-[alpha-D-glucopyranose-(1-6)]alpha-D-glucopyranose-(1-3)-[L-glycero-alpha-D-manno-heptopyranose-(1-7)]L-glycero-alpha-D-manno-heptopyranose-(1-3)-L-glycero-alpha-D-manno-heptopyranose-(1-5)-[3-deoxy-alpha-D-manno-oct-2-ulopyranosonic acid-(2-4)]3-deoxy-alpha-D-manno-oct-2-ulopyranosonic acid-(2-6)-2-amino-2-deoxy-beta-D-glucopyranose-(1-6)-2-amino-2-deoxy-alpha-D-glucopyranose



PA11	GCS2	KD03	GME4	GME5	GLC6	GLC7	GLC8	GME9	KD10
------	------	------	------	------	------	------	------	------	------

## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	256.29Å 89.79Å 72.51Å 90.00° 91.29° 90.00°	Depositor
Resolution (Å)	38.17 – 2.92 38.26 – 2.92	Depositor EDS
% Data completeness (in resolution range)	91.5 (38.17-2.92) 91.5 (38.26-2.92)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.43 (at 2.90Å)	Xtriage
Refinement program	PHENIX (dev_2747: ???)	Depositor
R, $R_{free}$	0.258 , 0.278 0.258 , 0.272	Depositor DCC
$R_{free}$ test set	1630 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	71.9	Xtriage
Anisotropy	0.178	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 51.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	0.038 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	8851	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.75% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MYR, KDO, FTT, PA1, PO4, GLC, DAO, GCS, GMH, E1M, 3PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.29	0/4452	0.49	0/6026
1	B	0.28	0/4182	0.47	0/5679
All	All	0.28	0/8634	0.48	0/11705

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4389	0	4442	36	0
1	B	4124	0	4061	24	0
2	C	125	0	98	1	0
3	A	30	0	0	2	0
3	B	30	0	0	1	0
4	A	32	0	53	9	0
4	B	32	0	53	3	0
5	A	13	0	23	4	0
6	A	34	0	26	0	0
6	B	19	0	16	0	0
7	B	8	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	B	15	0	27	8	0
All	All	8851	0	8799	66	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:603:DAO:H22	4:B:614:FTT:H62	1.71	0.72
1:A:78:ARG:HH12	4:A:604:FTT:H41	1.62	0.64
1:B:50:PRO:O	1:B:55:GLY:N	2.23	0.64
1:A:296:ARG:HB3	1:A:297:PRO:HD3	1.83	0.59
1:A:163:TYR:HB3	1:A:283:THR:OG1	2.05	0.57
1:A:288:PHE:HB3	4:A:602:FTT:H141	1.87	0.56
4:A:604:FTT:H121	8:B:615:MYR:H132	1.89	0.55
4:A:604:FTT:H121	8:B:615:MYR:H101	1.91	0.52
1:A:44:MET:HE1	8:B:615:MYR:H81	1.91	0.52
4:A:602:FTT:H122	4:B:613:FTT:H143	1.91	0.52
1:A:175:ALA:HB3	1:A:176:PRO:HD3	1.91	0.52
4:A:602:FTT:O3	4:B:613:FTT:H62	2.09	0.52
1:B:499:SER:O	1:B:530:ARG:NH1	2.45	0.50
1:A:288:PHE:CD1	4:A:602:FTT:H141	2.47	0.49
1:A:64:LEU:HD12	1:B:271:SER:CB	2.43	0.48
1:B:301:LEU:O	1:B:304:VAL:HG12	2.12	0.48
1:A:289:SER:HB3	5:A:603:DAO:H92	1.96	0.48
1:A:145:THR:OG1	1:A:304:VAL:HG21	2.13	0.47
1:B:280:THR:O	1:B:284:ILE:HG22	2.15	0.47
1:B:458:TYR:CB	1:B:518:ALA:HB1	2.45	0.46
1:B:507:ALA:HA	1:B:537:HIS:CD2	2.50	0.46
1:A:435:ASN:O	1:A:439:TYR:HA	2.16	0.46
1:A:160:MET:O	1:A:163:TYR:O	2.33	0.46
3:B:601:E1M:O13	3:B:601:E1M:CL12	2.71	0.46
1:A:44:MET:CE	8:B:615:MYR:H81	2.46	0.46
1:B:466:MET:CE	1:B:481:LEU:HD21	2.46	0.46
1:B:263:LEU:HB3	8:B:615:MYR:H111	1.97	0.45
3:A:601:E1M:CL12	3:A:601:E1M:O13	2.71	0.45
1:B:296:ARG:HB3	1:B:297:PRO:HD3	1.96	0.45
1:A:420:ALA:HB2	1:A:499:SER:HB2	1.98	0.45
1:A:339:THR:N	1:A:403:ASP:OD2	2.51	0.44
1:A:63:VAL:O	1:A:68:PRO:HD2	2.17	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:107:HIS:HA	1:B:326:GLN:OE1	2.18	0.44
1:A:288:PHE:HB2	5:A:603:DAO:H122	1.99	0.44
1:A:49:LYS:HB3	1:A:50:PRO:HD3	2.00	0.44
1:A:67:MET:HG2	1:B:267:LEU:HD21	1.98	0.44
1:B:91:TRP:O	1:B:95:LYS:HG2	2.18	0.44
1:B:364:LEU:CD1	1:B:366:ILE:HG13	2.47	0.44
1:A:190:ARG:O	1:A:190:ARG:HG3	2.18	0.43
1:B:295:MET:HE1	8:B:615:MYR:H62	2.01	0.43
1:A:30:ALA:HB2	1:A:88:CYS:HB2	2.01	0.43
1:A:17:TRP:O	1:A:20:ILE:N	2.47	0.43
1:B:66:TRP:O	1:B:70:VAL:HB	2.19	0.43
1:A:296:ARG:HB3	1:A:297:PRO:CD	2.49	0.42
1:B:20:ILE:HG12	1:B:96:VAL:HG11	2.00	0.42
4:A:604:FTT:H142	8:B:615:MYR:H141	2.01	0.42
1:B:366:ILE:HG22	1:B:531:THR:HG23	2.02	0.42
1:A:383:SER:HA	1:A:535:ILE:CD1	2.49	0.42
1:A:259:ALA:HB1	3:A:601:E1M:CL10	2.57	0.42
1:B:502:LEU:HD22	1:B:526:LEU:HG	2.02	0.42
1:A:573:ALA:O	1:A:577:LYS:N	2.51	0.42
1:B:380:SER:OG	1:B:551:VAL:HG22	2.19	0.42
1:A:64:LEU:HG	1:B:268:TYR:CE1	2.55	0.41
1:A:414:SER:O	1:A:418:GLN:HG2	2.21	0.41
1:A:285:THR:HA	5:A:603:DAO:H112	2.02	0.41
1:A:121:THR:HG21	1:B:211:LEU:HB3	2.03	0.41
1:B:93:SER:O	1:B:97:VAL:HG23	2.20	0.41
1:A:108:MET:HA	1:A:111:MET:HG2	2.02	0.41
2:C:5:GMH:H2	2:C:6:GLC:O5	2.21	0.41
1:B:421:LEU:HD23	1:B:422:VAL:N	2.36	0.41
1:A:236:ARG:O	1:A:240:GLN:HG2	2.21	0.41
1:A:172:ILE:O	1:A:175:ALA:N	2.54	0.40
1:A:203:VAL:HG22	1:A:233:VAL:HG12	2.03	0.40
1:A:500:PRO:HG2	1:A:501:ILE:HD12	2.02	0.40
4:A:604:FTT:H132	8:B:615:MYR:H142	2.02	0.40
1:A:103:ARG:HE	1:A:322:LEU:HD21	1.87	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	574/582 (99%)	550 (96%)	24 (4%)	0	100	100
1	B	557/582 (96%)	529 (95%)	28 (5%)	0	100	100
All	All	1131/1164 (97%)	1079 (95%)	52 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	471/496 (95%)	470 (100%)	1 (0%)	93	98
1	B	419/496 (84%)	419 (100%)	0	100	100
All	All	890/992 (90%)	889 (100%)	1 (0%)	93	98

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	157	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

10 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PA1	C	1	2,4,7	12,12,12	0.75	0	16,17,17	1.79	4 (25%)
2	KDO	C	10	2	12,15,16	0.38	0	16,21,24	1.23	1 (6%)
2	GCS	C	2	2,4,7	11,11,12	0.48	0	12,15,17	1.95	3 (25%)
2	KDO	C	3	2	12,15,16	0.43	0	16,21,24	2.14	5 (31%)
2	GMH	C	4	2	13,13,14	0.40	0	17,18,20	1.03	1 (5%)
2	GMH	C	5	2	13,13,14	0.34	0	17,18,20	2.01	4 (23%)
2	GLC	C	6	2	11,11,12	0.52	0	15,15,17	2.36	6 (40%)
2	GLC	C	7	2	11,11,12	0.29	0	15,15,17	1.27	2 (13%)
2	GLC	C	8	2	11,11,12	0.36	0	15,15,17	2.44	3 (20%)
2	GMH	C	9	2	13,13,14	0.43	0	17,18,20	0.98	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PA1	C	1	2,4,7	-	1/2/22/22	0/1/1/1
2	KDO	C	10	2	-	4/6/26/30	0/1/1/1
2	GCS	C	2	2,4,7	-	2/2/19/22	0/1/1/1
2	KDO	C	3	2	-	0/6/26/30	0/1/1/1
2	GMH	C	4	2	-	3/6/23/26	0/1/1/1
2	GMH	C	5	2	-	4/6/23/26	0/1/1/1

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	C	6	2	-	1/2/19/22	0/1/1/1
2	GLC	C	7	2	-	2/2/19/22	0/1/1/1
2	GLC	C	8	2	-	2/2/19/22	0/1/1/1
2	GMH	C	9	2	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	8	GLC	C1-O5-C5	7.57	122.45	112.19
2	C	5	GMH	C1-O5-C5	5.29	120.15	111.48
2	C	6	GLC	C1-C2-C3	5.13	115.97	109.67
2	C	1	PA1	C1-O5-C5	4.60	122.34	113.66
2	C	3	KDO	C4-C3-C2	4.43	117.74	109.81
2	C	2	GCS	C1-O5-C5	4.18	117.86	112.19
2	C	2	GCS	O5-C5-C6	-4.11	100.77	107.20
2	C	3	KDO	O6-C2-C3	3.99	116.87	109.87
2	C	1	PA1	O5-C5-C4	3.90	116.77	109.69
2	C	3	KDO	C6-O6-C2	3.76	119.38	111.34
2	C	6	GLC	C1-O5-C5	3.73	117.25	112.19
2	C	6	GLC	O3-C3-C4	3.72	118.95	110.35
2	C	5	GMH	O5-C1-C2	3.67	116.43	110.77
2	C	6	GLC	O5-C1-C2	3.58	116.29	110.77
2	C	5	GMH	C1-C2-C3	3.48	113.94	109.67
2	C	8	GLC	C1-C2-C3	3.46	113.92	109.67
2	C	3	KDO	C7-C6-C5	-3.23	108.68	114.03
2	C	10	KDO	C4-C3-C2	3.14	115.44	109.81
2	C	6	GLC	C3-C4-C5	-3.06	104.78	110.24
2	C	9	GMH	C6-C5-C4	-3.04	108.98	114.03
2	C	8	GLC	C2-C3-C4	-2.88	105.91	110.89
2	C	7	GLC	C1-C2-C3	2.79	113.09	109.67
2	C	7	GLC	C1-O5-C5	2.71	115.87	112.19
2	C	3	KDO	C3-C2-C1	-2.68	106.07	111.93
2	C	5	GMH	C2-C3-C4	-2.26	106.98	110.89
2	C	1	PA1	C4-C3-C2	-2.25	107.21	111.07
2	C	4	GMH	C1-C2-C3	2.18	112.35	109.67
2	C	1	PA1	C6-C5-C4	-2.16	107.94	113.00
2	C	2	GCS	O6-C6-C5	-2.03	104.33	111.29
2	C	6	GLC	O3-C3-C2	-2.01	106.14	109.99

There are no chirality outliers.

All (23) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	4	GMH	O5-C5-C6-O6
2	C	9	GMH	C4-C5-C6-C7
2	C	9	GMH	C4-C5-C6-O6
2	C	9	GMH	O5-C5-C6-C7
2	C	9	GMH	O5-C5-C6-O6
2	C	5	GMH	C4-C5-C6-C7
2	C	5	GMH	C4-C5-C6-O6
2	C	5	GMH	O5-C5-C6-C7
2	C	5	GMH	O5-C5-C6-O6
2	C	10	KDO	C5-C6-C7-O7
2	C	10	KDO	C5-C6-C7-C8
2	C	10	KDO	O6-C6-C7-O7
2	C	10	KDO	O6-C6-C7-C8
2	C	2	GCS	O5-C5-C6-O6
2	C	7	GLC	O5-C5-C6-O6
2	C	7	GLC	C4-C5-C6-O6
2	C	8	GLC	O5-C5-C6-O6
2	C	2	GCS	C4-C5-C6-O6
2	C	1	PA1	O5-C5-C6-O6
2	C	6	GLC	O5-C5-C6-O6
2	C	4	GMH	C4-C5-C6-O6
2	C	8	GLC	C4-C5-C6-O6
2	C	4	GMH	C4-C5-C6-C7

There are no ring outliers.

2 monomers are involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	6	GLC	1	0
2	C	5	GMH	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



## 5.6 Ligand geometry ⓘ

17 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	3PE	A	606	-	8,8,50	2.36	2 (25%)	9,10,55	1.69	2 (22%)
6	3PE	B	619	-	8,8,50	2.58	2 (25%)	9,10,55	1.59	2 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	3PE	A	607	-	9,9,50	2.59	1 (11%)	11,12,55	2.12	4 (36%)
4	FTT	A	604	8,2	15,15,16	0.36	0	15,15,17	0.98	1 (6%)
6	3PE	B	617	-	4,4,50	4.89	2 (50%)	6,6,55	2.89	3 (50%)
3	E1M	A	601	-	29,33,33	0.76	0	39,48,48	1.67	9 (23%)
4	FTT	B	614	2,5	15,15,16	0.37	0	15,15,17	0.96	1 (6%)
4	FTT	B	613	2	15,15,16	0.36	0	15,15,17	1.20	2 (13%)
3	E1M	B	601	-	29,33,33	0.74	0	39,48,48	1.72	6 (15%)
5	DAO	A	603	4	12,12,13	0.36	0	11,11,13	0.86	0
7	PO4	B	612	2	0,3,4	0.00	-	0,3,6	0.00	-
6	3PE	B	618	-	4,4,50	0.56	0	3,3,55	0.24	0
8	MYR	B	615	4	14,14,15	0.37	0	13,13,15	0.73	0
6	3PE	A	605	-	9,9,50	3.38	1 (11%)	11,12,55	2.46	5 (45%)
6	3PE	A	608	-	4,4,50	0.53	0	3,3,55	0.24	0
7	PO4	B	616	2	0,3,4	0.00	-	0,3,6	0.00	-
4	FTT	A	602	2	15,15,16	0.37	0	15,15,17	1.21	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	3PE	A	606	-	-	7/8/8/54	-
6	3PE	B	619	-	-	6/8/8/54	-
6	3PE	A	607	-	-	3/8/8/54	-
4	FTT	A	604	8,2	-	4/14/14/15	-
3	E1M	A	601	-	-	0/15/19/19	0/4/4/4
4	FTT	B	614	2,5	-	4/14/14/15	-
4	FTT	B	613	2	-	5/14/14/15	-
3	E1M	B	601	-	-	0/15/19/19	0/4/4/4
5	DAO	A	603	4	-	3/9/10/11	-
6	3PE	B	618	-	-	2/2/2/54	-
8	MYR	B	615	4	-	7/11/12/13	-
6	3PE	A	605	-	-	6/8/8/54	-
6	3PE	A	608	-	-	2/2/2/54	-
4	FTT	A	602	2	-	7/14/14/15	-

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	605	3PE	P-O14	9.32	1.80	1.50
6	B	617	3PE	P-O13	8.70	1.80	1.54
6	A	607	3PE	P-O13	6.89	1.81	1.54
6	B	619	3PE	P-O13	6.02	1.83	1.59
6	A	606	3PE	P-O13	5.44	1.81	1.59
6	B	617	3PE	P-O11	3.97	1.66	1.54
6	B	619	3PE	P-O11	2.44	1.68	1.59
6	A	606	3PE	O13-C11	-2.03	1.36	1.44

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	605	3PE	O13-P-O12	5.80	129.82	107.64
6	B	617	3PE	O12-P-O14	5.18	129.84	110.89
6	A	607	3PE	O12-P-O14	4.83	129.59	110.68
3	B	601	E1M	C1-C2-C4	-4.71	107.93	113.48
3	A	601	E1M	C22-N23-C17	4.03	121.76	116.91
3	A	601	E1M	C5-C4-C9	3.87	119.36	114.90
3	B	601	E1M	C14-O13-C2	3.83	123.57	118.57
3	A	601	E1M	C14-O13-C2	3.73	123.44	118.57
3	B	601	E1M	C5-C4-C9	3.63	119.09	114.90
6	A	606	3PE	O12-P-O14	3.55	129.77	112.24
3	B	601	E1M	O13-C2-C4	3.54	112.87	107.64
6	A	605	3PE	O13-P-O14	-3.49	97.02	110.68
3	A	601	E1M	C1-C2-C4	-3.47	109.40	113.48
6	B	617	3PE	O13-P-O14	-3.44	98.29	110.89
6	B	619	3PE	O12-P-O14	3.36	128.86	112.24
3	B	601	E1M	C22-N23-C17	3.35	120.94	116.91
6	B	617	3PE	O13-P-O12	-3.25	97.53	107.97
4	A	602	FTT	O2-C1-C2	-3.21	116.07	125.43
6	A	605	3PE	O12-P-O14	-3.10	98.53	110.68
6	A	607	3PE	O13-P-O14	-2.98	99.00	110.68
4	B	613	FTT	C3-C2-C1	-2.74	107.93	112.75
6	A	606	3PE	O13-P-O14	-2.72	98.45	109.07
6	B	619	3PE	O13-P-O14	-2.72	98.46	109.07
6	A	607	3PE	O13-P-O12	-2.64	97.56	107.64
3	A	601	E1M	C21-C24-C25	-2.60	118.59	126.46
3	B	601	E1M	C21-C20-C18	-2.50	116.96	119.23
4	B	613	FTT	O2-C1-C2	-2.49	118.17	125.43
4	B	614	FTT	O2-C1-C2	-2.33	118.64	125.43
4	A	604	FTT	O2-C1-C2	-2.32	118.66	125.43
3	A	601	E1M	C4-C9-CL10	-2.31	117.65	120.32
3	A	601	E1M	C31-C29-C20	-2.31	115.85	119.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	607	3PE	P-O11-C1	2.25	124.50	118.30
6	A	605	3PE	O12-P-O11	2.24	112.70	106.73
6	A	605	3PE	P-O11-C1	2.19	124.33	118.30
4	A	602	FTT	C4-C3-C2	-2.17	105.50	112.91
3	A	601	E1M	O13-C2-C4	2.09	110.72	107.64
3	A	601	E1M	C21-C22-N23	-2.07	120.83	123.70

There are no chirality outliers.

All (56) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	606	3PE	C1-O11-P-O12
6	A	606	3PE	C1-O11-P-O13
6	A	606	3PE	C1-O11-P-O14
6	A	606	3PE	C11-O13-P-O12
6	A	606	3PE	O13-C11-C12-N
6	B	619	3PE	C1-O11-P-O12
6	B	619	3PE	C1-O11-P-O13
6	B	619	3PE	C11-O13-P-O12
6	B	619	3PE	C11-O13-P-O14
6	A	607	3PE	C1-O11-P-O12
6	A	607	3PE	C1-O11-P-O13
6	A	607	3PE	C1-O11-P-O14
4	B	614	FTT	C1-C2-C3-C4
4	B	613	FTT	C1-C2-C3-O3
4	B	613	FTT	C2-C3-C4-C5
6	A	605	3PE	C1-O11-P-O12
6	A	605	3PE	O11-C1-C2-O21
4	B	613	FTT	O3-C3-C4-C5
6	B	619	3PE	C11-O13-P-O11
6	A	605	3PE	O11-C1-C2-C3
4	A	602	FTT	C7-C8-C9-C10
5	A	603	DAO	C11-C10-C9-C8
8	B	615	MYR	C2-C3-C4-C5
8	B	615	MYR	C7-C8-C9-C10
4	B	614	FTT	C6-C7-C8-C9
6	A	605	3PE	C1-C2-C3-O31
4	A	604	FTT	C10-C11-C12-C13
4	A	604	FTT	C4-C5-C6-C7
4	A	602	FTT	C11-C10-C9-C8
4	B	614	FTT	C1-C2-C3-O3
6	A	608	3PE	C2F-C2G-C2H-C2I

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	B	613	FTT	C11-C12-C13-C14
4	A	602	FTT	O3-C3-C4-C5
6	B	618	3PE	C2E-C2F-C2G-C2H
6	B	618	3PE	C2F-C2G-C2H-C2I
6	B	619	3PE	C1-O11-P-O14
4	B	614	FTT	C7-C8-C9-C10
4	B	613	FTT	C7-C8-C9-C10
6	A	608	3PE	C2E-C2F-C2G-C2H
4	A	602	FTT	C4-C5-C6-C7
8	B	615	MYR	C9-C10-C11-C12
8	B	615	MYR	C10-C11-C12-C13
5	A	603	DAO	C1-C2-C3-C4
8	B	615	MYR	C1-C2-C3-C4
8	B	615	MYR	C6-C7-C8-C9
6	A	605	3PE	C1-O11-P-O14
4	A	602	FTT	C6-C7-C8-C9
4	A	604	FTT	C3-C4-C5-C6
4	A	602	FTT	C9-C10-C11-C12
4	A	602	FTT	C11-C12-C13-C14
8	B	615	MYR	C5-C6-C7-C8
6	A	605	3PE	O21-C2-C3-O31
5	A	603	DAO	C9-C10-C11-C12
6	A	606	3PE	C11-O13-P-O11
6	A	606	3PE	C11-O13-P-O14
4	A	604	FTT	O3-C3-C4-C5


There are no ring outliers.

8 monomers are involved in 20 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	604	FTT	5	0
3	A	601	E1M	2	0
4	B	614	FTT	1	0
4	B	613	FTT	2	0
3	B	601	E1M	1	0
5	A	603	DAO	4	0
8	B	615	MYR	8	0
4	A	602	FTT	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will


also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	576/582 (98%)	0.20	17 (2%)	50 46	32, 58, 97, 118	0
1	B	561/582 (96%)	0.33	40 (7%)	16 13	38, 71, 113, 128	0
All	All	1137/1164 (97%)	0.27	57 (5%)	28 25	32, 62, 106, 128	0

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	512	ASP	6.0
1	A	477	ASN	5.5
1	B	511	LEU	5.3
1	B	445	TYR	4.4
1	B	344	PHE	4.4
1	B	513	THR	4.3
1	B	353	GLY	4.3
1	B	450	ILE	4.3
1	A	478	GLY	4.2
1	A	479	VAL	4.1
1	A	571	VAL	4.0
1	B	557	VAL	3.9
1	B	10	TRP	3.8
1	A	65	VAL	3.8
1	A	570	GLY	3.8
1	B	463	ILE	3.7
1	B	551	VAL	3.6
1	B	562	HIS	3.6
1	B	100	MET	3.5
1	B	481	LEU	3.2
1	B	339	THR	3.1
1	B	65	VAL	3.1
1	B	379	GLY	3.0
1	A	572	TYR	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	466	MET	2.9
1	B	509	SER	2.8
1	B	399	GLU	2.8
1	B	378	SER	2.7
1	B	470	LEU	2.7
1	B	427	HIS	2.6
1	A	511	LEU	2.6
1	A	513	THR	2.6
1	B	558	GLU	2.5
1	B	199	THR	2.5
1	A	485	GLN	2.5
1	B	355	ASP	2.5
1	B	449	GLN	2.5
1	A	15	ARG	2.5
1	A	525	GLU	2.4
1	B	451	GLU	2.4
1	A	568	HIS	2.4
1	B	388	LEU	2.4
1	A	508	THR	2.4
1	A	322	LEU	2.3
1	B	579	GLN	2.3
1	B	338	ALA	2.3
1	B	335	ILE	2.3
1	A	133	GLU	2.3
1	B	563	ASN	2.3
1	B	496	LEU	2.3
1	B	375	VAL	2.2
1	B	518	ALA	2.2
1	A	562	HIS	2.2
1	B	552	GLU	2.2
1	B	272	PHE	2.1
1	B	376	GLY	2.1
1	B	321	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ


There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	GMH	C	4	13/14	0.53	0.36	145,153,159,159	0
2	KDO	C	10	15/16	0.60	0.47	136,153,160,162	0
2	GLC	C	8	11/12	0.62	0.47	140,143,149,150	0
2	KDO	C	3	15/16	0.71	0.37	145,151,160,166	0
2	GLC	C	7	11/12	0.72	0.54	151,155,159,159	0
2	GLC	C	6	11/12	0.74	0.24	149,154,156,161	0
2	PA1	C	1	12/12	0.75	0.36	95,111,122,125	0
2	GMH	C	5	13/14	0.75	0.29	140,146,155,155	0
2	GMH	C	9	13/14	0.77	0.37	126,134,144,145	0
2	GCS	C	2	11/12	0.80	0.45	99,113,128,129	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	3PE	B	618	5/51	0.61	0.36	46,56,59,67	0
8	MYR	B	615	15/16	0.72	0.47	58,72,103,104	0
4	FTT	B	613	16/17	0.80	0.41	52,72,118,126	0
4	FTT	A	602	16/17	0.82	0.38	52,70,100,102	0
6	3PE	B	619	9/51	0.83	0.17	67,86,101,111	0
4	FTT	B	614	16/17	0.83	0.38	64,86,119,119	0
6	3PE	A	605	10/51	0.84	0.13	72,83,91,154	0
4	FTT	A	604	16/17	0.84	0.37	59,79,112,116	0
6	3PE	A	607	10/51	0.86	0.12	53,67,77,84	0
6	3PE	A	608	5/51	0.86	0.20	45,61,72,81	0
7	PO4	B	612	4/5	0.86	0.41	93,107,108,114	0
6	3PE	A	606	9/51	0.90	0.17	64,79,97,154	0
6	3PE	B	617	5/51	0.91	0.12	68,85,106,112	0
5	DAO	A	603	13/14	0.91	0.28	55,69,88,92	0
3	E1M	B	601	30/30	0.93	0.16	39,51,63,103	0
7	PO4	B	616	4/5	0.94	0.48	89,107,110,111	0
3	E1M	A	601	30/30	0.94	0.20	27,42,50,61	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around 3PE B 618:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around 3PE B 619:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 3PE A 605:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 3PE A 607:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 3PE A 608:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 3PE A 606:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around 3PE B 617:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around E1M B 601:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around E1M A 601:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers

There are no such residues in this entry.