



Full wwPDB X-ray Structure Validation Report ⓘ

May 26, 2020 – 09:16 am BST

PDB ID : 3BUW
Title : Crystal structure of c-Cbl-TKB domain complexed with its binding motif in Syk
Authors : Ng, C.; Jackson, R.A.; Buschdorf, J.P.; Sun, Q.; Guy, G.R.; Sivaraman, J.
Deposited on : 2008-01-03
Resolution : 1.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1156 (1.46-1.46)
Clashscore	141614	1202 (1.46-1.46)
Ramachandran outliers	138981	1178 (1.46-1.46)
Sidechain outliers	138945	1178 (1.46-1.46)
RSRZ outliers	127900	1139 (1.46-1.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	13	
1	C	13	
2	B	329	
2	D	329	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 5731 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 13-meric peptide from Tyrosine-protein kinase SYK.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	9	Total	C	N	O	P	0	0	0
			81	51	10	19	1			
1	C	9	Total	C	N	O	P	0	0	0
			81	51	10	19	1			

- Molecule 2 is a protein called E3 ubiquitin-protein ligase CBL.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	305	Total	C	N	O	S	0	0	0
			2497	1617	425	442	13			
2	D	305	Total	C	N	O	S	0	0	0
			2497	1617	425	442	13			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	24	SER	GLY	CLONING ARTIFACT	UNP P22681
D	24	SER	GLY	CLONING ARTIFACT	UNP P22681



- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	7	Total	O	0	0
			7	7		
3	B	291	Total	O	0	0
			291	291		
3	C	14	Total	O	0	0
			14	14		
3	D	263	Total	O	0	0
			263	263		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 13-meric peptide from Tyrosine-protein kinase SYK



- Molecule 1: 13-meric peptide from Tyrosine-protein kinase SYK




- Molecule 2: E3 ubiquitin-protein ligase CBL



- Molecule 2: E3 ubiquitin-protein ligase CBL





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	63.79Å 104.81Å 52.78Å 90.00° 89.83° 90.00°	Depositor
Resolution (Å)	20.00 – 1.45 32.16 – 1.45	Depositor EDS
% Data completeness (in resolution range)	79.8 (20.00-1.45) 92.3 (32.16-1.45)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.05 (at 1.45Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.224 , 0.238 0.229 , 0.242	Depositor DCC
R_{free} test set	2546 reflections (2.24%)	wwPDB-VP
Wilson B-factor (Å ²)	14.4	Xtriage
Anisotropy	0.434	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 47.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.027 for -h,-k,l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5731	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 43.82 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.6694e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PTR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	0/66	0.55	0/88
1	C	0.44	0/66	0.56	0/88
2	B	0.38	0/2564	0.54	0/3461
2	D	0.38	0/2564	0.54	0/3461
All	All	0.38	0/5260	0.54	0/7098

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	81	0	63	3	0
1	C	81	0	63	7	0
2	B	2497	0	2506	84	0
2	D	2497	0	2506	89	0
3	A	7	0	0	0	0
3	B	291	0	0	9	0
3	C	14	0	0	3	0
3	D	263	0	0	9	0
All	All	5731	0	5138	178	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (178) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:157:ILE:HG22	2:B:161:MET:HE2	1.19	1.15
1:C:324:GLU:HB2	2:D:317:THR:HG22	1.32	1.11
2:D:157:ILE:HG22	2:D:161:MET:HE2	1.31	1.07
1:A:324:GLU:HB2	2:B:317:THR:HG22	1.35	1.06
2:B:158:PHE:HA	2:B:161:MET:HE3	1.33	1.04
2:D:158:PHE:HA	2:D:161:MET:HE3	1.39	1.02
2:B:149:ARG:HH12	2:B:153:LYS:HB2	1.28	0.99
2:D:149:ARG:HH12	2:D:153:LYS:HB2	1.28	0.95
2:B:156:LEU:HD11	2:B:273:THR:CG2	2.01	0.91
2:D:156:LEU:HD11	2:D:273:THR:CG2	2.04	0.87
2:B:92:TYR:CZ	2:B:96:ARG:HD2	2.12	0.85
2:B:210:HIS:HD2	2:B:215:ILE:H	1.25	0.84
2:D:150:ASN:O	2:D:154:LEU:HD23	1.80	0.81
2:B:156:LEU:HD11	2:B:273:THR:HG22	1.62	0.81
2:B:228:ILE:HG12	2:B:244:PHE:CD1	2.18	0.79
2:D:228:ILE:HG12	2:D:244:PHE:CD1	2.18	0.79
2:B:149:ARG:NH1	2:B:153:LYS:HB2	1.98	0.79
2:D:92:TYR:CZ	2:D:96:ARG:HD2	2.19	0.78
2:D:149:ARG:NH1	2:D:153:LYS:HB2	1.97	0.78
2:B:150:ASN:O	2:B:154:LEU:HD23	1.84	0.77
2:D:210:HIS:HD2	2:D:215:ILE:H	1.30	0.77
2:D:157:ILE:HG22	2:D:161:MET:CE	2.13	0.77
2:D:156:LEU:HD11	2:D:273:THR:HG22	1.66	0.76
2:B:157:ILE:HG22	2:B:161:MET:CE	2.09	0.76
2:D:124:LYS:O	2:D:128:GLN:HG3	1.85	0.75
2:D:82:PRO:HG3	2:D:156:LEU:HD12	1.66	0.75
2:B:158:PHE:CA	2:B:161:MET:HE3	2.15	0.74
2:B:210:HIS:CD2	2:B:215:ILE:H	2.06	0.73
2:B:53:LYS:O	2:B:57:GLU:HG2	1.89	0.72
2:B:269:MET:O	2:B:270:ALA:O	2.08	0.71
2:D:210:HIS:CD2	2:D:215:ILE:H	2.08	0.71
2:B:82:PRO:HG3	2:B:156:LEU:HD12	1.71	0.71
1:C:319:SER:HB2	3:D:650:HOH:O	1.89	0.71
2:B:56:VAL:HG11	2:B:99:LEU:HD11	1.72	0.70
2:D:53:LYS:O	2:D:57:GLU:HG2	1.92	0.70
2:D:59:CYS:HB2	2:D:123:MET:SD	2.32	0.69
2:B:293:PHE:HB3	2:B:305:ILE:HD13	1.75	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:92:TYR:OH	2:B:96:ARG:HD2	1.93	0.68
2:D:48:PRO:HG2	2:D:117:VAL:HA	1.75	0.68
2:B:124:LYS:O	2:B:128:GLN:HG3	1.95	0.67
2:B:152:THR:O	2:B:156:LEU:HD13	1.95	0.67
2:D:269:MET:O	2:D:270:ALA:O	2.12	0.67
2:D:340:PRO:HD3	2:D:346:ASN:HD22	1.61	0.66
2:D:51:VAL:HG23	2:D:116:ARG:HG2	1.78	0.66
2:D:56:VAL:HG11	2:D:99:LEU:HD11	1.77	0.66
2:B:59:CYS:HB2	2:B:123:MET:SD	2.36	0.65
1:A:324:GLU:HB2	2:B:317:THR:CG2	2.21	0.65
2:B:203:LYS:CE	2:B:203:LYS:H	2.10	0.65
2:D:293:PHE:HB3	2:D:305:ILE:HD13	1.78	0.65
2:D:67:VAL:O	2:D:71:GLN:HG3	1.98	0.64
2:D:152:THR:O	2:D:156:LEU:HD13	1.98	0.63
2:B:293:PHE:CB	2:B:305:ILE:HD13	2.28	0.62
2:D:158:PHE:CA	2:D:161:MET:HE3	2.23	0.62
2:B:48:PRO:HG2	2:B:117:VAL:HA	1.80	0.62
2:D:203:LYS:CE	2:D:203:LYS:H	2.12	0.62
2:D:82:PRO:HG3	2:D:156:LEU:CD1	2.30	0.61
2:B:330:ASP:O	2:B:334:GLU:HG3	2.01	0.61
2:B:340:PRO:HD3	2:B:346:ASN:HD22	1.66	0.60
2:D:293:PHE:CB	2:D:305:ILE:HD13	2.30	0.60
2:D:323:PRO:HB2	3:D:691:HOH:O	1.99	0.60
2:B:59:CYS:SG	2:B:122:LEU:HG	2.41	0.60
1:C:324:GLU:HB2	2:D:317:THR:CG2	2.18	0.59
2:D:92:TYR:OH	2:D:96:ARG:HD2	2.01	0.59
2:D:203:LYS:HE2	2:D:203:LYS:H	1.68	0.58
2:D:124:LYS:HD2	2:D:128:GLN:OE1	2.04	0.58
2:B:203:LYS:HE2	2:B:203:LYS:H	1.67	0.58
2:B:320:HIS:HA	3:B:469:HOH:O	2.03	0.58
2:B:124:LYS:HD3	3:B:470:HOH:O	2.04	0.58
2:B:67:VAL:O	2:B:71:GLN:HG3	2.04	0.57
2:B:294:ARG:HH21	2:B:316:GLN:NE2	2.03	0.57
2:B:101:ARG:HD2	2:B:172:GLY:C	2.26	0.56
2:D:153:LYS:NZ	3:D:798:HOH:O	2.34	0.56
2:D:286:HIS:HE1	3:D:812:HOH:O	1.87	0.56
2:B:203:LYS:CD	2:B:203:LYS:H	2.19	0.56
2:D:203:LYS:CD	2:D:203:LYS:H	2.18	0.55
2:D:330:ASP:O	2:D:334:GLU:HG3	2.06	0.55
2:D:157:ILE:C	2:D:161:MET:HE2	2.26	0.55
2:B:294:ARG:HH21	2:B:316:GLN:HE22	1.54	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:157:ILE:O	2:B:161:MET:HG3	2.06	0.55
2:D:107:GLU:O	2:D:111:GLU:HG3	2.07	0.55
2:D:294:ARG:HH21	2:D:316:GLN:NE2	2.05	0.55
2:B:157:ILE:CG2	2:B:161:MET:HE2	2.13	0.55
2:D:101:ARG:HD3	2:D:173:LEU:HB2	1.89	0.55
2:B:51:VAL:HG23	2:B:116:ARG:HG2	1.89	0.54
2:D:131:SER:HA	2:D:134:LYS:HG2	1.90	0.54
2:B:143:GLU:O	2:B:144:ASN:HB2	2.08	0.54
2:B:107:GLU:O	2:B:111:GLU:HG3	2.08	0.54
1:C:327:LEU:HD11	3:C:574:HOH:O	2.08	0.53
2:B:188:GLU:HG2	3:B:440:HOH:O	2.09	0.53
2:B:224:LEU:HD11	2:B:228:ILE:HD11	1.91	0.53
2:D:158:PHE:HA	2:D:161:MET:CE	2.25	0.53
2:B:59:CYS:SG	2:B:123:MET:SD	3.06	0.53
2:D:162:LEU:HD11	2:D:166:LYS:HE3	1.91	0.52
2:D:243:ILE:CD1	2:D:300:LEU:HD13	2.39	0.52
2:B:212:VAL:HG11	3:B:598:HOH:O	2.09	0.52
2:D:293:PHE:HB3	2:D:305:ILE:CD1	2.40	0.52
2:B:59:CYS:CB	2:B:123:MET:SD	2.98	0.52
2:D:52:ASP:OD2	2:D:54:LYS:HB2	2.11	0.50
2:D:143:GLU:O	2:D:144:ASN:HB2	2.11	0.50
2:D:158:PHE:CD1	2:D:161:MET:HE3	2.45	0.50
2:B:331:GLY:HA3	2:B:337:TYR:CD2	2.46	0.50
2:D:134:LYS:HD3	3:D:818:HOH:O	2.12	0.50
2:D:157:ILE:O	2:D:161:MET:HG3	2.11	0.50
2:B:269:MET:HB3	2:B:272:LEU:HD12	1.94	0.49
2:D:203:LYS:HD3	2:D:203:LYS:N	2.26	0.49
2:D:224:LEU:HD11	2:D:228:ILE:HD11	1.93	0.49
2:B:79:ASN:C	2:B:79:ASN:HD22	2.15	0.49
2:D:101:ARG:HD2	2:D:172:GLY:C	2.33	0.49
2:B:239:PHE:CE2	2:B:243:ILE:HD11	2.48	0.49
2:B:293:PHE:HB3	2:B:305:ILE:CD1	2.41	0.49
2:B:78:LYS:NZ	3:B:383:HOH:O	2.45	0.49
2:B:52:ASP:OD2	2:B:54:LYS:HB2	2.12	0.49
2:B:203:LYS:HD3	2:B:203:LYS:N	2.27	0.48
2:D:79:ASN:HD22	2:D:79:ASN:C	2.16	0.48
2:D:139:ARG:HA	2:D:142:GLU:OE1	2.13	0.48
2:B:82:PRO:HG3	2:B:156:LEU:CD1	2.41	0.48
2:D:294:ARG:HH21	2:D:316:GLN:HE22	1.60	0.48
2:B:256:ARG:HH11	2:B:256:ARG:HG2	1.79	0.48
2:B:170:PRO:O	2:B:171:SER:HB2	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:243:ILE:HD11	2:D:300:LEU:HD13	1.96	0.47
2:D:124:LYS:HD3	3:D:700:HOH:O	2.14	0.47
2:D:331:GLY:HA3	2:D:337:TYR:CD2	2.50	0.47
2:D:203:LYS:CD	2:D:203:LYS:N	2.78	0.47
2:B:138:GLU:H	2:B:138:GLU:CD	2.18	0.47
2:B:303:TRP:CE2	2:B:324:LEU:HD22	2.50	0.47
2:B:88:LEU:HB2	2:B:89:PRO:HD3	1.95	0.47
2:D:59:CYS:CB	2:D:123:MET:SD	3.02	0.47
2:D:59:CYS:SG	2:D:122:LEU:HD23	2.55	0.47
2:D:60:TRP:CD1	2:D:92:TYR:HD1	2.33	0.47
2:B:203:LYS:CD	2:B:203:LYS:N	2.79	0.46
2:D:153:LYS:NZ	2:D:271:PHE:CG	2.83	0.46
1:C:326:GLU:HA	3:C:572:HOH:O	2.15	0.46
2:D:239:PHE:CE2	2:D:243:ILE:HD11	2.50	0.46
2:D:59:CYS:SG	2:D:122:LEU:CD2	3.03	0.46
2:D:256:ARG:HG2	2:D:256:ARG:HH11	1.80	0.46
2:D:88:LEU:HB2	2:D:89:PRO:HD3	1.96	0.46
2:B:162:LEU:HD11	2:B:166:LYS:HE3	1.98	0.46
2:D:138:GLU:CD	2:D:138:GLU:H	2.20	0.46
2:B:157:ILE:C	2:B:161:MET:HE2	2.36	0.46
2:B:139:ARG:HA	2:B:142:GLU:OE1	2.16	0.45
1:A:319:SER:OG	1:A:320:PHE:N	2.49	0.45
2:B:63:MET:HG2	2:B:88:LEU:HD22	1.98	0.45
1:C:320:PHE:HD2	3:C:193:HOH:O	2.00	0.45
1:C:321:ASN:HB3	2:D:274:TYR:CD2	2.51	0.45
2:D:78:LYS:NZ	3:D:627:HOH:O	2.49	0.44
2:B:278:LYS:HD3	2:B:314:ILE:HB	1.99	0.44
2:D:283:LYS:HE2	2:D:284:PHE:CE2	2.52	0.44
2:B:293:PHE:HB2	2:B:305:ILE:HD13	2.00	0.44
2:B:47:PRO:HB3	3:B:562:HOH:O	2.18	0.43
2:D:170:PRO:O	2:D:171:SER:HB2	2.17	0.43
2:D:270:ALA:O	2:D:272:LEU:N	2.51	0.43
2:B:131:SER:HA	2:B:134:LYS:HG2	2.00	0.43
2:B:270:ALA:O	2:B:272:LEU:N	2.52	0.43
2:B:149:ARG:CZ	3:B:361:HOH:O	2.66	0.42
2:D:203:LYS:HD3	2:D:203:LYS:H	1.81	0.42
2:D:203:LYS:O	2:D:207:GLN:HG3	2.19	0.42
2:B:89:PRO:HG3	3:B:636:HOH:O	2.19	0.42
2:B:124:LYS:HD2	2:B:128:GLN:OE1	2.19	0.42
2:B:153:LYS:HD3	3:B:560:HOH:O	2.18	0.42
2:B:85:LEU:HD12	2:B:85:LEU:HA	1.87	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:343:ARG:HD2	3:D:745:HOH:O	2.20	0.42
2:B:272:LEU:HD22	2:B:276:GLU:HB3	2.02	0.42
2:B:134:LYS:HB2	2:B:134:LYS:HE3	1.89	0.42
2:D:102:TYR:HA	2:D:105:LYS:HE3	2.00	0.42
2:D:284:PHE:CZ	2:D:342:GLY:HA3	2.55	0.41
2:B:101:ARG:HD2	2:B:172:GLY:CA	2.50	0.41
2:B:180:ARG:NH1	2:B:180:ARG:HG2	2.36	0.41
2:D:293:PHE:HB2	2:D:305:ILE:HD13	2.02	0.41
2:D:113:GLU:O	2:D:117:VAL:HG23	2.21	0.41
2:D:134:LYS:HG3	2:D:135:GLU:HG3	2.02	0.41
2:D:339:PHE:HA	2:D:340:PRO:HD2	1.98	0.41
2:B:143:GLU:HA	2:B:143:GLU:OE1	2.21	0.41
2:B:278:LYS:CD	2:B:314:ILE:HB	2.51	0.41
2:D:149:ARG:CZ	3:D:572:HOH:O	2.69	0.41
2:D:305:ILE:HD11	2:D:324:LEU:HD11	2.02	0.41
2:B:325:PHE:O	2:B:329:ILE:HG13	2.20	0.41
2:D:277:VAL:HG13	2:D:292:ILE:HD11	2.02	0.40
2:D:102:TYR:HA	2:D:105:LYS:CE	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	6/13 (46%)	4 (67%)	2 (33%)	0	100	100
1	C	6/13 (46%)	4 (67%)	2 (33%)	0	100	100
2	B	303/329 (92%)	287 (95%)	14 (5%)	2 (1%)	22	5
2	D	303/329 (92%)	289 (95%)	11 (4%)	3 (1%)	15	3
All	All	618/684 (90%)	584 (94%)	29 (5%)	5 (1%)	19	4

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	270	ALA
2	D	270	ALA
2	B	271	PHE
2	D	271	PHE
2	D	54	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	8/11 (73%)	8 (100%)	0	100	100
1	C	8/11 (73%)	8 (100%)	0	100	100
2	B	272/293 (93%)	264 (97%)	8 (3%)	42	10
2	D	272/293 (93%)	265 (97%)	7 (3%)	46	13
All	All	560/608 (92%)	545 (97%)	15 (3%)	44	12

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	64	ASP
2	B	69	LEU
2	B	78	LYS
2	B	79	ASN
2	B	85	LEU
2	B	123	MET
2	B	138	GLU
2	B	299	ARG
2	D	64	ASP
2	D	69	LEU
2	D	78	LYS
2	D	79	ASN
2	D	85	LEU
2	D	138	GLU
2	D	299	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such

sidechains are listed below:

Mol	Chain	Res	Type
2	B	79	ASN
2	B	94	HIS
2	B	146	GLN
2	B	210	HIS
2	B	313	ASN
2	B	316	GLN
2	B	320	HIS
2	B	321	ASN
2	B	344	ASN
2	B	345	GLN
2	B	346	ASN
2	D	79	ASN
2	D	146	GLN
2	D	210	HIS
2	D	286	HIS
2	D	313	ASN
2	D	316	GLN
2	D	321	ASN
2	D	326	GLN
2	D	344	ASN
2	D	345	GLN
2	D	346	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	PTR	C	323	1	15,16,17	1.58	1 (6%)	19,22,24	0.99	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	PTR	A	323	1	15,16,17	1.65	1 (6%)	19,22,24	1.03	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PTR	C	323	1	-	0/10/11/13	0/1/1/1
1	PTR	A	323	1	-	0/10/11/13	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	323	PTR	P-OH	3.48	1.64	1.59
1	C	323	PTR	P-OH	2.96	1.63	1.59

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	323	PTR	CD2-CE2-CZ	-2.34	116.87	119.73
1	C	323	PTR	CD2-CE2-CZ	-2.30	116.93	119.73

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	8/13 (61%)	4.84	5 (62%) 0 0	21, 34, 51, 52	0
1	C	8/13 (61%)	5.66	5 (62%) 0 0	21, 34, 51, 52	0
2	B	305/329 (92%)	0.97	49 (16%) 1 2	9, 18, 48, 57	0
2	D	305/329 (92%)	0.95	47 (15%) 2 3	9, 18, 48, 57	0
All	All	626/684 (91%)	1.07	106 (16%) 1 2	9, 19, 48, 57	0

All (106) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	327	LEU	19.4
1	A	327	LEU	18.4
2	D	350	THR	12.2
2	D	47	PRO	11.2
2	D	351	GLY	9.6
2	B	350	THR	9.6
2	B	320	HIS	8.9
1	A	326	GLU	8.5
1	C	319	SER	8.3
2	D	321	ASN	8.3
2	B	47	PRO	8.2
2	B	104	GLY	8.2
2	B	321	ASN	7.9
1	C	320	PHE	7.6
2	D	320	HIS	6.4
1	C	326	GLU	6.3
2	D	54	LYS	6.3
2	B	351	GLY	6.2
2	D	104	GLY	6.1
2	B	270	ALA	6.0
2	D	270	ALA	5.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	141	TYR	5.1
2	B	101	ARG	4.8
2	D	143	GLU	4.5
2	B	143	GLU	4.5
2	B	107	GLU	4.5
2	D	59	CYS	4.4
1	A	319	SER	4.4
2	D	141	TYR	4.2
2	D	107	GLU	4.2
1	A	320	PHE	4.0
2	B	228	ILE	3.9
2	D	106	MET	3.9
2	D	92	TYR	3.9
2	B	54	LYS	3.8
2	B	142	GLU	3.8
2	B	59	CYS	3.8
2	B	117	VAL	3.8
2	B	96	ARG	3.8
2	B	180	ARG	3.7
2	D	142	GLU	3.7
2	D	228	ILE	3.6
2	D	138	GLU	3.5
2	D	180	ARG	3.5
2	B	171	SER	3.4
2	D	144	ASN	3.3
2	B	56	VAL	3.3
2	B	78	LYS	3.3
2	B	106	MET	3.2
2	B	144	ASN	3.2
2	D	139	ARG	3.1
2	D	117	VAL	3.1
2	D	48	PRO	3.1
2	B	50	THR	3.0
2	D	52	ASP	3.0
2	D	55	MET	3.0
2	B	103	GLU	2.9
2	B	175	GLN	2.9
2	B	271	PHE	2.9
1	C	325	PRO	2.9
2	D	256	ARG	2.9
2	B	58	LYS	2.8
2	B	92	TYR	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	74	LYS	2.8
2	D	58	LYS	2.7
2	D	271	PHE	2.7
2	D	123	MET	2.6
2	D	78	LYS	2.6
2	B	55	MET	2.6
2	B	51	VAL	2.6
2	D	51	VAL	2.6
2	B	61	LYS	2.5
2	B	256	ARG	2.5
2	B	322	LYS	2.5
2	D	99	LEU	2.5
2	B	349	LEU	2.5
2	D	111	GLU	2.5
2	D	146	GLN	2.5
2	D	156	LEU	2.4
2	D	134	LYS	2.4
2	B	57	GLU	2.4
2	D	300	LEU	2.4
2	B	53	LYS	2.3
2	D	322	LYS	2.3
2	D	135	GLU	2.3
2	B	170	PRO	2.3
2	B	156	LEU	2.3
2	B	49	GLY	2.3
2	B	173	LEU	2.3
2	B	325	PHE	2.3
2	D	230	LEU	2.2
2	B	123	MET	2.2
2	D	325	PHE	2.2
2	B	300	LEU	2.2
2	D	57	GLU	2.2
2	D	50	THR	2.1
2	B	157	ILE	2.1
2	D	108	THR	2.1
2	B	98	ILE	2.1
2	B	345	GLN	2.1
2	D	312	GLY	2.1
1	A	325	PRO	2.1
2	B	111	GLU	2.1
2	D	299	ARG	2.1
2	B	138	GLU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	100	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	PTR	C	323	16/17	0.97	0.09	12,16,26,26	0
1	PTR	A	323	16/17	0.97	0.09	12,16,26,26	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.