



Full wwPDB X-ray Structure Validation Report ⓘ

May 29, 2020 – 06:35 am BST

PDB ID : 5BUD
Title : Crystal structure of Candida albicans Rai1 in complex with pU5-Mn2+
Authors : Wang, V.Y.; Tong, L.
Deposited on : 2015-06-03
Resolution : 1.99 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)
RNA backbone	3102	1079 (2.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	392	<div> <div>3%</div> <div> <div></div> <div>79%</div> <div>20%</div> </div> </div>
1	B	392	<div> <div>2%</div> <div> <div></div> <div>77%</div> <div>20%</div> <div>..</div> </div> </div>
2	D	5	<div> <div></div> <div> <div>40%</div> <div>40%</div> <div>20%</div> </div> </div>
2	E	5	<div> <div>20%</div> <div> <div></div> <div>60%</div> <div>20%</div> <div>20%</div> </div> </div>

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 7620 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Decapping nuclease RAI1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	391	Total	C	N	O	S	0	0	0
			3218	2052	537	617	12			
1	B	387	Total	C	N	O	S	0	0	0
			3186	2031	530	613	12			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	HIS	-	expression tag	UNP Q5AAT0
B	0	HIS	-	expression tag	UNP Q5AAT0

- Molecule 2 is a RNA chain called RNA (5'-R(P*UP*UP*UP*U)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	4	Total	C	N	O	P	0	0	0
			81	36	8	33	4			
2	E	5	Total	C	N	O	P	0	0	0
			85	36	8	36	5			

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	3	Total	Mn	0	0
			3	3		
3	A	3	Total	Mn	0	0
			3	3		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	484	Total	O	0	0
			484	484		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	533	Total 533	O 533	0	0
4	D	13	Total 13	O 13	0	0
4	E	14	Total 14	O 14	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Decapping nuclease RAI1




- Molecule 1: Decapping nuclease RAI1



- Molecule 2: RNA (5'-R(P*UP*UP*UP*U)-3')



- Molecule 2: RNA (5'-R(P*UP*UP*UP*U)-3')

Chain E: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	97.85Å 114.64Å 84.46Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.47 – 1.99 47.43 – 1.99	Depositor EDS
% Data completeness (in resolution range)	99.2 (47.47-1.99) 99.3 (47.43-1.99)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.90 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.187 , 0.243 0.195 , 0.252	Depositor DCC
R_{free} test set	3301 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	28.5	Xtriage
Anisotropy	0.093	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 54.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7620	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 77.17 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.9803e-07. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.54	0/3282	0.70	3/4434 (0.1%)
1	B	0.57	0/3248	0.71	1/4387 (0.0%)
2	D	1.16	1/88 (1.1%)	0.84	0/132
2	E	1.05	1/92 (1.1%)	0.95	0/139
All	All	0.58	2/6710 (0.0%)	0.71	4/9092 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	2	U	OP3-P	-9.85	1.49	1.61
2	E	2	U	OP3-P	-8.74	1.50	1.61

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	274	MET	CG-SD-CE	-6.51	89.78	100.20
1	A	103	ARG	NE-CZ-NH2	-5.65	117.47	120.30
1	B	188	ARG	NE-CZ-NH2	-5.24	117.68	120.30
1	A	103	ARG	NE-CZ-NH1	5.21	122.90	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3218	0	3232	90	0
1	B	3186	0	3195	78	0
2	D	81	0	41	5	0
2	E	85	0	40	1	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0
4	A	484	0	0	72	0
4	B	533	0	0	59	0
4	D	13	0	0	1	0
4	E	14	0	0	0	0
All	All	7620	0	6508	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:211:THR:HG23	4:B:703:HOH:O	1.59	1.02
1:B:79:SER:HB3	4:B:510:HOH:O	1.64	0.96
1:B:205:TYR:O	4:B:501:HOH:O	1.91	0.87
1:A:389:LEU:HD12	4:A:603:HOH:O	1.75	0.85
1:B:120:ILE:HD11	4:B:502:HOH:O	1.75	0.85
1:B:186:VAL:HB	4:B:587:HOH:O	1.77	0.85
1:B:242:TYR:CE1	4:B:931:HOH:O	2.29	0.85
1:B:33:TYR:CE2	4:B:503:HOH:O	2.30	0.85
1:B:79:SER:CB	4:B:510:HOH:O	2.19	0.84
1:A:307:ASN:OD1	4:A:501:HOH:O	1.96	0.82
1:B:131:LEU:HD22	4:B:599:HOH:O	1.76	0.82
1:A:78:ASN:HB2	4:A:620:HOH:O	1.82	0.78
1:A:386:ARG:HA	4:A:603:HOH:O	1.84	0.77
1:A:332:VAL:HG11	4:A:655:HOH:O	1.84	0.77
1:B:108:LYS:O	4:B:502:HOH:O	2.00	0.76
1:B:134:LYS:HD2	1:B:135:SER:O	1.86	0.76
1:B:330:ALA:HB3	4:B:821:HOH:O	1.87	0.75
1:B:112:LEU:HB2	4:B:502:HOH:O	1.86	0.74
1:B:335:LEU:HB2	4:B:517:HOH:O	1.85	0.74
1:A:321:CYS:SG	4:A:894:HOH:O	2.45	0.74
1:B:7:LEU:HD21	4:B:529:HOH:O	1.89	0.73
1:B:81:LEU:HD12	4:B:765:HOH:O	1.88	0.72
1:B:352:TYR:CD2	4:B:861:HOH:O	2.44	0.71
1:B:31:GLY:O	4:B:503:HOH:O	2.11	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:268:TRP:N	4:A:506:HOH:O	2.26	0.67
1:B:303:ILE:HD12	4:B:702:HOH:O	1.95	0.67
1:B:99:ILE:HD11	4:B:517:HOH:O	1.96	0.66
1:A:208:VAL:HG23	4:A:770:HOH:O	1.96	0.66
1:A:130:GLN:HA	4:A:507:HOH:O	1.95	0.66
1:A:74:LEU:HB3	4:A:641:HOH:O	1.96	0.65
1:A:312:ASN:HB2	4:A:665:HOH:O	1.98	0.63
1:B:124:VAL:HG12	4:B:599:HOH:O	1.99	0.62
1:A:98:ASP:HA	4:A:507:HOH:O	2.00	0.62
1:B:29:ILE:HD11	4:B:898:HOH:O	1.99	0.62
1:A:105:ILE:HD13	4:A:531:HOH:O	2.00	0.61
1:B:39:GLU:HG2	4:B:952:HOH:O	2.01	0.60
1:A:122:LEU:HD22	4:A:531:HOH:O	2.02	0.60
1:A:127:PHE:HE1	4:A:504:HOH:O	1.85	0.59
1:A:133:ILE:HG22	4:A:531:HOH:O	2.03	0.59
1:B:374:ASN:ND2	4:B:513:HOH:O	2.35	0.59
1:B:224:ILE:HG21	4:B:931:HOH:O	2.03	0.58
4:A:501:HOH:O	1:B:296:PHE:CD1	2.52	0.58
1:A:341:LYS:HA	4:A:724:HOH:O	2.02	0.58
1:A:122:LEU:HD21	4:A:963:HOH:O	2.04	0.58
1:A:140:ASP:HB3	4:A:598:HOH:O	2.03	0.57
1:A:113:PRO:HG3	4:A:541:HOH:O	2.05	0.57
1:A:3:LYS:HB3	4:A:890:HOH:O	2.05	0.56
1:B:387:GLN:NE2	4:B:515:HOH:O	2.36	0.56
1:A:24:SER:HA	4:A:770:HOH:O	2.05	0.56
1:B:121:ASP:OD1	4:B:505:HOH:O	2.17	0.56
1:B:78:ASN:HA	4:B:765:HOH:O	2.06	0.56
1:B:263:LYS:HD2	4:B:611:HOH:O	2.06	0.55
1:A:40:ASN:HB3	4:A:633:HOH:O	2.06	0.55
1:A:339:VAL:HG12	4:A:724:HOH:O	2.07	0.55
1:B:218:LEU:HD13	4:B:703:HOH:O	2.07	0.55
1:A:124:VAL:HG23	4:A:636:HOH:O	2.06	0.55
1:A:82:LYS:HD3	4:A:658:HOH:O	2.06	0.54
1:A:238:LYS:HG2	4:A:602:HOH:O	2.07	0.54
1:A:229:ASP:OD1	1:A:229:ASP:N	2.40	0.54
1:A:390:LYS:NZ	4:A:517:HOH:O	2.39	0.54
1:B:112:LEU:HD12	4:B:861:HOH:O	2.07	0.53
1:B:95:ILE:HB	4:B:618:HOH:O	2.08	0.53
1:A:349:ARG:NH1	4:A:509:HOH:O	2.34	0.53
1:B:95:ILE:HG21	1:B:219:VAL:HG21	1.89	0.53
1:B:100:ILE:HD11	4:B:618:HOH:O	2.08	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:361:LEU:HB3	4:A:890:HOH:O	2.09	0.53
1:A:120:ILE:HG23	4:A:963:HOH:O	2.07	0.53
1:B:19:PRO:HG3	4:B:776:HOH:O	2.07	0.53
1:A:256:GLN:HG2	2:D:5:U:O2'	2.09	0.53
1:A:231:LEU:CD1	4:A:602:HOH:O	2.57	0.52
1:A:268:TRP:HE3	4:A:730:HOH:O	1.91	0.52
1:A:301:ILE:HD13	4:A:506:HOH:O	2.10	0.52
2:D:5:U:H5''	4:D:109:HOH:O	2.09	0.52
1:A:1:MET:HG2	4:A:926:HOH:O	2.09	0.51
1:B:34:VAL:HG12	4:B:522:HOH:O	2.10	0.51
1:B:374:ASN:HB3	4:B:948:HOH:O	2.09	0.51
1:A:131:LEU:HD21	4:A:724:HOH:O	2.11	0.51
1:A:354:PRO:O	1:A:357:LYS:HD3	2.11	0.51
1:A:251:ILE:HG23	1:A:256:GLN:HB2	1.93	0.50
1:B:103:ARG:HD3	1:B:274:MET:CG	2.42	0.50
1:A:104:GLU:HG2	4:A:891:HOH:O	2.11	0.50
1:A:133:ILE:HG13	4:A:511:HOH:O	2.10	0.50
1:A:18:GLN:CD	4:A:533:HOH:O	2.50	0.50
1:B:197:LYS:CD	4:B:769:HOH:O	2.60	0.50
1:B:197:LYS:HB2	4:B:664:HOH:O	2.12	0.50
1:A:20:ARG:NH2	4:A:533:HOH:O	2.45	0.49
1:A:32:LYS:HG3	4:A:945:HOH:O	2.13	0.49
1:A:82:LYS:HB2	4:A:658:HOH:O	2.13	0.49
1:B:254:ASN:HB3	4:B:805:HOH:O	2.12	0.49
1:A:123:TYR:OH	1:A:349:ARG:NH2	2.45	0.49
1:B:100:ILE:HG22	4:B:696:HOH:O	2.12	0.49
1:A:285:ASP:HB2	4:A:747:HOH:O	2.13	0.49
1:A:298:THR:OG1	4:A:503:HOH:O	2.20	0.49
1:B:145:LYS:HG2	4:B:885:HOH:O	2.13	0.49
1:B:40:ASN:ND2	4:B:516:HOH:O	2.36	0.49
1:B:190:GLN:NE2	4:B:508:HOH:O	2.27	0.48
1:B:367:GLU:H	1:B:367:GLU:CD	2.16	0.48
1:A:218:LEU:HD11	4:A:655:HOH:O	2.14	0.48
1:B:359:PHE:N	4:B:529:HOH:O	2.47	0.48
1:A:146:GLU:O	1:A:150:ARG:HD3	2.14	0.48
1:A:231:LEU:HD12	4:A:602:HOH:O	2.13	0.48
2:D:5:U:O2	2:D:5:U:C2'	2.61	0.48
1:A:134:LYS:C	4:A:531:HOH:O	2.52	0.47
1:A:354:PRO:HD3	4:A:567:HOH:O	2.13	0.47
1:B:197:LYS:HD2	4:B:769:HOH:O	2.14	0.47
1:A:103:ARG:HG3	1:A:104:GLU:N	2.29	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:231:LEU:HG	4:A:602:HOH:O	2.15	0.47
1:B:17:LYS:NZ	1:B:214:GLY:O	2.34	0.47
1:A:303:ILE:HA	4:A:922:HOH:O	2.15	0.47
1:A:20:ARG:NH1	4:A:539:HOH:O	2.47	0.47
1:A:99:ILE:HD11	4:A:834:HOH:O	2.15	0.47
1:B:165:ARG:HD2	4:B:846:HOH:O	2.14	0.47
1:B:250:ILE:HG22	4:B:802:HOH:O	2.14	0.47
1:A:251:ILE:HG21	1:B:310:LEU:HD21	1.97	0.46
1:B:122:LEU:HD12	1:B:350:LEU:HD23	1.97	0.46
1:A:256:GLN:CD	2:D:5:U:O3'	2.54	0.46
1:A:382:PHE:HB3	4:A:528:HOH:O	2.14	0.46
1:A:57:ASP:OD1	1:A:59:GLN:HG2	2.15	0.46
1:A:85:ILE:HD11	1:A:382:PHE:HA	1.98	0.46
1:A:80:LEU:HG	4:A:576:HOH:O	2.15	0.46
1:A:10:ARG:NH2	4:A:541:HOH:O	2.49	0.46
1:B:343:ASP:OD2	1:B:345:ILE:HG13	2.16	0.45
1:B:272:PHE:CE2	1:B:325:LEU:HD21	2.51	0.45
1:A:146:GLU:HA	1:A:149:VAL:HG22	1.97	0.45
1:A:343:ASP:OD1	1:A:345:ILE:HB	2.17	0.45
1:B:353:ASP:OD1	1:B:355:VAL:HG22	2.15	0.45
1:B:27:ARG:HD2	4:B:503:HOH:O	2.17	0.45
1:A:254:ASN:HB3	4:A:806:HOH:O	2.16	0.45
1:B:103:ARG:HD3	1:B:274:MET:HG2	1.99	0.45
1:B:373:ARG:HB2	4:B:513:HOH:O	2.17	0.45
1:A:382:PHE:O	4:A:504:HOH:O	2.21	0.44
1:B:243:VAL:HG11	1:B:280:ILE:HD12	2.00	0.44
1:B:242:TYR:CD1	4:B:931:HOH:O	2.65	0.44
1:B:327:TRP:CE3	4:B:821:HOH:O	2.56	0.44
1:B:112:LEU:CD1	4:B:861:HOH:O	2.65	0.44
1:A:24:SER:HB3	4:A:555:HOH:O	2.17	0.43
1:B:358:SER:C	4:B:529:HOH:O	2.57	0.43
1:B:134:LYS:HD3	4:B:645:HOH:O	2.19	0.43
1:A:81:LEU:HG	4:A:576:HOH:O	2.18	0.43
1:A:100:ILE:HD11	4:A:946:HOH:O	2.17	0.43
1:A:249:ARG:NH1	2:D:5:U:O3'	2.52	0.43
1:A:249:ARG:NH1	4:A:554:HOH:O	2.52	0.43
1:B:103:ARG:CD	1:B:274:MET:HG2	2.49	0.43
1:A:51:THR:HG22	1:A:56:ILE:HD11	2.01	0.43
1:B:210:ARG:HD2	4:B:655:HOH:O	2.18	0.43
1:A:383:THR:HA	4:A:504:HOH:O	2.19	0.42
1:A:82:LYS:CD	4:A:658:HOH:O	2.67	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:197:LYS:HD3	4:B:769:HOH:O	2.19	0.42
1:B:2:ALA:HB2	1:B:362:SER:HB3	2.02	0.42
1:B:101:THR:HG21	1:B:106:MET:CE	2.49	0.42
1:A:361:LEU:CB	4:A:890:HOH:O	2.65	0.42
1:A:81:LEU:HD23	4:A:576:HOH:O	2.18	0.42
1:B:256:GLN:CG	2:E:5:U:H2'	2.49	0.42
1:A:250:ILE:HD12	1:A:250:ILE:O	2.20	0.42
1:B:130:GLN:N	4:B:543:HOH:O	2.53	0.42
1:A:131:LEU:HD12	4:A:834:HOH:O	2.19	0.41
1:A:19:PRO:O	1:A:20:ARG:HD3	2.20	0.41
1:A:249:ARG:NH2	4:A:554:HOH:O	2.52	0.41
1:B:196:LYS:HE3	4:B:875:HOH:O	2.19	0.41
1:B:345:ILE:HD12	1:B:345:ILE:O	2.20	0.41
1:B:346:LYS:HB2	4:B:536:HOH:O	2.20	0.41
1:B:379:THR:HG23	4:B:765:HOH:O	2.20	0.41
1:A:99:ILE:HG23	4:A:511:HOH:O	2.20	0.41
1:A:279:ILE:HG13	4:A:503:HOH:O	2.21	0.40
1:A:3:LYS:HE3	1:A:338:THR:HG23	2.03	0.40
1:A:379:THR:HG21	4:A:684:HOH:O	2.20	0.40
1:A:65:PHE:HD2	4:A:918:HOH:O	2.05	0.40
1:B:14:THR:HG21	1:B:214:GLY:HA2	2.03	0.40
1:A:350:LEU:HD13	1:A:361:LEU:HD13	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	389/392 (99%)	384 (99%)	5 (1%)	0	100	100
1	B	383/392 (98%)	378 (99%)	5 (1%)	0	100	100
All	All	772/784 (98%)	762 (99%)	10 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	365/366 (100%)	360 (99%)	5 (1%)	67	72
1	B	362/366 (99%)	349 (96%)	13 (4%)	35	34
All	All	727/732 (99%)	709 (98%)	18 (2%)	47	49

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	77	PHE
1	A	103	ARG
1	A	345	ILE
1	A	365	ASP
1	A	370	GLU
1	B	4	SER
1	B	74	LEU
1	B	77	PHE
1	B	79	SER
1	B	134	LYS
1	B	140	ASP
1	B	145	LYS
1	B	150	ARG
1	B	197	LYS
1	B	223	GLU
1	B	254	ASN
1	B	317	LYS
1	B	333	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	312	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	254	ASN
1	B	387	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	D	3/5 (60%)	0	0
2	E	3/5 (60%)	1 (33%)	1 (33%)
All	All	6/10 (60%)	1 (16%)	1 (16%)

All (1) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	E	5	U

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	E	5	U

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	391/392 (99%)	0.36	12 (3%) 49 48	19, 31, 56, 80	0
1	B	387/392 (98%)	0.24	9 (2%) 60 59	16, 28, 49, 67	0
2	D	4/5 (80%)	-0.10	0 100 100	31, 31, 39, 64	0
2	E	5/5 (100%)	0.81	1 (20%) 1 0	28, 29, 73, 97	0
All	All	787/794 (99%)	0.30	22 (2%) 53 51	16, 30, 54, 97	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	13	THR	4.4
1	A	1	MET	4.0
1	B	312	ASN	3.6
2	E	6	U	3.3
1	B	313	ALA	3.2
1	A	313	ALA	3.1
1	B	144	ARG	2.7
1	A	0	HIS	2.6
1	A	138	GLU	2.5
1	A	188	ARG	2.5
1	B	146	GLU	2.5
1	A	144	ARG	2.4
1	A	339	VAL	2.4
1	A	14	THR	2.3
1	A	365	ASP	2.3
1	B	315	THR	2.2
1	A	147	GLN	2.2
1	B	314	ALA	2.2
1	A	150	ARG	2.1
1	B	389	LEU	2.1
1	B	147	GLN	2.1
1	A	254	ASN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	MN	A	403	1/1	0.93	0.09	54,54,54,54	0
3	MN	B	402	1/1	0.97	0.05	47,47,47,47	0
3	MN	B	403	1/1	0.98	0.06	46,46,46,46	0
3	MN	A	402	1/1	0.99	0.04	44,44,44,44	0
3	MN	B	401	1/1	0.99	0.13	18,18,18,18	0
3	MN	A	401	1/1	1.00	0.11	22,22,22,22	0

6.5 Other polymers [i](#)

There are no such residues in this entry.