



Full wwPDB X-ray Structure Validation Report ⓘ

May 23, 2020 – 03:22 am BST

PDB ID : 5BUS
Title : O-succinylbenzoate Coenzyme A Synthetase (MenE) from Bacillus Subtilis, in complex with AMP
Authors : Chen, Y.; Sun, Y.; Song, H.; Guo, Z.
Deposited on : 2015-06-04
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	494	<div> <div>2%</div> <div> <div></div> <div>85%</div> <div>12%</div> <div></div> </div> </div>
1	B	494	<div> <div>3%</div> <div> <div></div> <div>62%</div> <div>15%</div> <div>23%</div> </div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6493 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 2-succinylbenzoate--CoA ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	481	Total	C	N	O	S	0	2	0
			3552	2256	600	673	23			
1	B	381	Total	C	N	O	S	0	2	0
			2829	1808	467	533	21			


There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	initiating methionine	UNP P23971
A	0	GLY	-	expression tag	UNP P23971
A	487	HIS	-	expression tag	UNP P23971
A	488	HIS	-	expression tag	UNP P23971
A	489	HIS	-	expression tag	UNP P23971
A	490	HIS	-	expression tag	UNP P23971
A	491	HIS	-	expression tag	UNP P23971
A	492	HIS	-	expression tag	UNP P23971
B	-1	MET	-	initiating methionine	UNP P23971
B	0	GLY	-	expression tag	UNP P23971
B	487	HIS	-	expression tag	UNP P23971
B	488	HIS	-	expression tag	UNP P23971
B	489	HIS	-	expression tag	UNP P23971
B	490	HIS	-	expression tag	UNP P23971
B	491	HIS	-	expression tag	UNP P23971
B	492	HIS	-	expression tag	UNP P23971

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Cl	0	0
			2	2		
2	A	2	Total	Cl	0	0
			2	2		

- Molecule 3 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula: $C_{10}H_{14}N_5O_7P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
3	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	44	Total	O	0	0
			44	44		
4	B	18	Total	O	0	0
			18	18		

- Molecule 1: 2-succinylbenzoate--CoA ligase



4 Data and refinement statistics

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, α , β , γ	121.81Å 121.81Å 98.01Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.52 – 2.60 47.62 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.5 (38.52-2.60) 99.5 (47.62-2.60)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	0.15	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.83 (at 2.61Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.190 , 0.234 0.198 , 0.238	Depositor DCC
R_{free} test set	1997 reflections (4.56%)	wwPDB-VP
Wilson B-factor (Å ²)	60.6	Xtriage
Anisotropy	0.015	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 73.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.025 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6493	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.02% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AMP, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	0/3628	0.60	0/4936
1	B	0.43	0/2885	0.58	0/3920
All	All	0.44	0/6513	0.59	0/8856

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3552	0	3307	36	0
1	B	2829	0	2633	57	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	23	0	12	0	0
3	B	23	0	12	3	0
4	A	44	0	0	1	0
4	B	18	0	0	0	0
All	All	6493	0	5964	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:329:GLU:HG2	1:B:330:PRO:HD2	1.48	0.96
1:A:400:GLU:OE1	1:A:474:ARG:NH2	2.09	0.86
1:B:329:GLU:HG2	1:B:330:PRO:CD	2.07	0.83
1:B:183:THR:HG22	1:B:185:GLN:H	1.43	0.83
1:B:365:THR:HG23	1:B:367:ASP:H	1.48	0.77
1:B:43:GLU:HG2	1:B:135:ILE:HG12	1.70	0.74
1:A:44:GLN:NE2	1:A:127:LEU:O	2.22	0.73
1:A:459:PHE:HA	1:A:483:GLY:HA3	1.69	0.72
1:B:336:ILE:HB	1:B:365:THR:HG21	1.75	0.68
1:A:63:ARG:NH1	1:A:107:ASP:OD2	2.28	0.66
1:B:19:ARG:NH2	1:B:184:GLU:HG3	2.13	0.64
1:A:40:ARG:O	1:A:44:GLN:HG3	1.99	0.63
1:B:162:VAL:HG13	1:B:344:MET:HG3	1.82	0.61
1:B:23:ILE:HG12	1:B:28:THR:HG22	1.81	0.61
1:A:62:ASN:HB2	1:A:217:GLN:HA	1.82	0.61
1:A:84:ASN:HB3	1:A:87:LEU:HG	1.81	0.61
1:B:107:ASP:OD1	1:B:109:SER:HB3	2.03	0.59
1:A:288:MET:HG3	1:A:290:GLU:HB2	1.84	0.59
1:A:337:MET:HE2	1:A:364:LYS:HG2	1.84	0.58
1:B:19:ARG:HH22	1:B:184:GLU:HG3	1.69	0.58
1:B:62:ASN:HB2	1:B:217:GLN:HA	1.84	0.58
1:A:301:GLU:CD	1:A:301:GLU:H	2.06	0.57
1:B:93:LEU:HD22	1:B:118:ILE:HD12	1.86	0.56
1:A:464:LEU:O	1:A:466:ARG:HG3	2.06	0.55
1:B:87:LEU:O	1:B:92:ARG:NH2	2.41	0.55
1:A:477:LEU:O	1:A:479:ASP:HA	2.06	0.54
1:B:288:MET:HG3	1:B:290:GLU:HB2	1.90	0.54
1:A:162:VAL:HG13	1:A:344:MET:SD	2.49	0.53
1:A:117:HIS:CD2	1:A:117:HIS:H	2.26	0.53
1:B:206:SER:HB2	1:B:213:VAL:HG23	1.90	0.53
1:A:461:LEU:HD21	1:A:480:ALA:HB3	1.91	0.51
1:B:339:LYS:HD2	1:B:362:TRP:CE2	2.45	0.51
1:B:253:CYS:HB2	1:B:280:PHE:CE1	2.46	0.51
1:B:113:LYS:HA	1:B:116:GLU:HG2	1.93	0.51
1:B:290:GLU:HG3	1:B:344:MET:CE	2.41	0.51
1:B:225:LEU:HD21	1:B:246:LEU:HD22	1.93	0.50
1:B:16:THR:HB	1:B:19:ARG:HG3	1.92	0.50
1:A:429:TYR:CE2	1:A:459:PHE:HD2	2.30	0.50
1:B:186:ASP:OD2	1:B:258:ARG:NH2	2.41	0.50
1:B:266:PRO:O	1:B:268:PRO:HD3	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:293:SER:OG	1:B:294:GLN:N	2.45	0.50
1:B:295:ILE:HD13	1:B:338:VAL:HB	1.94	0.49
1:A:313:PRO:HG3	1:A:319:ILE:HG12	1.95	0.49
1:B:197:ILE:HG12	1:B:292:CYS:HA	1.94	0.49
1:B:365:THR:CG2	1:B:367:ASP:H	2.22	0.49
1:B:275:CYS:HB3	1:B:280:PHE:HB2	1.95	0.49
1:B:189:LEU:HB3	1:B:236:ILE:HG13	1.93	0.49
1:A:335:GLU:OE1	1:A:383:ARG:NH1	2.46	0.48
1:A:328:CYS:HB3	1:A:332:GLU:HB3	1.96	0.48
1:B:187:ARG:HG2	1:B:212:THR:HB	1.96	0.48
1:A:386:LEU:HD11	1:A:393:ASN:HB3	1.96	0.48
1:B:180:LEU:O	1:B:258:ARG:NH1	2.47	0.47
1:B:367:ASP:OD2	3:B:503:AMP:O2'	2.32	0.47
1:B:371:LEU:HD23	1:B:377:LEU:HA	1.96	0.47
1:A:197:ILE:HG12	1:A:292:CYS:HA	1.97	0.47
1:A:387:ILE:O	1:A:394:ILE:N	2.48	0.46
1:B:192:LEU:HD21	1:B:242:MET:SD	2.56	0.46
1:B:365:THR:HG23	1:B:367:ASP:N	2.25	0.46
1:B:304:MET:HA	1:B:305:GLU:HA	1.49	0.46
1:B:329:GLU:HG2	1:B:330:PRO:HD3	1.94	0.46
1:A:175:SER:OG	1:A:315:PHE:O	2.30	0.45
1:B:367:ASP:CG	3:B:503:AMP:HO2'	2.19	0.44
1:A:125:ASP:HA	1:A:128:MET:HE2	2.00	0.44
1:A:400:GLU:CD	1:A:474:ARG:HH22	2.20	0.44
1:B:292:CYS:O	1:B:293:SER:CB	2.65	0.44
1:A:123:ASP:HB3	1:A:126:GLU:HB2	1.99	0.44
1:A:193:PRO:HG2	1:A:196[B]:HIS:ND1	2.33	0.44
1:B:290:GLU:N	1:B:290:GLU:OE1	2.45	0.43
1:A:140:TYR:OH	1:B:318:GLU:OE1	2.31	0.43
1:B:301:GLU:H	1:B:301:GLU:CD	2.21	0.43
1:B:367:ASP:HA	1:B:382:ARG:HA	2.01	0.43
1:B:75:LEU:HD22	1:B:137:ILE:HD12	2.00	0.43
1:B:253:CYS:HB2	1:B:280:PHE:CZ	2.54	0.43
1:A:406:HIS:HA	1:A:407:PRO:HD3	1.90	0.43
1:B:9:LEU:HA	1:B:207:VAL:CG2	2.49	0.43
1:B:321:ILE:HD12	1:B:371:LEU:HG	1.99	0.43
1:B:290:GLU:HG3	1:B:344:MET:HE3	2.01	0.43
1:A:399:VAL:HB	1:A:414:VAL:HG21	2.00	0.42
1:B:336:ILE:HB	1:B:365:THR:CG2	2.47	0.42
1:A:73:CYS:HB3	1:A:78:VAL:O	2.19	0.42
1:B:319:ILE:HD11	1:B:338:VAL:HG12	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:117:HIS:HD2	4:A:601:HOH:O	2.02	0.42
1:A:474:ARG:HA	1:A:477:LEU:CD1	2.49	0.42
1:B:336:ILE:O	1:B:365:THR:HG22	2.20	0.41
1:B:253:CYS:HA	1:B:254:PRO:HD3	1.89	0.41
1:A:380:LEU:O	1:A:381:ASP:HB3	2.21	0.41
1:B:239:VAL:HG22	1:B:242:MET:SD	2.61	0.41
1:A:168:ASN:HB3	1:A:292:CYS:SG	2.61	0.41
1:B:224:VAL:O	1:B:228:ILE:HG13	2.20	0.41
1:B:264:GLY:O	3:B:503:AMP:N6	2.54	0.41
1:A:309:SER:HB2	1:A:378:TYR:CE2	2.56	0.40
1:B:87:LEU:HD22	1:B:91:GLU:CD	2.41	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	479/494 (97%)	451 (94%)	26 (5%)	2 (0%)	34	57
1	B	377/494 (76%)	361 (96%)	14 (4%)	2 (0%)	29	52
All	All	856/988 (87%)	812 (95%)	40 (5%)	4 (0%)	29	52

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	293	SER
1	A	381	ASP
1	B	293	SER
1	B	221	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	347/421 (82%)	347 (100%)	0	100	100
1	B	276/421 (66%)	275 (100%)	1 (0%)	91	97
All	All	623/842 (74%)	622 (100%)	1 (0%)	93	98

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	114	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	AMP	B	503	-	22,25,25	1.12	1 (4%)	25,38,38	1.28	3 (12%)
3	AMP	A	503	-	22,25,25	1.49	4 (18%)	25,38,38	1.49	5 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AMP	B	503	-	-	3/6/26/26	0/3/3/3
3	AMP	A	503	-	-	0/6/26/26	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	503	AMP	C2'-C1'	-3.06	1.49	1.53
3	A	503	AMP	P-O2P	-2.64	1.44	1.54
3	A	503	AMP	P-O3P	-2.35	1.45	1.54
3	A	503	AMP	C5-N7	-2.13	1.32	1.39
3	B	503	AMP	C2'-C1'	-2.07	1.50	1.53

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	503	AMP	C4-C5-N7	-3.32	105.93	109.40
3	A	503	AMP	N3-C2-N1	-3.19	123.69	128.68
3	B	503	AMP	N3-C2-N1	-3.04	123.92	128.68
3	B	503	AMP	C3'-C2'-C1'	2.39	104.57	100.98
3	B	503	AMP	C4-C5-N7	-2.36	106.94	109.40
3	A	503	AMP	O3P-P-O5'	-2.14	101.05	106.73
3	A	503	AMP	P-O5'-C5'	2.12	124.14	118.30
3	A	503	AMP	C5-C6-N6	2.11	123.55	120.35

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	503	AMP	C5'-O5'-P-O2P
3	B	503	AMP	C3'-C4'-C5'-O5'
3	B	503	AMP	O4'-C4'-C5'-O5'


There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	503	AMP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	481/494 (97%)	-0.17	8 (1%) 70 66	36, 67, 107, 129	0
1	B	381/494 (77%)	0.02	15 (3%) 39 32	39, 74, 124, 152	0
All	All	862/988 (87%)	-0.08	23 (2%) 54 48	36, 70, 118, 152	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	246	LEU	3.6
1	B	270	PRO	3.3
1	B	384	SER	3.2
1	B	47	ALA	3.1
1	A	458	PHE	2.9
1	B	271	LEU	2.7
1	A	461	LEU	2.6
1	B	23	ILE	2.6
1	A	484	GLU	2.6
1	B	127	LEU	2.5
1	B	26	ASP	2.5
1	A	459	PHE	2.4
1	A	477	LEU	2.4
1	B	247	LEU	2.3
1	B	280	PHE	2.3
1	B	333	HIS	2.3
1	B	380	LEU	2.3
1	B	154	GLY	2.3
1	A	485	LEU	2.2
1	B	386	LEU	2.1
1	A	421	LYS	2.1
1	B	385	ASP	2.1
1	A	472	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	CL	B	502	1/1	0.71	0.12	108,108,108,108	0
2	CL	A	502	1/1	0.81	0.15	108,108,108,108	0
2	CL	B	501	1/1	0.85	0.06	113,113,113,113	0
2	CL	A	501	1/1	0.91	0.52	106,106,106,106	0
3	AMP	B	503	23/23	0.93	0.12	83,102,115,118	0
3	AMP	A	503	23/23	0.98	0.12	41,49,56,66	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around AMP B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around AMP A 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.