



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 11, 2021 – 05:15 AM EDT

PDB ID : 3BVD
Title : Structure of Surface-engineered Cytochrome ba3 Oxidase from *Thermus thermophilus* under Xenon Pressure, 100psi 5min
Authors : Luna, V.M.; Chen, Y.; Fee, J.A.; Stout, C.D.
Deposited on : 2008-01-07
Resolution : 3.37 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1691 (3.46-3.30)
Clashscore	141614	1762 (3.46-3.30)
Ramachandran outliers	138981	1732 (3.46-3.30)
Sidechain outliers	138945	1731 (3.46-3.30)
RSRZ outliers	127900	1635 (3.46-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	568	 7% 70% 25% . .
2	B	168	 3% 83% 15% ..
3	C	34	 6% 82% 12% . .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	XE	A	808	-	-	X	-

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 6025 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	550	4350	2948	699	687	16	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	MET	-	expression tag	UNP Q5SJ79
A	-4	HIS	-	expression tag	UNP Q5SJ79
A	-3	HIS	-	expression tag	UNP Q5SJ79
A	-2	HIS	-	expression tag	UNP Q5SJ79
A	-1	HIS	-	expression tag	UNP Q5SJ79
A	0	HIS	-	expression tag	UNP Q5SJ79
A	1	HIS	-	expression tag	UNP Q5SJ79
A	258	ARG	LYS	engineered mutation	UNP Q5SJ79

- Molecule 2 is a protein called Cytochrome c oxidase subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	166	1298	844	217	233	4	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	4	GLN	GLU	engineered mutation	UNP Q5SJ80


- Molecule 3 is a protein called Cytochrome c oxidase polypeptide 2A.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	33	259	179	39	41	0	0	0

- Molecule 4 is COPPER (II) ION (three-letter code: CU) (formula: Cu).


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	Cu			0	0
			1	1				

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 6 is HEME-AS (three-letter code: HAS) (formula: C₅₄H₆₄FeN₄O₆).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	Fe	N	O	0	0
			65	54	1	4	6		

- Molecule 7 is XENON (three-letter code: XE) (formula: Xe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	7	Total	Xe	0	0
			7	7		

- Molecule 8 is DINUCLEAR COPPER ION (three-letter code: CUA) (formula: Cu₂).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	1	Total	Cu	0	0
			2	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Cytochrome c oxidase subunit 1




• Molecule 2: Cytochrome c oxidase subunit 2



• Molecule 3: Cytochrome c oxidase polypeptide 2A





4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	119.73Å 119.73Å 153.53Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	26.96 – 3.37 26.95 – 3.37	Depositor EDS
% Data completeness (in resolution range)	99.8 (26.96-3.37) 99.8 (26.95-3.37)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.96 (at 3.38Å)	Xtriage
Refinement program	REFMAC 5.2.0019, CNS	Depositor
R, R_{free}	0.292 , 0.336 0.268 , 0.324	Depositor DCC
R_{free} test set	823 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	101.5	Xtriage
Anisotropy	0.027	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 47.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	6025	wwPDB-VP
Average B, all atoms (Å ²)	85.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HAS, HEM, CUA, CU, XE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	0/4506	0.54	0/6185
2	B	0.39	0/1335	0.54	0/1822
3	C	0.39	0/265	0.55	0/359
All	All	0.41	0/6106	0.54	0/8366

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4350	0	4458	133	0
2	B	1298	0	1282	27	0
3	C	259	0	279	2	0
4	A	1	0	0	0	0
5	A	43	0	30	5	0
6	A	65	0	62	3	0
7	A	7	0	0	5	0
8	B	2	0	0	0	0
All	All	6025	0	6111	142	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 12.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:LEU:HB2	1:A:162:ILE:HD11	1.32	1.08
1:A:105:LEU:CB	1:A:162:ILE:HD11	1.87	1.03
1:A:361:ALA:HA	3:C:19:ILE:HD13	1.39	1.03
1:A:330:ARG:HH21	1:A:330:ARG:HG3	1.23	1.00
1:A:300:VAL:HG22	2:B:30:ILE:HD12	1.44	0.99
1:A:233:HIS:NE2	1:A:237:TYR:HE2	1.63	0.96
1:A:373:TYR:CE1	2:B:45:ILE:HD13	2.03	0.93
1:A:303:LEU:CD1	2:B:30:ILE:HD11	2.00	0.91
1:A:330:ARG:HH21	1:A:330:ARG:CG	1.85	0.90
1:A:369:PHE:CE2	2:B:45:ILE:HD12	2.09	0.87
1:A:201:VAL:HG22	7:A:808:XE:XE	2.56	0.84
1:A:303:LEU:HD12	2:B:30:ILE:HD11	1.58	0.84
1:A:105:LEU:HB2	1:A:162:ILE:CD1	2.08	0.83
1:A:373:TYR:HE1	2:B:45:ILE:HD13	1.45	0.81
1:A:233:HIS:NE2	1:A:237:TYR:CE2	2.48	0.80
1:A:137:PRO:O	2:B:113:ILE:HD11	1.81	0.79
1:A:76:ASN:HB3	5:A:800:HEM:HAC	1.63	0.79
1:A:293:THR:O	1:A:297:ILE:HD13	1.83	0.77
1:A:88:ILE:CG2	1:A:246:ILE:HD11	2.14	0.77
1:A:221:PRO:HB2	2:B:128:LEU:HD23	1.68	0.76
6:A:801:HAS:HBC1	6:A:801:HAS:HMC1	1.67	0.75
2:B:142:PRO:HA	2:B:166:VAL:HG23	1.67	0.75
1:A:330:ARG:HG3	1:A:330:ARG:NH2	1.98	0.75
1:A:453:ILE:H	1:A:453:ILE:HD13	1.53	0.73
1:A:361:ALA:HA	3:C:19:ILE:CD1	2.19	0.72
1:A:242:PRO:O	1:A:246:ILE:HD13	1.89	0.72
1:A:201:VAL:CG2	7:A:808:XE:XE	3.16	0.71
1:A:322:PHE:HZ	2:B:4:GLN:HG2	1.55	0.71
1:A:45:ASN:ND2	1:A:453:ILE:HD13	2.06	0.70
1:A:40:PRO:HD3	5:A:800:HEM:HBB2	1.74	0.68
1:A:88:ILE:HG23	1:A:246:ILE:HD11	1.73	0.68
1:A:105:LEU:HB3	1:A:162:ILE:HD11	1.73	0.67
1:A:160:ILE:HD13	1:A:194:PHE:HB2	1.77	0.66
1:A:373:TYR:HE1	2:B:45:ILE:CD1	2.09	0.66
1:A:261:SER:OG	1:A:263:PRO:HD2	1.96	0.66
1:A:249:THR:OG1	1:A:250:ILE:HD12	1.99	0.62
1:A:76:ASN:HB3	5:A:800:HEM:CAC	2.30	0.62
1:A:253:LYS:HB2	1:A:509:ALA:HA	1.82	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:373:TYR:CZ	2:B:45:ILE:HD13	2.35	0.60
1:A:88:ILE:HG21	1:A:246:ILE:HD11	1.82	0.60
1:A:260:VAL:HA	1:A:512:ILE:HD13	1.83	0.59
1:A:303:LEU:CD1	2:B:30:ILE:CD1	2.78	0.59
1:A:355:GLY:O	1:A:358:PRO:HD2	2.03	0.58
1:A:88:ILE:HG21	1:A:246:ILE:CD1	2.35	0.57
1:A:48:ASN:HD21	1:A:457:PRO:HA	1.68	0.57
1:A:233:HIS:CD2	1:A:237:TYR:HE2	2.21	0.56
1:A:137:PRO:O	2:B:113:ILE:CD1	2.53	0.55
1:A:300:VAL:HG22	2:B:30:ILE:CD1	2.27	0.55
2:B:97:VAL:HG23	2:B:166:VAL:HG12	1.87	0.55
1:A:45:ASN:HD21	1:A:453:ILE:HD13	1.69	0.55
1:A:156:THR:O	1:A:160:ILE:HG13	2.06	0.54
1:A:395:LEU:HD22	1:A:425:VAL:HG13	1.90	0.54
1:A:300:VAL:CG2	2:B:30:ILE:HD12	2.27	0.54
1:A:438:GLY:HA3	1:A:470:ASN:OD1	2.08	0.53
1:A:205:VAL:HA	1:A:209:LEU:HD12	1.91	0.53
1:A:229:TRP:CE3	1:A:232:GLY:HA3	2.45	0.52
1:A:157:TRP:HA	1:A:160:ILE:HD12	1.92	0.52
1:A:97:LEU:HD22	1:A:170:TRP:CD1	2.46	0.51
1:A:270:LEU:HD22	1:A:524:MET:HG2	1.91	0.51
1:A:379:ALA:HB1	1:A:439:LEU:HD12	1.93	0.51
1:A:33:ILE:O	1:A:37:LEU:HG	2.11	0.51
1:A:449:ARG:HH12	6:A:801:HAS:CGA	2.23	0.51
1:A:289:GLY:O	1:A:290:ILE:HD13	2.12	0.50
1:A:373:TYR:OH	2:B:45:ILE:HD13	2.12	0.50
1:A:124:LEU:HD23	1:A:129:ALA:HB3	1.93	0.50
1:A:225:ARG:HD3	1:A:287:ASP:OD1	2.12	0.50
1:A:101:PRO:HA	1:A:166:LEU:HD21	1.94	0.49
1:A:99:MET:HE2	1:A:169:ARG:HE	1.77	0.49
1:A:174:ASN:HB3	1:A:177:LYS:HD3	1.93	0.49
1:A:262:ASP:N	1:A:263:PRO:CD	2.76	0.49
1:A:322:PHE:CZ	2:B:4:GLN:HG2	2.41	0.49
1:A:302:THR:HG22	6:A:801:HAS:HMB2	1.94	0.49
1:A:241:LEU:HA	1:A:244:TYR:HB2	1.93	0.49
1:A:512:ILE:N	1:A:512:ILE:HD12	2.28	0.49
1:A:233:HIS:O	1:A:236:VAL:HG22	2.12	0.48
2:B:84:LEU:HB3	2:B:91:GLN:HB3	1.94	0.48
1:A:259:LEU:O	1:A:512:ILE:CD1	2.61	0.48
1:A:30:LEU:O	1:A:34:VAL:HG23	2.13	0.48
1:A:333:PHE:HA	1:A:336:ILE:HD13	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:52:TYR:N	1:A:53:PRO:HD2	2.29	0.48
1:A:136:TYR:O	1:A:139:LEU:HB2	2.14	0.48
1:A:449:ARG:HD2	1:A:450:ARG:HG3	1.96	0.47
1:A:223:VAL:HG12	1:A:549:LEU:HB3	1.95	0.47
1:A:201:VAL:HG23	7:A:808:XE:XE	2.92	0.47
1:A:332:LEU:HD23	1:A:333:PHE:CE1	2.50	0.47
1:A:417:GLN:NE2	1:A:491:VAL:HG22	2.30	0.47
1:A:281:PHE:HB2	1:A:298:HIS:CG	2.50	0.47
1:A:233:HIS:CE1	1:A:237:TYR:HE2	2.29	0.46
1:A:201:VAL:HA	7:A:808:XE:XE	2.94	0.46
1:A:345:ALA:HB1	1:A:403:TRP:HD1	1.80	0.46
1:A:232:GLY:HA2	7:A:810:XE:XE	2.94	0.46
1:A:230:TRP:C	1:A:230:TRP:CD1	2.90	0.45
1:A:77:ALA:HB2	5:A:800:HEM:CMD	2.46	0.45
1:A:77:ALA:HB2	5:A:800:HEM:HMD3	1.99	0.45
1:A:405:LEU:HB3	1:A:406:PRO:HD3	1.98	0.45
1:A:246:ILE:HD12	1:A:246:ILE:N	2.31	0.45
2:B:118:VAL:HG22	2:B:147:ILE:HG12	1.98	0.45
1:A:123:PRO:HB3	1:A:142:HIS:HB3	1.98	0.44
1:A:259:LEU:O	1:A:512:ILE:HD12	2.18	0.44
1:A:182:VAL:HG21	1:A:508:PHE:HE2	1.82	0.44
1:A:342:ASP:HA	1:A:422:LEU:HD11	1.99	0.44
1:A:303:LEU:O	1:A:306:ALA:HB3	2.18	0.44
1:A:196:ALA:HB1	1:A:234:PRO:CG	2.48	0.44
1:A:42:GLN:O	1:A:45:ASN:HB3	2.17	0.44
1:A:120:ALA:HA	1:A:145:PHE:HA	1.99	0.43
1:A:254:GLN:HE21	1:A:254:GLN:HB3	1.56	0.43
1:A:209:LEU:N	1:A:210:PRO:HD2	2.33	0.43
1:A:50:ASP:O	1:A:53:PRO:HD2	2.18	0.43
1:A:205:VAL:O	1:A:210:PRO:HD3	2.18	0.43
1:A:192:MET:HB2	1:A:273:LEU:HA	2.00	0.43
2:B:64:TRP:CZ2	2:B:82:TYR:HD2	2.37	0.43
1:A:333:PHE:HA	1:A:336:ILE:CD1	2.49	0.43
1:A:233:HIS:CD2	1:A:237:TYR:CE2	3.03	0.43
1:A:330:ARG:CG	1:A:330:ARG:NH2	2.57	0.42
2:B:74:THR:HG21	2:B:80:THR:OG1	2.18	0.42
2:B:97:VAL:O	2:B:166:VAL:HA	2.18	0.42
1:A:261:SER:HG	1:A:263:PRO:HD2	1.84	0.42
1:A:262:ASP:HB2	1:A:511:VAL:HG11	2.00	0.42
1:A:33:ILE:HD13	1:A:485:ILE:HG23	2.01	0.42
1:A:189:PHE:CE1	1:A:242:PRO:HD3	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:85:ALA:HB3	2:B:127:VAL:HG11	2.02	0.42
1:A:290:ILE:HD12	1:A:545:THR:HG21	2.02	0.42
1:A:336:ILE:HA	1:A:339:LEU:HD22	2.02	0.42
1:A:290:ILE:HD12	1:A:545:THR:CG2	2.50	0.41
1:A:453:ILE:H	1:A:453:ILE:CD1	2.26	0.41
1:A:336:ILE:H	1:A:336:ILE:HD12	1.85	0.41
1:A:93:PRO:O	1:A:97:LEU:HG	2.21	0.41
1:A:233:HIS:H	1:A:234:PRO:HD2	1.86	0.41
1:A:348:ALA:HA	1:A:425:VAL:HG11	2.02	0.41
1:A:235:ILE:HG12	1:A:239:TRP:NE1	2.36	0.41
1:A:45:ASN:ND2	1:A:453:ILE:CD1	2.78	0.41
1:A:424:VAL:HG22	1:A:483:LEU:HB3	2.02	0.41
1:A:59:LEU:HB3	1:A:61:PHE:CE1	2.55	0.41
1:A:93:PRO:HB3	1:A:183:THR:HA	2.03	0.41
1:A:225:ARG:NH2	1:A:287:ASP:OD2	2.54	0.40
1:A:279:VAL:O	1:A:281:PHE:N	2.55	0.40
1:A:377:ASN:HB3	2:B:150:ASN:HB2	2.02	0.40
1:A:321:GLU:HA	1:A:335:TRP:CE3	2.56	0.40
1:A:400:SER:HA	1:A:403:TRP:NE1	2.36	0.40
1:A:497:ARG:HG2	1:A:499:PRO:HG3	2.03	0.40
1:A:170:TRP:CH2	1:A:180:PRO:HD3	2.55	0.40
1:A:260:VAL:HB	2:B:11:ILE:HD13	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	548/568 (96%)	496 (90%)	47 (9%)	5 (1%)	17	51
2	B	164/168 (98%)	145 (88%)	17 (10%)	2 (1%)	13	44
3	C	31/34 (91%)	29 (94%)	1 (3%)	1 (3%)	4	24

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	743/770 (96%)	670 (90%)	65 (9%)	8 (1%)	14	46

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	280	GLY
2	B	87	ALA
1	A	102	ASN
1	A	130	THR
1	A	369	PHE
2	B	4	GLN
3	C	4	LYS
1	A	400	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	446/462 (96%)	420 (94%)	26 (6%)	20	51
2	B	136/138 (99%)	129 (95%)	7 (5%)	24	55
3	C	26/27 (96%)	22 (85%)	4 (15%)	2	12
All	All	608/627 (97%)	571 (94%)	37 (6%)	18	49

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	TYR
1	A	54	LEU
1	A	76	ASN
1	A	106	MET
1	A	133	TYR
1	A	168	ARG
1	A	215	LEU
1	A	225	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	230	TRP
1	A	254	GLN
1	A	305	VAL
1	A	330	ARG
1	A	339	LEU
1	A	369	PHE
1	A	370	THR
1	A	430	LEU
1	A	439	LEU
1	A	453	ILE
1	A	465	VAL
1	A	472	LEU
1	A	478	LEU
1	A	483	LEU
1	A	517	ASP
1	A	527	ILE
1	A	545	THR
1	A	548	GLN
2	B	11	ILE
2	B	23	LEU
2	B	27	PHE
2	B	37	LEU
2	B	99	GLN
2	B	111	ASP
2	B	146	ARG
3	C	2	GLU
3	C	4	LYS
3	C	13	LEU
3	C	24	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	ASN
1	A	76	ASN
1	A	254	GLN
1	A	298	HIS
2	B	99	GLN
2	B	122	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 8 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	HEM	A	800	1	27,50,50	2.14	5 (18%)	17,82,82	1.17	1 (5%)
8	CUA	B	802	2	0,1,1	-	-	-	-	-
6	HAS	A	801	-	56,72,72	4.02	15 (26%)	50,109,109	3.09	21 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HEM	A	800	1	-	0/6/54/54	-
6	HAS	A	801	-	-	3/35/122/122	-

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	801	HAS	C1B-NB	-11.24	1.34	1.49
6	A	801	HAS	C1D-ND	-10.81	1.34	1.49
6	A	801	HAS	C4B-NB	-10.69	1.35	1.49
6	A	801	HAS	C4D-ND	-10.42	1.35	1.49
6	A	801	HAS	C3D-C2D	10.42	1.47	1.34
6	A	801	HAS	C1D-C2D	-8.26	1.38	1.51
6	A	801	HAS	C4A-C3A	7.99	1.49	1.38
6	A	801	HAS	C1A-C2A	7.59	1.48	1.38
6	A	801	HAS	C2B-C3B	5.48	1.38	1.34
6	A	801	HAS	C3C-C2C	5.46	1.47	1.40
5	A	800	HEM	C3D-C2D	5.17	1.53	1.37
5	A	800	HEM	C3B-C2B	-4.78	1.33	1.40
5	A	800	HEM	C3C-C2C	-4.27	1.34	1.40
5	A	800	HEM	C3C-CAC	3.63	1.55	1.47
6	A	801	HAS	CHD-C4A	-3.46	1.47	1.51
6	A	801	HAS	C2A-C3A	3.43	1.47	1.37
5	A	800	HEM	C3B-CAB	3.38	1.54	1.47
6	A	801	HAS	CHD-C4C	-3.18	1.47	1.51
6	A	801	HAS	CHA-C4D	-3.11	1.47	1.53
6	A	801	HAS	CHC-C4B	-2.96	1.48	1.53

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	801	HAS	CHB-C1D-ND	9.84	123.17	110.94
6	A	801	HAS	CHB-C1B-NB	8.74	121.80	110.94
6	A	801	HAS	C4C-CHD-C4A	6.26	128.14	112.87
6	A	801	HAS	CHA-C4D-ND	5.79	121.67	110.75
6	A	801	HAS	CHC-C4B-NB	5.25	120.65	110.75
6	A	801	HAS	CHD-C4C-C3C	-4.61	123.56	129.61
6	A	801	HAS	CAD-CBD-CGD	-4.56	105.02	112.67
6	A	801	HAS	CHD-C4A-C3A	-4.24	122.43	129.53
6	A	801	HAS	C1D-CHB-C1B	4.03	127.79	116.15
6	A	801	HAS	OMD-CMD-C2D	-3.73	119.66	124.39
6	A	801	HAS	CHC-C1C-C2C	-3.59	123.24	129.45
6	A	801	HAS	C4A-C3A-C2A	-3.10	102.51	105.81
6	A	801	HAS	CHB-C1B-C2B	3.00	124.06	114.70
6	A	801	HAS	CMC-C2C-C3C	2.77	129.87	124.68
6	A	801	HAS	C25-C23-C24	2.58	119.61	115.27
6	A	801	HAS	C13-C12-C11	-2.53	110.55	114.35
6	A	801	HAS	C26-C15-C16	2.39	119.29	115.27
6	A	801	HAS	C27-C19-C20	2.33	119.20	115.27
6	A	801	HAS	C1A-C2A-C3A	-2.32	102.47	105.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	801	HAS	C32-C30-C31	2.17	119.40	114.60
6	A	801	HAS	C12-C11-C3B	-2.03	111.48	114.11
5	A	800	HEM	C1D-C2D-C3D	-2.01	105.60	107.00

There are no chirality outliers.

All (3) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
6	A	801	HAS	C3D-C2D-CMD-OMD
6	A	801	HAS	C23-C24-C28-C29
6	A	801	HAS	C1D-C2D-CMD-OMD

There are no ring outliers.

2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	800	HEM	5	0
6	A	801	HAS	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	550/568 (96%)	0.26	39 (7%) 16 19	85, 85, 85, 85	0
2	B	166/168 (98%)	0.14	5 (3%) 50 54	85, 85, 85, 85	0
3	C	33/34 (97%)	-0.00	2 (6%) 21 24	85, 85, 85, 85	0
All	All	749/770 (97%)	0.22	46 (6%) 21 24	85, 85, 85, 85	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	494	SER	5.5
1	A	493	LEU	5.4
1	A	514	GLY	4.7
1	A	515	PRO	4.4
1	A	142	HIS	4.0
1	A	513	SER	3.8
1	A	499	PRO	3.6
1	A	495	ARG	3.5
1	A	497	ARG	3.3
1	A	111	TRP	3.0
1	A	177	LYS	3.0
1	A	516	GLU	2.9
1	A	107	TRP	2.9
3	C	2	GLU	2.9
1	A	109	SER	2.9
2	B	76	PRO	2.9
1	A	555	PRO	2.9
1	A	215	LEU	2.8
1	A	517	ASP	2.7
1	A	503	GLU	2.7
1	A	143	TRP	2.6
1	A	57	ARG	2.6
1	A	218	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	108	LEU	2.5
1	A	422	LEU	2.5
1	A	490	SER	2.4
2	B	140	LYS	2.3
1	A	330	ARG	2.3
1	A	505	PRO	2.3
2	B	66	ASP	2.3
1	A	178	VAL	2.3
3	C	4	LYS	2.3
1	A	172	ALA	2.3
2	B	141	ARG	2.3
1	A	504	ALA	2.3
1	A	173	ALA	2.2
1	A	554	ASN	2.2
1	A	13	GLU	2.2
1	A	412	PRO	2.1
1	A	242	PRO	2.1
1	A	522	LEU	2.1
2	B	77	ASN	2.1
1	A	491	VAL	2.0
1	A	106	MET	2.0
1	A	377	ASN	2.0
1	A	520	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
7	XE	A	805	1/1	0.81	0.11	85,85,85,85	0
7	XE	A	809	1/1	0.83	0.18	85,85,85,85	1
7	XE	A	811	1/1	0.83	0.38	85,85,85,85	1
7	XE	A	808	1/1	0.86	0.18	85,85,85,85	1
7	XE	A	806	1/1	0.89	0.12	85,85,85,85	1
7	XE	A	807	1/1	0.90	0.18	85,85,85,85	1
4	CU	A	803	1/1	0.95	0.10	85,85,85,85	0
6	HAS	A	801	65/65	0.95	0.23	85,85,85,85	0
7	XE	A	810	1/1	0.96	0.19	85,85,85,85	1
5	HEM	A	800	43/43	0.97	0.25	85,85,85,85	0
8	CUA	B	802	2/2	0.99	0.11	85,85,85,85	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.