



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 26, 2020 – 12:09 PM JST

PDB ID : 7BVJ
Title : UDP-N-acetylglucosamine 3-dehydrogenase GnnA from Acidithiobacillus ferrooxidans (P21)
Authors : Wangkanont, K.
Deposited on : 2020-04-10
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.14.6
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.14.6


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1479 (2.16-2.16)
Clashscore	141614	1585 (2.16-2.16)
Ramachandran outliers	138981	1560 (2.16-2.16)
Sidechain outliers	138945	1559 (2.16-2.16)
RSRZ outliers	127900	1456 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	321	<div> <div>2%</div> <div>83%</div> <div>14%</div> <div>..</div> </div>
1	B	321	<div> <div>5%</div> <div>74%</div> <div>20%</div> <div>6%</div> </div>
1	C	321	<div> <div>3%</div> <div>77%</div> <div>16%</div> <div>6%</div> </div>
1	D	321	<div> <div>3%</div> <div>77%</div> <div>16%</div> <div>6%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	F8U	A	402	-	X	-	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 10317 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Oxidoreductase, NAD-binding.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	313	Total	C	N	O	S	0	1	0
			2404	1518	442	432	12			
1	B	302	Total	C	N	O	S	0	1	0
			2333	1474	428	420	11			
1	C	303	Total	C	N	O	S	0	1	0
			2341	1478	430	421	12			
1	D	301	Total	C	N	O	S	0	0	0
			2319	1465	424	418	12			

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	314	LEU	-	expression tag	UNP B7JA34
A	315	GLU	-	expression tag	UNP B7JA34
A	316	HIS	-	expression tag	UNP B7JA34
A	317	HIS	-	expression tag	UNP B7JA34
A	318	HIS	-	expression tag	UNP B7JA34
A	319	HIS	-	expression tag	UNP B7JA34
A	320	HIS	-	expression tag	UNP B7JA34
A	321	HIS	-	expression tag	UNP B7JA34
B	314	LEU	-	expression tag	UNP B7JA34
B	315	GLU	-	expression tag	UNP B7JA34
B	316	HIS	-	expression tag	UNP B7JA34
B	317	HIS	-	expression tag	UNP B7JA34
B	318	HIS	-	expression tag	UNP B7JA34
B	319	HIS	-	expression tag	UNP B7JA34
B	320	HIS	-	expression tag	UNP B7JA34
B	321	HIS	-	expression tag	UNP B7JA34
C	314	LEU	-	expression tag	UNP B7JA34
C	315	GLU	-	expression tag	UNP B7JA34
C	316	HIS	-	expression tag	UNP B7JA34
C	317	HIS	-	expression tag	UNP B7JA34
C	318	HIS	-	expression tag	UNP B7JA34


Continued on next page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	319	HIS	-	expression tag	UNP B7JA34
C	320	HIS	-	expression tag	UNP B7JA34
C	321	HIS	-	expression tag	UNP B7JA34
D	314	LEU	-	expression tag	UNP B7JA34
D	315	GLU	-	expression tag	UNP B7JA34
D	316	HIS	-	expression tag	UNP B7JA34
D	317	HIS	-	expression tag	UNP B7JA34
D	318	HIS	-	expression tag	UNP B7JA34
D	319	HIS	-	expression tag	UNP B7JA34
D	320	HIS	-	expression tag	UNP B7JA34
D	321	HIS	-	expression tag	UNP B7JA34

- # NAD

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	B	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	C	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	D	1	Total 27	C 10	N 5	O 10	P 2	0	0

- 
- WORLD WIDE
PDB
PROTEIN DATA BANK




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	S	0	0
			14	4	8	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	221	Total	O	0	0
			221	221		
4	B	193	Total	O	0	0
			193	193		
4	C	194	Total	O	0	0
			194	194		
4	D	190	Total	O	0	0
			190	190		

● Molecule 1: Oxidoreductase, NAD-binding



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	72.81Å 80.06Å 107.21Å 90.00° 95.02° 90.00°	Depositor
Resolution (Å)	19.80 – 2.15 19.80 – 2.15	Depositor EDS
% Data completeness (in resolution range)	99.9 (19.80-2.15) 100.0 (19.80-2.15)	Depositor EDS
R_{merge}	0.29	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.51 (at 2.15Å)	Xtriage
Refinement program	PHENIX 1.17.1	Depositor
R, R_{free}	0.216 , 0.272 0.218 , 0.274	Depositor DCC
R_{free} test set	3276 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	25.9	Xtriage
Anisotropy	0.586	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 52.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	10317	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 47.58 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.7206e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: F8U, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	0/2449	0.61	0/3328
1	B	0.44	0/2377	0.64	0/3227
1	C	0.44	0/2382	0.60	0/3233
1	D	0.48	0/2360	0.60	0/3204
All	All	0.45	0/9568	0.61	0/12992

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2404	0	2423	35	0
1	B	2333	0	2353	47	0
1	C	2341	0	2360	42	0
1	D	2319	0	2336	33	0
2	A	27	0	12	0	0
2	B	27	0	10	1	0
2	C	27	0	12	0	0
2	D	27	0	12	0	0
3	A	14	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	221	0	0	9	0
4	B	193	0	0	15	0
4	C	194	0	0	7	0
4	D	190	0	0	6	0
All	All	10317	0	9518	154	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:295[B]:ARG:HH11	1:C:295[B]:ARG:HG2	1.36	0.89
1:B:160:ASP:HB3	4:B:642:HOH:O	1.75	0.86
1:D:258:ASP:HB3	4:D:625:HOH:O	1.80	0.82
1:A:262:ASP:HB3	4:A:521:HOH:O	1.81	0.78
1:B:185:VAL:CG2	4:B:651:HOH:O	2.32	0.77
1:B:156:ASP:HB3	1:B:159:MET:HB2	1.68	0.76
1:A:262:ASP:CB	4:A:521:HOH:O	2.33	0.75
1:C:295[B]:ARG:NH1	1:C:295[B]:ARG:HG2	1.97	0.71
1:B:193:ASP:OD1	1:B:213:ARG:HD2	1.93	0.69
1:A:185:VAL:HB	1:A:194:MET:HG3	1.74	0.69
1:C:266:ARG:NH2	4:C:503:HOH:O	2.27	0.68
1:A:247:ALA:H	1:A:257:ARG:HG2	1.60	0.66
1:A:312:GLN:HG3	4:A:619:HOH:O	1.98	0.64
1:C:110:ARG:HG2	4:C:654:HOH:O	1.97	0.64
1:A:120:LYS:HE2	4:A:570:HOH:O	1.98	0.64
1:A:25:ILE:HD11	1:A:273:ILE:HG22	1.81	0.63
1:B:152:SER:O	1:B:153:LEU:HD12	1.98	0.62
1:B:82:GLN:OE1	1:B:110:ARG:NH1	2.33	0.62
1:B:156:ASP:OD2	1:B:304:ARG:NH1	2.30	0.61
1:A:78:GLU:HG3	1:A:106:MET:HE1	1.85	0.57
1:C:185:VAL:HB	1:C:194:MET:HG3	1.87	0.57
1:C:147:PRO:HA	1:C:215:VAL:O	2.04	0.56
1:C:49:ARG:NH2	4:C:501:HOH:O	2.24	0.56
1:D:266:ARG:NH2	4:D:503:HOH:O	2.33	0.56
1:A:249:THR:HB	1:A:257:ARG:NH1	2.21	0.55
1:D:2:ILE:HD13	1:D:277:LEU:CB	2.36	0.55
1:A:246:GLY:HA3	1:A:257:ARG:HG2	1.89	0.55
1:B:185:VAL:HG22	4:B:651:HOH:O	2.02	0.54
1:C:295[B]:ARG:HH11	1:C:295[B]:ARG:CG	2.12	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:2:ILE:HD13	1:D:277:LEU:HB2	1.89	0.54
1:D:193:ASP:OD2	1:D:213:ARG:NH2	2.40	0.54
1:A:272:GLU:HG3	1:A:287:PHE:CZ	2.43	0.54
1:A:253:ILE:CD1	1:B:216:ARG:HG2	2.38	0.54
1:A:262:ASP:CG	4:A:521:HOH:O	2.44	0.54
1:B:11:VAL:HB	1:B:42:VAL:HG21	1.90	0.54
1:B:309:ALA:HA	1:B:312:GLN:HG2	1.89	0.54
1:C:185:VAL:HB	1:C:194:MET:CG	2.38	0.54
1:C:143:GLU:OE2	1:C:221:ARG:NH2	2.41	0.53
1:B:30:GLY:HA2	1:B:48:CYS:SG	2.48	0.53
1:C:158:ILE:HD11	1:C:307:VAL:HG21	1.89	0.53
1:C:180:VAL:HG11	1:C:302:GLN:HB3	1.91	0.53
1:A:47:ARG:NH1	4:A:501:HOH:O	2.26	0.53
1:C:127:GLN:OE1	1:C:266:ARG:NH1	2.37	0.53
1:D:186:ALA:HB1	1:D:189:THR:O	2.09	0.53
1:B:313:ARG:NH2	4:B:516:HOH:O	2.42	0.52
1:C:244:HIS:O	1:C:256:VAL:HB	2.09	0.52
1:B:184:GLY:HA3	1:B:307:VAL:HG13	1.91	0.52
1:A:180:VAL:HG11	1:A:302:GLN:HB3	1.93	0.51
1:B:265:LYS:NZ	4:B:511:HOH:O	2.34	0.51
1:B:308:GLU:HB3	4:B:504:HOH:O	2.10	0.51
1:C:140:LEU:CD2	1:C:224:ILE:HG23	2.41	0.51
1:B:237:ASN:OD1	1:D:178:VAL:HG11	2.10	0.51
1:D:91:LYS:HD3	1:D:164:HIS:CE1	2.46	0.50
1:D:115:ALA:HB2	1:D:286:VAL:HG21	1.93	0.50
1:C:272:GLU:HG3	1:C:287:PHE:CZ	2.47	0.49
1:B:155:ILE:HG13	1:B:213:ARG:NH2	2.27	0.49
1:D:138:ARG:NH1	4:D:513:HOH:O	2.45	0.49
1:A:122:VAL:HG12	4:A:667:HOH:O	2.11	0.49
1:D:294:ARG:HD3	4:D:553:HOH:O	2.12	0.49
1:B:138:ARG:HG2	4:B:640:HOH:O	2.11	0.49
1:B:148:PHE:CZ	1:B:152:SER:HB2	2.48	0.49
1:A:218:PRO:HB2	1:A:236:LEU:HD21	1.95	0.49
1:C:82:GLN:OE1	1:C:110:ARG:NH1	2.46	0.48
1:C:74:PHE:HA	1:C:103:LEU:HD11	1.94	0.48
1:D:11:VAL:HB	1:D:42:VAL:HG21	1.95	0.48
1:D:185:VAL:HB	1:D:194:MET:HG3	1.94	0.48
1:A:38:ARG:O	1:A:41:GLU:HG2	2.13	0.48
1:A:91:LYS:HE2	1:A:164:HIS:CE1	2.49	0.48
1:C:188:VAL:HG12	1:C:189:THR:HG23	1.96	0.48
1:D:147:PRO:HA	1:D:215:VAL:O	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:304:ARG:NH2	4:B:514:HOH:O	2.38	0.48
1:C:139:TYR:C	1:C:140:LEU:HD23	2.35	0.47
1:D:21:LYS:O	1:D:25:ILE:HG13	2.15	0.47
1:D:243:TYR:HD2	1:D:258:ASP:OD2	1.97	0.47
1:C:257:ARG:N	1:C:257:ARG:HD3	2.30	0.47
1:A:126:ILE:HD13	1:A:235:PHE:HE2	1.79	0.47
1:A:257:ARG:HA	1:A:257:ARG:HH11	1.78	0.47
1:B:185:VAL:HG23	4:B:651:HOH:O	2.08	0.47
1:C:137:PRO:CG	1:C:140:LEU:HD21	2.45	0.47
1:D:158:ILE:HD13	1:D:304:ARG:HA	1.97	0.47
1:C:152:SER:HA	1:C:155:ILE:HD12	1.97	0.47
1:C:278:ASN:ND2	4:C:507:HOH:O	2.35	0.47
1:B:21:LYS:O	1:B:25:ILE:HG13	2.15	0.47
1:D:147:PRO:HD3	1:D:218:PRO:HB3	1.97	0.47
1:B:155:ILE:HD12	1:B:160:ASP:OD1	2.15	0.46
1:D:149:LYS:HB3	1:D:151:ARG:HH11	1.80	0.46
1:D:233:VAL:HG22	1:D:240:LEU:HD13	1.97	0.46
1:B:121:ARG:HG2	1:B:171:LEU:HD22	1.96	0.46
1:B:155:ILE:HB	4:B:642:HOH:O	2.15	0.46
1:B:191:LYS:HB3	1:B:191:LYS:HE3	1.80	0.46
1:B:54:VAL:HG12	4:B:597:HOH:O	2.16	0.46
1:C:140:LEU:HD22	1:C:224:ILE:HG23	1.98	0.46
1:C:7:GLY:O	1:C:64:VAL:HA	2.16	0.46
1:B:137:PRO:HG2	1:B:140:LEU:HD11	1.98	0.46
1:C:304:ARG:O	1:C:308:GLU:HG3	2.15	0.46
1:B:7:GLY:O	1:B:64:VAL:HA	2.14	0.46
1:D:128:TYR:O	1:D:131:GLN:HG3	2.16	0.45
1:C:134:PHE:CE1	1:C:229:ARG:HD3	2.51	0.45
1:D:149:LYS:HB3	1:D:151:ARG:NH1	2.30	0.45
1:D:258:ASP:CB	4:D:625:HOH:O	2.53	0.45
1:A:2:ILE:HD13	1:A:277:LEU:HB2	1.99	0.45
1:C:233:VAL:HG22	1:C:240:LEU:HD13	1.99	0.45
1:A:3:HIS:HA	1:A:27:GLN:OE1	2.17	0.45
1:C:266:ARG:NH1	4:C:522:HOH:O	2.50	0.45
1:A:247:ALA:H	1:A:257:ARG:CG	2.29	0.45
1:A:272:GLU:HG3	1:A:287:PHE:CE1	2.52	0.45
1:B:34:GLU:HG2	2:B:401:NAD:C5A	2.47	0.44
1:A:217:GLU:OE2	1:A:217:GLU:N	2.48	0.44
1:C:17:PHE:O	1:C:21:LYS:HG2	2.17	0.44
1:B:239:THR:HG22	4:B:519:HOH:O	2.17	0.44
1:C:155:ILE:O	1:C:213:ARG:NH1	2.49	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:178:VAL:CG1	1:B:202:ASN:HB3	2.47	0.44
1:D:3:HIS:HA	1:D:27:GLN:OE1	2.18	0.44
1:C:139:TYR:O	1:C:140:LEU:HD23	2.17	0.43
1:C:190:ASP:OD1	1:C:190:ASP:N	2.49	0.43
1:B:223:ARG:NH1	4:B:518:HOH:O	2.44	0.43
1:D:138:ARG:NH2	4:D:517:HOH:O	2.49	0.43
1:D:17:PHE:O	1:D:21:LYS:HG2	2.19	0.43
1:A:183:VAL:HG21	1:B:139:TYR:CE1	2.54	0.43
1:D:2:ILE:HD13	1:D:277:LEU:HB3	2.01	0.43
1:A:74:PHE:HA	1:A:103:LEU:HD11	2.01	0.43
1:C:120:LYS:HE2	4:C:605:HOH:O	2.19	0.43
1:C:121:ARG:NH1	1:C:171:LEU:HD13	2.34	0.43
1:B:167:ASP:HB2	1:B:296:VAL:HG21	2.01	0.42
1:B:238:ASN:ND2	4:B:528:HOH:O	2.51	0.42
1:C:139:TYR:OH	1:C:141:GLU:OE2	2.32	0.42
1:B:234:ASP:HB3	1:B:239:THR:HB	2.01	0.42
1:D:69:PRO:O	1:D:72:THR:OG1	2.30	0.42
1:A:257:ARG:HA	1:A:257:ARG:HD2	1.63	0.42
1:A:278:ASN:ND2	4:A:523:HOH:O	2.52	0.42
1:D:123:HIS:CE1	1:D:238:ASN:HD22	2.37	0.42
1:D:167:ASP:HB2	1:D:296:VAL:HG21	2.02	0.42
1:D:29:ALA:HB1	1:D:60:GLU:HG2	2.01	0.42
1:A:304:ARG:O	1:A:308:GLU:HG3	2.20	0.41
1:C:126:ILE:HD13	1:C:235:PHE:HE2	1.85	0.41
1:A:220:ARG:HB3	1:A:235:PHE:HB2	2.00	0.41
1:B:57:LEU:HD23	1:B:57:LEU:C	2.41	0.41
1:C:159:MET:HB3	1:C:159:MET:HE2	1.77	0.41
1:B:138:ARG:HG3	4:B:641:HOH:O	2.20	0.41
1:B:11:VAL:HG22	1:B:33:ASP:HB2	2.02	0.41
1:A:144:ARG:NH1	1:A:220:ARG:HD3	2.35	0.41
1:B:311:LEU:HD23	1:B:311:LEU:HA	1.88	0.41
1:C:167:ASP:HB2	1:C:296:VAL:HG21	2.02	0.41
1:B:233:VAL:HG22	1:B:240:LEU:HD13	2.01	0.41
1:B:310:PHE:HA	1:B:313:ARG:NH2	2.35	0.41
1:A:243:TYR:HA	1:A:257:ARG:O	2.21	0.41
1:B:180:VAL:CG2	1:B:199:MET:HE2	2.51	0.41
1:B:96:ASP:OD1	1:B:99:GLU:HG3	2.21	0.41
1:C:91:LYS:HE2	1:C:164:HIS:CE1	2.56	0.41
1:D:272:GLU:HG3	1:D:287:PHE:CZ	2.56	0.41
1:B:303:VAL:O	1:B:307:VAL:HG23	2.21	0.40
1:A:268:ALA:HB2	4:A:697:HOH:O	2.20	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:229:ARG:NH1	4:C:519:HOH:O	2.55	0.40
1:D:7:GLY:O	1:D:64:VAL:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	312/321 (97%)	301 (96%)	11 (4%)	0	100	100
1	B	299/321 (93%)	289 (97%)	10 (3%)	0	100	100
1	C	300/321 (94%)	293 (98%)	7 (2%)	0	100	100
1	D	297/321 (92%)	291 (98%)	6 (2%)	0	100	100
All	All	1208/1284 (94%)	1174 (97%)	34 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	242/249 (97%)	235 (97%)	7 (3%)	42	42
1	B	236/249 (95%)	227 (96%)	9 (4%)	33	31
1	C	236/249 (95%)	231 (98%)	5 (2%)	53	57

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	234/249 (94%)	226 (97%)	8 (3%)	37	35
All	All	948/996 (95%)	919 (97%)	29 (3%)	40	39

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	91	LYS
1	A	93	PHE
1	A	120	LYS
1	A	181	ARG
1	A	265	LYS
1	A	294	ARG
1	A	295	ARG
1	B	2	ILE
1	B	16	ARG
1	B	37	GLU
1	B	91	LYS
1	B	93	PHE
1	B	190	ASP
1	B	191	LYS
1	B	294	ARG
1	B	313	ARG
1	C	49	ARG
1	C	91	LYS
1	C	120	LYS
1	C	229	ARG
1	C	257	ARG
1	D	1	MET
1	D	91	LYS
1	D	120	LYS
1	D	151	ARG
1	D	176	GLU
1	D	265	LYS
1	D	284	ARG
1	D	312	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	127	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAD	A	401	-	24,29,48	1.90	4 (16%)	29,45,73	2.05	12 (41%)
2	NAD	D	401	-	24,29,48	1.95	3 (12%)	29,45,73	2.32	11 (37%)
2	NAD	B	401	-	24,29,48	3.30	16 (66%)	29,45,73	1.86	9 (31%)
3	F8U	A	402	-	11,13,13	1.47	1 (9%)	16,20,20	3.88	9 (56%)
2	NAD	C	401	-	24,29,48	1.99	6 (25%)	29,45,73	2.04	9 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	A	401	-	-	7/12/32/62	0/3/3/5
2	NAD	D	401	-	-	8/12/32/62	0/3/3/5
2	NAD	B	401	-	-	1/12/32/62	0/3/3/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	F8U	A	402	-	-	11/14/14/14	-
2	NAD	C	401	-	-	7/12/32/62	0/3/3/5

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	401	NAD	PN-O5D	6.98	1.81	1.54
2	A	401	NAD	PN-O5D	6.52	1.80	1.54
2	C	401	NAD	PN-O5D	6.27	1.79	1.54
2	B	401	NAD	O4B-C4B	-5.75	1.32	1.45
2	B	401	NAD	C8A-N7A	-5.63	1.24	1.34
2	B	401	NAD	O3B-C3B	-5.47	1.30	1.43
2	B	401	NAD	PN-O5D	4.50	1.72	1.54
2	B	401	NAD	O2B-C2B	-4.40	1.32	1.43
2	C	401	NAD	PA-O5B	4.20	1.76	1.59
2	D	401	NAD	PA-O5B	4.04	1.75	1.59
2	B	401	NAD	C2A-N3A	-4.03	1.25	1.32
2	B	401	NAD	O4B-C1B	-3.98	1.35	1.41
2	A	401	NAD	PA-O5B	3.96	1.75	1.59
2	B	401	NAD	C5A-N7A	-3.89	1.25	1.39
2	B	401	NAD	C4A-N3A	-3.83	1.30	1.35
2	B	401	NAD	PA-O2A	-3.05	1.41	1.55
2	C	401	NAD	O4B-C1B	2.98	1.45	1.41
2	B	401	NAD	C5A-C4A	-2.92	1.33	1.40
2	B	401	NAD	PA-O5B	2.91	1.71	1.59
2	B	401	NAD	PN-O2N	-2.84	1.43	1.54
2	B	401	NAD	C2A-N1A	-2.76	1.28	1.33
2	B	401	NAD	PA-O1A	-2.65	1.41	1.50
2	D	401	NAD	O4B-C1B	2.41	1.44	1.41
3	A	402	F8U	O09-C03	-2.32	1.38	1.43
2	C	401	NAD	C2B-C1B	2.29	1.57	1.53
2	B	401	NAD	C5B-C4B	2.29	1.58	1.51
2	A	401	NAD	C2A-N1A	2.26	1.38	1.33
2	C	401	NAD	C3B-C4B	2.16	1.58	1.53
2	A	401	NAD	C2A-N3A	2.13	1.35	1.32
2	C	401	NAD	C2A-N3A	2.05	1.35	1.32

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	402	F8U	O06-S05-C04	8.70	117.28	106.94
3	A	402	F8U	O12-S11-C01	6.23	115.67	105.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	402	F8U	O13-S11-C01	6.00	114.07	106.94
3	A	402	F8U	O12-S11-O13	-5.10	98.81	111.27
2	C	401	NAD	O2N-PN-O1N	4.97	130.12	110.68
2	A	401	NAD	O2N-PN-O1N	4.90	129.88	110.68
2	D	401	NAD	O2N-PN-O3	4.90	121.07	104.64
2	D	401	NAD	PA-O3-PN	-4.84	116.21	132.83
2	D	401	NAD	O2N-PN-O1N	4.79	129.43	110.68
2	C	401	NAD	PA-O3-PN	-4.32	118.00	132.83
3	A	402	F8U	O07-S05-O06	-4.20	101.00	111.27
2	B	401	NAD	O2N-PN-O1N	4.03	126.47	110.68
2	C	401	NAD	O2A-PA-O1A	3.87	131.35	112.24
2	D	401	NAD	O2A-PA-O1A	3.74	130.74	112.24
3	A	402	F8U	O07-S05-C04	3.74	111.70	105.74
2	B	401	NAD	O5D-PN-O1N	-3.63	96.47	110.68
2	D	401	NAD	O5D-PN-O1N	-3.63	96.48	110.68
2	A	401	NAD	PA-O3-PN	-3.62	120.39	132.83
2	A	401	NAD	O2A-PA-O1A	3.60	130.02	112.24
2	B	401	NAD	O2A-PA-O1A	3.40	129.05	112.24
2	C	401	NAD	O5D-PN-O1N	-3.29	97.81	110.68
3	A	402	F8U	O08-S05-O06	-3.17	102.97	113.95
2	A	401	NAD	O5D-PN-O1N	-3.15	98.35	110.68
3	A	402	F8U	O10-C02-C03	-3.03	103.49	109.72
2	A	401	NAD	O5D-PN-O2N	-3.02	96.09	107.64
2	D	401	NAD	C1B-N9A-C4A	-2.96	121.45	126.64
2	B	401	NAD	C1B-N9A-C4A	-2.93	121.50	126.64
2	B	401	NAD	O4B-C1B-C2B	-2.91	102.67	106.93
2	D	401	NAD	O4B-C1B-C2B	-2.87	102.73	106.93
2	B	401	NAD	PA-O3-PN	-2.83	123.11	132.83
2	C	401	NAD	O5D-PN-O2N	-2.77	97.04	107.64
2	C	401	NAD	C1B-N9A-C4A	-2.62	122.03	126.64
2	A	401	NAD	O3B-C3B-C4B	-2.62	103.48	111.05
2	A	401	NAD	O5B-PA-O1A	-2.59	98.95	109.07
2	D	401	NAD	C5B-C4B-C3B	-2.54	105.67	115.18
2	A	401	NAD	C1B-N9A-C4A	-2.52	122.21	126.64
2	D	401	NAD	O5D-PN-O2N	-2.49	98.13	107.64
2	C	401	NAD	C5B-C4B-C3B	-2.48	105.88	115.18
2	A	401	NAD	PA-O5B-C5B	-2.47	107.18	121.68
2	C	401	NAD	O2A-PA-O5B	-2.46	96.34	107.75
2	A	401	NAD	C5B-C4B-C3B	-2.41	106.14	115.18
2	A	401	NAD	O4B-C1B-C2B	-2.29	103.58	106.93
2	D	401	NAD	O3B-C3B-C4B	-2.25	104.53	111.05
2	B	401	NAD	O5D-PN-O2N	-2.24	99.08	107.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	401	NAD	PA-O5B-C5B	-2.20	108.77	121.68
2	B	401	NAD	O5B-PA-O1A	-2.13	100.73	109.07
2	B	401	NAD	C4A-C5A-N7A	2.12	111.61	109.40
2	A	401	NAD	O3-PN-O1N	2.08	122.73	111.19
2	D	401	NAD	PA-O5B-C5B	-2.08	109.51	121.68
3	A	402	F8U	O08-S05-C04	2.02	109.34	106.94

There are no chirality outliers.

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	NAD	C5B-O5B-PA-O1A
2	A	401	NAD	PN-O3-PA-O5B
2	A	401	NAD	PA-O3-PN-O5D
2	D	401	NAD	C5B-O5B-PA-O1A
2	D	401	NAD	C5B-O5B-PA-O2A
2	D	401	NAD	PA-O3-PN-O5D
3	A	402	F8U	S11-C01-C02-O10
3	A	402	F8U	C02-C01-S11-O12
3	A	402	F8U	C02-C01-S11-O13
3	A	402	F8U	C02-C01-S11-O14
3	A	402	F8U	C01-C02-C03-C04
3	A	402	F8U	C01-C02-C03-O09
3	A	402	F8U	O10-C02-C03-C04
3	A	402	F8U	O10-C02-C03-O09
3	A	402	F8U	C03-C04-S05-O06
3	A	402	F8U	C03-C04-S05-O07
2	C	401	NAD	C5B-O5B-PA-O2A
2	A	401	NAD	O4B-C4B-C5B-O5B
2	D	401	NAD	O4B-C4B-C5B-O5B
2	D	401	NAD	C3B-C4B-C5B-O5B
2	C	401	NAD	O4B-C4B-C5B-O5B
2	A	401	NAD	C3B-C4B-C5B-O5B
2	C	401	NAD	C3B-C4B-C5B-O5B
2	D	401	NAD	PN-O3-PA-O5B
2	C	401	NAD	PN-O3-PA-O5B
2	A	401	NAD	C5B-O5B-PA-O3
2	D	401	NAD	C5B-O5B-PA-O3
2	C	401	NAD	C5B-O5B-PA-O1A
3	A	402	F8U	C03-C04-S05-O08
2	D	401	NAD	PA-O3-PN-O1N
2	A	401	NAD	PA-O3-PN-O2N

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	C	401	NAD	PA-O3-PN-O2N
2	C	401	NAD	C5B-O5B-PA-O3
2	B	401	NAD	O4B-C4B-C5B-O5B



There are no ring outliers.

1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	401	NAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand F8U A 402




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	313/321 (97%)	0.21	8 (2%) 56 64	18, 27, 45, 65	0
1	B	302/321 (94%)	0.41	15 (4%) 28 37	16, 28, 49, 72	0
1	C	303/321 (94%)	0.30	9 (2%) 50 59	17, 28, 44, 63	0
1	D	301/321 (93%)	0.26	10 (3%) 46 55	15, 27, 43, 61	0
All	All	1219/1284 (94%)	0.30	42 (3%) 45 53	15, 27, 46, 72	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	256	VAL	7.6
1	B	155	ILE	6.9
1	B	152	SER	5.2
1	A	247	ALA	4.8
1	B	153	LEU	4.8
1	A	249	THR	4.4
1	B	154	ASP	4.3
1	D	258	ASP	3.8
1	B	190	ASP	3.8
1	B	314	LEU	3.8
1	D	1	MET	3.7
1	A	250	VAL	3.6
1	A	254	PRO	3.5
1	D	308	GLU	3.4
1	D	312	GLN	3.4
1	B	2	ILE	3.2
1	B	151	ARG	3.1
1	B	111	HIS	3.0
1	D	266	ARG	2.9
1	C	216	ARG	2.8
1	A	8	VAL	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	243	TYR	2.7
1	D	151	ARG	2.7
1	A	313	ARG	2.6
1	D	257	ARG	2.6
1	B	109	GLU	2.6
1	B	188	VAL	2.4
1	C	8	VAL	2.4
1	B	257	ARG	2.4
1	A	1	MET	2.3
1	C	66	ILE	2.3
1	C	243	TYR	2.3
1	B	116	ILE	2.3
1	D	17	PHE	2.2
1	C	244	HIS	2.2
1	C	13	HIS	2.2
1	A	89	ILE	2.2
1	C	215	VAL	2.2
1	B	13	HIS	2.2
1	C	89	ILE	2.1
1	B	244	HIS	2.1
1	D	154	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	F8U	A	402	14/14	0.85	0.18	31,37,49,53	14
2	NAD	D	401	27/44	0.93	0.12	18,27,41,45	0

Continued on next page...



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NAD	C	401	27/44	0.93	0.11	23,26,40,42	0
2	NAD	A	401	27/44	0.94	0.10	22,27,39,43	0
2	NAD	B	401	27/44	0.95	0.10	21,29,35,38	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around F8U A 402:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD C 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAD B 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.