



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 6, 2020 – 09:03 AM BST

PDB ID : 2BYN
Title : Crystal structure of apo AChBP from Aplysia californica
Authors : Hansen, S.B.; Sulzenbacher, G.; Huxford, T.; Marchot, P.; Taylor, P.; Bourne, Y.
Deposited on : 2005-08-03
Resolution : 2.02 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.02 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	10434 (2.04-2.00)
Clashscore	141614	11643 (2.04-2.00)
Ramachandran outliers	138981	11493 (2.04-2.00)
Sidechain outliers	138945	11492 (2.04-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	227	
1	B	227	
1	C	227	
1	D	227	
1	E	227	

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 9684 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SOLUBLE ACETYLCHOLINE RECEPTOR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	216	Total	C	N	O	S	0	9	0
			1786	1128	296	353	9			
1	B	211	Total	C	N	O	S	0	6	0
			1721	1085	286	341	9			
1	C	212	Total	C	N	O	S	0	6	0
			1739	1094	294	342	9			
1	D	213	Total	C	N	O	S	0	3	0
			1722	1083	285	346	8			
1	E	214	Total	C	N	O	S	0	7	0
			1752	1106	292	344	10			

- Molecule 2 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C₈H₁₈O₅).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			13	8	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			13	8	5		
2	D	1	Total	C	O	0	0
			13	8	5		
2	E	1	Total	C	O	0	0
			13	8	5		

- Molecule 3 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: $C_{10}H_{22}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	C	1	Total	C	O	0	0
			16	10	6		

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	E	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	186	Total	O	0	0
			186	186		
5	B	189	Total	O	0	0
			189	189		
5	C	169	Total	O	0	0
			169	169		
5	D	159	Total	O	0	0
			159	159		
5	E	179	Total	O	0	0
			179	179		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR

Chain A: 




• Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR

Chain B: 





• Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR

Chain C: 




• Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR

Chain D: 



• Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR

Chain E: 



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	144.15Å 146.77Å 143.31Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.03 – 2.02 34.28 – 2.02	Depositor EDS
% Data completeness (in resolution range)	98.5 (40.03-2.02) 5.7 (34.28-2.02)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$	-	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.169 , 0.202 0.273 , 0.323	Depositor DCC
R_{free} test set	177 reflections (3.16%)	wwPDB-VP
Wilson B-factor (Å ²)	(Not available)	Xtriage
Anisotropy	(Not available)	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 37.4	EDS
L-test for twinning ¹	$\langle L \rangle =$ (Not available), $\langle L^2 \rangle =$ (Not available)	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	9684	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: (*Not available*)

¹Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PG4, NAG, 1PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.62	1/1854 (0.1%)	0.80	2/2525 (0.1%)
1	B	0.63	0/1778	0.74	0/2417
1	C	0.60	0/1792	0.77	2/2435 (0.1%)
1	D	0.59	0/1768	0.74	0/2409
1	E	0.60	0/1816	0.75	0/2471
All	All	0.61	1/9008 (0.0%)	0.76	4/12257 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	17	SER	CB-OG	5.13	1.49	1.42

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	207[A]	ARG	NE-CZ-NH1	5.81	123.21	120.30
1	A	207[B]	ARG	NE-CZ-NH1	5.81	123.21	120.30
1	C	39	ASP	CB-CG-OD2	-5.37	113.47	118.30
1	C	51	ASP	CB-CG-OD1	5.04	122.83	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1786	0	1725	18	0
1	B	1721	0	1662	29	0
1	C	1739	0	1682	11	0
1	D	1722	0	1643	21	0
1	E	1752	0	1700	16	0
2	A	13	0	18	0	0
2	B	13	0	18	1	0
2	D	13	0	18	0	0
2	E	13	0	18	2	0
3	C	16	0	22	2	0
4	E	14	0	13	0	0
5	A	186	0	0	3	0
5	B	189	0	0	6	0
5	C	169	0	0	3	0
5	D	159	0	0	2	0
5	E	179	0	0	8	0
All	All	9684	0	8519	87	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (87) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:203[B]:LYS:NZ	5:B:2184:HOH:O	1.66	1.27
1:D:136:GLU:O	1:D:203:LYS:HE3	1.69	0.89
1:B:136:GLU:O	1:B:203[B]:LYS:HE2	1.75	0.86
1:A:59:ARG:NH1	1:A:159:ASP:OD1	2.22	0.73
1:D:7:MET:HG2	5:E:2013:HOH:O	1.89	0.72
1:A:20:TYR:HA	5:A:2019:HOH:O	1.90	0.71
1:D:136:GLU:O	1:D:203:LYS:CE	2.41	0.68
1:E:189:SER:O	5:E:2167:HOH:O	2.12	0.68
1:E:42:LYS:NZ	5:E:2047:HOH:O	2.26	0.67
2:E:401:PG4:H21	5:E:2176:HOH:O	1.94	0.67
5:A:2018:HOH:O	1:E:7:MET:HE1	1.94	0.67
2:B:401:PG4:H21	5:B:2188:HOH:O	1.95	0.65
1:D:59:ARG:NH1	1:D:159:ASP:OD2	2.29	0.65
1:A:12:ASP:O	1:A:16:ARG:HB2	1.97	0.65
1:B:7[A]:MET:SD	1:C:19:MET:HB2	2.36	0.65
2:E:401:PG4:H21	5:E:2178:HOH:O	1.96	0.64
1:D:139:THR:OG1	1:D:203:LYS:NZ	2.20	0.64
1:C:19:MET:HG3	1:C:19:MET:O	1.98	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:15:ASN:N	5:E:2011:HOH:O	2.32	0.63
1:C:38:GLN:OE1	1:C:55:TYR:CE2	2.52	0.62
1:B:59[B]:ARG:NH2	1:B:159:ASP:OD2	2.33	0.61
1:E:157:LYS:NZ	5:E:2134:HOH:O	2.32	0.61
1:D:138:ALA:O	1:D:203:LYS:HD3	2.01	0.60
1:B:172:SER:O	1:B:207[B]:ARG:HD2	2.02	0.60
1:B:79:ARG:HG2	1:C:149:TYR:CE1	2.38	0.58
1:B:162:GLN:HG3	5:B:2153:HOH:O	2.04	0.58
1:B:20:TYR:N	5:B:2018:HOH:O	2.36	0.57
1:B:3:GLN:O	1:B:7[A]:MET:HE2	2.06	0.56
1:D:7:MET:HE3	1:E:21:PRO:HD3	1.87	0.55
1:B:122:ARG:HD2	1:C:96:THR:O	2.06	0.54
1:D:97[B]:ARG:HG3	1:D:97[B]:ARG:HH11	1.72	0.54
1:D:50:VAL:HG21	1:D:127:CYS:SG	2.48	0.54
1:B:79:ARG:HD2	1:B:108:VAL:HG22	1.90	0.54
1:D:122:ARG:HD2	1:E:96:THR:O	2.08	0.54
1:D:190:CYS:SG	1:D:191:CYS:N	2.83	0.52
1:D:7:MET:HE2	1:E:19:MET:O	2.09	0.52
1:B:6:LEU:HD23	1:C:21:PRO:CG	2.40	0.52
1:A:122:ARG:HD2	1:B:96:THR:O	2.09	0.52
1:E:50:VAL:HG21	1:E:127:CYS:SG	2.50	0.51
1:B:190:CYS:SG	1:B:191:CYS:N	2.84	0.51
1:B:192:PRO:HD2	1:B:193:GLU:OE2	2.11	0.51
1:B:59[A]:ARG:HD3	1:B:60:TRP:N	2.26	0.50
1:D:25:LYS:HG3	1:D:152:PHE:HB3	1.94	0.50
1:B:59[B]:ARG:HD3	1:B:116:MET:HE2	1.95	0.49
1:A:207[A]:ARG:HH11	1:A:207[A]:ARG:HG3	1.78	0.48
1:D:15:ASN:HB2	1:D:16:ARG:HD3	1.95	0.48
1:D:177:LEU:HD12	1:D:203:LYS:HD2	1.95	0.47
1:C:56:GLU:O	1:C:119:PRO:HD2	2.14	0.47
1:A:7:MET:HG2	5:B:2003:HOH:O	2.14	0.46
3:C:401:1PE:H132	5:C:2167:HOH:O	2.14	0.46
1:E:172:SER:O	1:E:207[A]:ARG:HD3	2.16	0.46
1:B:59[B]:ARG:HD3	1:B:116:MET:CE	2.45	0.46
1:A:-6:LYS:O	1:A:-6:LYS:HE2	2.17	0.45
1:D:143:LYS:HE3	1:D:186:GLN:HE22	1.82	0.45
1:C:122:ARG:HD2	1:D:96:THR:O	2.17	0.45
1:A:50:VAL:HG21	1:A:127:CYS:SG	2.56	0.44
1:B:50:VAL:HG21	1:B:127:CYS:SG	2.57	0.44
1:B:157:LYS:HE2	5:B:2143:HOH:O	2.17	0.44
1:C:97[B]:ARG:NH2	5:C:2081:HOH:O	2.50	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:96:THR:O	1:E:122:ARG:HD2	2.17	0.44
1:E:14:PHE:C	1:E:15:ASN:O	2.53	0.44
1:E:190:CYS:SG	1:E:191:CYS:N	2.91	0.43
1:A:136:GLU:CD	1:A:136:GLU:H	2.21	0.43
1:E:177:LEU:HD12	1:E:203[B]:LYS:HG2	2.00	0.43
1:D:207:ARG:HD3	5:D:2139:HOH:O	2.17	0.43
1:A:97[A]:ARG:HD3	5:E:2096:HOH:O	2.19	0.43
1:B:177:LEU:HB2	1:B:203[B]:LYS:HG2	2.00	0.43
1:B:193:GLU:H	1:B:193:GLU:CD	2.22	0.43
1:A:12:ASP:HA	1:A:16:ARG:HD3	1.99	0.43
1:A:16:ARG:N	1:A:16:ARG:HD2	2.33	0.43
1:A:97[B]:ARG:NH2	5:A:2104:HOH:O	2.47	0.43
1:D:55:TYR:CE2	1:E:147:TRP:HH2	2.36	0.43
1:A:51:ASP:HA	1:A:123:LEU:O	2.19	0.43
1:A:55:TYR:CE2	1:B:147:TRP:HH2	2.37	0.43
1:B:118:ILE:HG21	3:C:401:1PE:H162	2.00	0.42
1:B:7[A]:MET:CE	1:C:19:MET:HB2	2.50	0.42
1:D:12:ASP:O	1:D:16:ARG:HB2	2.20	0.42
1:B:25:LYS:HG3	1:B:152:PHE:HB3	2.02	0.42
1:D:15:ASN:N	1:D:15:ASN:OD1	2.52	0.42
1:B:143:LYS:HZ2	1:B:184:GLN:HE22	1.67	0.41
5:D:2089:HOH:O	1:E:97[A]:ARG:HD3	2.20	0.41
1:B:20:TYR:CE2	1:B:22:GLY:HA2	2.55	0.41
1:C:143:LYS:NZ	1:C:184:GLN:HE22	2.19	0.41
1:B:3:GLN:C	1:B:7[A]:MET:HE2	2.40	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	223/227 (98%)	218 (98%)	5 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	212/227 (93%)	207 (98%)	5 (2%)	0	100	100
1	C	213/227 (94%)	209 (98%)	3 (1%)	1 (0%)	29	22
1	D	212/227 (93%)	208 (98%)	3 (1%)	1 (0%)	29	22
1	E	219/227 (96%)	210 (96%)	8 (4%)	1 (0%)	29	22
All	All	1079/1135 (95%)	1052 (98%)	24 (2%)	3 (0%)	41	36

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	16	ARG
1	E	16	ARG
1	D	16	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	206/205 (100%)	197 (96%)	9 (4%)	28	24
1	B	198/205 (97%)	193 (98%)	5 (2%)	47	48
1	C	199/205 (97%)	189 (95%)	10 (5%)	24	19
1	D	197/205 (96%)	192 (98%)	5 (2%)	47	48
1	E	202/205 (98%)	195 (96%)	7 (4%)	36	34
All	All	1002/1025 (98%)	966 (96%)	36 (4%)	38	32

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-6	LYS
1	A	0	LEU
1	A	16	ARG
1	A	17	SER
1	A	20	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	157	LYS
1	A	189	SER
1	A	207[A]	ARG
1	A	207[B]	ARG
1	B	-2	ASP
1	B	15	ASN
1	B	74	ASN
1	B	79	ARG
1	B	189	SER
1	C	-3	ASP
1	C	59[A]	ARG
1	C	59[B]	ARG
1	C	66	MET
1	C	97[A]	ARG
1	C	97[B]	ARG
1	C	136	GLU
1	C	157	LYS
1	C	186	GLN
1	C	189	SER
1	D	-3	ASP
1	D	-2	ASP
1	D	0	LEU
1	D	15	ASN
1	D	157	LYS
1	E	-2	ASP
1	E	11	SER
1	E	15	ASN
1	E	16	ARG
1	E	157	LYS
1	E	207[A]	ARG
1	E	207[B]	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	GLN
1	A	184	GLN
1	B	3	GLN
1	B	15	ASN
1	B	74	ASN
1	B	184	GLN
1	C	15	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	184	GLN
1	C	186	GLN
1	D	3	GLN
1	D	184	GLN
1	E	63	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PG4	B	401	-	12,12,12	0.50	0	11,11,11	0.80	1 (9%)
2	PG4	D	401	-	12,12,12	0.55	0	11,11,11	0.68	0
4	NAG	E	301	1	14,14,15	0.54	0	17,19,21	1.53	3 (17%)
2	PG4	E	401	-	12,12,12	0.48	0	11,11,11	0.86	0
3	1PE	C	401	-	15,15,15	0.53	0	14,14,14	0.30	0
2	PG4	A	401	-	12,12,12	0.56	0	11,11,11	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PG4	B	401	-	-	7/10/10/10	-
2	PG4	D	401	-	-	8/10/10/10	-
4	NAG	E	301	1	-	4/6/23/26	0/1/1/1
2	PG4	E	401	-	-	5/10/10/10	-
3	1PE	C	401	-	-	7/13/13/13	-
2	PG4	A	401	-	-	8/10/10/10	-

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	301	NAG	C2-N2-C7	3.65	128.10	122.90
4	E	301	NAG	C8-C7-N2	3.19	121.50	116.10
4	E	301	NAG	C1-O5-C5	2.26	115.26	112.19
2	B	401	PG4	C3-O2-C2	2.13	122.51	113.29

There are no chirality outliers.

All (39) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	401	PG4	C4-C3-O2-C2
2	B	401	PG4	C4-C3-O2-C2
2	D	401	PG4	C4-C3-O2-C2
2	A	401	PG4	O2-C3-C4-O3
2	B	401	PG4	O2-C3-C4-O3
2	A	401	PG4	O3-C5-C6-O4
4	E	301	NAG	C8-C7-N2-C2
4	E	301	NAG	O7-C7-N2-C2
2	E	401	PG4	O2-C3-C4-O3
2	E	401	PG4	O3-C5-C6-O4
2	A	401	PG4	O4-C7-C8-O5
2	D	401	PG4	O3-C5-C6-O4
3	C	401	1PE	OH4-C13-C23-OH3
2	B	401	PG4	O3-C5-C6-O4
3	C	401	1PE	OH5-C14-C24-OH4
2	D	401	PG4	O4-C7-C8-O5
3	C	401	1PE	OH2-C12-C22-OH3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	401	PG4	O1-C1-C2-O2
2	B	401	PG4	O4-C7-C8-O5
3	C	401	1PE	OH6-C15-C25-OH5
3	C	401	1PE	OH7-C16-C26-OH6
2	B	401	PG4	O1-C1-C2-O2
2	D	401	PG4	C6-C5-O3-C4
3	C	401	1PE	C24-C14-OH5-C25
2	A	401	PG4	C6-C5-O3-C4
4	E	301	NAG	C4-C5-C6-O6
2	D	401	PG4	C8-C7-O4-C6
2	D	401	PG4	O1-C1-C2-O2
2	D	401	PG4	C1-C2-O2-C3
2	A	401	PG4	C8-C7-O4-C6
4	E	301	NAG	O5-C5-C6-O6
2	E	401	PG4	C6-C5-O3-C4
3	C	401	1PE	C15-C25-OH5-C14
2	A	401	PG4	C1-C2-O2-C3
2	A	401	PG4	C3-C4-O3-C5
2	B	401	PG4	C1-C2-O2-C3
2	D	401	PG4	O2-C3-C4-O3
2	B	401	PG4	C6-C5-O3-C4
2	E	401	PG4	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	401	PG4	1	0
2	E	401	PG4	2	0
3	C	401	1PE	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.