



Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 03:16 pm BST

PDB ID : 4C27
Title : Crystal structure of Trypanosoma cruzi CYP51 bound to the inhibitor (R)-N-(3-(1H-indol-3-yl)-1-oxo-1-(pyridin-4-ylamino)propan-2-yl)-2-fluoro-4-(4-(4-(trifluoromethyl)phenyl)piperazin-1-yl)benzamide
Authors : Vieira, D.F.; Calvet, C.M.; Choi, J.Y.; Cameron, M.D.; Gut, J.; Kellar, D.; Siqueira-Neto, J.L.; McKerrow, J.H.; Roush, W.R.; Podust, L.M.
Deposited on : 2013-08-16
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	467	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 12%, green 82%, grey 5%);"></div> <div style="display: flex; justify-content: space-between; font-size: 0.8em;"> % 82% 12% • 5% </div> </div>
1	B	467	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 14%, green 80%, grey 5%);"></div> <div style="display: flex; justify-content: space-between; font-size: 0.8em;"> % 80% 14% • 5% </div> </div>

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 7823 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called STEROL 14-ALPHA DEMETHYLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	444	Total	C	N	O	S	0	8	0
			3613	2306	639	640	28			
1	B	443	Total	C	N	O	S	0	4	0
			3546	2265	619	634	28			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	21	MET	-	expression tag	UNP Q5I4E1
A	22	ALA	-	expression tag	UNP Q5I4E1
A	23	LYS	-	expression tag	UNP Q5I4E1
A	24	LYS	-	expression tag	UNP Q5I4E1
A	25	THR	-	expression tag	UNP Q5I4E1
A	26	SER	-	expression tag	UNP Q5I4E1
A	27	SER	-	expression tag	UNP Q5I4E1
A	28	LYS	-	expression tag	UNP Q5I4E1
A	482	HIS	-	expression tag	UNP Q5I4E1
A	483	HIS	-	expression tag	UNP Q5I4E1
A	484	HIS	-	expression tag	UNP Q5I4E1
A	485	HIS	-	expression tag	UNP Q5I4E1
A	486	HIS	-	expression tag	UNP Q5I4E1
A	487	HIS	-	expression tag	UNP Q5I4E1
B	21	MET	-	expression tag	UNP Q5I4E1
B	22	ALA	-	expression tag	UNP Q5I4E1
B	23	LYS	-	expression tag	UNP Q5I4E1
B	24	LYS	-	expression tag	UNP Q5I4E1
B	25	THR	-	expression tag	UNP Q5I4E1
B	26	SER	-	expression tag	UNP Q5I4E1
B	27	SER	-	expression tag	UNP Q5I4E1
B	28	LYS	-	expression tag	UNP Q5I4E1
B	482	HIS	-	expression tag	UNP Q5I4E1
B	483	HIS	-	expression tag	UNP Q5I4E1
B	484	HIS	-	expression tag	UNP Q5I4E1

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	485	HIS	-	expression tag	UNP Q5I4E1
B	486	HIS	-	expression tag	UNP Q5I4E1
B	487	HIS	-	expression tag	UNP Q5I4E1

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is Nalpha-(2-fluoro-4-{4-[4-(trifluoromethyl)phenyl]piperazin-1-yl}benzoyl)-N-pyridin-4-yl-D-tryptophanamide (three-letter code: 26N) (formula: $C_{34}H_{30}F_4N_6O_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	F	N	O	0	0
			46	34	4	6	2		
3	B	1	Total	C	F	N	O	0	1
			92	68	8	12	4		

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Cl	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	246	Total	O	0	0
			246	246		
6	B	181	Total	O	0	0
			181	181		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: STEROL 14-ALPHA DEMETHYLASE



• Molecule 1: STEROL 14-ALPHA DEMETHYLASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	73.10Å 79.16Å 176.94Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	72.36 – 1.95 72.26 – 1.95	Depositor EDS
% Data completeness (in resolution range)	98.9 (72.36-1.95) 98.9 (72.26-1.95)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.67 (at 1.95Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.183 , 0.233 0.190 , 0.235	Depositor DCC
R_{free} test set	3773 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	28.3	Xtriage
Anisotropy	0.190	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 37.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7823	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.29% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, CL, 26N, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.93	2/3698 (0.1%)	1.02	15/4998 (0.3%)
1	B	0.93	0/3630	0.97	10/4915 (0.2%)
All	All	0.93	2/7328 (0.0%)	1.00	25/9913 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	58	ARG	CD-NE	-5.35	1.37	1.46
1	A	207	SER	CB-OG	5.06	1.48	1.42

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	58	ARG	NE-CZ-NH2	-11.12	114.74	120.30
1	A	61	ARG	NE-CZ-NH2	-10.64	114.98	120.30
1	A	58	ARG	NE-CZ-NH1	9.97	125.29	120.30
1	A	61	ARG	NE-CZ-NH1	7.89	124.25	120.30
1	A	271	ARG	NE-CZ-NH2	-7.73	116.43	120.30
1	A	271	ARG	NE-CZ-NH1	7.52	124.06	120.30
1	A	361	ARG	NE-CZ-NH2	-6.99	116.80	120.30
1	A	361	ARG	NE-CZ-NH1	6.71	123.65	120.30
1	A	441	ARG	NE-CZ-NH2	-6.67	116.97	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	189	ARG	NE-CZ-NH1	6.16	123.38	120.30
1	A	441	ARG	NE-CZ-NH1	6.02	123.31	120.30
1	A	398	ARG	NE-CZ-NH1	5.99	123.29	120.30
1	B	187	ASP	CB-CG-OD1	5.96	123.67	118.30
1	B	271	ARG	NE-CZ-NH1	5.90	123.25	120.30
1	A	449	ARG	NE-CZ-NH2	-5.83	117.39	120.30
1	B	456	ASP	CB-CG-OD1	5.68	123.41	118.30
1	A	425	GLN	N-CA-CB	-5.65	100.43	110.60
1	B	352	ARG	NE-CZ-NH2	-5.61	117.50	120.30
1	A	88	ARG	NE-CZ-NH1	5.54	123.07	120.30
1	B	31	ASP	CB-CG-OD1	5.47	123.22	118.30
1	B	456	ASP	CB-CG-OD2	-5.38	113.45	118.30
1	B	151	ARG	NE-CZ-NH1	5.37	122.99	120.30
1	B	228	ARG	NE-CZ-NH1	5.31	122.95	120.30
1	B	358	MET	CG-SD-CE	-5.28	91.75	100.20
1	A	120	TYR	CB-CG-CD1	-5.24	117.85	121.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	29	PRO	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3613	0	3616	45	0
1	B	3546	0	3523	51	0
2	A	43	0	30	8	0
2	B	43	0	30	8	0
3	A	46	0	30	3	0
3	B	92	0	60	7	0
4	A	8	0	12	0	0
4	B	4	0	6	0	0
5	A	1	0	0	0	0
6	A	246	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	181	0	0	5	0
All	All	7823	0	7307	108	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:141[B]:ASN:HD22	1:B:141[B]:ASN:H	1.03	0.98
1:B:149:GLU:HG2	1:B:181:GLN:HG3	1.62	0.81
1:A:44:HIS:HD2	1:A:71:SER:H	1.33	0.75
1:B:449[A]:ARG:CG	1:B:449[A]:ARG:HH11	1.98	0.75
1:A:149:GLU:OE2	6:A:2091:HOH:O	2.06	0.74
1:A:47:GLN:H	1:A:47:GLN:HE21	1.38	0.70
1:B:141[B]:ASN:ND2	1:B:141[B]:ASN:H	1.83	0.70
1:B:149:GLU:CG	1:B:181:GLN:HG3	2.22	0.69
1:B:141[B]:ASN:N	1:B:141[B]:ASN:HD22	1.83	0.65
1:B:99:PRO:O	1:B:102:VAL:HG22	1.96	0.65
1:B:47:GLN:HG3	6:B:2011:HOH:O	1.95	0.65
1:B:275:ARG:HD2	6:B:2102:HOH:O	1.96	0.64
1:A:160[B]:GLU:HG3	1:A:162:GLU:O	1.98	0.63
1:B:449[A]:ARG:CG	1:B:449[A]:ARG:NH1	2.59	0.63
2:B:1450:HEM:HHC	2:B:1450:HEM:HBB2	1.82	0.62
1:A:102:VAL:HG23	1:A:103:TYR:CD2	2.36	0.60
1:B:449[A]:ARG:HG2	1:B:449[A]:ARG:NH1	2.15	0.60
1:A:228:ARG:NH2	6:A:2134:HOH:O	2.33	0.60
1:A:44:HIS:CD2	1:A:71:SER:H	2.18	0.58
1:A:420:HIS:HD2	2:A:1450:HEM:O2D	1.88	0.57
1:B:325:GLU:HB2	6:B:2125:HOH:O	2.05	0.56
1:A:271:ARG:NH2	6:A:2156:HOH:O	2.38	0.56
1:A:309:HIS:CD2	1:A:311:LYS:HG2	2.41	0.56
1:A:331:ASN:H	1:A:334:ASN:HD22	1.53	0.56
1:B:422:CYS:HA	2:B:1450:HEM:C4D	2.40	0.55
2:A:1450:HEM:HBC2	2:A:1450:HEM:HHB	1.87	0.55
1:A:420:HIS:O	2:A:1450:HEM:HBD1	2.07	0.55
1:B:309:HIS:HD2	1:B:311:LYS:H	1.54	0.54
1:A:347[A]:ARG:NH1	1:A:347[A]:ARG:HB3	2.23	0.53
1:A:98:SER:OG	1:A:120:TYR:OH	2.21	0.53
1:A:205:GLU:OE1	1:A:294:HIS:HE1	1.92	0.53
1:B:39:VAL:HG23	1:B:42:LEU:HB2	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:309:HIS:HD2	1:A:311:LYS:H	1.58	0.52
1:A:233:ARG:HH12	1:A:237:GLN:NE2	2.09	0.51
1:B:110:PHE:HZ	3:B:1460[B]:26N:C27	2.23	0.51
1:B:112[A]:GLU:CD	1:B:112[A]:GLU:H	2.13	0.50
1:B:233:ARG:HH12	1:B:237:GLN:NE2	2.09	0.50
1:A:54:GLU:OE2	1:A:58:ARG:HD3	2.12	0.50
1:B:39:VAL:HG23	1:B:39:VAL:O	2.10	0.50
1:B:197:PHE:CE2	1:B:289:MET:HG3	2.46	0.49
1:A:309:HIS:CD2	1:A:311:LYS:H	2.30	0.49
1:A:166:ASN:HD22	1:A:169:GLU:H	1.61	0.49
1:B:103:TYR:CD2	1:B:116:TYR:CE2	3.00	0.49
1:A:347[A]:ARG:HH11	1:A:347[A]:ARG:CB	2.25	0.49
1:A:332:TYR:CZ	1:A:336:MET:HG3	2.48	0.49
1:B:143:VAL:HB	1:B:144:PRO:HD3	1.93	0.49
1:B:325:GLU:N	6:B:2125:HOH:O	2.44	0.48
1:B:247:ARG:HD3	1:B:258:THR:HG23	1.96	0.48
1:B:244:ILE:HG12	1:B:266:LEU:HD11	1.96	0.48
1:B:151:ARG:NH2	1:B:328:ALA:O	2.46	0.47
1:A:331:ASN:C	1:A:331:ASN:HD22	2.18	0.47
1:A:318:LYS:HA	1:A:321[B]:LYS:HE2	1.96	0.47
1:B:286:VAL:O	1:B:290:PHE:HB2	2.15	0.47
2:A:1450:HEM:C4D	3:A:1460:26N:H2	2.49	0.47
3:B:1460[A]:26N:H22	3:B:1460[A]:26N:H10	1.58	0.47
1:B:184:PHE:CG	1:B:188:LEU:HD13	2.50	0.46
1:B:112[B]:GLU:O	1:B:279:HIS:HE1	1.98	0.46
1:A:228:ARG:HD3	1:A:231[B]:GLU:OE1	2.15	0.46
1:B:89:PHE:CZ	1:B:359:VAL:HG12	2.51	0.46
1:A:228:ARG:CZ	6:A:2134:HOH:O	2.64	0.46
2:B:1450:HEM:C4D	3:B:1460[B]:26N:H2	2.51	0.46
1:A:250:GLU:O	1:A:251:GLU:CB	2.64	0.46
3:B:1460[B]:26N:H20	3:B:1460[B]:26N:H13A	1.69	0.45
1:B:331:ASN:HD22	1:B:331:ASN:C	2.19	0.45
1:A:347[A]:ARG:HH11	1:A:347[A]:ARG:HB3	1.81	0.45
2:B:1450:HEM:HHD	2:B:1450:HEM:HBC2	1.98	0.45
1:A:442:GLU:HB2	1:A:443:TYR:CD1	2.52	0.45
2:A:1450:HEM:C1A	3:A:1460:26N:H2	2.52	0.44
1:B:331:ASN:ND2	1:B:334:ASN:H	2.15	0.44
1:B:136:ILE:HD12	1:B:137:ALA:N	2.33	0.44
2:B:1450:HEM:C1A	3:B:1460[A]:26N:H2	2.51	0.44
1:B:420:HIS:HD2	2:B:1450:HEM:O2D	2.01	0.44
1:A:94:ASN:OD1	1:A:420:HIS:CE1	2.70	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:309:HIS:HE1	1:A:450:ASP:O	2.01	0.44
1:B:449[B]:ARG:CD	1:B:468:GLN:HB3	2.48	0.44
2:B:1450:HEM:HBC2	2:B:1450:HEM:CHD	2.48	0.43
1:B:141[B]:ASN:N	1:B:141[B]:ASN:ND2	2.53	0.43
1:B:309:HIS:CD2	1:B:311:LYS:H	2.34	0.43
1:B:309:HIS:HE1	1:B:450:ASP:O	2.01	0.43
1:B:205:GLU:OE2	1:B:294:HIS:CE1	2.71	0.43
1:B:47:GLN:HE22	1:B:58:ARG:HH12	1.66	0.43
1:A:94:ASN:OD1	1:A:420:HIS:HE1	2.01	0.43
1:B:47:GLN:NE2	1:B:58:ARG:HH12	2.17	0.43
1:A:309:HIS:CD2	1:A:311:LYS:CG	3.02	0.43
1:B:110:PHE:HZ	3:B:1460[B]:26N:N5	2.17	0.43
1:A:99:PRO:O	1:A:102:VAL:HG22	2.19	0.42
1:B:149:GLU:CG	1:B:181:GLN:CG	2.95	0.42
1:B:422:CYS:HA	2:B:1450:HEM:CHA	2.50	0.42
1:A:331:ASN:H	1:A:334:ASN:ND2	2.16	0.42
1:B:205:GLU:OE2	1:B:294:HIS:HE1	2.03	0.42
1:B:335:VAL:HG11	1:B:430:LEU:HD12	2.02	0.42
3:A:1460:26N:H23	3:A:1460:26N:H12A	1.89	0.41
1:B:112[A]:GLU:O	1:B:279:HIS:HE1	2.02	0.41
1:B:197:PHE:CZ	1:B:289:MET:HG3	2.56	0.41
1:A:424:GLY:HA3	2:A:1450:HEM:C3C	2.56	0.41
1:A:475[B]:ARG:HB2	1:A:475[B]:ARG:HE	1.31	0.41
3:B:1460[A]:26N:H20	3:B:1460[A]:26N:H13	1.92	0.41
1:A:158:TRP:O	1:A:475[B]:ARG:NH2	2.53	0.41
1:B:294:HIS:HD2	6:B:2026:HOH:O	2.04	0.41
1:B:244:ILE:HD12	1:B:278:LEU:HD13	2.02	0.41
1:A:83:PRO:HA	1:A:86:HIS:CD2	2.56	0.41
1:B:94:ASN:OD1	1:B:420:HIS:HE1	2.04	0.40
1:A:424:GLY:HA3	2:A:1450:HEM:C2C	2.56	0.40
1:A:44:HIS:CD2	1:A:70:ILE:HB	2.56	0.40
1:A:420:HIS:CD2	2:A:1450:HEM:O2D	2.73	0.40
1:A:40:PRO:O	1:A:41:PHE:C	2.58	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	448/467 (96%)	440 (98%)	8 (2%)	0	100	100
1	B	443/467 (95%)	435 (98%)	8 (2%)	0	100	100
All	All	891/934 (95%)	875 (98%)	16 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	390/409 (95%)	379 (97%)	11 (3%)	43	33
1	B	382/409 (93%)	367 (96%)	15 (4%)	32	19
All	All	772/818 (94%)	746 (97%)	26 (3%)	38	25

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	THR
1	A	47	GLN
1	A	156	GLU
1	A	166	ASN
1	A	188	LEU
1	A	193	ASN
1	A	197	PHE
1	A	311	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	313	LYS
1	A	331	ASN
1	A	382	CYS
1	B	37	VAL
1	B	162	GLU
1	B	166	ASN
1	B	188	LEU
1	B	226	SER
1	B	238	LYS
1	B	258	THR
1	B	314	LYS
1	B	321	LYS
1	B	331	ASN
1	B	382	CYS
1	B	403	GLU
1	B	419	VAL
1	B	449[A]	ARG
1	B	449[B]	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	HIS
1	A	47	GLN
1	A	57	GLN
1	A	128	ASN
1	A	166	ASN
1	A	193	ASN
1	A	237	GLN
1	A	279	HIS
1	A	294	HIS
1	A	309	HIS
1	A	331	ASN
1	A	334	ASN
1	A	420	HIS
1	B	47	GLN
1	B	166	ASN
1	B	237	GLN
1	B	279	HIS
1	B	294	HIS
1	B	309	HIS
1	B	331	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	334	ASN
1	B	420	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 9 ligands modelled in this entry, 1 is monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	EDO	B	1479	-	3,3,3	0.28	0	2,2,2	0.56	0
2	HEM	B	1450	1,3	27,50,50	1.18	2 (7%)	17,82,82	1.91	6 (35%)
3	26N	A	1460	2	50,51,51	1.24	3 (6%)	69,73,73	1.83	15 (21%)
3	26N	B	1460[A]	2	50,51,51	1.32	4 (8%)	69,73,73	1.68	15 (21%)
4	EDO	A	1480	-	3,3,3	0.31	0	2,2,2	1.50	0
4	EDO	A	1479	-	3,3,3	0.41	0	2,2,2	0.09	0
3	26N	B	1460[B]	2	50,51,51	1.46	4 (8%)	69,73,73	1.60	11 (15%)
2	HEM	A	1450	1,3	27,50,50	1.40	3 (11%)	17,82,82	2.43	8 (47%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	B	1479	-	-	1/1/1/1	-
2	HEM	B	1450	1,3	-	0/6/54/54	-
3	26N	A	1460	2	-	0/33/44/44	0/6/6/6
3	26N	B	1460[A]	2	-	0/33/44/44	0/6/6/6
4	EDO	A	1480	-	-	0/1/1/1	-
4	EDO	A	1479	-	-	1/1/1/1	-
3	26N	B	1460[B]	2	-	7/33/44/44	0/6/6/6
2	HEM	A	1450	1,3	-	2/6/54/54	-

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1460[B]	26N	C8-C24	7.61	1.49	1.38
3	B	1460[A]	26N	C8-C24	6.46	1.47	1.38
3	A	1460	26N	C8-C24	5.02	1.45	1.38
2	A	1450	HEM	C3B-C2B	-3.85	1.35	1.40
2	B	1450	HEM	C3B-C2B	-3.79	1.35	1.40
2	A	1450	HEM	C3C-C2C	-2.95	1.36	1.40
2	B	1450	HEM	C3C-C2C	-2.83	1.36	1.40
3	A	1460	26N	C12-N3	-2.75	1.42	1.46
2	A	1450	HEM	C4D-C3D	2.54	1.48	1.42
3	B	1460[A]	26N	C4-N1	-2.42	1.36	1.41
3	B	1460[B]	26N	C19-C17	-2.29	1.35	1.39
3	B	1460[B]	26N	C33-C28	-2.24	1.38	1.41
3	A	1460	26N	O-C7	2.20	1.27	1.23
3	B	1460[B]	26N	C29-C28	2.12	1.48	1.42
3	B	1460[A]	26N	C19-C17	-2.07	1.35	1.39
3	B	1460[A]	26N	C31-C30	2.01	1.41	1.36

All (55) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1460[B]	26N	C21-N4-C13	5.54	123.75	111.52
3	A	1460	26N	C21-N4-C13	5.48	123.61	111.52
3	A	1460	26N	C22-N3-C12	5.37	123.36	111.52
2	A	1450	HEM	CAD-CBD-CGD	-5.23	103.89	112.67
3	B	1460[A]	26N	C8-C7-N2	4.69	125.49	116.80
2	A	1450	HEM	CBD-CAD-C3D	4.56	120.88	112.48
3	B	1460[A]	26N	C21-N4-C13	4.39	121.20	111.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1460	26N	C21-C22-N3	4.38	119.21	110.70
3	A	1460	26N	C25-C26-C27	-4.31	122.65	127.97
3	A	1460	26N	C31-C30-C29	-4.08	115.23	120.89
3	B	1460[B]	26N	C23-C24-C8	-3.98	119.29	123.53
2	B	1450	HEM	C3B-C4B-NB	-3.93	104.12	109.21
3	B	1460[A]	26N	C22-N3-C12	3.92	120.18	111.52
3	B	1460[B]	26N	C22-N3-C12	3.88	120.08	111.52
3	B	1460[A]	26N	C10-C11-N3	-3.71	116.27	121.38
2	A	1450	HEM	C1D-C2D-C3D	-3.69	104.43	107.00
3	B	1460[B]	26N	C25-C6-N2	-3.59	103.22	110.79
3	B	1460[A]	26N	F2-C18-C17	-3.34	105.59	112.93
3	A	1460	26N	C25-C26-C29	3.32	131.41	126.25
3	B	1460[B]	26N	C30-C29-C28	3.29	122.53	118.17
3	B	1460[B]	26N	C31-C30-C29	-3.26	116.37	120.89
3	B	1460[A]	26N	C26-C25-C6	-3.21	107.17	113.45
3	A	1460	26N	C12-C13-N4	3.19	116.91	110.70
2	A	1450	HEM	C4C-C3C-C2C	3.14	109.09	106.90
2	B	1450	HEM	C1D-C2D-C3D	-3.08	104.85	107.00
2	B	1450	HEM	CBD-CAD-C3D	2.95	117.92	112.48
3	A	1460	26N	C30-C29-C28	2.92	122.04	118.17
3	B	1460[B]	26N	C-C4-N1	2.81	129.87	120.40
2	B	1450	HEM	CAD-CBD-CGD	-2.78	108.01	112.67
3	B	1460[A]	26N	O-C7-N2	-2.77	117.35	122.45
3	B	1460[A]	26N	C3-C4-C	-2.77	115.25	119.03
3	B	1460[B]	26N	C3-C4-C	-2.72	115.31	119.03
3	A	1460	26N	C5-C6-N2	2.70	118.50	111.16
3	B	1460[A]	26N	C23-C11-N3	2.58	124.11	121.33
2	B	1450	HEM	CBA-CAA-C2A	-2.47	107.92	112.49
3	A	1460	26N	C32-C31-C30	2.42	123.83	120.44
3	A	1460	26N	C3-C4-C	-2.41	115.74	119.03
2	B	1450	HEM	C3C-C4C-NC	-2.40	106.41	110.94
3	B	1460[A]	26N	C30-C29-C28	2.38	121.32	118.17
3	A	1460	26N	C2-C3-C4	2.33	122.12	118.93
3	A	1460	26N	C16-C15-C14	2.32	123.38	120.32
3	B	1460[A]	26N	C9-C10-C11	2.26	123.30	120.32
3	B	1460[A]	26N	C23-C24-C8	-2.26	121.12	123.53
3	B	1460[B]	26N	C31-C32-C33	2.25	123.59	120.44
2	A	1450	HEM	C4A-C3A-C2A	-2.21	105.46	107.00
3	A	1460	26N	C8-C7-N2	2.17	120.81	116.80
3	A	1460	26N	O-C7-C8	-2.16	117.06	121.01
3	B	1460[A]	26N	O-C7-C8	-2.13	117.12	121.01
3	B	1460[A]	26N	C-C4-N1	2.12	127.55	120.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1450	HEM	C3C-C4C-NC	-2.11	106.97	110.94
2	A	1450	HEM	CAD-C3D-C2D	-2.10	121.22	127.25
2	A	1450	HEM	CMA-C3A-C2A	2.10	128.90	124.94
3	B	1460[B]	26N	C22-C21-N4	2.09	114.77	110.70
3	B	1460[B]	26N	C32-C33-C28	-2.05	117.12	120.08
3	B	1460[A]	26N	C33-C28-C29	-2.00	117.10	120.76

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1450	HEM	C2D-C3D-CAD-CBD
3	B	1460[B]	26N	C26-C25-C6-C5
3	B	1460[B]	26N	N1-C5-C6-C25
4	B	1479	EDO	O1-C1-C2-O2
3	B	1460[B]	26N	O1-C5-C6-C25
4	A	1479	EDO	O1-C1-C2-O2
3	B	1460[B]	26N	C5-C6-N2-C7
3	B	1460[B]	26N	N1-C5-C6-N2
3	B	1460[B]	26N	O1-C5-C6-N2
2	A	1450	HEM	C4D-C3D-CAD-CBD
3	B	1460[B]	26N	C26-C25-C6-N2


There are no ring outliers.



5 monomers are involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1450	HEM	8	0
3	A	1460	26N	3	0
3	B	1460[A]	26N	3	0
3	B	1460[B]	26N	4	0
2	A	1450	HEM	8	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






Ligand 26N B 1460 (B)



Ligand HEM A 1450



5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	444/467 (95%)	0.03	5 (1%) 80 85	15, 25, 43, 73	0
1	B	443/467 (94%)	0.06	4 (0%) 84 89	16, 26, 46, 70	0
All	All	887/934 (94%)	0.05	9 (1%) 82 87	15, 26, 45, 73	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	258	THR	4.9
1	A	41	PHE	4.2
1	A	29	PRO	3.0
1	A	251	GLU	2.8
1	A	478	LYS	2.5
1	B	41	PHE	2.4
1	B	136	ILE	2.3
1	A	116	TYR	2.1
1	B	135	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	EDO	A	1480	4/4	0.87	0.30	43,49,52,53	0
4	EDO	B	1479	4/4	0.91	0.19	48,53,53,65	0
5	CL	A	1481	1/1	0.92	0.07	52,52,52,52	0
3	26N	A	1460	46/46	0.96	0.10	18,23,28,33	0
3	26N	B	1460[A]	46/46	0.96	0.13	15,19,23,25	46
4	EDO	A	1479	4/4	0.96	0.15	31,35,41,43	0
3	26N	B	1460[B]	46/46	0.96	0.13	15,20,26,27	46
2	HEM	B	1450	43/43	0.97	0.13	17,21,31,34	0
2	HEM	A	1450	43/43	0.97	0.12	16,18,26,35	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around 26N B 1460 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 26N B 1460 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 1450:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM A 1450:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.