



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 6, 2020 – 01:19 PM BST

PDB ID : 4CA6
Title : Human Angiotensin converting enzyme N-domain in complex with a phosphinic tripeptide FI
Authors : Masuyer, G.; Akif, M.; Czarny, B.; Beau, F.; Schwager, S.L.U.; Sturrock, E.D.; Isaac, R.E.; Dive, V.; Acharya, K.R.
Deposited on : 2013-10-07
Resolution : 1.91 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.91 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	7937 (1.94-1.90)
Clashscore	141614	8644 (1.94-1.90)
Ramachandran outliers	138981	8530 (1.94-1.90)
Sidechain outliers	138945	8530 (1.94-1.90)
RSRZ outliers	127900	7793 (1.94-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	610	<div> <div>3%</div> <div> <div></div> <div>89%</div> <div>10%</div> <div>.</div> </div> </div>
1	B	610	<div> <div>3%</div> <div> <div></div> <div>91%</div> <div>8%</div> </div> </div>
2	C	2	<div> <div></div> <div>100%</div> </div>
2	F	2	<div> <div></div> <div>50%</div> <div>50%</div> </div>
3	D	2	<div> <div></div> <div>100%</div> </div>
3	G	2	<div> <div></div> <div>100%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	E	4	
5	H	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	G	2	-	-	-	X
4	NAG	E	1	X	-	-	-

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 10900 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ANGIOTENSIN-CONVERTING ENZYME N-DOMAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	608	Total	C	N	O	S	0	1	0
			4967	3190	853	905	19			
1	B	608	Total	C	N	O	S	0	2	0
			4970	3193	853	905	19			

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	9	GLN	ASN	conflict	UNP P12821
A	25	GLN	ASN	conflict	UNP P12821
A	82	GLN	ASN	conflict	UNP P12821
A	117	GLN	ASN	conflict	UNP P12821
A	289	GLN	ASN	conflict	UNP P12821
A	545	ARG	GLN	engineered mutation	UNP P12821
A	576	LEU	PRO	engineered mutation	UNP P12821
B	9	GLN	ASN	conflict	UNP P12821
B	25	GLN	ASN	conflict	UNP P12821
B	82	GLN	ASN	conflict	UNP P12821
B	117	GLN	ASN	conflict	UNP P12821
B	289	GLN	ASN	conflict	UNP P12821
B	545	ARG	GLN	engineered mutation	UNP P12821
B	576	LEU	PRO	engineered mutation	UNP P12821

- Molecule 2 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	2	Total	C	N	O	0	0	0
			24	14	1	9			
2	F	2	Total	C	N	O	0	0	0
			24	14	1	9			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	G	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	E	4	Total	C	N	O	0	0	0
			49	28	2	19			

- Molecule 5 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	H	3	Total	C	N	O	0	0	0
			39	22	2	15			


- Molecule 6 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	Zn	0	0
			1	1		
6	A	1	Total	Zn	0	0
			1	1		

- Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	1	Total	Cl	0	0
			1	1		
7	A	1	Total	Cl	0	0
			1	1		

- Molecule 8 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			7	4	3		
8	A	1	Total	C	O	0	0
			7	4	3		
8	A	1	Total	C	O	0	0
			7	4	3		
8	B	1	Total	C	O	0	0
			7	4	3		
8	B	1	Total	C	O	0	0
			7	4	3		
8	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 9 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			10	6	4		

- Molecule 10 is N-{(2S)-3-[(S)-[(1R)-1-[(benzyloxy)carbonyl]amino]-2-phenylethyl](hydroxy)phosphoryl]-2-[(3-phenyl-1,2-oxazol-5-yl)methyl]propanoyl}-L-tyrosine (three-letter code: 3EF) (formula: C₃₈H₃₈N₃O₉P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	A	1	Total	C	N	O	P	0	0
			51	38	3	9	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	B	1	Total	C	N	O	P	0	0
			51	38	3	9	1		

- Molecule 11 is HEXAETHYLENE GLYCOL (three-letter code: P6G) (formula: $C_{12}H_{26}O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	B	1	Total	C	O	0	0
			19	12	7		


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	344	Total	O	0	0
			344	344		
12	B	250	Total	O	0	0
			250	250		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: ANGIOTENSIN-CONVERTING ENZYME N-DOMAIN




• Molecule 1: ANGIOTENSIN-CONVERTING ENZYME N-DOMAIN



• Molecule 2: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 2: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  25% 50% 25%



- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  33% 67%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	72.92Å 76.64Å 82.55Å 88.62° 64.22° 75.58°	Depositor
Resolution (Å)	29.74 – 1.91 29.73 – 1.91	Depositor EDS
% Data completeness (in resolution range)	96.4 (29.74-1.91) 96.4 (29.73-1.91)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.83 (at 1.92Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.187 , 0.223 0.186 , 0.222	Depositor DCC
R_{free} test set	5779 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	29.0	Xtriage
Anisotropy	0.158	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 40.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10900	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, BMA, NAG, CL, 3EF, PG4, FUC, P6G, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	0/5126	0.59	1/6982 (0.0%)
1	B	0.41	0/5132	0.56	1/6990 (0.0%)
All	All	0.42	0/10258	0.58	2/13972 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	130	PRO	N-CA-CB	6.54	111.14	103.30
1	A	147	LEU	CA-CB-CG	-5.27	103.19	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4967	0	4742	45	0
1	B	4970	0	4745	30	0
2	C	24	0	22	0	0
2	F	24	0	22	1	0
3	D	28	0	25	0	0
3	G	28	0	25	0	0
4	E	49	0	43	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	H	39	0	34	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
8	A	21	0	30	3	0
8	B	21	0	30	1	0
9	A	10	0	13	3	0
10	A	51	0	36	1	0
10	B	51	0	36	0	0
11	B	19	0	26	1	0
12	A	344	0	0	3	0
12	B	250	0	0	3	0
All	All	10900	0	9829	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:A:1630:3EF:NBG	10:A:1630:3EF:OBK	1.62	1.03
1:B:147:LEU:HD22	1:B:256:MET:HA	1.56	0.88
9:A:1625:PG4:H32	12:A:2341:HOH:O	1.73	0.86
1:A:467:ARG:HH11	1:A:471:GLN:HE22	1.27	0.83
1:A:147:LEU:HD22	1:A:256:MET:HA	1.62	0.80
1:B:350:ARG:H	1:B:355:GLN:HE21	1.30	0.79
1:B:147:LEU:CD2	1:B:256:MET:HA	2.12	0.79
1:A:245:ARG:HG2	1:A:591:VAL:HG11	1.65	0.78
1:A:17:ALA:HB1	1:A:92:ILE:HD11	1.66	0.77
1:A:17:ALA:HB1	1:A:92:ILE:CD1	2.18	0.73
1:A:157:LEU:HD11	1:A:477:VAL:HG13	1.72	0.71
1:B:262:GLU:OE2	12:B:2129:HOH:O	2.11	0.69
1:A:206:THR:HG23	1:A:210:ASP:OD2	1.94	0.67
1:B:124:THR:HG22	1:B:327:GLU:HG2	1.78	0.65
1:A:236:ARG:HD3	1:A:267:MET:HE3	1.79	0.65
1:B:147:LEU:HD22	1:B:256:MET:CA	2.27	0.64
1:B:157:LEU:HD11	1:B:477:VAL:HG13	1.79	0.63
1:A:270:PRO:HD3	1:A:426:LEU:HD23	1.83	0.61
1:B:324:ASP:OD1	1:B:326:ARG:HB2	2.01	0.60
1:A:117:GLN:HG2	1:A:120:ARG:NH2	2.17	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:49:GLU:HG3	1:B:53:ARG:NH1	2.17	0.59
1:A:213[B]:HIS:HD2	12:A:2145:HOH:O	1.84	0.59
9:A:1625:PG4:O4	1:B:453:ARG:NH1	2.36	0.58
1:A:155:MET:HA	1:A:155:MET:HE3	1.85	0.58
1:A:507:LEU:HD13	1:A:565:LEU:CD2	2.35	0.57
1:A:324:ASP:OD1	1:A:326:ARG:HB2	2.06	0.56
1:B:344:ARG:HH22	8:B:1624:PEG:H42	1.70	0.56
1:B:17:ALA:HB1	1:B:92:ILE:HD11	1.88	0.56
1:A:25:GLN:HE21	1:A:378:SER:H	1.52	0.56
1:A:245:ARG:HG2	1:A:591:VAL:CG1	2.36	0.56
1:B:260:SER:OG	1:B:262:GLU:OE1	2.15	0.55
1:A:155:MET:HA	1:A:155:MET:CE	2.38	0.54
1:A:274:LYS:HB3	1:A:275:PRO:HD2	1.88	0.54
1:A:467:ARG:NH1	1:A:471:GLN:HE22	2.01	0.53
1:A:233:LEU:HD23	1:A:267:MET:CE	2.38	0.53
1:A:232:ALA:HB2	8:A:1626:PEG:H31	1.91	0.53
1:B:340:ARG:HH11	1:B:374:ASP:HA	1.74	0.52
1:A:270:PRO:HD3	1:A:426:LEU:CD2	2.39	0.52
1:A:507:LEU:HD13	1:A:565:LEU:HD23	1.92	0.52
1:A:233:LEU:HD23	1:A:267:MET:HE2	1.93	0.51
1:B:31:VAL:O	1:B:34:GLN:HG3	2.12	0.50
1:B:44:THR:O	1:B:326:ARG:HD2	2.12	0.49
1:A:479:ARG:H	1:B:598:GLN:NE2	2.10	0.49
1:B:151:ARG:HD2	12:B:2067:HOH:O	2.12	0.49
1:A:465:TYR:CE2	9:A:1625:PG4:H31	2.48	0.48
1:B:580:TRP:O	1:B:584:GLN:HG2	2.14	0.47
1:B:206:THR:HG23	1:B:210:ASP:OD2	2.16	0.46
1:B:25:GLN:HE21	1:B:378:SER:H	1.63	0.46
1:A:228:PHE:CD1	8:A:1626:PEG:H41	2.52	0.45
1:B:172:LYS:O	1:B:176:GLU:HG3	2.16	0.45
1:A:415:THR:HB	1:A:417:ASP:OD2	2.16	0.45
1:B:296:VAL:HG22	11:B:1622:P6G:H171	1.98	0.45
1:A:416:ASN:OD1	4:E:1:NAG:C7	2.65	0.45
1:B:201:TRP:HZ3	1:B:497:PRO:HG2	1.81	0.45
1:B:24:TYR:HD2	1:B:25:GLN:HG3	1.82	0.45
1:A:489:LYS:O	1:A:493:PRO:HD2	2.18	0.44
12:B:2213:HOH:O	2:F:2:FUC:H3	2.17	0.44
1:B:510:GLN:HG2	1:B:569:PRO:HG2	1.99	0.44
1:A:228:PHE:CE1	8:A:1626:PEG:H41	2.54	0.43
1:A:416:ASN:OD1	4:E:1:NAG:N2	2.46	0.42
1:B:155:MET:HE3	1:B:155:MET:HA	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:117:GLN:HG2	1:A:120:ARG:HH22	1.83	0.42
1:A:31:VAL:HG21	1:A:64:PHE:CD1	2.55	0.42
1:A:59:LEU:HD22	12:A:2031:HOH:O	2.19	0.42
1:B:124:THR:HG22	1:B:327:GLU:CG	2.46	0.42
1:A:157:LEU:HD13	1:A:476:PRO:HB2	2.00	0.42
1:A:539:LYS:HE3	1:A:559:MET:O	2.19	0.42
1:B:513:GLU:HA	1:B:525:LEU:HD11	2.01	0.42
1:A:510:GLN:HG2	1:A:569:PRO:HG2	2.02	0.42
1:A:201:TRP:CZ3	1:A:497:PRO:HG2	2.56	0.41
1:A:496:THR:HA	1:A:497:PRO:HD3	1.81	0.41
1:A:172:LYS:O	1:A:176:GLU:HG3	2.21	0.41
1:A:472:GLY:HA2	1:A:594:TRP:CE2	2.56	0.40
1:B:496:THR:HA	1:B:497:PRO:HD3	1.91	0.40
1:A:607:TYR:HA	1:A:608:PRO:HA	1.91	0.40
1:A:292:HIS:O	1:A:296:VAL:HG23	2.22	0.40
1:A:477:VAL:HG12	1:A:603:LEU:HD21	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	605/610 (99%)	593 (98%)	12 (2%)	0	100	100
1	B	606/610 (99%)	590 (97%)	14 (2%)	2 (0%)	41	31
All	All	1211/1220 (99%)	1183 (98%)	26 (2%)	2 (0%)	47	38

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	45	ASN
1	B	605	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	522/524 (100%)	514 (98%)	8 (2%)	65	61
1	B	522/524 (100%)	517 (99%)	5 (1%)	76	75
All	All	1044/1048 (100%)	1031 (99%)	13 (1%)	71	69

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	155	MET
1	A	368	TYR
1	A	372	TYR
1	A	377	VAL
1	A	388	HIS
1	A	413	ARG
1	A	415	THR
1	A	416	ASN
1	B	368	TYR
1	B	372	TYR
1	B	388	HIS
1	B	421	ASP
1	B	560	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	GLN
1	A	25	GLN
1	A	217	GLN
1	A	371	GLN
1	A	471	GLN
1	A	491	HIS
1	B	25	GLN
1	B	355	GLN
1	B	371	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	491	HIS
1	B	598	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

15 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	C	1	1,2	14,14,15	0.54	0	17,19,21	1.28	2 (11%)
2	FUC	C	2	2	10,10,11	0.61	0	14,14,16	1.46	2 (14%)
3	NAG	D	1	1,3	14,14,15	0.54	0	17,19,21	1.02	2 (11%)
3	NAG	D	2	3	14,14,15	0.44	0	17,19,21	1.16	1 (5%)
4	NAG	E	1	1,4	14,14,15	1.25	2 (14%)	17,19,21	1.66	4 (23%)
4	NAG	E	2	4	14,14,15	0.53	0	17,19,21	1.02	1 (5%)
4	BMA	E	3	4	11,11,12	0.43	0	15,15,17	1.15	2 (13%)
4	FUC	E	4	4	10,10,11	0.61	0	14,14,16	0.68	0
2	NAG	F	1	1,2	14,14,15	0.57	0	17,19,21	1.25	2 (11%)
2	FUC	F	2	2	10,10,11	0.73	0	14,14,16	2.05	5 (35%)
3	NAG	G	1	1,3	14,14,15	0.63	0	17,19,21	0.97	1 (5%)
3	NAG	G	2	3	14,14,15	0.45	0	17,19,21	1.82	3 (17%)
5	NAG	H	1	1,5	14,14,15	0.54	0	17,19,21	0.70	0
5	NAG	H	2	5	14,14,15	0.50	0	17,19,21	1.60	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	BMA	H	3	5	11,11,12	0.48	0	15,15,17	1.40	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	2/6/23/26	0/1/1/1
2	FUC	C	2	2	-	-	0/1/1/1
3	NAG	D	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	2/6/23/26	0/1/1/1
4	NAG	E	1	1,4	1/1/5/7	1/6/23/26	0/1/1/1
4	NAG	E	2	4	-	0/6/23/26	0/1/1/1
4	BMA	E	3	4	-	2/2/19/22	0/1/1/1
4	FUC	E	4	4	-	-	0/1/1/1
2	NAG	F	1	1,2	-	2/6/23/26	0/1/1/1
2	FUC	F	2	2	-	-	0/1/1/1
3	NAG	G	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	G	2	3	-	2/6/23/26	0/1/1/1
5	NAG	H	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	H	2	5	-	0/6/23/26	0/1/1/1
5	BMA	H	3	5	-	0/2/19/22	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	1	NAG	O5-C1	-3.71	1.37	1.43
4	E	1	NAG	C1-C2	2.44	1.56	1.52

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	2	NAG	C1-O5-C5	5.88	120.16	112.19
5	H	2	NAG	C1-O5-C5	4.35	118.08	112.19
2	F	2	FUC	C1-C2-C3	4.27	114.91	109.67
4	E	1	NAG	C1-O5-C5	4.12	117.78	112.19
2	F	2	FUC	O5-C1-C2	3.89	116.77	110.77
3	D	2	NAG	C1-O5-C5	3.77	117.30	112.19
2	C	2	FUC	C1-C2-C3	3.74	114.26	109.67
5	H	3	BMA	C1-O5-C5	3.63	117.11	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	1	NAG	O5-C5-C6	3.52	112.72	107.20
2	C	1	NAG	O5-C5-C6	3.34	112.45	107.20
5	H	2	NAG	C4-C3-C2	3.27	115.81	111.02
2	C	2	FUC	O5-C1-C2	3.05	115.47	110.77
5	H	3	BMA	C1-C2-C3	2.97	113.32	109.67
2	F	1	NAG	C4-C3-C2	2.84	115.18	111.02
2	F	2	FUC	C1-O5-C5	2.82	119.17	112.78
3	G	2	NAG	O5-C5-C6	2.79	111.58	107.20
4	E	2	NAG	O5-C1-C2	-2.61	107.17	111.29
2	F	1	NAG	O5-C5-C6	2.52	111.15	107.20
2	F	2	FUC	C3-C4-C5	2.43	113.56	109.77
3	D	1	NAG	C1-O5-C5	2.34	115.36	112.19
4	E	3	BMA	C1-C2-C3	2.34	112.54	109.67
2	C	1	NAG	C2-N2-C7	-2.21	119.75	122.90
4	E	1	NAG	O5-C1-C2	-2.20	107.81	111.29
3	G	2	NAG	C3-C4-C5	2.19	114.15	110.24
3	G	1	NAG	C4-C3-C2	2.17	114.19	111.02
4	E	3	BMA	C1-O5-C5	2.04	114.96	112.19
4	E	1	NAG	C3-C4-C5	-2.01	106.65	110.24
3	D	1	NAG	C4-C3-C2	2.01	113.96	111.02
2	F	2	FUC	O5-C5-C6	2.01	111.64	107.33

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	E	1	NAG	C1

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	F	1	NAG	O5-C5-C6-O6
2	C	1	NAG	O5-C5-C6-O6
3	D	2	NAG	O5-C5-C6-O6
3	G	2	NAG	C4-C5-C6-O6
3	G	2	NAG	O5-C5-C6-O6
4	E	3	BMA	C4-C5-C6-O6
2	F	1	NAG	C4-C5-C6-O6
3	D	2	NAG	C4-C5-C6-O6
2	C	1	NAG	C4-C5-C6-O6
4	E	3	BMA	O5-C5-C6-O6
4	E	1	NAG	O5-C5-C6-O6


There are no ring outliers.


2 monomers are involved in 3 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	E	1	NAG	2	0
2	F	2	FUC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry

Of 14 ligands modelled in this entry, 4 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	PEG	B	1621	-	6,6,6	0.48	0	5,5,5	0.26	0
11	P6G	B	1622	-	18,18,18	0.62	0	17,17,17	0.33	0
8	PEG	A	1624	-	6,6,6	0.44	0	5,5,5	0.43	0
10	3EF	B	1630	6	46,55,55	1.98	6 (13%)	56,75,75	1.32	7 (12%)
8	PEG	B	1624	-	6,6,6	0.51	0	5,5,5	0.27	0
10	3EF	A	1630	6	46,55,55	2.02	7 (15%)	56,75,75	1.43	12 (21%)
8	PEG	B	1623	-	6,6,6	0.46	0	5,5,5	0.25	0
8	PEG	A	1626	-	6,6,6	0.52	0	5,5,5	0.24	0
8	PEG	A	1622	-	6,6,6	0.36	0	5,5,5	0.53	0
9	PG4	A	1625	-	9,9,12	0.42	0	8,8,11	0.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	PEG	B	1621	-	-	2/4/4/4	-
11	P6G	B	1622	-	-	8/16/16/16	-
8	PEG	A	1624	-	-	3/4/4/4	-
10	3EF	B	1630	6	-	8/38/48/48	0/5/5/5
8	PEG	B	1624	-	-	4/4/4/4	-
10	3EF	A	1630	6	-	8/38/48/48	0/5/5/5
8	PEG	B	1623	-	-	3/4/4/4	-
8	PEG	A	1626	-	-	0/4/4/4	-
8	PEG	A	1622	-	-	3/4/4/4	-
9	PG4	A	1625	-	-	4/7/7/10	-

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B	1630	3EF	CBT-CBU	-9.66	1.33	1.48
10	A	1630	3EF	CBT-CBU	-9.33	1.34	1.48
10	A	1630	3EF	CB-CG	-4.80	1.39	1.51
10	B	1630	3EF	CB-CG	-4.55	1.40	1.51
10	A	1630	3EF	CBB-CBP	-3.87	1.41	1.50
10	B	1630	3EF	CBE-CBQ	-3.82	1.42	1.51
10	A	1630	3EF	CBA-CBS	-3.64	1.34	1.39
10	A	1630	3EF	CBE-CBQ	-3.48	1.42	1.51
10	B	1630	3EF	CBA-CBS	-3.36	1.35	1.39
10	B	1630	3EF	CBB-CBP	-3.31	1.42	1.50
10	A	1630	3EF	PBY-CBF	-3.25	1.76	1.79
10	B	1630	3EF	CBA-CBU	-2.71	1.35	1.40
10	A	1630	3EF	CBA-CBU	-2.27	1.36	1.40

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B	1630	3EF	CG-CB-CA	4.34	120.35	112.97
10	A	1630	3EF	CG-CB-CA	4.32	120.31	112.97
10	A	1630	3EF	CBU-CBA-CBS	4.26	111.75	106.02
10	B	1630	3EF	CBE-CBX-NBI	-3.42	107.36	111.39
10	A	1630	3EF	CBE-CBX-NBI	-3.16	107.66	111.39
10	B	1630	3EF	CBU-CBA-CBS	3.11	110.20	106.02
10	A	1630	3EF	OBJ-CBM-NBI	3.02	116.64	110.50
10	A	1630	3EF	CBA-CBU-CBT	-2.94	125.35	129.44
10	B	1630	3EF	OBJ-CBM-NBI	2.73	116.05	110.50
10	B	1630	3EF	CB-CA-N	2.71	113.93	109.01
10	A	1630	3EF	CB-CA-N	2.66	113.84	109.01
10	A	1630	3EF	CBB-OBJ-CBM	2.60	121.73	115.93
10	A	1630	3EF	PBY-CBX-CBE	2.28	114.85	110.99
10	B	1630	3EF	PBY-CBX-CBE	2.18	114.66	110.99
10	B	1630	3EF	CBA-CBU-CBT	-2.17	126.43	129.44
10	A	1630	3EF	OAB-CBM-NBI	-2.13	121.36	124.85
10	A	1630	3EF	PBY-CBX-NBI	-2.07	104.55	109.18
10	A	1630	3EF	CBT-CBU-NBG	2.04	124.21	120.96
10	A	1630	3EF	CBC-CBS-CBA	-2.02	126.52	130.18

There are no chirality outliers.

All (43) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
10	B	1630	3EF	N-CA-CB-CG

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
10	B	1630	3EF	C-CA-CB-CG
10	A	1630	3EF	N-CA-CB-CG
10	A	1630	3EF	C-CA-CB-CG
10	B	1630	3EF	OAB-CBM-OBJ-CBB
9	A	1625	PG4	O2-C3-C4-O3
11	B	1622	P6G	O13-C14-C15-O16
10	A	1630	3EF	OAB-CBM-OBJ-CBB
10	B	1630	3EF	NBI-CBM-OBJ-CBB
8	A	1624	PEG	O1-C1-C2-O2
10	A	1630	3EF	NBI-CBM-OBJ-CBB
8	B	1621	PEG	O2-C3-C4-O4
8	B	1624	PEG	O2-C3-C4-O4
8	B	1623	PEG	O2-C3-C4-O4
11	B	1622	P6G	O1-C2-C3-O4
8	A	1622	PEG	O2-C3-C4-O4
11	B	1622	P6G	O16-C17-C18-O19
8	B	1623	PEG	O1-C1-C2-O2
11	B	1622	P6G	O10-C11-C12-O13
9	A	1625	PG4	O1-C1-C2-O2
8	A	1624	PEG	O2-C3-C4-O4
8	B	1624	PEG	O1-C1-C2-O2
8	A	1622	PEG	O1-C1-C2-O2
9	A	1625	PG4	O3-C5-C6-O4
11	B	1622	P6G	O7-C8-C9-O10
10	B	1630	3EF	N-CBN-CBV-CBF
10	A	1630	3EF	N-CBN-CBV-CBF
10	B	1630	3EF	OAC-CBN-CBV-CBF
10	A	1630	3EF	OAC-CBN-CBV-CBF
8	B	1621	PEG	C1-C2-O2-C3
11	B	1622	P6G	C14-C15-O16-C17
8	B	1624	PEG	C1-C2-O2-C3
10	B	1630	3EF	OAC-CBN-CBV-CBC
8	A	1622	PEG	C1-C2-O2-C3
9	A	1625	PG4	C1-C2-O2-C3
10	A	1630	3EF	OAC-CBN-CBV-CBC
8	B	1624	PEG	C4-C3-O2-C2
11	B	1622	P6G	C12-C11-O10-C9
8	B	1623	PEG	C1-C2-O2-C3
11	B	1622	P6G	C11-C12-O13-C14
8	A	1624	PEG	C1-C2-O2-C3
10	B	1630	3EF	N-CBN-CBV-CBC
10	A	1630	3EF	N-CBN-CBV-CBC


There are no ring outliers.


5 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	B	1622	P6G	1	0
8	B	1624	PEG	1	0
10	A	1630	3EF	1	0
8	A	1626	PEG	3	0
9	A	1625	PG4	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	608/610 (99%)	-0.15	18 (2%) 50 53	15, 25, 41, 94	0
1	B	608/610 (99%)	-0.01	21 (3%) 44 47	15, 29, 52, 82	0
All	All	1216/1220 (99%)	-0.08	39 (3%) 47 50	15, 27, 49, 94	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	325	GLY	10.6
1	B	130	PRO	7.9
1	B	135	THR	6.6
1	A	133	THR	5.2
1	B	134	ALA	4.8
1	A	134	ALA	4.6
1	A	132	LYS	4.6
1	B	133	THR	4.5
1	B	325	GLY	4.2
1	A	413	ARG	4.0
1	B	82	GLN	3.7
1	B	129	LEU	3.6
1	A	135	THR	3.5
1	A	323	ALA	3.5
1	B	609	GLU	3.5
1	B	605	ASP	3.5
1	B	415	THR	3.4
1	B	78	PRO	3.4
1	A	78	PRO	3.4
1	B	81	GLN	3.1
1	B	606	ASN	3.1
1	B	413	ARG	3.1
1	A	609	GLU	2.8
1	A	607	TYR	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	610	GLY	2.7
1	B	562	LEU	2.7
1	B	84	THR	2.6
1	A	129	LEU	2.5
1	A	416	ASN	2.4
1	B	93	GLY	2.2
1	A	522	GLU	2.2
1	A	136	CYS	2.2
1	A	415	THR	2.2
1	B	522	GLU	2.1
1	A	608	PRO	2.1
1	B	105	LEU	2.1
1	B	1	LEU	2.1
1	A	605	ASP	2.1
1	B	412	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	FUC	C	2	10/11	0.60	0.37	62,68,72,73	0
2	FUC	F	2	10/11	0.61	0.26	59,63,65,65	0
5	BMA	H	3	11/12	0.73	0.35	77,80,82,84	0
3	NAG	D	2	14/15	0.76	0.30	50,58,64,65	0
3	NAG	G	2	14/15	0.79	0.47	66,73,75,75	0
4	BMA	E	3	11/12	0.82	0.23	57,59,60,60	0
4	FUC	E	4	10/11	0.82	0.17	46,47,49,50	0
5	NAG	H	1	14/15	0.84	0.23	52,55,58,60	0
3	NAG	D	1	14/15	0.85	0.20	42,44,47,51	0
5	NAG	H	2	14/15	0.85	0.37	65,69,71,74	0
3	NAG	G	1	14/15	0.85	0.25	42,45,51,59	0
2	NAG	F	1	14/15	0.86	0.13	40,45,53,54	0
2	NAG	C	1	14/15	0.88	0.13	38,44,48,54	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	NAG	E	2	14/15	0.89	0.19	47,50,54,56	0
4	NAG	E	1	14/15	0.90	0.14	41,43,46,47	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain F:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
11	P6G	B	1622	19/19	0.70	0.14	38,45,50,51	0
8	PEG	B	1624	7/7	0.81	0.20	51,54,56,56	0
8	PEG	A	1626	7/7	0.84	0.18	34,35,37,38	0
8	PEG	A	1624	7/7	0.86	0.10	44,45,45,45	0
8	PEG	B	1623	7/7	0.88	0.20	42,43,46,48	0
8	PEG	B	1621	7/7	0.90	0.13	42,43,46,46	0
8	PEG	A	1622	7/7	0.91	0.17	41,41,43,43	0
9	PG4	A	1625	10/13	0.91	0.12	47,47,49,49	0
10	3EF	B	1630	51/51	0.95	0.11	18,23,28,30	0
10	3EF	A	1630	51/51	0.95	0.11	19,25,30,30	0
7	CL	B	1003	1/1	0.99	0.07	24,24,24,24	0
7	CL	A	1002	1/1	1.00	0.08	19,19,19,19	0
6	ZN	B	1001	1/1	1.00	0.06	16,16,16,16	0
6	ZN	A	1001	1/1	1.00	0.09	18,18,18,18	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around 3EF B 1630:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 3EF A 1630:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.