



Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 05:21 am BST

PDB ID : 4CBB
Title : APO FORM OF BETAINE ALDEHYDE DEHYDROGENASE FROM *Pseudomonas aeruginosa*
Authors : Gonzalez-Segura, L.; Diaz-Sanchez, A.G.; Munoz-Clares, R.A.
Deposited on : 2013-10-11
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	489	 96% .
1	B	489	 96% .
1	C	489	 93% 7%
1	D	489	 96% .
1	E	489	 97% .
1	F	489	 95% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	489	<div><div>%</div><div><div></div><div>97%</div><div></div></div><div></div></div>
1	H	489	<div><div>2%</div><div><div></div><div>93%</div><div>7%</div></div><div></div></div>

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 34651 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BETAINE ALDEHYDE DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	489	Total	C	N	O	S	0	12	0
			3839	2411	672	742	14			
1	B	489	Total	C	N	O	S	0	19	0
			3898	2440	689	755	14			
1	C	489	Total	C	N	O	S	0	9	0
			3816	2391	673	738	14			
1	D	489	Total	C	N	O	S	0	3	0
			3773	2368	666	725	14			
1	E	489	Total	C	N	O	S	0	9	0
			3816	2394	669	739	14			
1	F	489	Total	C	N	O	S	0	6	0
			3789	2378	664	733	14			
1	G	489	Total	C	N	O	S	0	9	0
			3829	2400	681	734	14			
1	H	489	Total	C	N	O	S	0	7	0
			3796	2383	664	735	14			

- Molecule 2 is 2,3-DIHYDROXY-1,4-DITHIOBUTANE (three-letter code: DTT) (formula: $\text{C}_4\text{H}_{10}\text{O}_2\text{S}_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	S	0	0
			8	4	2	2		
2	B	1	Total	C	O	S	0	0
			8	4	2	2		
2	C	1	Total	C	O	S	0	0
			8	4	2	2		
2	D	1	Total	C	O	S	0	0
			8	4	2	2		
2	E	1	Total	C	O	S	0	0
			8	4	2	2		
2	F	1	Total	C	O	S	0	0
			8	4	2	2		
2	G	1	Total	C	O	S	0	0
			8	4	2	2		
2	H	1	Total	C	O	S	0	0
			8	4	2	2		

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	E	1	Total	C	O	0	0
			4	2	2		
3	F	1	Total	C	O	0	0
			4	2	2		
3	G	1	Total	C	O	0	0
			4	2	2		
3	G	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is 2-{2-[2-(2-{2-[2-(2-ETHOXY-ETHOXY)-ETHOXY]-ETHOXY}-ETHOXY)-ETHOXY]-ETHOXY}-ETHANOL (three-letter code: PE4) (formula: C₁₆H₃₄O₈).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			24	16	8		
4	B	1	Total	C	O	0	0
			24	16	8		
4	C	1	Total	C	O	0	0
			24	16	8		
4	D	1	Total	C	O	0	0
			24	16	8		
4	E	1	Total	C	O	0	0
			24	16	8		
4	F	1	Total	C	O	0	0
			24	16	8		
4	G	1	Total	C	O	0	0
			24	16	8		
4	H	1	Total	C	O	0	0
			24	16	8		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	E	1	Total	C	O	0	0
			6	3	3		
5	E	1	Total	C	O	0	0
			6	3	3		
5	F	1	Total	C	O	0	0
			6	3	3		
5	F	1	Total	C	O	0	0
			6	3	3		
5	G	1	Total	C	O	0	0
			6	3	3		
5	G	1	Total	C	O	0	0
			6	3	3		
5	G	1	Total	C	O	0	0
			6	3	3		
5	H	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	G	3	Total	K	0	0
			3	3		
6	D	3	Total	K	0	0
			3	3		
6	E	3	Total	K	0	0
			3	3		
6	H	3	Total	K	0	0
			3	3		
6	B	3	Total	K	0	0
			3	3		
6	C	3	Total	K	0	0
			3	3		
6	A	3	Total	K	0	0
			3	3		
6	F	3	Total	K	0	0
			3	3		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	601	Total	O	0	0
			601	601		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	469	Total 469	O 469	0	0
7	C	435	Total 435	O 435	0	0
7	D	393	Total 393	O 393	0	0
7	E	524	Total 524	O 524	0	0
7	F	438	Total 438	O 438	0	0
7	G	484	Total 484	O 484	0	0
7	H	299	Total 299	O 299	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: BETAINE ALDEHYDE DEHYDROGENASE

Chain A:  96%




- Molecule 1: BETAINE ALDEHYDE DEHYDROGENASE

Chain B:  96%




- Molecule 1: BETAINE ALDEHYDE DEHYDROGENASE

Chain C:  93% 7%



- Molecule 1: BETAINE ALDEHYDE DEHYDROGENASE

Chain D:  96%




- Molecule 1: BETAINE ALDEHYDE DEHYDROGENASE

Chain E:  97%




- Molecule 1: BETAINE ALDEHYDE DEHYDROGENASE

Chain F:  95% 5%




- Molecule 1: BETAINE ALDEHYDE DEHYDROGENASE

Chain G:  97% 3%



- Molecule 1: BETAINE ALDEHYDE DEHYDROGENASE

Chain H:  93% 7% 2%



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	332.32Å 131.34Å 100.81Å 90.00° 95.02° 90.00°	Depositor
Resolution (Å)	29.82 – 1.80 29.82 – 1.80	Depositor EDS
% Data completeness (in resolution range)	98.7 (29.82-1.80) 98.7 (29.82-1.80)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.18 (at 1.80Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.147 , 0.183 0.147 , 0.183	Depositor DCC
R_{free} test set	19716 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	17.2	Xtriage
Anisotropy	0.039	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 55.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	34651	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PE4, GOL, K, EDO, DTT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.38	0/3907	0.55	0/5295
1	B	0.36	0/3966	0.54	0/5372
1	C	0.33	0/3884	0.52	0/5262
1	D	0.35	0/3841	0.52	0/5204
1	E	0.34	0/3884	0.52	0/5263
1	F	0.34	0/3857	0.51	0/5227
1	G	0.35	0/3897	0.53	0/5277
1	H	0.32	0/3864	0.50	0/5237
All	All	0.35	0/31100	0.52	0/42137

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3839	0	3803	14	0
1	B	3898	0	3852	14	0
1	C	3816	0	3776	21	0
1	D	3773	0	3746	11	0
1	E	3816	0	3775	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3789	0	3752	14	0
1	G	3829	0	3801	9	0
1	H	3796	0	3758	18	0
2	A	8	0	9	0	0
2	B	8	0	9	1	0
2	C	8	0	9	1	0
2	D	8	0	9	1	0
2	E	8	0	9	0	0
2	F	8	0	9	1	0
2	G	8	0	9	0	0
2	H	8	0	9	0	0
3	A	4	0	6	0	0
3	B	4	0	6	0	0
3	C	8	0	12	2	0
3	D	8	0	12	0	0
3	E	4	0	6	0	0
3	F	4	0	6	0	0
3	G	8	0	12	1	0
4	A	24	0	32	3	0
4	B	24	0	34	1	0
4	C	24	0	32	4	0
4	D	24	0	32	2	0
4	E	24	0	34	0	0
4	F	24	0	34	0	0
4	G	24	0	32	1	0
4	H	24	0	33	1	0
5	A	18	0	24	4	0
5	B	30	0	40	4	0
5	C	24	0	32	1	0
5	D	12	0	16	0	0
5	E	12	0	16	0	0
5	F	12	0	16	0	0
5	G	18	0	24	4	0
5	H	6	0	8	0	0
6	A	3	0	0	0	0
6	B	3	0	0	0	0
6	C	3	0	0	0	0
6	D	3	0	0	0	0
6	E	3	0	0	0	0
6	F	3	0	0	0	0
6	G	3	0	0	0	0
6	H	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	A	601	0	0	5	0
7	B	469	0	0	5	0
7	C	435	0	0	4	0
7	D	393	0	0	3	0
7	E	524	0	0	5	0
7	F	438	0	0	2	0
7	G	484	0	0	4	0
7	H	299	0	0	3	0
All	All	34651	0	30834	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:429:ARG:HD3	5:G:1496:GOL:H32	1.57	0.85
1:A:176:LYS:HD2	1:A:212[A]:VAL:HG23	1.69	0.73
1:B:385[B]:ARG:NH1	7:B:2410:HOH:O	2.29	0.65
5:B:1497:GOL:O2	7:B:2464:HOH:O	2.15	0.65
1:E:301:ARG:NH1	7:E:2379:HOH:O	2.31	0.64
1:A:8:LYS:NZ	1:A:17:GLU:OE2	2.30	0.64
1:E:433:ARG:NH2	7:E:2449:HOH:O	2.30	0.63
1:A:249[A]:VAL:HG22	5:A:1496:GOL:H31	1.82	0.62
1:H:104:VAL:HG22	4:H:1492:PE4:H41	1.80	0.62
1:C:104:VAL:HG22	4:C:1494:PE4:H31	1.81	0.61
1:C:8:LYS:NZ	1:C:17:GLU:OE2	2.26	0.61
1:B:261[A]:ILE:HD12	1:B:270:ALA:HB1	1.83	0.61
1:C:94[B]:THR:HG21	1:C:96:LYS:HE2	1.83	0.60
1:H:102:ARG:HH22	1:H:321:GLU:HG2	1.68	0.59
1:H:433:ARG:NH2	7:H:2261:HOH:O	2.36	0.58
1:A:435:GLU:HG2	5:B:1496:GOL:H11	1.86	0.58
1:F:262:PHE:CG	1:F:426:ARG:HD3	2.39	0.58
5:B:1498:GOL:H31	7:B:2323:HOH:O	2.04	0.56
1:F:261[A]:ILE:HD12	1:F:270:ALA:HB1	1.88	0.56
1:B:385[B]:ARG:NH1	7:B:2411:HOH:O	2.39	0.56
1:E:213:GLY:O	1:E:217:THR:HG23	2.07	0.55
1:G:401:GLU:OE2	5:G:1496:GOL:H11	2.07	0.55
1:G:233:THR:HA	1:G:236:LYS:HE2	1.89	0.55
1:A:82:ARG:NH1	7:A:2194:HOH:O	2.31	0.55
1:F:213:GLY:O	1:F:217:THR:HG23	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:231:THR:HA	1:B:253:LEU:HD13	1.88	0.54
1:D:231:THR:HA	1:D:253:LEU:HD13	1.89	0.53
1:A:41:ALA:HB3	1:A:212[A]:VAL:HG11	1.89	0.53
1:C:7:GLN:OE1	5:C:1497:GOL:H31	2.08	0.53
5:A:1496:GOL:H12	1:B:249:VAL:HG22	1.91	0.52
1:C:262:PHE:CG	1:C:426:ARG:HD3	2.45	0.52
4:D:1494:PE4:H163	4:D:1494:PE4:H62	1.91	0.52
1:C:236:LYS:NZ	7:C:2254:HOH:O	2.39	0.51
1:G:217:THR:HG21	1:G:237:VAL:HG13	1.92	0.51
1:E:47:GLU:OE1	7:E:2101:HOH:O	2.19	0.51
1:C:406[A]:ARG:NH1	7:C:2366:HOH:O	2.25	0.50
1:G:231:THR:HA	1:G:253:LEU:HD13	1.93	0.50
4:A:1493:PE4:H162	7:A:2553:HOH:O	2.12	0.49
1:B:385[A]:ARG:NE	7:B:2410:HOH:O	2.36	0.49
1:G:319:GLN:NE2	7:G:2005:HOH:O	2.22	0.49
5:G:1495:GOL:H11	7:G:2010:HOH:O	2.13	0.49
1:C:261:ILE:HD12	1:C:270:ALA:HB1	1.95	0.49
4:A:1493:PE4:O1	7:A:2596:HOH:O	2.20	0.49
1:C:213:GLY:O	1:C:217:THR:HG23	2.12	0.48
1:C:252:GLU:OE1	3:C:1493:EDO:H11	2.13	0.48
1:C:412[A]:GLU:CD	1:C:412[A]:GLU:H	2.17	0.48
1:H:273:ILE:HG23	1:H:444:TRP:HB2	1.95	0.48
1:E:261[B]:ILE:HD13	1:E:270:ALA:HB1	1.96	0.47
1:D:380:ASP:HA	1:D:385[A]:ARG:HE	1.79	0.47
1:H:360:ASP:OD1	1:H:360:ASP:N	2.45	0.47
1:C:43[B]:ARG:HG2	1:C:215:TRP:CE2	2.49	0.47
1:A:429[A]:ARG:NH2	7:A:2539:HOH:O	2.46	0.47
1:D:389:PHE:CD2	2:D:1491:DTT:H12	2.50	0.47
1:H:401:GLU:OE1	7:H:2258:HOH:O	2.20	0.47
1:F:15:TYR:OH	1:F:190:GLU:OE2	2.20	0.47
1:C:28:ASN:HB3	1:C:33:GLU:HG2	1.97	0.47
1:G:7:GLN:NE2	5:G:1495:GOL:O1	2.27	0.47
1:C:23:THR:OG1	1:C:37:LYS:HE3	2.15	0.47
1:E:77:ASP:OD2	7:E:2155:HOH:O	2.20	0.47
1:D:401:GLU:OE1	7:D:2353:HOH:O	2.20	0.46
1:H:328:LEU:HD12	1:H:334:MET:HA	1.96	0.46
1:B:328:LEU:HD12	1:B:334:MET:HA	1.96	0.46
1:A:217:THR:HG21	1:A:237:VAL:HG13	1.98	0.46
1:C:273:ILE:HG23	1:C:444:TRP:HB2	1.96	0.46
1:B:187:LYS:HZ1	5:B:1495:GOL:H11	1.79	0.46
1:E:301:ARG:HG3	7:E:2374:HOH:O	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1493:PE4:H62	7:A:2594:HOH:O	2.17	0.45
1:B:273:ILE:HG23	1:B:444:TRP:HB2	1.99	0.45
1:C:415:LEU:HD11	3:C:1493:EDO:H12	1.99	0.45
4:G:1494:PE4:H122	4:G:1494:PE4:H102	1.60	0.44
5:A:1495:GOL:H32	1:C:131:ARG:HA	1.99	0.44
4:C:1494:PE4:H161	7:C:2392:HOH:O	2.17	0.44
1:A:273:ILE:HG23	1:A:444:TRP:HB2	1.99	0.44
1:F:28:ASN:HB3	1:F:33:GLU:HG2	1.99	0.44
1:H:338:LEU:O	1:H:342:GLU:HG2	2.18	0.44
1:B:262:PHE:CG	1:B:426:ARG:HD3	2.53	0.44
1:F:328:LEU:HD12	1:F:334:MET:HA	2.00	0.44
1:B:104:VAL:HG22	4:B:1493:PE4:H61	2.00	0.43
4:D:1494:PE4:H12	7:D:2392:HOH:O	2.17	0.43
1:E:208:SER:O	1:E:212[A]:VAL:HG22	2.18	0.43
1:B:267:LEU:HD23	1:B:267:LEU:HA	1.87	0.43
1:H:238:MET:HG3	1:H:249[A]:VAL:HG21	2.00	0.43
1:H:331:PHE:O	1:H:335:GLU:HG2	2.18	0.43
4:C:1494:PE4:H92	4:C:1494:PE4:H112	1.80	0.43
1:D:433:ARG:NH2	7:D:2354:HOH:O	2.51	0.43
1:E:331:PHE:O	1:E:335:GLU:HG2	2.18	0.43
1:F:454:GLY:HA3	1:F:463:ARG:HD3	2.00	0.43
1:F:230:GLY:N	2:F:1491:DTT:O2	2.52	0.43
4:C:1494:PE4:H142	4:C:1494:PE4:H162	1.74	0.43
1:H:307:LEU:HD13	1:H:353:CYS:SG	2.59	0.43
1:B:261[B]:ILE:HD13	1:B:270:ALA:HB1	2.01	0.43
1:H:378:ARG:NH1	7:H:2236:HOH:O	2.52	0.43
1:A:365:LYS:HE2	1:A:365:LYS:HB3	1.85	0.42
1:B:230:GLY:HA2	2:B:1491:DTT:O3	2.19	0.42
1:F:273:ILE:HG23	1:F:444:TRP:HB2	2.00	0.42
1:G:282:SER:HA	1:G:325:PHE:CE1	2.54	0.42
1:H:275[B]:VAL:HG13	1:H:279:PHE:HD2	1.85	0.42
1:A:157:GLN:HE22	5:A:1494:GOL:H32	1.84	0.42
1:D:273:ILE:HG23	1:D:444:TRP:HB2	2.02	0.42
1:F:37:LYS:HE2	7:F:2057:HOH:O	2.20	0.42
1:A:222:ILE:O	1:A:247:LYS:HE3	2.20	0.41
1:A:229:GLY:O	1:A:253:LEU:HA	2.20	0.41
1:C:154:TYR:HB3	1:C:157:GLN:HB3	2.01	0.41
1:D:222:ILE:O	1:D:247:LYS:HE3	2.20	0.41
1:D:454:GLY:HA3	1:D:463:ARG:HD3	2.02	0.41
1:F:229:GLY:O	1:F:253:LEU:HA	2.20	0.41
1:D:263:PRO:O	1:D:298:GLN:NE2	2.46	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:328:LEU:HD12	1:C:334:MET:HA	2.01	0.41
1:A:328:LEU:HD12	1:A:334:MET:HA	2.02	0.41
1:C:230:GLY:N	2:C:1491:DTT:O2	2.53	0.41
3:G:1493:EDO:H12	7:G:2254:HOH:O	2.21	0.41
1:H:76:VAL:O	1:H:80:ARG:HG2	2.20	0.41
1:F:433:ARG:NH2	7:F:2392:HOH:O	2.52	0.41
1:H:82:ARG:NH2	1:H:194:GLU:OE1	2.54	0.41
1:F:231:THR:HA	1:F:253:LEU:HD13	2.03	0.41
1:H:285:VAL:HB	1:H:288:ASN:OD1	2.21	0.41
1:G:328:LEU:HD12	1:G:334:MET:HA	2.03	0.41
1:D:328:LEU:HD12	1:D:334:MET:HA	2.03	0.40
1:D:5:GLU:HG2	1:F:37:LYS:HE3	2.04	0.40
1:C:140:ARG:NH2	7:C:2194:HOH:O	2.53	0.40
1:H:262:PHE:HE1	1:H:401:GLU:HG3	1.86	0.40
7:G:2463:HOH:O	1:H:140:ARG:NH2	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	499/489 (102%)	487 (98%)	12 (2%)	0	100	100
1	B	506/489 (104%)	493 (97%)	13 (3%)	0	100	100
1	C	496/489 (101%)	483 (97%)	13 (3%)	0	100	100
1	D	490/489 (100%)	479 (98%)	11 (2%)	0	100	100
1	E	496/489 (101%)	484 (98%)	12 (2%)	0	100	100
1	F	493/489 (101%)	482 (98%)	11 (2%)	0	100	100
1	G	496/489 (101%)	483 (97%)	13 (3%)	0	100	100
1	H	494/489 (101%)	482 (98%)	12 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	3970/3912 (102%)	3873 (98%)	97 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	402/390 (103%)	402 (100%)	0	100	100
1	B	409/390 (105%)	405 (99%)	4 (1%)	76	71
1	C	399/390 (102%)	396 (99%)	3 (1%)	81	78
1	D	393/390 (101%)	392 (100%)	1 (0%)	92	91
1	E	399/390 (102%)	395 (99%)	4 (1%)	76	71
1	F	396/390 (102%)	392 (99%)	4 (1%)	76	71
1	G	399/390 (102%)	395 (99%)	4 (1%)	76	71
1	H	397/390 (102%)	392 (99%)	5 (1%)	69	62
All	All	3194/3120 (102%)	3169 (99%)	25 (1%)	84	78

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	132	GLU
1	B	176	LYS
1	B	307	LEU
1	B	321	GLU
1	C	176	LYS
1	C	412[A]	GLU
1	C	412[B]	GLU
1	D	176	LYS
1	E	176	LYS
1	E	343	SER
1	E	412[A]	GLU
1	E	412[B]	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	98	LEU
1	F	156	VAL
1	F	412[A]	GLU
1	F	412[B]	GLU
1	G	307	LEU
1	G	360	ASP
1	G	475[A]	ARG
1	G	475[B]	ARG
1	H	312	ARG
1	H	319	GLN
1	H	348	LYS
1	H	360	ASP
1	H	385	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	157	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 72 ligands modelled in this entry, 24 are monoatomic - leaving 48 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	DTT	B	1491	1	7,7,7	1.26	1 (14%)	4,8,8	2.45	3 (75%)
5	GOL	C	1496	-	5,5,5	0.37	0	5,5,5	0.23	0
4	PE4	G	1494	6	23,23,23	0.53	0	22,22,22	0.24	0
2	DTT	H	1491	1	7,7,7	1.03	1 (14%)	4,8,8	1.81	1 (25%)
3	EDO	C	1492	-	3,3,3	0.51	0	2,2,2	0.39	0
3	EDO	C	1493	-	3,3,3	0.49	0	2,2,2	0.40	0
4	PE4	A	1493	6	23,23,23	0.58	0	22,22,22	0.33	0
5	GOL	B	1498	-	5,5,5	0.25	0	5,5,5	0.25	0
5	GOL	B	1494	-	5,5,5	0.32	0	5,5,5	0.24	0
5	GOL	F	1494	-	5,5,5	0.35	0	5,5,5	0.21	0
4	PE4	F	1493	6	23,23,23	0.51	0	22,22,22	0.24	0
3	EDO	D	1492	-	3,3,3	0.50	0	2,2,2	0.29	0
5	GOL	E	1495	-	5,5,5	0.36	0	5,5,5	0.55	0
2	DTT	D	1491	1	7,7,7	1.02	1 (14%)	4,8,8	1.93	1 (25%)
5	GOL	B	1496	-	5,5,5	0.30	0	5,5,5	0.35	0
5	GOL	G	1496	-	5,5,5	0.20	0	5,5,5	0.29	0
5	GOL	B	1495	-	5,5,5	0.24	0	5,5,5	0.36	0
4	PE4	E	1493	6	23,23,23	0.51	0	22,22,22	0.28	0
3	EDO	E	1492	-	3,3,3	0.48	0	2,2,2	0.34	0
3	EDO	G	1492	-	3,3,3	0.43	0	2,2,2	0.41	0
3	EDO	G	1493	-	3,3,3	0.48	0	2,2,2	0.10	0
3	EDO	B	1492	-	3,3,3	0.49	0	2,2,2	0.31	0
2	DTT	A	1491	1	7,7,7	1.18	1 (14%)	4,8,8	2.57	2 (50%)
4	PE4	D	1494	6	23,23,23	0.54	0	22,22,22	0.37	0
3	EDO	F	1492	-	3,3,3	0.49	0	2,2,2	0.26	0
5	GOL	E	1494	-	5,5,5	0.30	0	5,5,5	0.24	0
4	PE4	C	1494	6	23,23,23	0.51	0	22,22,22	0.34	0
4	PE4	H	1492	6	23,23,23	0.52	0	22,22,22	0.19	0
5	GOL	G	1495	-	5,5,5	0.26	0	5,5,5	0.39	0
5	GOL	A	1496	-	5,5,5	0.08	0	5,5,5	0.62	0
2	DTT	E	1491	1	7,7,7	1.13	1 (14%)	4,8,8	2.18	2 (50%)
3	EDO	A	1492	-	3,3,3	0.47	0	2,2,2	0.31	0
5	GOL	D	1495	-	5,5,5	0.35	0	5,5,5	0.38	0
5	GOL	G	1497	-	5,5,5	0.23	0	5,5,5	0.43	0
5	GOL	A	1494	-	5,5,5	0.28	0	5,5,5	0.49	0
3	EDO	D	1493	-	3,3,3	0.48	0	2,2,2	0.34	0
5	GOL	B	1497	-	5,5,5	0.22	0	5,5,5	0.78	0
5	GOL	C	1495	-	5,5,5	0.38	0	5,5,5	0.25	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	C	1498	-	5,5,5	0.33	0	5,5,5	0.30	0
2	DTT	F	1491	1	7,7,7	1.16	1 (14%)	4,8,8	1.74	1 (25%)
2	DTT	G	1491	1	7,7,7	1.29	1 (14%)	4,8,8	1.89	1 (25%)
5	GOL	F	1495	-	5,5,5	0.27	0	5,5,5	0.27	0
5	GOL	C	1497	-	5,5,5	0.22	0	5,5,5	0.51	0
5	GOL	H	1493	-	5,5,5	0.13	0	5,5,5	0.51	0
4	PE4	B	1493	6	23,23,23	0.50	0	22,22,22	0.28	0
5	GOL	D	1496	-	5,5,5	0.27	0	5,5,5	0.25	0
5	GOL	A	1495	-	5,5,5	0.32	0	5,5,5	0.18	0
2	DTT	C	1491	1	7,7,7	1.26	1 (14%)	4,8,8	2.13	1 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DTT	B	1491	1	-	5/8/8/8	-
5	GOL	C	1496	-	-	2/4/4/4	-
4	PE4	G	1494	6	-	13/21/21/21	-
2	DTT	H	1491	1	-	3/8/8/8	-
3	EDO	C	1492	-	-	0/1/1/1	-
3	EDO	C	1493	-	-	1/1/1/1	-
4	PE4	A	1493	6	-	6/21/21/21	-
5	GOL	B	1498	-	-	2/4/4/4	-
5	GOL	B	1494	-	-	1/4/4/4	-
5	GOL	F	1494	-	-	0/4/4/4	-
4	PE4	F	1493	6	-	9/21/21/21	-
3	EDO	D	1492	-	-	0/1/1/1	-
5	GOL	E	1495	-	-	2/4/4/4	-
2	DTT	D	1491	1	-	3/8/8/8	-
5	GOL	B	1496	-	-	2/4/4/4	-
5	GOL	G	1496	-	-	0/4/4/4	-
5	GOL	B	1495	-	-	2/4/4/4	-
4	PE4	E	1493	6	-	3/21/21/21	-
3	EDO	E	1492	-	-	1/1/1/1	-
3	EDO	G	1492	-	-	0/1/1/1	-
3	EDO	G	1493	-	-	0/1/1/1	-
3	EDO	B	1492	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DTT	A	1491	1	-	3/8/8/8	-
4	PE4	D	1494	6	-	14/21/21/21	-
3	EDO	F	1492	-	-	1/1/1/1	-
5	GOL	E	1494	-	-	2/4/4/4	-
4	PE4	C	1494	6	-	11/21/21/21	-
4	PE4	H	1492	6	-	6/21/21/21	-
5	GOL	G	1495	-	-	0/4/4/4	-
5	GOL	A	1496	-	-	2/4/4/4	-
2	DTT	E	1491	1	-	4/8/8/8	-
3	EDO	A	1492	-	-	0/1/1/1	-
5	GOL	D	1495	-	-	4/4/4/4	-
5	GOL	G	1497	-	-	4/4/4/4	-
5	GOL	A	1494	-	-	2/4/4/4	-
3	EDO	D	1493	-	-	1/1/1/1	-
5	GOL	B	1497	-	-	2/4/4/4	-
5	GOL	C	1495	-	-	1/4/4/4	-
5	GOL	C	1498	-	-	2/4/4/4	-
2	DTT	F	1491	1	-	0/8/8/8	-
2	DTT	G	1491	1	-	3/8/8/8	-
5	GOL	F	1495	-	-	0/4/4/4	-
5	GOL	C	1497	-	-	0/4/4/4	-
5	GOL	H	1493	-	-	2/4/4/4	-
4	PE4	B	1493	6	-	7/21/21/21	-
5	GOL	D	1496	-	-	4/4/4/4	-
5	GOL	A	1495	-	-	4/4/4/4	-
2	DTT	C	1491	1	-	0/8/8/8	-

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	1491	DTT	C4-S4	-3.35	1.74	1.81
2	B	1491	DTT	C4-S4	-3.29	1.74	1.81
2	C	1491	DTT	C4-S4	-3.29	1.74	1.81
2	A	1491	DTT	C4-S4	-3.05	1.75	1.81
2	F	1491	DTT	C4-S4	-3.03	1.75	1.81
2	E	1491	DTT	C4-S4	-2.90	1.75	1.81
2	H	1491	DTT	C4-S4	-2.65	1.76	1.81
2	D	1491	DTT	C4-S4	-2.59	1.76	1.81

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1491	DTT	C3-C4-S4	-3.67	103.80	114.47
2	A	1491	DTT	C3-C4-S4	-3.51	104.27	114.47
2	C	1491	DTT	C3-C4-S4	-3.40	104.59	114.47
2	H	1491	DTT	C3-C4-S4	-3.30	104.86	114.47
2	G	1491	DTT	C3-C4-S4	-3.19	105.20	114.47
2	E	1491	DTT	C3-C4-S4	-3.18	105.23	114.47
2	A	1491	DTT	O3-C3-C2	3.13	116.15	109.72
2	D	1491	DTT	C3-C4-S4	-2.79	106.36	114.47
2	F	1491	DTT	C3-C4-S4	-2.66	106.72	114.47
2	E	1491	DTT	O3-C3-C2	2.59	115.04	109.72
2	B	1491	DTT	O3-C3-C2	2.45	114.75	109.72
2	B	1491	DTT	C2-C1-S1	-2.01	108.62	114.47

There are no chirality outliers.

All (134) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1491	DTT	C1-C2-C3-O3
2	B	1491	DTT	O2-C2-C3-O3
2	B	1491	DTT	O2-C2-C3-C4
2	H	1491	DTT	C1-C2-C3-O3
2	H	1491	DTT	O2-C2-C3-O3
2	H	1491	DTT	O2-C2-C3-C4
5	B	1498	GOL	O1-C1-C2-O2
5	B	1498	GOL	O1-C1-C2-C3
2	D	1491	DTT	O2-C2-C3-O3
5	B	1495	GOL	C1-C2-C3-O3
2	A	1491	DTT	C1-C2-C3-O3
2	A	1491	DTT	O2-C2-C3-O3
2	A	1491	DTT	O2-C2-C3-C4
5	E	1494	GOL	O1-C1-C2-O2
5	A	1496	GOL	C1-C2-C3-O3
2	E	1491	DTT	C1-C2-C3-O3
2	E	1491	DTT	O2-C2-C3-O3
2	E	1491	DTT	O2-C2-C3-C4
5	D	1495	GOL	O1-C1-C2-O2
5	G	1497	GOL	C1-C2-C3-O3
5	G	1497	GOL	O2-C2-C3-O3
5	B	1497	GOL	O1-C1-C2-C3
2	G	1491	DTT	C1-C2-C3-O3
2	G	1491	DTT	O2-C2-C3-C4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	H	1493	GOL	C1-C2-C3-O3
5	D	1496	GOL	O1-C1-C2-C3
5	D	1496	GOL	C1-C2-C3-O3
4	G	1494	PE4	C13-C14-O8-C15
4	G	1494	PE4	C12-C11-O6-C10
4	D	1494	PE4	O6-C11-C12-O7
4	H	1492	PE4	O2-C3-C4-O3
4	G	1494	PE4	O7-C13-C14-O8
4	G	1494	PE4	O3-C5-C6-O4
4	C	1494	PE4	O4-C7-C8-O5
4	E	1493	PE4	O2-C3-C4-O3
4	F	1493	PE4	O4-C7-C8-O5
4	G	1494	PE4	O2-C3-C4-O3
4	C	1494	PE4	O6-C10-C9-O5
5	B	1496	GOL	O2-C2-C3-O3
4	A	1493	PE4	O6-C11-C12-O7
4	D	1494	PE4	O3-C5-C6-O4
4	C	1494	PE4	O2-C3-C4-O3
4	G	1494	PE4	O6-C11-C12-O7
4	D	1494	PE4	O4-C7-C8-O5
4	D	1494	PE4	O2-C3-C4-O3
4	F	1493	PE4	O1-C1-C2-O2
4	D	1494	PE4	O7-C13-C14-O8
4	A	1493	PE4	O4-C7-C8-O5
5	B	1494	GOL	O1-C1-C2-C3
5	E	1495	GOL	C1-C2-C3-O3
5	B	1496	GOL	C1-C2-C3-O3
5	E	1494	GOL	O1-C1-C2-C3
5	D	1495	GOL	O1-C1-C2-C3
5	D	1495	GOL	C1-C2-C3-O3
5	G	1497	GOL	O1-C1-C2-C3
5	A	1494	GOL	C1-C2-C3-O3
4	D	1494	PE4	O6-C10-C9-O5
5	B	1495	GOL	O2-C2-C3-O3
5	G	1497	GOL	O1-C1-C2-O2
5	A	1494	GOL	O2-C2-C3-O3
5	B	1497	GOL	O1-C1-C2-O2
5	D	1496	GOL	O1-C1-C2-O2
5	D	1496	GOL	O2-C2-C3-O3
4	D	1494	PE4	C16-C15-O8-C14
4	C	1494	PE4	O7-C13-C14-O8
4	C	1494	PE4	C16-C15-O8-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	D	1494	PE4	O1-C1-C2-O2
4	C	1494	PE4	O1-C1-C2-O2
4	F	1493	PE4	O6-C11-C12-O7
4	H	1492	PE4	O3-C5-C6-O4
5	A	1496	GOL	O2-C2-C3-O3
5	H	1493	GOL	O2-C2-C3-O3
4	B	1493	PE4	O2-C3-C4-O3
2	G	1491	DTT	O2-C2-C3-O3
4	D	1494	PE4	C8-C7-O4-C6
5	D	1495	GOL	O2-C2-C3-O3
5	C	1498	GOL	O1-C1-C2-O2
5	A	1495	GOL	O1-C1-C2-O2
5	A	1495	GOL	O2-C2-C3-O3
4	B	1493	PE4	O4-C7-C8-O5
4	H	1492	PE4	O4-C7-C8-O5
4	G	1494	PE4	C9-C10-O6-C11
4	C	1494	PE4	C9-C10-O6-C11
4	D	1494	PE4	C5-C6-O4-C7
4	E	1493	PE4	C1-C2-O2-C3
4	C	1494	PE4	C13-C14-O8-C15
4	D	1494	PE4	C14-C13-O7-C12
4	F	1493	PE4	C12-C11-O6-C10
5	C	1496	GOL	O2-C2-C3-O3
4	D	1494	PE4	C1-C2-O2-C3
5	C	1496	GOL	C1-C2-C3-O3
4	F	1493	PE4	C13-C14-O8-C15
2	B	1491	DTT	C1-C2-C3-C4
2	E	1491	DTT	C1-C2-C3-C4
4	B	1493	PE4	C7-C8-O5-C9
3	C	1493	EDO	O1-C1-C2-O2
4	G	1494	PE4	C14-C13-O7-C12
4	B	1493	PE4	C13-C14-O8-C15
2	B	1491	DTT	O3-C3-C4-S4
4	B	1493	PE4	O1-C1-C2-O2
4	C	1494	PE4	C1-C2-O2-C3
4	G	1494	PE4	O1-C1-C2-O2
3	F	1492	EDO	O1-C1-C2-O2
3	D	1493	EDO	O1-C1-C2-O2
4	A	1493	PE4	O6-C10-C9-O5
4	F	1493	PE4	C14-C13-O7-C12
4	D	1494	PE4	C3-C4-O3-C5
4	H	1492	PE4	C3-C4-O3-C5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	G	1494	PE4	C6-C5-O3-C4
4	B	1493	PE4	O3-C5-C6-O4
4	C	1494	PE4	C3-C4-O3-C5
4	D	1494	PE4	C10-C9-O5-C8
3	E	1492	EDO	O1-C1-C2-O2
2	D	1491	DTT	C1-C2-C3-O3
2	D	1491	DTT	O2-C2-C3-C4
4	A	1493	PE4	C16-C15-O8-C14
4	F	1493	PE4	C10-C9-O5-C8
4	B	1493	PE4	C14-C13-O7-C12
5	C	1495	GOL	O1-C1-C2-C3
4	F	1493	PE4	C4-C3-O2-C2
4	H	1492	PE4	C5-C6-O4-C7
4	C	1494	PE4	O3-C5-C6-O4
4	G	1494	PE4	C8-C7-O4-C6
4	F	1493	PE4	O2-C3-C4-O3
4	H	1492	PE4	C4-C3-O2-C2
4	A	1493	PE4	C13-C14-O8-C15
5	C	1498	GOL	O1-C1-C2-C3
5	A	1495	GOL	O1-C1-C2-C3
5	A	1495	GOL	C1-C2-C3-O3
4	E	1493	PE4	O1-C1-C2-O2
4	A	1493	PE4	C6-C5-O3-C4
5	E	1495	GOL	O2-C2-C3-O3
4	G	1494	PE4	C10-C9-O5-C8
4	G	1494	PE4	O6-C10-C9-O5

There are no ring outliers.

22 monomers are involved in 32 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1491	DTT	1	0
4	G	1494	PE4	1	0
3	C	1493	EDO	2	0
4	A	1493	PE4	3	0
5	B	1498	GOL	1	0
2	D	1491	DTT	1	0
5	B	1496	GOL	1	0
5	G	1496	GOL	2	0
5	B	1495	GOL	1	0
3	G	1493	EDO	1	0
4	D	1494	PE4	2	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	1494	PE4	4	0
4	H	1492	PE4	1	0
5	G	1495	GOL	2	0
5	A	1496	GOL	2	0
5	A	1494	GOL	1	0
5	B	1497	GOL	1	0
2	F	1491	DTT	1	0
5	C	1497	GOL	1	0
4	B	1493	PE4	1	0
5	A	1495	GOL	1	0
2	C	1491	DTT	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	489/489 (100%)	-0.63	0 100 100	9, 15, 28, 48	0
1	B	489/489 (100%)	-0.51	0 100 100	9, 17, 33, 51	0
1	C	489/489 (100%)	-0.42	4 (0%) 86 84	11, 21, 39, 60	0
1	D	489/489 (100%)	-0.50	2 (0%) 92 90	10, 20, 37, 60	0
1	E	489/489 (100%)	-0.49	1 (0%) 95 93	11, 19, 35, 55	0
1	F	489/489 (100%)	-0.39	2 (0%) 92 90	10, 21, 39, 66	0
1	G	489/489 (100%)	-0.52	3 (0%) 89 87	11, 18, 33, 52	0
1	H	489/489 (100%)	-0.14	11 (2%) 62 57	12, 29, 48, 70	0
All	All	3912/3912 (100%)	-0.45	23 (0%) 89 87	9, 20, 39, 70	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	210	ARG	3.6
1	H	359	THR	3.5
1	C	362	ALA	3.4
1	H	362	ALA	3.3
1	H	363	PHE	2.9
1	H	361	GLY	2.9
1	H	360	ASP	2.8
1	D	360	ASP	2.8
1	F	363	PHE	2.8
1	F	360	ASP	2.7
1	H	322	ASN	2.6
1	C	360	ASP	2.6
1	G	360	ASP	2.6
1	H	209	GLY	2.5
1	G	487	ALA	2.4
1	G	21	GLY	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	360	ASP	2.4
1	H	365	LYS	2.4
1	H	311	GLN	2.1
1	H	21	GLY	2.1
1	C	361	GLY	2.1
1	D	362	ALA	2.1
1	C	359	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	PE4	B	1493	24/24	0.61	0.21	45,54,61,62	0
4	PE4	D	1494	24/24	0.67	0.20	44,56,59,60	0
4	PE4	F	1493	24/24	0.69	0.22	55,65,69,70	0
3	EDO	A	1492	4/4	0.72	0.21	55,55,57,57	0
4	PE4	G	1494	24/24	0.73	0.18	53,57,60,60	0
5	GOL	A	1495	6/6	0.77	0.18	52,54,55,56	0
4	PE4	H	1492	24/24	0.79	0.19	57,65,69,70	0
5	GOL	C	1496	6/6	0.80	0.22	38,51,52,54	0
4	PE4	A	1493	24/24	0.80	0.15	38,45,53,56	0
2	DTT	D	1491	8/8	0.80	0.16	28,40,53,68	8
5	GOL	D	1495	6/6	0.81	0.25	43,47,52,53	0
4	PE4	E	1493	24/24	0.81	0.16	44,56,60,64	0
3	EDO	G	1493	4/4	0.81	0.31	41,49,54,60	0
5	GOL	D	1496	6/6	0.83	0.14	48,51,52,54	0
5	GOL	G	1497	6/6	0.83	0.18	36,38,45,47	0
5	GOL	C	1495	6/6	0.84	0.18	39,45,46,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	PE4	C	1494	24/24	0.84	0.16	48,57,64,65	0
2	DTT	G	1491	8/8	0.85	0.21	24,28,44,80	7
5	GOL	B	1497	6/6	0.86	0.20	24,46,54,57	0
5	GOL	G	1495	6/6	0.86	0.14	49,52,54,58	0
5	GOL	B	1498	6/6	0.86	0.16	33,36,38,40	0
5	GOL	B	1495	6/6	0.86	0.14	51,51,52,54	0
2	DTT	C	1491	8/8	0.86	0.20	25,33,46,61	8
2	DTT	B	1491	8/8	0.87	0.24	21,23,44,67	8
2	DTT	H	1491	8/8	0.87	0.16	31,38,55,73	8
5	GOL	E	1494	6/6	0.87	0.16	47,50,52,52	0
5	GOL	C	1497	6/6	0.87	0.14	42,49,51,56	0
3	EDO	D	1492	4/4	0.88	0.26	26,43,44,50	0
3	EDO	F	1492	4/4	0.88	0.18	40,43,44,51	0
5	GOL	C	1498	6/6	0.88	0.11	49,52,53,55	0
3	EDO	E	1492	4/4	0.88	0.15	34,37,43,49	0
5	GOL	E	1495	6/6	0.88	0.15	27,36,39,44	0
2	DTT	A	1491	8/8	0.89	0.15	15,23,39,66	8
2	DTT	F	1491	8/8	0.89	0.16	30,38,55,85	8
5	GOL	F	1495	6/6	0.89	0.19	42,45,48,49	0
2	DTT	E	1491	8/8	0.89	0.16	22,32,63,75	8
5	GOL	A	1494	6/6	0.90	0.15	36,38,42,43	0
3	EDO	D	1493	4/4	0.91	0.20	34,44,46,53	0
3	EDO	B	1492	4/4	0.91	0.18	46,47,48,51	0
3	EDO	G	1492	4/4	0.91	0.23	30,39,42,44	0
3	EDO	C	1493	4/4	0.91	0.10	31,34,37,39	0
5	GOL	F	1494	6/6	0.92	0.16	40,42,47,48	0
5	GOL	B	1496	6/6	0.92	0.17	30,51,52,52	0
3	EDO	C	1492	4/4	0.93	0.09	26,36,37,38	0
5	GOL	G	1496	6/6	0.93	0.18	27,36,42,48	0
5	GOL	B	1494	6/6	0.94	0.18	34,37,38,41	0
5	GOL	H	1493	6/6	0.94	0.14	35,43,45,56	0
6	K	D	1499	1/1	0.95	0.10	37,37,37,37	0
6	K	G	1500	1/1	0.95	0.09	39,39,39,39	0
5	GOL	A	1496	6/6	0.96	0.11	24,32,40,51	0
6	K	H	1496	1/1	0.96	0.12	51,51,51,51	0
6	K	E	1498	1/1	0.97	0.13	45,45,45,45	0
6	K	F	1498	1/1	0.97	0.21	58,58,58,58	0
6	K	C	1501	1/1	0.98	0.12	38,38,38,38	0
6	K	B	1501	1/1	0.98	0.18	42,42,42,42	0
6	K	A	1499	1/1	0.98	0.08	32,32,32,32	0
6	K	B	1499	1/1	0.99	0.04	19,19,19,19	0
6	K	A	1497	1/1	0.99	0.04	19,19,19,19	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	K	H	1495	1/1	0.99	0.04	34,34,34,34	0
6	K	F	1496	1/1	0.99	0.03	24,24,24,24	0
6	K	C	1499	1/1	0.99	0.05	26,26,26,26	0
6	K	E	1496	1/1	0.99	0.06	21,21,21,21	0
6	K	B	1500	1/1	1.00	0.05	18,18,18,18	0
6	K	H	1494	1/1	1.00	0.04	24,24,24,24	0
6	K	C	1500	1/1	1.00	0.06	19,19,19,19	0
6	K	D	1497	1/1	1.00	0.04	23,23,23,23	0
6	K	A	1498	1/1	1.00	0.04	18,18,18,18	0
6	K	E	1497	1/1	1.00	0.03	18,18,18,18	0
6	K	F	1497	1/1	1.00	0.03	19,19,19,19	0
6	K	D	1498	1/1	1.00	0.05	20,20,20,20	0
6	K	G	1499	1/1	1.00	0.05	21,21,21,21	0
6	K	G	1498	1/1	1.00	0.06	19,19,19,19	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around PE4 B 1493:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PE4 D 1494:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PE4 F 1493:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PE4 G 1494:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PE4 H 1492:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PE4 A 1493:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PE4 E 1493:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around PE4 C 1494:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.