



Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 12:12 am BST

PDB ID : 1CDE
Title : STRUCTURES OF APO AND COMPLEXED ESCHERICHIA COLI
GLYCINAMIDE RIBONUCLEOTIDE TRANSFORMYLASE
Authors : Almassy, R.J.; Janson, C.A.; Kan, C.-C.; Hostomska, Z.
Deposited on : 1992-05-15
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	212	<div> <div>3%</div> <div> <div></div> <div>67%</div> <div>25%</div> <div>6%</div> <div>..</div> </div> </div>
1	B	212	<div> <div>5%</div> <div> <div></div> <div>66%</div> <div>26%</div> <div>6%</div> <div>..</div> </div> </div>
1	C	212	<div> <div>4%</div> <div> <div></div> <div>65%</div> <div>26%</div> <div>7%</div> <div>..</div> </div> </div>
1	D	212	<div> <div>2%</div> <div> <div></div> <div>67%</div> <div>25%</div> <div>6%</div> <div>..</div> </div> </div>

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 6668 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PHOSPHORIBOSYL-GLYCINAMIDE FORMYLTRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	209	Total	C	N	O	S	0	0	0
			1617	1024	287	301	5			
1	B	209	Total	C	N	O	S	0	0	0
			1617	1024	287	301	5			
1	C	209	Total	C	N	O	S	0	0	0
			1617	1024	287	301	5			
1	D	209	Total	C	N	O	S	0	0	0
			1617	1024	287	301	5			

- Molecule 2 is GLYCINAMIDE RIBONUCLEOTIDE (three-letter code: GAR) (formula: $C_7H_{13}N_2O_8P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			18	7	2	8	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			18	7	2	8	1		
2	C	1	Total	C	N	O	P	0	0
			18	7	2	8	1		
2	D	1	Total	C	N	O	P	0	0
			18	7	2	8	1		

- Molecule 3 is 5-DEAZAFOLIC ACID (three-letter code: DZF) (formula: $C_{20}H_{20}N_6O_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			32	20	6	6		
3	B	1	Total	C	N	O	0	0
			32	20	6	6		
3	C	1	Total	C	N	O	0	0
			32	20	6	6		
3	D	1	Total	C	N	O	0	0
			32	20	6	6		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: PHOSPHORIBOSYL-GLYCINAMIDE FORMYLTRANSFERASE




• Molecule 1: PHOSPHORIBOSYL-GLYCINAMIDE FORMYLTRANSFERASE




• Molecule 1: PHOSPHORIBOSYL-GLYCINAMIDE FORMYLTRANSFERASE





● Molecule 1: PHOSPHORIBOSYL-GLYCINAMIDE FORMYLTRANSFERASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	76.70 Å 72.60 Å 57.00 Å 111.50° 82.80° 62.60°	Depositor
Resolution (Å)	(Not available) – 2.50 8.00 – 2.51	Depositor EDS
% Data completeness (in resolution range)	(Not available) ((Not available)-2.50) 80.8 (8.00-2.51)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.60 (at 2.52 Å)	Xtriage
Refinement program	X-PLOR	Depositor
R, R_{free}	0.250 , (Not available) 0.227 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	27.6	Xtriage
Anisotropy	0.404	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 74.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	6668	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 17.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GAR, DZF

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.03	1/1654 (0.1%)	1.82	35/2248 (1.6%)
1	B	1.03	1/1654 (0.1%)	1.82	35/2248 (1.6%)
1	C	1.03	1/1654 (0.1%)	1.82	35/2248 (1.6%)
1	D	1.03	1/1654 (0.1%)	1.82	35/2248 (1.6%)
All	All	1.03	4/6616 (0.1%)	1.82	140/8992 (1.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
1	D	0	1
All	All	0	4

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	84	VAL	CA-CB	5.67	1.66	1.54
1	A	84	VAL	CA-CB	5.66	1.66	1.54
1	D	84	VAL	CA-CB	5.65	1.66	1.54
1	C	84	VAL	CA-CB	5.63	1.66	1.54

All (140) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	64	ARG	NE-CZ-NH1	12.63	126.61	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	64	ARG	NE-CZ-NH1	12.59	126.59	120.30
1	C	64	ARG	NE-CZ-NH1	12.56	126.58	120.30
1	A	64	ARG	NE-CZ-NH1	12.56	126.58	120.30
1	A	168	ARG	NE-CZ-NH2	-11.53	114.53	120.30
1	C	168	ARG	NE-CZ-NH2	-11.51	114.54	120.30
1	B	168	ARG	NE-CZ-NH2	-11.51	114.55	120.30
1	D	168	ARG	NE-CZ-NH2	-11.45	114.58	120.30
1	D	90	ARG	NE-CZ-NH2	-11.29	114.66	120.30
1	C	90	ARG	NE-CZ-NH2	-11.22	114.69	120.30
1	A	90	ARG	NE-CZ-NH2	-11.15	114.72	120.30
1	B	90	ARG	NE-CZ-NH2	-11.11	114.75	120.30
1	A	31	ARG	NE-CZ-NH2	-10.35	115.12	120.30
1	D	31	ARG	NE-CZ-NH2	-10.35	115.12	120.30
1	B	31	ARG	NE-CZ-NH2	-10.33	115.13	120.30
1	C	31	ARG	NE-CZ-NH2	-10.22	115.19	120.30
1	D	188	ARG	NE-CZ-NH2	-9.67	115.47	120.30
1	A	188	ARG	NE-CZ-NH2	-9.63	115.48	120.30
1	C	188	ARG	NE-CZ-NH2	-9.63	115.49	120.30
1	B	188	ARG	NE-CZ-NH2	-9.60	115.50	120.30
1	D	77	MET	CG-SD-CE	-8.53	86.55	100.20
1	A	77	MET	CG-SD-CE	-8.53	86.56	100.20
1	B	77	MET	CG-SD-CE	-8.53	86.56	100.20
1	C	77	MET	CG-SD-CE	-8.51	86.58	100.20
1	B	168	ARG	NE-CZ-NH1	8.40	124.50	120.30
1	A	168	ARG	NE-CZ-NH1	8.39	124.49	120.30
1	C	168	ARG	NE-CZ-NH1	8.38	124.49	120.30
1	D	168	ARG	NE-CZ-NH1	8.37	124.48	120.30
1	B	78	TYR	CB-CG-CD1	-8.06	116.16	121.00
1	A	78	TYR	CB-CG-CD1	-7.98	116.21	121.00
1	D	78	TYR	CB-CG-CD1	-7.98	116.21	121.00
1	C	78	TYR	CB-CG-CD1	-7.95	116.23	121.00
1	A	197	TRP	CD1-CG-CD2	7.89	112.61	106.30
1	B	197	TRP	CD1-CG-CD2	7.89	112.61	106.30
1	C	197	TRP	CD1-CG-CD2	7.84	112.57	106.30
1	D	197	TRP	CD1-CG-CD2	7.84	112.57	106.30
1	B	183	TRP	CD1-CG-CD2	7.49	112.29	106.30
1	A	100	TYR	CB-CG-CD2	-7.44	116.54	121.00
1	B	100	TYR	CB-CG-CD2	-7.43	116.54	121.00
1	A	183	TRP	CD1-CG-CD2	7.43	112.25	106.30
1	C	100	TYR	CB-CG-CD2	-7.43	116.54	121.00
1	C	183	TRP	CD1-CG-CD2	7.42	112.24	106.30
1	D	100	TYR	CB-CG-CD2	-7.42	116.55	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	183	TRP	CD1-CG-CD2	7.41	112.22	106.30
1	B	209	ALA	N-CA-CB	-7.38	99.78	110.10
1	A	209	ALA	N-CA-CB	-7.35	99.81	110.10
1	D	209	ALA	N-CA-CB	-7.35	99.81	110.10
1	C	209	ALA	N-CA-CB	-7.35	99.81	110.10
1	C	45	ARG	NE-CZ-NH1	7.07	123.83	120.30
1	D	68	ASP	CB-CG-OD1	7.03	124.62	118.30
1	A	45	ARG	NE-CZ-NH1	7.01	123.81	120.30
1	A	68	ASP	CB-CG-OD1	7.01	124.61	118.30
1	B	68	ASP	CB-CG-OD1	7.00	124.60	118.30
1	C	68	ASP	CB-CG-OD1	7.00	124.60	118.30
1	D	45	ARG	NE-CZ-NH1	6.98	123.79	120.30
1	B	45	ARG	NE-CZ-NH1	6.96	123.78	120.30
1	C	183	TRP	CE2-CD2-CG	-6.91	101.77	107.30
1	B	183	TRP	CE2-CD2-CG	-6.90	101.78	107.30
1	A	183	TRP	CE2-CD2-CG	-6.88	101.79	107.30
1	D	183	TRP	CE2-CD2-CG	-6.87	101.80	107.30
1	B	197	TRP	CE2-CD2-CG	-6.81	101.85	107.30
1	A	197	TRP	CE2-CD2-CG	-6.81	101.85	107.30
1	B	160	ASP	CB-CG-OD1	6.79	124.41	118.30
1	C	197	TRP	CE2-CD2-CG	-6.79	101.87	107.30
1	D	160	ASP	CB-CG-OD1	6.79	124.41	118.30
1	A	160	ASP	CB-CG-OD1	6.78	124.41	118.30
1	C	160	ASP	CB-CG-OD1	6.76	124.38	118.30
1	D	197	TRP	CE2-CD2-CG	-6.75	101.90	107.30
1	C	160	ASP	CB-CG-OD2	-6.72	112.25	118.30
1	B	160	ASP	CB-CG-OD2	-6.72	112.25	118.30
1	D	160	ASP	CB-CG-OD2	-6.71	112.26	118.30
1	A	160	ASP	CB-CG-OD2	-6.70	112.27	118.30
1	C	27	LYS	CA-CB-CG	6.42	127.52	113.40
1	A	27	LYS	CA-CB-CG	6.41	127.49	113.40
1	D	27	LYS	CA-CB-CG	6.40	127.49	113.40
1	B	27	LYS	CA-CB-CG	6.40	127.47	113.40
1	B	114	LYS	CA-C-N	6.38	131.23	117.20
1	A	114	LYS	CA-C-N	6.36	131.19	117.20
1	C	114	LYS	CA-C-N	6.36	131.18	117.20
1	C	131	GLU	N-CA-CB	-6.35	99.17	110.60
1	D	114	LYS	CA-C-N	6.35	131.16	117.20
1	D	131	GLU	N-CA-CB	-6.33	99.21	110.60
1	A	131	GLU	N-CA-CB	-6.33	99.21	110.60
1	B	131	GLU	N-CA-CB	-6.32	99.23	110.60
1	B	208	TYR	CA-C-N	-6.21	103.53	117.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	208	TYR	CA-C-N	-6.20	103.57	117.20
1	D	208	TYR	CA-C-N	-6.19	103.58	117.20
1	C	208	TYR	CA-C-N	-6.18	103.59	117.20
1	C	148	VAL	CG1-CB-CG2	-6.08	101.17	110.90
1	C	14	LEU	CA-CB-CG	6.08	129.28	115.30
1	D	148	VAL	CG1-CB-CG2	-6.07	101.19	110.90
1	B	14	LEU	CA-CB-CG	6.07	129.25	115.30
1	A	14	LEU	CA-CB-CG	6.06	129.25	115.30
1	A	148	VAL	CG1-CB-CG2	-6.06	101.21	110.90
1	D	14	LEU	CA-CB-CG	6.06	129.23	115.30
1	B	148	VAL	CG1-CB-CG2	-6.05	101.22	110.90
1	D	53	THR	CA-CB-CG2	6.02	120.83	112.40
1	C	90	ARG	NE-CZ-NH1	6.01	123.31	120.30
1	C	53	THR	CA-CB-CG2	6.01	120.81	112.40
1	D	90	ARG	NE-CZ-NH1	6.00	123.30	120.30
1	D	53	THR	CA-CB-OG1	-5.98	96.44	109.00
1	A	53	THR	CA-CB-CG2	5.98	120.77	112.40
1	A	53	THR	CA-CB-OG1	-5.98	96.45	109.00
1	B	53	THR	CA-CB-OG1	-5.98	96.45	109.00
1	B	53	THR	CA-CB-CG2	5.97	120.76	112.40
1	A	90	ARG	NE-CZ-NH1	5.97	123.28	120.30
1	C	53	THR	CA-CB-OG1	-5.97	96.46	109.00
1	B	90	ARG	NE-CZ-NH1	5.92	123.26	120.30
1	D	170	GLN	CA-CB-CG	-5.88	100.47	113.40
1	A	170	GLN	CA-CB-CG	-5.86	100.50	113.40
1	B	170	GLN	CA-CB-CG	-5.86	100.50	113.40
1	C	170	GLN	CA-CB-CG	-5.86	100.52	113.40
1	B	139	VAL	CG1-CB-CG2	-5.78	101.65	110.90
1	C	139	VAL	CG1-CB-CG2	-5.78	101.66	110.90
1	D	139	VAL	CG1-CB-CG2	-5.78	101.66	110.90
1	A	139	VAL	CG1-CB-CG2	-5.76	101.68	110.90
1	D	76	ASP	CB-CG-OD1	5.75	123.47	118.30
1	A	76	ASP	CB-CG-OD1	5.72	123.44	118.30
1	C	76	ASP	CB-CG-OD1	5.71	123.44	118.30
1	B	76	ASP	CB-CG-OD1	5.70	123.43	118.30
1	D	61	PHE	N-CA-C	5.41	125.59	111.00
1	B	61	PHE	N-CA-C	5.40	125.59	111.00
1	A	61	PHE	N-CA-C	5.39	125.56	111.00
1	C	61	PHE	N-CA-C	5.39	125.56	111.00
1	C	84	VAL	CG1-CB-CG2	-5.37	102.32	110.90
1	D	84	VAL	CG1-CB-CG2	-5.37	102.32	110.90
1	A	84	VAL	CG1-CB-CG2	-5.36	102.32	110.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	84	VAL	CG1-CB-CG2	-5.36	102.33	110.90
1	A	103	ARG	NE-CZ-NH1	5.29	122.94	120.30
1	C	103	ARG	NE-CZ-NH1	5.28	122.94	120.30
1	D	103	ARG	NE-CZ-NH1	5.27	122.93	120.30
1	B	103	ARG	NE-CZ-NH1	5.24	122.92	120.30
1	B	31	ARG	CG-CD-NE	5.17	122.66	111.80
1	A	31	ARG	CG-CD-NE	5.16	122.63	111.80
1	D	31	ARG	CG-CD-NE	5.16	122.63	111.80
1	C	31	ARG	CG-CD-NE	5.15	122.61	111.80
1	D	30	VAL	CG1-CB-CG2	-5.10	102.74	110.90
1	A	30	VAL	CG1-CB-CG2	-5.09	102.76	110.90
1	C	30	VAL	CG1-CB-CG2	-5.09	102.76	110.90
1	B	30	VAL	CG1-CB-CG2	-5.08	102.77	110.90

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	177	TYR	Sidechain
1	B	177	TYR	Sidechain
1	C	177	TYR	Sidechain
1	D	177	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1617	0	1592	19	0
1	B	1617	0	1592	20	4
1	C	1617	0	1592	22	4
1	D	1617	0	1592	20	0
2	A	18	0	13	1	0
2	B	18	0	13	1	0
2	C	18	0	13	1	0
2	D	18	0	13	1	0
3	A	32	0	19	1	0
3	B	32	0	19	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	32	0	19	1	0
3	D	32	0	19	1	0
All	All	6668	0	6496	81	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (81) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:125:LEU:HD13	1:B:165:ILE:HD11	1.61	0.83
1:C:125:LEU:HD13	1:C:165:ILE:HD11	1.61	0.83
1:A:125:LEU:HD13	1:A:165:ILE:HD11	1.61	0.82
1:D:125:LEU:HD13	1:D:165:ILE:HD11	1.61	0.81
1:A:4:VAL:HG13	1:A:80:PRO:HB3	1.73	0.70
1:C:4:VAL:HG13	1:C:80:PRO:HB3	1.73	0.69
1:B:4:VAL:HG13	1:B:80:PRO:HB3	1.73	0.69
1:D:4:VAL:HG13	1:D:80:PRO:HB3	1.73	0.69
1:B:64:ARG:HH11	1:B:64:ARG:HG2	1.59	0.68
1:A:64:ARG:HG2	1:A:64:ARG:HH11	1.59	0.68
1:D:64:ARG:HG2	1:D:64:ARG:HH11	1.59	0.68
1:C:64:ARG:HG2	1:C:64:ARG:HH11	1.59	0.66
1:A:13:ASN:HD21	1:A:173:GLU:HB3	1.62	0.64
1:C:13:ASN:HD21	1:C:173:GLU:HB3	1.62	0.64
1:D:13:ASN:HD21	1:D:173:GLU:HB3	1.62	0.64
1:B:13:ASN:HD21	1:B:173:GLU:HB3	1.62	0.64
1:A:92:LEU:H	3:A:225:DZF:HN1	1.50	0.59
1:C:92:LEU:H	3:C:225:DZF:HN1	1.50	0.59
1:B:92:LEU:H	3:B:225:DZF:HN1	1.50	0.58
1:D:92:LEU:H	3:D:225:DZF:HN1	1.51	0.56
1:D:108:HIS:HD2	2:D:222:GAR:H241	1.54	0.56
1:A:108:HIS:HD2	2:A:222:GAR:H241	1.54	0.55
1:B:108:HIS:HD2	2:B:222:GAR:H241	1.54	0.55
1:C:108:HIS:HD2	2:C:222:GAR:H241	1.54	0.55
1:B:19:ASP:HA	1:B:22:LYS:HE3	1.89	0.55
1:C:64:ARG:NH1	1:C:64:ARG:HG2	2.21	0.55
1:D:19:ASP:HA	1:D:22:LYS:HE3	1.89	0.54
1:A:64:ARG:HG2	1:A:64:ARG:NH1	2.21	0.54
1:C:19:ASP:HA	1:C:22:LYS:HE3	1.89	0.54
1:A:19:ASP:HA	1:A:22:LYS:HE3	1.89	0.54
1:D:64:ARG:HG2	1:D:64:ARG:NH1	2.21	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:154:VAL:HG13	1:B:168:ARG:HG2	1.93	0.50
1:D:154:VAL:HG13	1:D:168:ARG:HG2	1.93	0.50
1:C:154:VAL:HG13	1:C:168:ARG:HG2	1.93	0.50
1:B:64:ARG:HG2	1:B:64:ARG:NH1	2.21	0.50
1:B:108:HIS:HE1	1:B:115:TYR:O	1.95	0.49
1:A:108:HIS:HE1	1:A:115:TYR:O	1.95	0.49
1:C:108:HIS:HE1	1:C:115:TYR:O	1.95	0.49
1:D:108:HIS:HE1	1:D:115:TYR:O	1.95	0.49
1:A:154:VAL:HG13	1:A:168:ARG:HG2	1.93	0.48
1:B:108:HIS:CD2	1:B:109:PRO:HD2	2.49	0.48
1:A:108:HIS:CD2	1:A:109:PRO:HD2	2.49	0.48
1:B:115:TYR:O	1:B:120:THR:HG22	2.14	0.48
1:D:108:HIS:CD2	1:D:109:PRO:HD2	2.49	0.48
1:D:115:TYR:O	1:D:120:THR:HG22	2.14	0.48
1:C:115:TYR:O	1:C:120:THR:HG22	2.14	0.47
1:A:115:TYR:O	1:A:120:THR:HG22	2.14	0.47
1:C:108:HIS:CD2	1:C:109:PRO:HD2	2.49	0.47
1:C:1:MET:HB2	1:C:1:MET:HE2	1.74	0.46
1:A:195:ALA:HB3	1:A:197:TRP:HE1	1.82	0.45
1:A:125:LEU:HD13	1:A:165:ILE:CD1	2.41	0.45
1:C:195:ALA:HB3	1:C:197:TRP:HE1	1.82	0.45
1:B:195:ALA:HB3	1:B:197:TRP:HE1	1.82	0.45
1:B:125:LEU:HD13	1:B:165:ILE:CD1	2.41	0.44
1:C:125:LEU:HD13	1:C:165:ILE:CD1	2.41	0.44
1:B:136:VAL:HG23	1:B:176:ILE:HD12	2.00	0.44
1:D:195:ALA:HB3	1:D:197:TRP:HE1	1.82	0.44
1:D:136:VAL:HG23	1:D:176:ILE:HD12	2.00	0.44
1:C:136:VAL:HG23	1:C:176:ILE:HD12	2.00	0.43
1:D:125:LEU:HD13	1:D:165:ILE:CD1	2.41	0.43
1:A:201:GLN:O	1:A:201:GLN:HG2	2.19	0.43
1:D:201:GLN:O	1:D:201:GLN:HG2	2.19	0.43
1:A:47:ARG:HH21	1:A:53:THR:HG21	1.85	0.42
1:C:136:VAL:HG11	1:C:180:VAL:HG21	2.02	0.42
1:D:47:ARG:HH21	1:D:53:THR:HG21	1.84	0.42
1:A:136:VAL:HG23	1:A:176:ILE:HD12	2.00	0.42
1:A:136:VAL:HG11	1:A:180:VAL:HG21	2.02	0.41
1:B:136:VAL:HG11	1:B:180:VAL:HG21	2.02	0.41
1:B:201:GLN:O	1:B:201:GLN:HG2	2.19	0.41
1:C:47:ARG:HH21	1:C:53:THR:HG21	1.84	0.41
1:D:91:ILE:HG12	1:D:143:LEU:HD21	2.02	0.41
1:B:47:ARG:HH21	1:B:53:THR:HG21	1.84	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:136:VAL:HG11	1:D:180:VAL:HG21	2.02	0.41
1:B:91:ILE:HG12	1:B:143:LEU:HD21	2.02	0.41
1:C:124:ALA:HA	1:C:129:ASP:OD2	2.21	0.41
1:C:91:ILE:HG12	1:C:143:LEU:HD21	2.02	0.41
1:C:201:GLN:HG2	1:C:201:GLN:O	2.19	0.41
1:C:111:LEU:HD13	1:C:153:LYS:HE2	2.03	0.41
1:A:111:LEU:HD13	1:A:153:LYS:HE2	2.03	0.41
1:B:124:ALA:HA	1:B:129:ASP:OD2	2.21	0.40
1:D:111:LEU:HD13	1:D:153:LYS:HE2	2.03	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:73:HIS:NE2	1:C:70:GLU:OE1[1_465]	1.80	0.40
1:B:70:GLU:OE1	1:C:73:HIS:NE2[1_465]	1.86	0.34
1:B:73:HIS:CE1	1:C:70:GLU:OE1[1_465]	1.96	0.24
1:B:70:GLU:OE1	1:C:73:HIS:CE1[1_465]	1.97	0.23

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	207/212 (98%)	194 (94%)	11 (5%)	2 (1%)	15	28
1	B	207/212 (98%)	194 (94%)	11 (5%)	2 (1%)	15	28
1	C	207/212 (98%)	194 (94%)	11 (5%)	2 (1%)	15	28
1	D	207/212 (98%)	194 (94%)	11 (5%)	2 (1%)	15	28
All	All	828/848 (98%)	776 (94%)	44 (5%)	8 (1%)	15	28

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	193	GLU
1	B	193	GLU
1	C	193	GLU
1	D	193	GLU
1	A	62	ASP
1	B	62	ASP
1	C	62	ASP
1	D	62	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	169/171 (99%)	144 (85%)	25 (15%)	3	5
1	B	169/171 (99%)	144 (85%)	25 (15%)	3	5
1	C	169/171 (99%)	144 (85%)	25 (15%)	3	5
1	D	169/171 (99%)	144 (85%)	25 (15%)	3	5
All	All	676/684 (99%)	576 (85%)	100 (15%)	3	5

All (100) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	4	VAL
1	A	5	VAL
1	A	14	LEU
1	A	36	ASN
1	A	43	LEU
1	A	53	THR
1	A	56	LEU
1	A	62	ASP
1	A	64	ARG
1	A	69	ARG
1	A	83	VAL
1	A	84	VAL
1	A	103	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	116	PRO
1	A	130	GLU
1	A	140	THR
1	A	143	LEU
1	A	153	LYS
1	A	156	VAL
1	A	160	ASP
1	A	177	TYR
1	A	180	VAL
1	A	201	GLN
1	A	206	GLN
1	B	1	MET
1	B	4	VAL
1	B	5	VAL
1	B	14	LEU
1	B	36	ASN
1	B	43	LEU
1	B	53	THR
1	B	56	LEU
1	B	62	ASP
1	B	64	ARG
1	B	69	ARG
1	B	83	VAL
1	B	84	VAL
1	B	103	ARG
1	B	116	PRO
1	B	130	GLU
1	B	140	THR
1	B	143	LEU
1	B	153	LYS
1	B	156	VAL
1	B	160	ASP
1	B	177	TYR
1	B	180	VAL
1	B	201	GLN
1	B	206	GLN
1	C	1	MET
1	C	4	VAL
1	C	5	VAL
1	C	14	LEU
1	C	36	ASN
1	C	43	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	53	THR
1	C	56	LEU
1	C	62	ASP
1	C	64	ARG
1	C	69	ARG
1	C	83	VAL
1	C	84	VAL
1	C	103	ARG
1	C	116	PRO
1	C	130	GLU
1	C	140	THR
1	C	143	LEU
1	C	153	LYS
1	C	156	VAL
1	C	160	ASP
1	C	177	TYR
1	C	180	VAL
1	C	201	GLN
1	C	206	GLN
1	D	1	MET
1	D	4	VAL
1	D	5	VAL
1	D	14	LEU
1	D	36	ASN
1	D	43	LEU
1	D	53	THR
1	D	56	LEU
1	D	62	ASP
1	D	64	ARG
1	D	69	ARG
1	D	83	VAL
1	D	84	VAL
1	D	103	ARG
1	D	116	PRO
1	D	130	GLU
1	D	140	THR
1	D	143	LEU
1	D	153	LYS
1	D	156	VAL
1	D	160	ASP
1	D	177	TYR
1	D	180	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	201	GLN
1	D	206	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	13	ASN
1	A	36	ASN
1	A	108	HIS
1	A	127	ASN
1	A	174	HIS
1	B	13	ASN
1	B	36	ASN
1	B	108	HIS
1	B	127	ASN
1	B	174	HIS
1	C	13	ASN
1	C	36	ASN
1	C	108	HIS
1	C	127	ASN
1	C	174	HIS
1	D	13	ASN
1	D	36	ASN
1	D	108	HIS
1	D	127	ASN
1	D	174	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GAR	C	222	-	17,18,18	1.94	3 (17%)	21,26,26	1.71	5 (23%)
3	DZF	D	225	-	26,34,34	3.12	9 (34%)	34,47,47	3.60	16 (47%)
2	GAR	A	222	-	17,18,18	1.94	3 (17%)	21,26,26	1.72	5 (23%)
3	DZF	A	225	-	26,34,34	3.12	9 (34%)	34,47,47	3.61	16 (47%)
3	DZF	C	225	-	26,34,34	3.13	9 (34%)	34,47,47	3.61	16 (47%)
2	GAR	B	222	-	17,18,18	1.95	3 (17%)	21,26,26	1.71	5 (23%)
2	GAR	D	222	-	17,18,18	1.94	3 (17%)	21,26,26	1.72	5 (23%)
3	DZF	B	225	-	26,34,34	3.13	9 (34%)	34,47,47	3.62	16 (47%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GAR	C	222	-	-	4/12/28/28	0/1/1/1
3	DZF	D	225	-	-	4/16/22/22	0/3/3/3
2	GAR	A	222	-	-	4/12/28/28	0/1/1/1
3	DZF	A	225	-	-	4/16/22/22	0/3/3/3
3	DZF	C	225	-	-	4/16/22/22	0/3/3/3
2	GAR	B	222	-	-	4/12/28/28	0/1/1/1
2	GAR	D	222	-	-	4/12/28/28	0/1/1/1
3	DZF	B	225	-	-	4/16/22/22	0/3/3/3

All (48) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	225	DZF	C7-N8	10.17	1.48	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	225	DZF	C7-N8	10.16	1.48	1.31
3	B	225	DZF	C7-N8	10.16	1.48	1.31
3	D	225	DZF	C7-N8	10.15	1.48	1.31
3	C	225	DZF	C7-C6	6.19	1.53	1.38
3	B	225	DZF	C7-C6	6.18	1.53	1.38
3	A	225	DZF	C7-C6	6.18	1.53	1.38
3	D	225	DZF	C7-C6	6.16	1.53	1.38
2	B	222	GAR	C3-N19	5.96	1.50	1.43
2	D	222	GAR	C3-N19	5.96	1.50	1.43
2	A	222	GAR	C3-N19	5.95	1.50	1.43
3	B	225	DZF	C5-C6	5.93	1.51	1.37
2	C	222	GAR	C3-N19	5.93	1.50	1.43
3	C	225	DZF	C5-C6	5.91	1.51	1.37
3	A	225	DZF	C5-C6	5.91	1.51	1.37
3	D	225	DZF	C5-C6	5.89	1.51	1.37
3	C	225	DZF	CB-CA	5.18	1.60	1.53
3	A	225	DZF	CB-CA	5.18	1.60	1.53
3	B	225	DZF	CB-CA	5.16	1.60	1.53
3	D	225	DZF	CB-CA	5.16	1.60	1.53
3	B	225	DZF	C8A-N8	-4.06	1.31	1.37
3	A	225	DZF	C8A-N8	-4.04	1.31	1.37
3	D	225	DZF	C8A-N8	-4.02	1.31	1.37
3	C	225	DZF	C8A-N8	-4.02	1.31	1.37
2	B	222	GAR	P15-O18	-3.83	1.40	1.54
2	C	222	GAR	P15-O18	-3.83	1.40	1.54
2	A	222	GAR	P15-O18	-3.83	1.40	1.54
2	D	222	GAR	P15-O18	-3.83	1.40	1.54
3	D	225	DZF	C2-N3	-2.69	1.30	1.35
3	C	225	DZF	C2-N3	-2.69	1.30	1.35
3	A	225	DZF	C2-N3	-2.66	1.30	1.35
3	B	225	DZF	C2-N3	-2.65	1.30	1.35
3	D	225	DZF	C8A-N1	-2.58	1.31	1.36
3	C	225	DZF	C8A-N1	-2.54	1.31	1.36
3	A	225	DZF	C8A-N1	-2.54	1.31	1.36
3	B	225	DZF	C8A-N1	-2.52	1.31	1.36
2	B	222	GAR	P15-O16	2.48	1.58	1.50
2	A	222	GAR	P15-O16	2.47	1.58	1.50
2	C	222	GAR	P15-O16	2.46	1.58	1.50
2	D	222	GAR	P15-O16	2.46	1.58	1.50
3	D	225	DZF	C11-C	-2.35	1.45	1.50
3	C	225	DZF	C11-C	-2.33	1.45	1.50
3	A	225	DZF	C11-C	-2.32	1.45	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	225	DZF	C11-C	-2.29	1.45	1.50
3	C	225	DZF	C5-C4A	2.03	1.44	1.41
3	A	225	DZF	C5-C4A	2.03	1.44	1.41
3	B	225	DZF	C5-C4A	2.02	1.44	1.41
3	D	225	DZF	C5-C4A	2.00	1.44	1.41

All (84) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	225	DZF	C9-C6-C5	-9.12	105.18	121.51
3	B	225	DZF	C9-C6-C5	-9.12	105.19	121.51
3	A	225	DZF	C9-C6-C5	-9.11	105.20	121.51
3	D	225	DZF	C9-C6-C5	-9.10	105.22	121.51
3	C	225	DZF	C6-C7-N8	-8.26	110.96	123.98
3	B	225	DZF	C6-C7-N8	-8.23	111.00	123.98
3	A	225	DZF	C6-C7-N8	-8.23	111.02	123.98
3	D	225	DZF	C6-C7-N8	-8.20	111.06	123.98
3	B	225	DZF	C4A-C4-N3	-7.51	119.17	124.40
3	C	225	DZF	C4A-C4-N3	-7.45	119.21	124.40
3	A	225	DZF	C4A-C4-N3	-7.44	119.22	124.40
3	D	225	DZF	C4A-C4-N3	-7.37	119.26	124.40
3	C	225	DZF	C6-C5-C4A	-6.49	112.94	122.65
3	B	225	DZF	C6-C5-C4A	-6.48	112.96	122.65
3	A	225	DZF	C6-C5-C4A	-6.47	112.97	122.65
3	D	225	DZF	C6-C5-C4A	-6.46	112.99	122.65
3	B	225	DZF	C7-N8-C8A	5.99	122.71	116.69
3	C	225	DZF	C7-N8-C8A	5.99	122.71	116.69
3	D	225	DZF	C7-N8-C8A	5.99	122.71	116.69
3	A	225	DZF	C7-N8-C8A	5.99	122.70	116.69
3	D	225	DZF	C2-N1-C8A	5.26	121.37	115.36
3	B	225	DZF	C2-N1-C8A	5.24	121.35	115.36
3	A	225	DZF	C2-N1-C8A	5.23	121.33	115.36
3	C	225	DZF	C2-N1-C8A	5.21	121.30	115.36
2	A	222	GAR	O4-C3-C2	-5.14	100.82	106.23
2	D	222	GAR	O4-C3-C2	-5.13	100.83	106.23
2	C	222	GAR	O4-C3-C2	-5.13	100.83	106.23
2	B	222	GAR	O4-C3-C2	-5.11	100.85	106.23
3	D	225	DZF	CG-CB-CA	4.88	122.90	113.04
3	A	225	DZF	CG-CB-CA	4.87	122.88	113.04
3	B	225	DZF	CG-CB-CA	4.87	122.88	113.04
3	C	225	DZF	CG-CB-CA	4.85	122.83	113.04
3	A	225	DZF	C6-C9-N10	-4.66	101.64	113.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	225	DZF	C6-C9-N10	-4.66	101.65	113.77
3	D	225	DZF	C6-C9-N10	-4.66	101.65	113.77
3	C	225	DZF	C6-C9-N10	-4.65	101.66	113.77
3	B	225	DZF	N1-C2-N3	-3.77	122.19	127.22
3	C	225	DZF	N1-C2-N3	-3.76	122.21	127.22
3	D	225	DZF	N1-C2-N3	-3.75	122.21	127.22
3	A	225	DZF	N1-C2-N3	-3.74	122.23	127.22
3	D	225	DZF	CA-N-C	3.52	126.88	122.34
3	B	225	DZF	CA-N-C	3.51	126.86	122.34
3	A	225	DZF	CA-N-C	3.50	126.85	122.34
3	C	225	DZF	CA-N-C	3.47	126.82	122.34
3	D	225	DZF	N8-C8A-N1	3.14	119.40	115.82
3	A	225	DZF	N8-C8A-N1	3.10	119.36	115.82
3	B	225	DZF	N8-C8A-N1	3.09	119.34	115.82
3	C	225	DZF	N8-C8A-N1	3.06	119.31	115.82
3	D	225	DZF	O-C-C11	3.00	126.28	120.94
3	A	225	DZF	O-C-C11	2.98	126.26	120.94
3	C	225	DZF	O-C-C11	2.98	126.24	120.94
3	B	225	DZF	O-C-C11	2.96	126.22	120.94
3	B	225	DZF	C5-C6-C7	-2.86	114.06	116.71
3	D	225	DZF	C5-C6-C7	-2.86	114.06	116.71
3	A	225	DZF	C5-C6-C7	-2.84	114.08	116.71
3	D	225	DZF	C9-C6-C7	-2.82	114.27	120.56
3	A	225	DZF	C9-C6-C7	-2.82	114.28	120.56
3	C	225	DZF	C9-C6-C7	-2.81	114.30	120.56
3	B	225	DZF	C9-C6-C7	-2.80	114.32	120.56
3	C	225	DZF	C5-C6-C7	-2.78	114.14	116.71
3	B	225	DZF	C4-N3-C2	2.70	120.22	115.93
3	C	225	DZF	C4-N3-C2	2.68	120.19	115.93
3	A	225	DZF	C4-N3-C2	2.67	120.18	115.93
3	D	225	DZF	C4-N3-C2	2.67	120.16	115.93
2	A	222	GAR	O12-P15-O16	-2.56	99.31	106.47
2	D	222	GAR	O12-P15-O16	-2.55	99.31	106.47
2	B	222	GAR	O12-P15-O16	-2.55	99.31	106.47
2	C	222	GAR	O12-P15-O16	-2.55	99.33	106.47
3	C	225	DZF	C15-C14-N10	-2.53	115.74	120.97
3	D	225	DZF	C15-C14-N10	-2.51	115.76	120.97
3	B	225	DZF	C15-C14-N10	-2.51	115.77	120.97
3	A	225	DZF	C15-C14-N10	-2.51	115.77	120.97
2	D	222	GAR	C3-N19-C21	2.36	126.60	122.45
2	A	222	GAR	C3-N19-C21	2.35	126.59	122.45
2	C	222	GAR	C3-N19-C21	2.34	126.58	122.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	222	GAR	C3-N19-C21	2.33	126.56	122.45
2	D	222	GAR	C1-C2-C3	2.19	105.58	101.42
2	A	222	GAR	C1-C2-C3	2.19	105.57	101.42
2	C	222	GAR	C1-C2-C3	2.18	105.56	101.42
2	B	222	GAR	C1-C2-C3	2.17	105.55	101.42
2	B	222	GAR	O18-P15-O12	2.14	112.42	106.73
2	A	222	GAR	O18-P15-O12	2.12	112.37	106.73
2	C	222	GAR	O18-P15-O12	2.12	112.37	106.73
2	D	222	GAR	O18-P15-O12	2.11	112.34	106.73

There are no chirality outliers.

All (32) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	222	GAR	N19-C21-C23-N24
3	D	225	DZF	CT-CA-N-C
2	A	222	GAR	N19-C21-C23-N24
3	A	225	DZF	CT-CA-N-C
3	C	225	DZF	CT-CA-N-C
2	B	222	GAR	N19-C21-C23-N24
2	D	222	GAR	N19-C21-C23-N24
3	B	225	DZF	CT-CA-N-C
2	C	222	GAR	O22-C21-C23-N24
2	A	222	GAR	O22-C21-C23-N24
2	B	222	GAR	O22-C21-C23-N24
2	D	222	GAR	O22-C21-C23-N24
3	D	225	DZF	C6-C9-N10-C14
3	A	225	DZF	C6-C9-N10-C14
3	C	225	DZF	C6-C9-N10-C14
3	B	225	DZF	C6-C9-N10-C14
2	C	222	GAR	C10-O12-P15-O16
2	A	222	GAR	C10-O12-P15-O16
2	B	222	GAR	C10-O12-P15-O16
2	D	222	GAR	C10-O12-P15-O16
3	D	225	DZF	CB-CA-N-C
3	A	225	DZF	CB-CA-N-C
3	C	225	DZF	CB-CA-N-C
3	B	225	DZF	CB-CA-N-C
3	D	225	DZF	CA-CB-CG-CD
3	A	225	DZF	CA-CB-CG-CD
3	C	225	DZF	CA-CB-CG-CD
3	B	225	DZF	CA-CB-CG-CD

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
2	C	222	GAR	O12-C10-C5-O4
2	A	222	GAR	O12-C10-C5-O4
2	B	222	GAR	O12-C10-C5-O4
2	D	222	GAR	O12-C10-C5-O4



There are no ring outliers.

8 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	222	GAR	1	0
3	D	225	DZF	1	0
2	A	222	GAR	1	0
3	A	225	DZF	1	0
3	C	225	DZF	1	0
2	B	222	GAR	1	0
2	D	222	GAR	1	0
3	B	225	DZF	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.








Ligand DZF C 225



Ligand GAR B 222





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	209/212 (98%)	-0.24	6 (2%) 51 55	2, 19, 59, 86	0
1	B	209/212 (98%)	-0.18	10 (4%) 30 32	2, 19, 59, 86	0
1	C	209/212 (98%)	-0.20	9 (4%) 35 38	2, 19, 59, 86	0
1	D	209/212 (98%)	-0.34	4 (1%) 66 69	2, 19, 59, 86	0
All	All	836/848 (98%)	-0.24	29 (3%) 44 47	2, 20, 60, 86	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	60	ALA	10.6
1	C	59	SER	6.0
1	C	62	ASP	5.8
1	B	62	ASP	5.8
1	C	192	HIS	4.9
1	C	60	ALA	4.7
1	B	61	PHE	4.2
1	B	193	GLU	4.1
1	A	161	SER	3.8
1	D	193	GLU	3.6
1	B	157	PHE	3.5
1	A	193	GLU	3.4
1	C	61	PHE	3.2
1	C	193	GLU	3.1
1	B	59	SER	3.1
1	A	157	PHE	2.9
1	B	159	GLY	2.8
1	B	194	ASN	2.8
1	D	157	PHE	2.5
1	C	159	GLY	2.5
1	A	39	ASP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	192	HIS	2.4
1	B	158	ALA	2.4
1	C	130	GLU	2.4
1	D	192	HIS	2.3
1	C	194	ASN	2.3
1	B	163	ASP	2.2
1	A	61	PHE	2.1
1	D	208	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	DZF	D	225	32/32	0.90	0.19	13,56,102,106	0
3	DZF	C	225	32/32	0.90	0.20	13,56,102,106	0
3	DZF	B	225	32/32	0.90	0.18	13,56,102,106	0
2	GAR	B	222	18/18	0.91	0.15	16,23,36,44	0
3	DZF	A	225	32/32	0.92	0.17	13,56,102,106	0
2	GAR	A	222	18/18	0.92	0.17	16,23,36,44	0
2	GAR	C	222	18/18	0.95	0.13	16,23,36,44	0
2	GAR	D	222	18/18	0.96	0.10	16,23,36,44	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around DZF D 225:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DZF C 225:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DZF B 225:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GAR B 222:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DZF A 225:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GAR A 222:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GAR C 222:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GAR D 222:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers

There are no such residues in this entry.