



## Full wwPDB EM Validation Report ⓘ

Nov 6, 2022 – 02:21 PM EST

PDB ID : 6CET  
EMDB ID : EMD-7465  
Title : Cryo-EM structure of GATOR1  
Authors : Shen, K.; Huang, R.K.; Brignole, E.J.; Yu, Z.; Sabatini, D.M.  
Deposited on : 2018-02-12  
Resolution : 4.40 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 4.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	N	380	
2	M	569	
3	D	1603	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 14012 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GATOR complex protein NPRL2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	N	321	Total	C	N	O	S	0	0
			2579	1655	422	484	18		

- Molecule 2 is a protein called GATOR complex protein NPRL3.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	M	519	Total	C	N	O	S	0	0
			4084	2583	721	759	21		


- Molecule 3 is a protein called GATOR complex protein DEPDC5.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	D	901	Total	C	N	O	S	0	0
			7349	4737	1228	1344	40		


### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: GATOR complex protein NPRL2



- Molecule 2: GATOR complex protein NPRL3







## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	309773	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	55	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.213	Depositor
Minimum map value	-0.121	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.009	Depositor
Recommended contour level	0.045	Depositor
Map size (Å)	270.0, 270.0, 270.0	wwPDB
Map dimensions	200, 200, 200	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.35, 1.35, 1.35	Depositor

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	N	0.35	0/2629	0.72	3/3559 (0.1%)
2	M	0.34	0/4169	0.78	5/5656 (0.1%)
3	D	0.39	0/7538	0.73	8/10222 (0.1%)
All	All	0.37	0/14336	0.74	16/19437 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	N	0	1
2	M	0	8
3	D	0	12
All	All	0	21

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	N	265	LEU	CA-CB-CG	7.17	131.79	115.30
3	D	58	LEU	CA-CB-CG	7.06	131.54	115.30
1	N	128	LEU	CA-CB-CG	6.94	131.26	115.30
3	D	1200	LEU	CA-CB-CG	6.38	129.99	115.30
2	M	406	LEU	CA-CB-CG	5.92	128.91	115.30
2	M	381	LEU	CA-CB-CG	5.91	128.89	115.30
3	D	297	ASP	CB-CG-OD1	5.91	123.62	118.30
3	D	62	LEU	CA-CB-CG	5.90	128.87	115.30
1	N	254	LEU	CA-CB-CG	5.49	127.93	115.30
3	D	835	LEU	CA-CB-CG	5.36	127.62	115.30
2	M	195	LEU	CA-CB-CG	5.26	127.41	115.30
3	D	144	LEU	CA-CB-CG	5.26	127.40	115.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	23	LEU	CA-CB-CG	5.14	127.11	115.30
3	D	1415	LEU	CA-CB-CG	5.08	126.98	115.30
2	M	69	LEU	CA-CB-CG	5.07	126.96	115.30
3	D	99	LEU	CA-CB-CG	5.05	126.92	115.30

There are no chirality outliers.

All (21) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	D	1375	HIS	Peptide
3	D	1414	PHE	Peptide
3	D	1492	PHE	Peptide
3	D	1583	ARG	Peptide
3	D	258	VAL	Peptide
3	D	376	ALA	Peptide
3	D	414	LEU	Peptide
3	D	43	HIS	Peptide
3	D	827	PRO	Peptide
3	D	828	PRO	Peptide
3	D	868	LYS	Peptide
3	D	87	VAL	Peptide
2	M	154	GLN	Peptide
2	M	175	ASP	Peptide
2	M	219	LEU	Peptide
2	M	379	ASN	Peptide
2	M	471	LEU	Peptide
2	M	506	ASN	Peptide
2	M	552	VAL	Peptide
2	M	567	LEU	Peptide
1	N	83	PHE	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	N	2579	0	2603	47	0
2	M	4084	0	4086	82	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	7349	0	7185	116	0
All	All	14012	0	13874	235	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (235) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:N:75:LYS:O	1:N:81:LEU:HB3	1.63	0.98
3:D:122:VAL:O	3:D:157:SER:HA	1.65	0.97
2:M:452:SER:O	2:M:455:ASP:HA	1.65	0.96
3:D:1194:LEU:O	3:D:1204:CYS:HB3	1.69	0.92
3:D:872:VAL:HA	3:D:993:LEU:O	1.77	0.84
3:D:101:GLU:HB3	3:D:142:GLY:O	1.77	0.84
3:D:240:ALA:O	3:D:248:GLY:HA2	1.78	0.83
3:D:343:PHE:O	3:D:380:PHE:HA	1.86	0.76
2:M:33:GLU:HG3	2:M:35:PRO:HD3	1.70	0.73
3:D:1481:GLY:HA2	3:D:1486:LYS:HA	1.72	0.71
3:D:1425:ALA:H	3:D:1436:ARG:HH12	1.39	0.71
3:D:117:LEU:O	3:D:121:LEU:HB2	1.91	0.70
3:D:772:GLU:HA	3:D:855:SER:O	1.94	0.68
1:N:171:GLU:HB3	2:M:518:HIS:HE2	1.61	0.66
2:M:246:GLU:HA	2:M:249:GLU:HG2	1.78	0.65
2:M:380:PRO:HG2	2:M:383:PRO:HD3	1.78	0.65
2:M:83:LYS:HB3	2:M:95:GLY:O	1.98	0.64
3:D:731:PRO:HG2	3:D:734:PRO:HD3	1.79	0.64
3:D:1576:PHE:O	3:D:1580:CYS:HB2	1.97	0.64
2:M:477:PRO:HA	2:M:480:GLN:HB2	1.81	0.63
2:M:538:SER:O	2:M:542:MET:HB2	1.98	0.63
2:M:421:PRO:O	2:M:424:ARG:NH1	2.32	0.63
3:D:173:ILE:HG22	3:D:334:VAL:HB	1.80	0.63
3:D:1373:TYR:HB2	3:D:1387:LYS:HB2	1.80	0.63
3:D:38:ILE:N	3:D:56:LYS:O	2.32	0.62
2:M:308:GLN:NE2	2:M:309:VAL:O	2.32	0.62
3:D:874:ARG:HG2	3:D:995:ARG:HG2	1.79	0.62
2:M:548:ARG:HA	2:M:551:LEU:HB2	1.82	0.61
2:M:45:ARG:HE	2:M:167:ALA:HB1	1.65	0.61
1:N:171:GLU:OE1	2:M:518:HIS:NE2	2.33	0.61
3:D:1490:SER:OG	3:D:1501:GLN:NE2	2.34	0.61
3:D:277:LEU:O	3:D:281:TYR:HB2	1.99	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:1299:VAL:HB	3:D:1384:PHE:HB3	1.83	0.60
3:D:253:ASP:OD2	3:D:838:ARG:NH2	2.34	0.60
2:M:422:ARG:O	2:M:424:ARG:NH1	2.36	0.59
1:N:62:LYS:NZ	2:M:82:GLN:OE1	2.35	0.59
2:M:6:SER:O	2:M:45:ARG:NH1	2.35	0.59
2:M:308:GLN:NE2	2:M:431:THR:O	2.33	0.59
2:M:384:ALA:HB1	2:M:395:VAL:HG11	1.84	0.59
1:N:204:ARG:HD3	1:N:207:GLN:H	1.67	0.59
2:M:22:LEU:HA	2:M:29:GLN:O	2.03	0.59
1:N:279:ARG:HH21	1:N:283:GLN:HG3	1.69	0.58
1:N:71:ILE:O	1:N:84:ASN:ND2	2.35	0.58
1:N:144:ARG:HA	1:N:157:LEU:O	2.02	0.58
1:N:54:LEU:HG	1:N:57:VAL:HG21	1.85	0.58
3:D:39:VAL:HG21	3:D:59:LYS:HB3	1.84	0.58
2:M:4:ASN:OD1	2:M:174:GLN:NE2	2.37	0.58
3:D:756:THR:HG22	3:D:994:ASN:HB3	1.86	0.57
1:N:128:LEU:HA	1:N:131:ILE:HD12	1.85	0.57
2:M:547:PHE:HB2	2:M:550:VAL:HG12	1.87	0.57
2:M:71:THR:HA	2:M:74:ALA:HB3	1.86	0.57
2:M:311:GLN:NE2	2:M:312:LEU:O	2.38	0.56
3:D:361:GLY:H	3:D:753:LEU:HD11	1.69	0.56
3:D:143:GLU:OE2	3:D:145:TRP:NE1	2.38	0.56
3:D:144:LEU:H	3:D:150:LYS:HE3	1.71	0.56
3:D:215:GLU:OE2	3:D:263:ARG:NH2	2.39	0.56
2:M:534:ASN:HD22	2:M:540:LEU:HB3	1.71	0.55
2:M:80:CYS:SG	2:M:81:GLY:N	2.80	0.55
3:D:861:HIS:HB3	3:D:878:LYS:HB2	1.88	0.55
2:M:342:VAL:O	2:M:346:SER:N	2.35	0.55
3:D:738:CYS:SG	3:D:739:THR:N	2.80	0.55
3:D:48:TYR:HB3	3:D:50:PRO:HD2	1.89	0.55
1:N:177:PHE:HD1	1:N:232:VAL:HG22	1.71	0.55
2:M:185:GLU:HB3	2:M:422:ARG:H	1.72	0.54
3:D:1094:MET:SD	3:D:1101:ARG:NH1	2.80	0.54
3:D:1500:PRO:HG2	3:D:1513:LEU:HB2	1.89	0.54
1:N:364:GLU:O	1:N:368:ARG:CB	2.55	0.54
3:D:808:MET:SD	3:D:808:MET:N	2.80	0.54
3:D:105:LYS:NZ	3:D:211:ASN:O	2.40	0.54
1:N:39:THR:OG1	1:N:40:VAL:N	2.41	0.54
1:N:205:HIS:HA	1:N:208:LYS:HG2	1.90	0.54
2:M:212:CYS:SG	2:M:213:THR:N	2.81	0.54
3:D:1483:VAL:HG22	3:D:1484:GLN:HG2	1.90	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:N:58:THR:O	2:M:87:LYS:O	2.25	0.54
2:M:23:LEU:HG	2:M:29:GLN:H	1.72	0.54
3:D:1087:ARG:HH12	3:D:1359:ASP:H	1.55	0.53
1:N:188:GLN:HG2	3:D:423:ILE:HD12	1.90	0.53
2:M:56:ASP:OD2	2:M:58:GLN:NE2	2.41	0.53
2:M:152:VAL:HG21	2:M:230:CYS:H	1.72	0.53
3:D:169:ALA:O	3:D:214:HIS:HA	2.07	0.53
1:N:119:VAL:O	1:N:125:LYS:NZ	2.35	0.53
3:D:1184:MET:HG2	3:D:1185:LYS:HD3	1.91	0.53
3:D:93:LYS:NZ	3:D:95:VAL:O	2.40	0.53
2:M:385:VAL:HG12	2:M:392:GLN:HE22	1.74	0.53
2:M:397:MET:O	2:M:400:ARG:NH1	2.42	0.52
3:D:225:PHE:HE2	3:D:298:ASN:HB3	1.74	0.52
1:N:186:ASN:O	1:N:194:GLN:NE2	2.42	0.52
1:N:215:VAL:HA	3:D:733:VAL:HG21	1.91	0.52
2:M:246:GLU:O	2:M:250:ARG:HB2	2.10	0.52
3:D:727:LEU:HG	3:D:729:ALA:H	1.75	0.52
3:D:1375:HIS:HE1	3:D:1384:PHE:HA	1.75	0.52
2:M:22:LEU:HG	2:M:30:ARG:HA	1.91	0.51
3:D:1351:GLN:HG2	3:D:1493:ASN:HD21	1.76	0.51
3:D:1308:ILE:O	3:D:1312:LEU:HB2	2.11	0.51
3:D:263:ARG:NH1	3:D:327:ASP:OD2	2.37	0.51
3:D:1309:PRO:HA	3:D:1312:LEU:HB3	1.93	0.51
2:M:141:CYS:O	2:M:145:LEU:HB2	2.11	0.50
3:D:1308:ILE:HG22	3:D:1312:LEU:HD22	1.93	0.50
1:N:5:CYS:SG	1:N:6:ARG:N	2.84	0.50
3:D:165:ARG:HG2	3:D:751:ALA:HA	1.93	0.50
3:D:196:VAL:O	3:D:200:LEU:HB2	2.12	0.50
1:N:364:GLU:O	1:N:368:ARG:HB2	2.11	0.50
3:D:1433:ASP:HB3	3:D:1435:LEU:HD23	1.94	0.50
3:D:99:LEU:HD11	3:D:145:TRP:HD1	1.77	0.49
1:N:207:GLN:HE21	1:N:326:LEU:HA	1.76	0.49
2:M:363:SER:OG	2:M:364:VAL:N	2.45	0.49
3:D:807:LEU:HB3	3:D:810:GLY:HA3	1.94	0.49
3:D:100:VAL:HG23	3:D:144:LEU:HB3	1.94	0.49
3:D:327:ASP:OD1	3:D:327:ASP:N	2.45	0.49
3:D:312:LEU:HD23	3:D:838:ARG:HH12	1.77	0.49
2:M:120:THR:OG1	2:M:156:GLU:OE2	2.31	0.48
1:N:38:ASP:OD1	1:N:38:ASP:N	2.45	0.48
2:M:535:THR:HG22	2:M:536:ARG:HH21	1.78	0.48
3:D:1479:ARG:HH12	3:D:1483:VAL:HB	1.77	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:N:63:LYS:HD3	1:N:65:ILE:H	1.78	0.48
2:M:59:ASP:N	2:M:59:ASP:OD1	2.46	0.48
3:D:1424:PHE:HA	3:D:1436:ARG:HH22	1.77	0.48
2:M:175:ASP:OD1	2:M:175:ASP:N	2.46	0.48
1:N:145:CYS:O	1:N:156:HIS:HA	2.14	0.48
2:M:12:LEU:HG	2:M:72:ILE:HG22	1.96	0.48
3:D:342:VAL:HG22	3:D:379:LEU:HD21	1.95	0.48
3:D:97:LEU:HD13	3:D:144:LEU:HD12	1.96	0.47
3:D:59:LYS:HD2	3:D:90:VAL:HG21	1.95	0.47
3:D:1393:VAL:HG12	3:D:1394:THR:H	1.80	0.47
2:M:379:ASN:O	2:M:409:TYR:OH	2.32	0.47
3:D:317:PHE:O	3:D:320:HIS:ND1	2.45	0.47
3:D:1504:HIS:HB2	3:D:1509:VAL:HG23	1.97	0.47
2:M:50:ASN:HB2	2:M:52:GLY:O	2.14	0.47
2:M:440:SER:H	2:M:511:ARG:HH21	1.61	0.47
3:D:799:PHE:HA	3:D:802:PHE:HB3	1.97	0.47
3:D:1415:LEU:HD22	3:D:1416:LEU:H	1.80	0.47
3:D:865:LEU:HB2	3:D:874:ARG:HB2	1.96	0.47
3:D:171:VAL:HG11	3:D:207:TRP:HH2	1.80	0.46
3:D:988:ARG:HG2	3:D:992:GLY:HA3	1.97	0.46
3:D:989:PHE:HB3	3:D:1293:TRP:HH2	1.80	0.46
3:D:73:VAL:HG13	3:D:78:ARG:HA	1.98	0.46
3:D:774:CYS:HA	3:D:857:GLY:O	2.15	0.46
1:N:43:TYR:O	1:N:47:LYS:HB3	2.14	0.46
2:M:182:ASP:O	2:M:256:ARG:NH2	2.48	0.46
3:D:43:HIS:NE2	3:D:54:GLN:OE1	2.37	0.46
1:N:58:THR:O	2:M:87:LYS:C	2.54	0.46
3:D:1393:VAL:HG12	3:D:1394:THR:HG23	1.98	0.46
1:N:101:ILE:HG23	1:N:157:LEU:HD12	1.98	0.46
2:M:205:LYS:HA	2:M:208:TYR:CE1	2.51	0.46
3:D:243:ARG:HB3	3:D:385:ARG:HA	1.97	0.45
3:D:97:LEU:HD11	3:D:154:GLY:HA3	1.97	0.45
3:D:861:HIS:HA	3:D:878:LYS:HD2	1.97	0.45
3:D:1248:TRP:HD1	3:D:1249:ARG:HG2	1.82	0.45
3:D:1240:ILE:HG13	3:D:1242:HIS:H	1.81	0.45
1:N:209:ILE:HA	1:N:213:ALA:HB3	1.98	0.45
2:M:451:THR:HA	2:M:455:ASP:O	2.17	0.45
1:N:193:THR:HA	1:N:196:ILE:HG12	1.99	0.45
3:D:814:ILE:HG23	3:D:816:GLN:HE22	1.81	0.45
2:M:523:ARG:NH2	2:M:525:HIS:HB3	2.32	0.45
3:D:102:LEU:HD13	3:D:139:ALA:HB1	1.99	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:168:SER:HA	3:D:213:SER:O	2.17	0.44
3:D:103:THR:HA	3:D:165:ARG:O	2.17	0.44
3:D:224:THR:OG1	3:D:227:ASP:OD2	2.29	0.44
3:D:406:SER:HB2	3:D:742:VAL:HA	1.99	0.44
1:N:70:CYS:SG	1:N:84:ASN:ND2	2.82	0.44
2:M:66:ASP:OD1	2:M:66:ASP:N	2.49	0.44
3:D:53:LEU:HD21	3:D:154:GLY:HA2	2.00	0.44
3:D:1565:ASP:HB3	3:D:1567:LYS:HE3	2.00	0.44
3:D:173:ILE:HA	3:D:334:VAL:O	2.17	0.44
3:D:1309:PRO:HB3	3:D:1314:PRO:HG2	1.99	0.44
3:D:1424:PHE:HB3	3:D:1438:GLN:HE22	1.83	0.43
3:D:1557:THR:HG23	3:D:1558:TRP:CD1	2.53	0.43
1:N:260:LEU:HD11	1:N:354:ILE:HD13	2.00	0.43
2:M:490:LEU:HD23	2:M:493:HIS:HB2	2.00	0.43
3:D:809:GLN:HG3	3:D:812:GLN:HG2	2.00	0.43
1:N:119:VAL:HB	1:N:125:LYS:HE3	2.00	0.43
2:M:523:ARG:HH21	2:M:526:LEU:HD23	1.83	0.43
1:N:207:GLN:O	1:N:211:ALA:CB	2.67	0.43
3:D:254:PHE:HD2	3:D:285:VAL:HG22	1.84	0.43
3:D:814:ILE:O	3:D:816:GLN:NE2	2.51	0.43
1:N:9:CYS:HB2	1:N:88:VAL:HG13	2.01	0.43
1:N:282:PHE:N	2:M:405:GLN:HE22	2.17	0.43
2:M:87:LYS:HD2	2:M:88:ILE:HG23	2.01	0.43
2:M:356:PHE:CG	2:M:357:PRO:HD3	2.54	0.43
3:D:117:LEU:O	3:D:121:LEU:CB	2.64	0.43
1:N:242:SER:HB2	1:N:273:HIS:HA	2.01	0.43
3:D:193:GLU:O	3:D:197:ASN:CB	2.66	0.43
3:D:380:PHE:HE2	3:D:400:PRO:HG3	1.83	0.43
1:N:147:LEU:HD22	1:N:148:PRO:HD2	2.00	0.42
1:N:149:ILE:HD12	1:N:150:ASP:HB2	2.01	0.42
3:D:193:GLU:O	3:D:197:ASN:HB3	2.18	0.42
2:M:316:LEU:HD12	2:M:318:TYR:HB2	2.02	0.42
2:M:391:ILE:HA	2:M:394:VAL:HB	2.00	0.42
3:D:72:THR:HA	3:D:75:GLN:HB2	2.00	0.42
3:D:1375:HIS:CE1	3:D:1385:GLU:H	2.37	0.42
1:N:61:GLU:HG2	2:M:85:GLU:HG2	2.01	0.42
3:D:382:LEU:HD21	3:D:398:ASN:HD22	1.84	0.42
1:N:199:TYR:CZ	1:N:202:GLY:HA3	2.54	0.42
2:M:276:ILE:H	2:M:276:ILE:HG13	1.65	0.42
3:D:113:ASP:HA	3:D:116:ARG:HG2	2.01	0.42
2:M:32:GLN:HE22	2:M:117:GLU:HG2	1.85	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:63:ARG:H	2:M:63:ARG:HD3	1.85	0.42
2:M:256:ARG:HB3	2:M:259:HIS:CD2	2.54	0.42
2:M:397:MET:HG3	2:M:400:ARG:NH2	2.35	0.42
3:D:843:ARG:HH12	3:D:846:PRO:HD2	1.84	0.42
3:D:316:VAL:HG22	3:D:1434:PRO:HD2	2.02	0.42
1:N:322:LEU:HG	1:N:325:ARG:HH22	1.85	0.42
2:M:249:GLU:O	2:M:253:LYS:HG2	2.20	0.42
2:M:309:VAL:HG22	2:M:432:ALA:HA	2.02	0.42
2:M:432:ALA:N	2:M:481:ARG:HH22	2.18	0.41
2:M:451:THR:HG21	2:M:512:MET:HG3	2.01	0.41
1:N:239:LEU:HG	1:N:323:ILE:HG12	2.02	0.41
2:M:6:SER:HB2	2:M:170:ILE:HG21	2.02	0.41
3:D:99:LEU:O	3:D:144:LEU:HA	2.20	0.41
3:D:417:ASN:OD1	3:D:417:ASN:N	2.53	0.41
1:N:25:TYR:HE2	1:N:125:LYS:HB3	1.85	0.41
1:N:27:VAL:HG21	1:N:132:MET:HB3	2.00	0.41
2:M:388:THR:HA	2:M:391:ILE:HB	2.01	0.41
2:M:419:GLU:H	2:M:419:GLU:HG3	1.59	0.41
3:D:344:GLU:HA	3:D:381:LYS:O	2.19	0.41
3:D:826:VAL:HA	3:D:827:PRO:HD3	1.93	0.41
3:D:1365:ASP:OD1	3:D:1366:ARG:N	2.53	0.41
3:D:243:ARG:HD2	3:D:385:ARG:HA	2.01	0.41
3:D:1587:LEU:HD23	3:D:1590:PHE:HD2	1.85	0.41
2:M:47:ALA:HA	2:M:55:ALA:HA	2.02	0.41
3:D:843:ARG:NH2	3:D:844:ASN:O	2.54	0.41
3:D:1425:ALA:HB1	3:D:1429:TYR:CD2	2.55	0.41
1:N:148:PRO:HA	1:N:154:THR:HA	2.02	0.41
2:M:29:GLN:HA	2:M:35:PRO:HD2	2.03	0.41
2:M:181:ALA:HB2	2:M:282:LEU:HD11	2.03	0.41
3:D:870:ILE:HD12	3:D:870:ILE:HA	1.93	0.41
2:M:318:TYR:OH	2:M:376:GLU:OE2	2.27	0.40
2:M:249:GLU:HB2	2:M:253:LYS:HE3	2.04	0.40
2:M:311:GLN:HE22	2:M:408:THR:HB	1.86	0.40
2:M:378:ARG:HG3	2:M:380:PRO:HD2	2.04	0.40
3:D:343:PHE:HB2	3:D:380:PHE:CE1	2.56	0.40
1:N:172:TYR:HD1	2:M:515:ARG:HH12	1.69	0.40
2:M:77:SER:OG	2:M:78:GLU:N	2.54	0.40
2:M:222:ASN:HD21	2:M:227:VAL:HG22	1.86	0.40
3:D:218:VAL:HB	3:D:258:VAL:HG23	2.04	0.40

There are no symmetry-related clashes.



## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	N	313/380 (82%)	268 (86%)	45 (14%)	0	100	100
2	M	507/569 (89%)	382 (75%)	123 (24%)	2 (0%)	34	72
3	D	879/1603 (55%)	711 (81%)	166 (19%)	2 (0%)	47	81
All	All	1699/2552 (67%)	1361 (80%)	334 (20%)	4 (0%)	50	81

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	D	289	GLN
3	D	267	TRP
2	M	196	PRO
2	M	553	VAL

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	N	296/351 (84%)	292 (99%)	4 (1%)	67	81
2	M	456/504 (90%)	441 (97%)	15 (3%)	38	61
3	D	809/1412 (57%)	788 (97%)	21 (3%)	46	67
All	All	1561/2267 (69%)	1521 (97%)	40 (3%)	49	67

All (40) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	N	78	ARG
1	N	84	ASN
1	N	204	ARG
1	N	218	ASN
2	M	63	ARG
2	M	79	MET
2	M	116	ARG
2	M	148	ARG
2	M	158	ARG
2	M	361	LEU
2	M	390	LEU
2	M	400	ARG
2	M	419	GLU
2	M	481	ARG
2	M	495	ARG
2	M	505	GLN
2	M	511	ARG
2	M	530	MET
2	M	548	ARG
3	D	80	ARG
3	D	197	ASN
3	D	243	ARG
3	D	261	ASN
3	D	311	ASN
3	D	315	ASN
3	D	366	LEU
3	D	385	ARG
3	D	422	ARG
3	D	808	MET
3	D	828	PRO
3	D	856	MET
3	D	974	ARG
3	D	995	ARG
3	D	1358	VAL
3	D	1366	ARG
3	D	1509	VAL
3	D	1551	ASN
3	D	1556	LYS
3	D	1567	LYS
3	D	1574	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	N	84	ASN
1	N	153	ASN
1	N	207	GLN
1	N	218	ASN
2	M	29	GLN
2	M	96	HIS
2	M	174	GLN
3	D	197	ASN
3	D	261	ASN
3	D	303	GLN
3	D	311	ASN
3	D	315	ASN
3	D	981	GLN
3	D	1212	HIS
3	D	1501	GLN
3	D	1551	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-7465. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 100



Y Index: 100




Z Index: 100


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 107



Y Index: 109



Z Index: 126

The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)


### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.045. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 196 nm<sup>3</sup>; this corresponds to an approximate mass of 177 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ



\*Reported resolution corresponds to spatial frequency of 0.227 Å<sup>-1</sup>




## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-7465 and PDB model 6CET. Per-residue inclusion information can be found in [section 3](#) on [page 4](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.045 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.045).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 90% of all backbone atoms, 82% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.045) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.8189	<div></div> 0.3180
D	<div></div> 0.8320	<div></div> 0.3330
M	<div></div> 0.7725	<div></div> 0.2800
N	<div></div> 0.8551	<div></div> 0.3370

