



# Full wwPDB X-ray Structure Validation Report ⓘ

Jul 27, 2021 – 12:05 AM EDT

PDB ID : 3CF6  
Title : Structure of Epac2 in complex with cyclic-AMP and Rap  
Authors : Rehmann, H.; Arias-Palomo, E.; Hadders, M.A.; Schwede, F.; Llorca, O.; Bos, J.L.  
Deposited on : 2008-03-02  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.22  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.22


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	E	694	
2	R	167	

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6561 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Rap guanine nucleotide exchange factor (GEF) 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	E	627	Total	C	N	O	S	0	0	0
			5052	3222	871	928	31			


There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	300	GLY	-	expression tag	UNP A2ASW3
E	301	SER	-	expression tag	UNP A2ASW3
E	302	PRO	-	expression tag	UNP A2ASW3
E	303	GLU	-	expression tag	UNP A2ASW3
E	304	SER	-	expression tag	UNP A2ASW3
E	305	PHE	-	expression tag	UNP A2ASW3

- Molecule 2 is a protein called Ras-related protein Rap-1b.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	R	150	Total	C	N	O	S	0	0	0
			1186	748	196	236	6			

- Molecule 3 is 6-(6-AMINO-PURIN-9-YL)-2-THIOXO-TETRAHYDRO-2-FURO[3,2-D][1,3,2]DIOXAPHOSPHININE-2,7-DIOL (three-letter code: SP1) (formula: C<sub>10</sub>H<sub>12</sub>N<sub>5</sub>O<sub>5</sub>PS).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	E	1	Total	C	N	O	P	S	0	0
			22	10	5	5	1	1		
3	E	1	Total	C	N	O	P	S	0	0
			22	10	5	5	1	1		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	R	1	Total	O	S	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	E	251	Total 251	O 251	0	0
5	R	23	Total 23	O 23	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Rap guanine nucleotide exchange factor (GEF) 4



- Molecule 2: Ras-related protein Rap-1b



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	125.37Å 149.03Å 225.29Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.56 – 2.20 48.57 – 2.20	Depositor EDS
% Data completeness (in resolution range)	95.6 (48.56-2.20) 99.1 (48.57-2.20)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.47 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.243 , 0.265 0.242 , 0.264	Depositor DCC
$R_{free}$ test set	5214 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	42.8	Xtriage
Anisotropy	0.260	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 38.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	6561	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.59% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, SP1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	E	0.59	0/5152	0.68	0/6963
2	R	0.62	1/1198 (0.1%)	0.72	0/1610
All	All	0.60	1/6350 (0.0%)	0.69	0/8573

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	R	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	R	102	ARG	C-N	5.21	1.46	1.34

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	R	86	ALA	Peptide

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	5052	0	5081	53	0
2	R	1186	0	1180	35	0
3	E	44	0	22	0	0
4	R	5	0	0	1	0
5	E	251	0	0	2	0
5	R	23	0	0	1	0
All	All	6561	0	6283	83	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (83) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:R:14:VAL:CG2	2:R:89:THR:HG21	1.92	0.99
1:E:766:ASP:OD1	1:E:801:ARG:HD3	1.71	0.90
1:E:774:HIS:HD2	1:E:776:LEU:H	1.18	0.90
1:E:456:VAL:HG13	1:E:489:LYS:HG2	1.57	0.86
2:R:87:GLN:HG3	2:R:88:SER:H	1.40	0.84
2:R:87:GLN:CG	2:R:88:SER:H	1.91	0.82
2:R:101:LEU:O	2:R:102:ARG:HB2	1.82	0.79
1:E:380:LEU:HD11	1:E:428:LEU:HD13	1.66	0.77
1:E:369:GLN:HE22	1:E:389:TYR:H	1.36	0.73
2:R:63:GLN:HG2	5:R:176:HOH:O	1.89	0.71
1:E:344:THR:O	1:E:348:ARG:HG2	1.92	0.69
1:E:887:ASN:CG	1:E:892:ARG:HH12	1.96	0.69
1:E:815:LEU:HD23	1:E:984:MET:HE3	1.75	0.68
2:R:14:VAL:HG21	2:R:89:THR:HG21	1.71	0.67
1:E:747:VAL:O	1:E:751:GLU:HB2	1.94	0.67
1:E:815:LEU:HD23	1:E:984:MET:CE	2.25	0.66
1:E:782:THR:OG1	1:E:913:MET:HG2	1.96	0.66
1:E:887:ASN:CG	1:E:892:ARG:NH1	2.49	0.66
1:E:905:PHE:HZ	2:R:67:MET:HE1	1.60	0.65
5:E:1128:HOH:O	2:R:65:THR:HG22	1.98	0.63
1:E:313:ILE:HG22	1:E:329:ILE:HD11	1.82	0.61
2:R:87:GLN:CG	2:R:88:SER:N	2.62	0.61
2:R:84:ILE:HG22	2:R:126:VAL:O	2.01	0.60
1:E:900:PRO:O	1:E:902:LEU:N	2.34	0.60
2:R:14:VAL:HG23	2:R:89:THR:HG21	1.79	0.60
2:R:87:GLN:HG3	2:R:88:SER:N	2.15	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:774:HIS:CD2	1:E:776:LEU:H	2.10	0.57
1:E:405:LYS:HE2	1:E:480:TYR:OH	2.04	0.56
1:E:818:GLN:H	1:E:818:GLN:CD	2.07	0.56
2:R:41:ARG:HG2	2:R:54:GLU:HG2	1.86	0.56
2:R:70:LEU:O	2:R:74:ASN:ND2	2.37	0.56
1:E:333:LEU:HA	1:E:336:ILE:HD12	1.88	0.55
1:E:887:ASN:OD1	1:E:892:ARG:NH1	2.40	0.55
2:R:124:ARG:NH2	2:R:145:GLU:OE1	2.39	0.55
1:E:456:VAL:HG13	1:E:489:LYS:CG	2.34	0.54
1:E:785:ARG:HG2	1:E:790:LYS:O	2.08	0.53
1:E:886:ARG:N	2:R:54:GLU:OE2	2.30	0.53
1:E:766:ASP:OD2	1:E:844:SER:OG	2.23	0.53
2:R:76:GLN:O	2:R:110:PRO:HG2	2.10	0.52
1:E:314:LEU:HB3	1:E:356:PHE:HB2	1.92	0.51
1:E:716:LEU:HD11	1:E:722:LEU:HD13	1.92	0.51
2:R:110:PRO:HB3	2:R:164:GLN:HB3	1.93	0.50
2:R:124:ARG:HH22	2:R:145:GLU:CD	2.14	0.50
2:R:84:ILE:HD11	2:R:115:GLY:O	2.11	0.50
2:R:65:THR:HG23	2:R:68:ARG:NH2	2.27	0.50
1:E:815:LEU:CD2	1:E:984:MET:CE	2.89	0.50
1:E:918:GLU:HG2	2:R:17:SER:OG	2.12	0.49
2:R:44:VAL:HG13	2:R:159:TYR:HE2	1.77	0.49
1:E:519:HIS:HD2	1:E:523:MET:O	1.95	0.49
1:E:405:LYS:NZ	1:E:445:ASN:O	2.45	0.49
2:R:14:VAL:HG21	2:R:89:THR:CG2	2.39	0.48
2:R:28:PHE:O	2:R:28:PHE:CG	2.66	0.48
1:E:769:LEU:HD23	1:E:801:ARG:HD2	1.96	0.48
2:R:82:TYR:HB3	2:R:93:LEU:HD11	1.97	0.47
1:E:815:LEU:CD2	1:E:984:MET:HE1	2.45	0.47
2:R:14:VAL:CG2	2:R:89:THR:CG2	2.80	0.47
1:E:901:PRO:HD3	1:E:949:GLN:HB2	1.97	0.47
1:E:341:HIS:CE1	1:E:443:GLU:OE2	2.69	0.45
1:E:831:LYS:O	1:E:835:HIS:HD2	2.00	0.45
1:E:905:PHE:CZ	2:R:67:MET:HE1	2.48	0.45
2:R:80:LEU:HB3	2:R:93:LEU:HD22	1.99	0.45
1:E:899:GLU:HB3	1:E:900:PRO:HD2	1.99	0.45
1:E:934:ARG:NH1	5:E:996:HOH:O	2.41	0.45
1:E:864:TRP:O	1:E:872:LYS:HE2	2.17	0.44
2:R:23:PHE:CD2	2:R:55:ILE:HD11	2.52	0.44
1:E:900:PRO:HD3	1:E:945:TYR:OH	2.18	0.44
1:E:930:PHE:O	1:E:934:ARG:HG3	2.18	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:R:158:PHE:O	2:R:162:VAL:HG23	2.17	0.44
1:E:819:LEU:O	1:E:823:VAL:HG23	2.17	0.44
1:E:869:SER:HA	1:E:872:LYS:HB2	2.00	0.43
1:E:380:LEU:HD11	1:E:428:LEU:CD1	2.44	0.43
1:E:850:MET:SD	1:E:882:MET:HE1	2.59	0.43
1:E:367:PHE:CZ	1:E:418:ILE:HG13	2.55	0.42
1:E:900:PRO:HD3	1:E:945:TYR:CZ	2.55	0.42
2:R:16:LYS:HG3	4:R:168:SO4:O3	2.19	0.41
2:R:41:ARG:HA	2:R:53:LEU:O	2.20	0.41
1:E:889:ARG:NH1	2:R:37:GLU:OE1	2.53	0.41
2:R:121:GLU:HA	2:R:124:ARG:HB2	2.03	0.41
1:E:917:HIS:HD2	1:E:932:LYS:NZ	2.18	0.41
1:E:394:VAL:HG13	1:E:451:GLU:HG2	2.03	0.41
1:E:507:ALA:O	1:E:511:VAL:HG23	2.21	0.41
1:E:746:THR:HG22	1:E:749:THR:HB	2.02	0.41
1:E:982:SER:O	1:E:986:HIS:HD2	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	619/694 (89%)	607 (98%)	11 (2%)	1 (0%)	47	55
2	R	144/167 (86%)	132 (92%)	9 (6%)	3 (2%)	7	4
All	All	763/861 (89%)	739 (97%)	20 (3%)	4 (0%)	29	31

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	900	PRO
2	R	102	ARG

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
2	R	87	GLN
2	R	157	ILE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	562/615 (91%)	528 (94%)	34 (6%)	19	22
2	R	132/147 (90%)	120 (91%)	12 (9%)	9	9
All	All	694/762 (91%)	648 (93%)	46 (7%)	16	19

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	312	MET
1	E	326	LEU
1	E	334	LEU
1	E	348	ARG
1	E	353	VAL
1	E	366	LEU
1	E	391	LYS
1	E	394	VAL
1	E	428	LEU
1	E	442	VAL
1	E	456	VAL
1	E	574	LEU
1	E	584	LEU
1	E	596	ARG
1	E	652	VAL
1	E	679	SER
1	E	691	LEU
1	E	694	VAL
1	E	696	MET
1	E	707	SER
1	E	710	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	722	LEU
1	E	728	GLU
1	E	735	PRO
1	E	738	GLU
1	E	755	SER
1	E	769	LEU
1	E	785	ARG
1	E	801	ARG
1	E	806	GLN
1	E	852	LEU
1	E	881	LEU
1	E	892	ARG
1	E	974	VAL
2	R	29	VAL
2	R	51	CYS
2	R	68	ARG
2	R	84	ILE
2	R	94	GLN
2	R	104	LYS
2	R	106	THR
2	R	107	ASP
2	R	120	LEU
2	R	134	LEU
2	R	144	LEU
2	R	160	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	369	GLN
1	E	424	ASN
1	E	519	HIS
1	E	535	HIS
1	E	539	GLN
1	E	542	GLN
1	E	604	GLN
1	E	774	HIS
1	E	835	HIS
1	E	917	HIS
1	E	983	GLN
1	E	986	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	SP1	E	2	-	22,25,25	2.10	7 (31%)	25,39,39	1.76	6 (24%)
4	SO4	R	168	-	4,4,4	0.23	0	6,6,6	1.01	0
3	SP1	E	3	-	22,25,25	2.05	4 (18%)	25,39,39	1.97	6 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SP1	E	2	-	-	0/0/31/31	0/4/4/4
3	SP1	E	3	-	-	0/0/31/31	0/4/4/4

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	2	SP1	P-O2P	6.61	1.76	1.54
3	E	3	SP1	P-O2P	5.86	1.73	1.54
3	E	3	SP1	P-S1P	4.29	2.00	1.90
3	E	3	SP1	P-O3'	4.00	1.62	1.57
3	E	2	SP1	P-O5'	3.43	1.62	1.57
3	E	3	SP1	C5-C4	2.68	1.48	1.40
3	E	2	SP1	O4'-C1'	2.62	1.44	1.41
3	E	2	SP1	C5-C4	2.51	1.47	1.40
3	E	2	SP1	P-O3'	2.29	1.60	1.57
3	E	2	SP1	P-S1P	2.20	1.95	1.90
3	E	2	SP1	O3'-C3'	-2.01	1.41	1.44

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	3	SP1	O3'-P-S1P	-5.66	107.30	115.04
3	E	2	SP1	N3-C2-N1	-3.81	122.73	128.68
3	E	2	SP1	O3'-P-S1P	-3.69	110.00	115.04
3	E	2	SP1	O5'-P-S1P	-3.58	108.98	114.06
3	E	3	SP1	O3'-C3'-C2'	3.30	118.84	115.61
3	E	3	SP1	N3-C2-N1	-3.22	123.64	128.68
3	E	3	SP1	O5'-P-S1P	-3.19	109.53	114.06
3	E	3	SP1	O2P-P-O5'	2.86	114.14	107.16
3	E	2	SP1	O2P-P-O5'	2.59	113.47	107.16
3	E	3	SP1	C4-C5-N7	-2.36	106.94	109.40
3	E	2	SP1	N6-C6-N1	2.15	123.03	118.57
3	E	2	SP1	C2-N1-C6	2.02	122.21	118.75

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	R	168	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	E	627/694 (90%)	0.09	17 (2%) 54 52	28, 43, 67, 85	0
2	R	150/167 (89%)	0.90	25 (16%) 1 1	35, 60, 86, 91	0
All	All	777/861 (90%)	0.24	42 (5%) 25 24	28, 45, 76, 91	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	900	PRO	6.5
2	R	120	LEU	4.8
2	R	125	VAL	4.7
1	E	689	GLU	4.4
1	E	686	GLY	4.1
1	E	688	GLY	4.0
2	R	4	TYR	3.9
2	R	51	CYS	3.7
2	R	52	MET	3.7
1	E	687	SER	3.5
2	R	107	ASP	3.5
1	E	478	GLN	3.5
1	E	311	ARG	3.3
2	R	105	ASP	3.3
1	E	952	ASN	3.2
2	R	108	ASP	3.2
2	R	129	GLU	3.0
2	R	127	GLY	3.0
2	R	133	ASN	2.8
1	E	312	MET	2.8
2	R	122	ASP	2.8
2	R	90	PHE	2.7
2	R	3	GLU	2.7
1	E	506	GLU	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	462	VAL	2.5
2	R	106	THR	2.5
2	R	50	GLN	2.5
2	R	131	GLY	2.5
1	E	683	ASP	2.5
2	R	113	LEU	2.4
2	R	142	ALA	2.4
2	R	128	LYS	2.3
1	E	609	GLU	2.3
2	R	132	GLN	2.3
1	E	315	ARG	2.2
2	R	84	ILE	2.2
2	R	163	ARG	2.1
1	E	865	GLU	2.1
2	R	130	GLN	2.1
1	E	502	PRO	2.1
1	E	869	SER	2.1
2	R	134	LEU	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


## 6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	SP1	E	3	22/22	0.98	0.12	32,36,39,40	0
3	SP1	E	2	22/22	0.99	0.12	27,30,34,36	0
4	SO4	R	168	5/5	0.99	0.13	34,35,37,39	0

The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.