



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 21, 2020 – 03:17 PM BST

PDB ID : 3CFE
Title : Crystal structure of purple-fluorescent antibody EP2-25C10
Authors : Debler, E.W.; Heine, A.; Wilson, I.A.
Deposited on : 2008-03-03
Resolution : 2.99 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	214	<div> <div>%</div> <div> <div></div> <div>78%</div> <div>21%</div> </div> </div>
1	L	214	<div> <div>2%</div> <div> <div></div> <div>79%</div> <div>20%</div> </div> </div>
2	B	220	<div> <div>4%</div> <div> <div></div> <div>75%</div> <div>23%</div> </div> </div>
2	H	220	<div> <div>6%</div> <div> <div></div> <div>75%</div> <div>24%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	L	303	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6677 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called PURPLE-FLUORESCENT ANTIBODY EP2-25C10-KAPPA LIGHT CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	213	Total	C	N	O	S	0	0	0
			1650	1021	279	344	6			
1	A	213	Total	C	N	O	S	0	0	0
			1650	1021	279	344	6			

- Molecule 2 is a protein called PURPLE-FLUORESCENT ANTIBODY EP2-25C10-IGG2B HEAVY CHAIN.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	219	Total	C	N	O	S	0	0	0
			1667	1046	276	338	7			
2	B	219	Total	C	N	O	S	0	0	0
			1667	1046	276	338	7			

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	L	1	Total O S 5 4 1	0	0
3	L	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	L	1	Total C O 6 3 3	0	0
4	H	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: PURPLE-FLUORESCENT ANTIBODY EP2-25C10-KAPPA LIGHT CHAIN




- Molecule 1: PURPLE-FLUORESCENT ANTIBODY EP2-25C10-KAPPA LIGHT CHAIN




- Molecule 2: PURPLE-FLUORESCENT ANTIBODY EP2-25C10-IGG2B HEAVY CHAIN



- Molecule 2: PURPLE-FLUORESCENT ANTIBODY EP2-25C10-IGG2B HEAVY CHAIN





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	132.13Å 59.46Å 149.37Å 90.00° 100.37° 90.00°	Depositor
Resolution (Å)	24.46 – 2.99 23.11 – 2.99	Depositor EDS
% Data completeness (in resolution range)	100.0 (24.46-2.99) 85.4 (23.11-2.99)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.54 (at 2.99Å)	Xtriage
Refinement program	REFMAC 5.3.0017	Depositor
R, R_{free}	0.211 , 0.255 0.215 , 0.259	Depositor DCC
R_{free} test set	960 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	43.5	Xtriage
Anisotropy	0.162	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 34.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6677	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 48.98 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.9619e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.68	0/1684	0.72	0/2288
1	L	0.70	0/1684	0.73	0/2288
2	B	0.71	0/1711	0.78	2/2341 (0.1%)
2	H	0.70	0/1711	0.77	1/2341 (0.0%)
All	All	0.70	0/6790	0.75	3/9258 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	58	ARG	NE-CZ-NH2	-6.24	117.18	120.30
2	B	58	ARG	NE-CZ-NH2	-5.97	117.32	120.30
2	B	142	CYS	CA-CB-SG	-5.48	104.13	114.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1650	0	1578	33	0
1	L	1650	0	1578	31	0
2	B	1667	0	1608	34	1
2	H	1667	0	1608	32	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	10	0	0	0	0
3	B	5	0	0	0	0
3	L	10	0	0	3	0
4	A	6	0	8	0	0
4	H	6	0	8	0	0
4	L	6	0	8	0	0
All	All	6677	0	6396	123	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:154:VAL:HG21	2:B:187:MET:CE	1.81	1.09
2:H:154:VAL:HG21	2:H:187:MET:CE	1.92	0.99
2:B:154:VAL:HG21	2:B:187:MET:HE2	1.42	0.98
2:H:154:VAL:HG21	2:H:187:MET:HE1	1.55	0.85
2:B:154:VAL:HG21	2:B:187:MET:HE1	1.58	0.83
2:H:154:VAL:HG21	2:H:187:MET:HE2	1.60	0.81
1:L:92:THR:HG23	1:L:93:THR:HG23	1.66	0.77
2:B:154:VAL:CG2	2:B:187:MET:HE2	2.15	0.75
1:L:192:TYR:O	1:L:208:SER:HB2	1.90	0.71
1:A:92:THR:HG23	1:A:93:THR:HG23	1.72	0.70
1:L:55:HIS:ND1	3:L:303:SO4:O4	2.17	0.69
1:A:131:SER:OG	1:A:180:THR:HG23	1.95	0.67
2:H:121:VAL:HG21	2:H:219:VAL:HG22	1.75	0.67
1:A:192:TYR:O	1:A:208:SER:HB2	1.96	0.66
1:A:90:GLN:OE1	1:A:92:THR:HG22	1.96	0.65
1:A:195:GLU:HG2	1:A:206:VAL:HG22	1.79	0.64
2:H:121:VAL:HG21	2:H:219:VAL:CG2	2.29	0.63
2:B:8:GLY:HA3	2:B:20:LEU:HD23	1.82	0.62
2:B:121:VAL:HG21	2:B:219:VAL:HG22	1.80	0.62
2:B:14:PRO:O	2:B:15:SER:HB3	2.00	0.62
2:B:121:VAL:HG21	2:B:219:VAL:CG2	2.31	0.61
2:H:8:GLY:HA3	2:H:20:LEU:HD23	1.83	0.59
2:H:154:VAL:CG2	2:H:187:MET:HE2	2.31	0.59
2:H:84:THR:HG22	2:H:111:VAL:O	2.01	0.59
1:L:149:LYS:HB2	1:L:193:THR:HB	1.85	0.59
2:B:212:HIS:ND1	2:B:215:SER:HB3	2.18	0.58
2:H:14:PRO:O	2:H:15:SER:HB3	2.02	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:150:ILE:HD11	1:A:179:LEU:HD21	1.86	0.58
2:B:32:ASP:O	2:B:33:TYR:HB2	2.03	0.58
1:L:195:GLU:HG2	1:L:206:VAL:HG22	1.86	0.58
1:A:149:LYS:HB2	1:A:193:THR:HB	1.86	0.57
2:B:87:THR:HG23	2:B:110:THR:HA	1.85	0.57
2:B:154:VAL:CG2	2:B:187:MET:CE	2.71	0.57
2:H:87:THR:HG23	2:H:110:THR:HA	1.86	0.57
2:H:39:GLN:O	2:H:88:ALA:HB1	2.06	0.56
1:L:150:ILE:HD11	1:L:179:LEU:HD21	1.87	0.56
1:L:90:GLN:OE1	1:L:92:THR:HG22	2.05	0.55
2:B:84:THR:HG22	2:B:111:VAL:O	2.06	0.55
1:A:170:ASP:OD1	1:A:170:ASP:C	2.46	0.54
1:L:107:LYS:HA	1:L:140:TYR:OH	2.08	0.54
1:L:24:ARG:NH1	3:L:302:SO4:O3	2.41	0.53
1:L:106:ILE:HG22	1:L:107:LYS:O	2.09	0.53
1:L:111:ALA:C	1:L:200:THR:HG21	2.29	0.53
2:H:212:HIS:ND1	2:H:215:SER:HB3	2.24	0.52
1:L:35:TRP:CZ3	1:L:88:CYS:HB3	2.44	0.52
2:B:83:THR:C	2:B:111:VAL:HG11	2.30	0.51
1:A:106:ILE:HG22	1:A:107:LYS:O	2.10	0.51
2:B:83:THR:O	2:B:111:VAL:HG11	2.11	0.51
2:H:32:ASP:O	2:H:33:TYR:HB2	2.09	0.51
2:H:140:SER:HB3	2:H:223:LEU:HD13	1.93	0.50
2:B:150:GLU:CG	2:B:151:SER:HA	2.41	0.50
2:B:16:GLN:O	2:B:82(C):VAL:HG22	2.12	0.50
2:H:83:THR:O	2:H:111:VAL:HG11	2.12	0.50
2:B:21:THR:HG21	2:B:77:GLN:NE2	2.27	0.49
2:B:72:ASP:OD1	2:B:72:ASP:C	2.50	0.49
1:L:131:SER:OG	1:L:180:THR:HG23	2.13	0.49
1:L:193:THR:HG22	1:L:194:CYS:N	2.27	0.49
1:L:61:ARG:HD2	1:L:76:SER:O	2.13	0.49
2:B:213:PRO:O	2:B:216:SER:N	2.34	0.49
1:L:55:HIS:HA	3:L:303:SO4:O4	2.13	0.48
1:A:193:THR:HG22	1:A:194:CYS:N	2.28	0.48
1:A:133:VAL:CG1	1:A:134:CYS:N	2.76	0.48
2:H:6:GLU:HA	2:H:21:THR:O	2.14	0.48
1:A:136:LEU:HD21	1:A:146:VAL:HG22	1.96	0.48
2:H:137:SER:HB2	2:H:193:VAL:O	2.14	0.47
2:H:208:CYS:O	2:H:220:ASP:HA	2.15	0.47
2:B:157:TRP:CZ3	2:B:208:CYS:HB3	2.50	0.47
1:L:136:LEU:HD21	1:L:146:VAL:HG22	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:16:GLN:O	2:H:82(C):VAL:HG22	2.15	0.47
1:A:61:ARG:HD2	1:A:76:SER:O	2.15	0.46
1:A:92:THR:HG23	1:A:93:THR:N	2.30	0.46
1:A:96:PRO:HD2	2:B:47:TRP:CE3	2.50	0.46
2:H:138:VAL:HG23	2:H:195:SER:HB3	1.98	0.46
2:B:208:CYS:O	2:B:220:ASP:HA	2.14	0.46
1:A:92:THR:CG2	1:A:93:THR:N	2.78	0.45
1:L:96:PRO:HD2	2:H:47:TRP:CE3	2.51	0.45
2:B:6:GLU:HA	2:B:21:THR:O	2.16	0.45
1:A:136:LEU:N	1:A:136:LEU:HD12	2.31	0.45
2:B:144:VAL:HB	2:B:187:MET:HG3	1.99	0.45
2:B:140:SER:HB3	2:B:223:LEU:HD13	1.97	0.45
2:H:123:PRO:HB2	2:H:223:LEU:HD23	1.99	0.45
1:L:96:PRO:HD2	2:H:47:TRP:CD2	2.51	0.45
2:H:83:THR:C	2:H:111:VAL:HG11	2.37	0.45
1:A:161:ASN:O	2:B:177:LEU:HD11	2.16	0.45
1:A:117:ILE:HD12	1:A:194:CYS:HB2	1.99	0.44
2:B:4:LEU:HD12	2:B:4:LEU:N	2.32	0.44
2:H:154:VAL:CG2	2:H:187:MET:CE	2.79	0.44
1:A:136:LEU:HD21	1:A:146:VAL:CG2	2.48	0.44
1:A:111:ALA:C	1:A:200:THR:HG21	2.38	0.44
1:L:136:LEU:N	1:L:136:LEU:HD12	2.32	0.44
1:A:96:PRO:HD2	2:B:47:TRP:CD2	2.53	0.44
1:L:170:ASP:OD1	1:L:170:ASP:C	2.56	0.44
1:L:92:THR:CG2	1:L:93:THR:N	2.81	0.43
2:H:150:GLU:CG	2:H:151:SER:HA	2.48	0.43
1:A:107:LYS:HA	1:A:140:TYR:OH	2.18	0.43
1:L:136:LEU:HD21	1:L:146:VAL:CG2	2.48	0.43
1:A:134:CYS:HB2	1:A:148:TRP:CZ2	2.53	0.43
1:L:193:THR:CG2	1:L:194:CYS:N	2.82	0.43
1:A:61:ARG:NH2	1:A:82:ASP:OD1	2.51	0.43
1:A:37:GLN:HB2	1:A:47:LEU:HD11	2.00	0.43
1:A:4:MET:SD	1:A:90:GLN:HB3	2.59	0.42
2:B:123:PRO:HB2	2:B:223:LEU:HD23	2.01	0.42
1:A:193:THR:CG2	1:A:194:CYS:N	2.82	0.42
1:A:38:GLN:O	1:A:84:ALA:HB1	2.19	0.42
1:L:18:ARG:HA	1:L:76:SER:HA	2.01	0.42
1:L:192:TYR:O	1:L:208:SER:CB	2.66	0.42
1:L:193:THR:HA	1:L:208:SER:HB3	2.02	0.42
1:L:133:VAL:CG1	1:L:134:CYS:N	2.83	0.42
2:H:157:TRP:CZ3	2:H:208:CYS:HB3	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:121:VAL:CG2	2:H:219:VAL:CG2	2.97	0.41
1:L:37:GLN:HB2	1:L:47:LEU:HD11	2.02	0.41
1:L:4:MET:SD	1:L:90:GLN:HB3	2.60	0.41
2:B:12:VAL:O	2:B:111:VAL:HA	2.19	0.41
1:L:92:THR:HG23	1:L:93:THR:N	2.35	0.41
1:A:18:ARG:HA	1:A:76:SER:HA	2.02	0.41
2:H:144:VAL:HB	2:H:187:MET:HG3	2.03	0.41
1:A:49:TYR:CE2	2:B:100(B):ARG:NH1	2.89	0.41
1:A:98:PHE:CD2	2:B:45:LEU:HD23	2.56	0.41
2:H:72:ASP:C	2:H:72:ASP:OD1	2.60	0.41
1:A:30:SER:O	1:A:31:ASN:HB2	2.21	0.40
2:H:123:PRO:O	2:H:124:LEU:HD23	2.21	0.40
2:B:3:GLN:C	2:B:4:LEU:HD12	2.42	0.40
2:H:32:ASP:OD1	2:H:33:TYR:N	2.54	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:5:GLN:NE2	2:B:196:SER:O[2_546]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	211/214 (99%)	201 (95%)	9 (4%)	1 (0%)	29	68
1	L	211/214 (99%)	201 (95%)	8 (4%)	2 (1%)	17	55
2	B	217/220 (99%)	205 (94%)	9 (4%)	3 (1%)	11	43
2	H	217/220 (99%)	203 (94%)	11 (5%)	3 (1%)	11	43
All	All	856/868 (99%)	810 (95%)	37 (4%)	9 (1%)	14	50

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	99	ASN
2	B	99	ASN
1	L	212	ASN
2	H	202	SER
1	A	212	ASN
2	B	202	SER
2	B	180	SER
1	L	83	ILE
2	H	41	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	191/192 (100%)	185 (97%)	6 (3%)	40	75
1	L	191/192 (100%)	184 (96%)	7 (4%)	34	70
2	B	193/194 (100%)	182 (94%)	11 (6%)	20	56
2	H	193/194 (100%)	181 (94%)	12 (6%)	18	52
All	All	768/772 (100%)	732 (95%)	36 (5%)	26	63

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	9	SER
1	L	108	ARG
1	L	116	SER
1	L	134	CYS
1	L	143	ASP
1	L	181	LEU
1	L	197	THR
2	H	37	LEU
2	H	43	ASN
2	H	50	TYR
2	H	68	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	71	ARG
2	H	74	SER
2	H	105	GLN
2	H	107	THR
2	H	187	MET
2	H	204	THR
2	H	215	SER
2	H	216	SER
1	A	9	SER
1	A	108	ARG
1	A	116	SER
1	A	134	CYS
1	A	181	LEU
1	A	197	THR
2	B	37	LEU
2	B	43	ASN
2	B	50	TYR
2	B	71	ARG
2	B	99	ASN
2	B	105	GLN
2	B	107	THR
2	B	187	MET
2	B	204	THR
2	B	215	SER
2	B	216	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	38	GLN
2	H	39	GLN
2	H	43	ASN
1	A	38	GLN
1	A	157	ASN
2	B	39	GLN
2	B	43	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	304	-	4,4,4	0.07	0	6,6,6	0.11	0
4	GOL	H	401	-	5,5,5	0.52	0	5,5,5	0.99	0
4	GOL	A	403	-	5,5,5	0.50	0	5,5,5	0.56	0
3	SO4	A	301	-	4,4,4	0.29	0	6,6,6	0.34	0
4	GOL	L	402	-	5,5,5	0.51	0	5,5,5	1.05	0
3	SO4	B	305	-	4,4,4	0.10	0	6,6,6	0.30	0
3	SO4	L	303	-	4,4,4	0.17	0	6,6,6	0.41	0
3	SO4	L	302	-	4,4,4	0.30	0	6,6,6	0.14	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	L	402	-	-	2/4/4/4	-
4	GOL	H	401	-	-	4/4/4/4	-
4	GOL	A	403	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	H	401	GOL	C1-C2-C3-O3
4	H	401	GOL	O2-C2-C3-O3
4	A	403	GOL	C1-C2-C3-O3
4	H	401	GOL	O1-C1-C2-C3
4	L	402	GOL	O1-C1-C2-C3
4	H	401	GOL	O1-C1-C2-O2
4	A	403	GOL	O2-C2-C3-O3
4	L	402	GOL	O1-C1-C2-O2

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	L	303	SO4	2	0
3	L	302	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	213/214 (99%)	-0.06	2 (0%) 84 63	19, 21, 23, 24	0
1	L	213/214 (99%)	0.02	5 (2%) 60 31	19, 21, 23, 24	0
2	B	219/220 (99%)	0.09	8 (3%) 41 17	18, 21, 24, 25	0
2	H	219/220 (99%)	0.16	13 (5%) 22 7	18, 21, 23, 24	0
All	All	864/868 (99%)	0.05	28 (3%) 47 20	18, 21, 23, 25	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	129	GLY	5.7
2	H	166	LEU	5.2
2	B	128	CYS	5.0
2	B	134	THR	4.9
2	H	134	THR	4.8
2	H	128	CYS	4.7
2	H	133	THR	4.6
2	H	167	SER	4.0
2	B	133	THR	3.7
1	L	109	ALA	3.6
2	H	130	ASP	3.4
2	B	167	SER	3.2
2	H	168	SER	3.2
2	B	129	GLY	3.0
2	H	227	PRO	2.9
1	A	156	GLN	2.6
2	H	198	THR	2.6
2	H	1	GLU	2.4
2	H	165	SER	2.4
2	B	180	SER	2.3
1	L	157	ASN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	L	126	THR	2.2
1	L	169	LYS	2.1
2	H	15	SER	2.1
1	A	126	THR	2.1
2	B	166	LEU	2.0
2	B	163	SER	2.0
1	L	1	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	H	401	6/6	0.88	0.26	35,39,40,41	0
3	SO4	B	305	5/5	0.90	0.23	74,75,76,77	0
3	SO4	L	302	5/5	0.90	0.19	69,69,69,70	0
3	SO4	L	303	5/5	0.91	0.23	82,82,83,83	0
4	GOL	L	402	6/6	0.93	0.18	33,34,35,36	0
4	GOL	A	403	6/6	0.94	0.18	27,33,33,33	0
3	SO4	A	301	5/5	0.95	0.17	67,67,68,69	0
3	SO4	A	304	5/5	0.96	0.23	79,79,80,80	0

6.5 Other polymers [i](#)

There are no such residues in this entry.