



## Full wwPDB EM Validation Report ⓘ

Nov 20, 2022 – 08:05 PM JST

PDB ID : 7CKR  
EMDB ID : EMD-30391  
Title : Cryo-EM structure of the human MCT1/Basigin-2 complex in the presence of anti-cancer drug candidate BAY-8002 in the outward-open conformation.  
Authors : Wang, N.; Jiang, X.; Zhang, S.; Zhu, A.; Yuan, Y.; Lei, J.; Yan, C.  
Deposited on : 2020-07-18  
Resolution : 3.00 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	500	
2	B	269	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4094 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Monocarboxylate transporter 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	382	Total	C	N	O	S	0	0
			2900	1932	459	484	25		

- Molecule 2 is a protein called Basigin.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	B	215	Total	C	N	O	0	0
			1166	717	227	222		

- Molecule 3 is 2-[[2-chloranyl-5-(phenylsulfonyl)phenyl]carbonylamino]benzoic acid (three-letter code: G5O) (formula: C<sub>20</sub>H<sub>14</sub>ClNO<sub>5</sub>S).



Mol	Chain	Residues	Atoms					AltConf
3	A	1	Total	C	Cl	N	O	S
			28	20	1	1	5	1
								0





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	494077	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	37.6	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	4.049	Depositor
Minimum map value	-2.746	Depositor
Average map value	0.004	Depositor
Map value standard deviation	0.070	Depositor
Recommended contour level	0.778	Depositor
Map size ( $\text{\AA}$ )	215.8848, 215.8848, 215.8848	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	0.8433, 0.8433, 0.8433	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: G5O

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.36	0/2981	0.47	0/4048
2	B	0.51	0/1176	0.80	3/1629 (0.2%)
All	All	0.41	0/4157	0.59	3/5677 (0.1%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	91	PRO	CA-N-CD	-9.65	97.99	111.50
2	B	132	PRO	CA-N-CD	-9.60	98.07	111.50
2	B	93	PRO	CA-N-CD	-8.86	99.09	111.50

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2900	0	2952	99	0
2	B	1166	0	694	29	0
3	A	28	0	0	1	0
All	All	4094	0	3646	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 16.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:324:PRO:O	1:A:328:ARG:NH1	1.99	0.96
2:B:115:HIS:HB3	2:B:201:ARG:CD	1.97	0.94
2:B:115:HIS:HB2	2:B:203:ARG:NH1	1.82	0.92
1:A:173:GLY:O	1:A:177:SER:OG	1.90	0.90
1:A:142:ARG:HA	1:A:321:ASN:OD1	1.72	0.89
2:B:115:HIS:CB	2:B:201:ARG:HD2	2.02	0.89
2:B:115:HIS:HA	2:B:201:ARG:HG3	1.58	0.83
1:A:114:VAL:O	1:A:118:VAL:HG12	1.80	0.81
1:A:190:VAL:HG23	2:B:223:VAL:HG22	1.64	0.80
1:A:418:ASP:OD1	1:A:419:TYR:N	2.16	0.79
2:B:115:HIS:HA	2:B:201:ARG:CG	2.14	0.78
2:B:210:TRP:HB2	2:B:211:PRO:HD3	1.65	0.77
2:B:209:LEU:O	2:B:213:LEU:HG	1.88	0.73
2:B:115:HIS:CB	2:B:201:ARG:CD	2.63	0.73
2:B:115:HIS:HB2	2:B:201:ARG:HD2	1.71	0.72
1:A:127:ASN:ND2	1:A:188:CYS:SG	2.63	0.71
1:A:48:GLU:OE2	1:A:55:THR:N	2.25	0.70
2:B:115:HIS:HB3	2:B:201:ARG:NE	2.07	0.69
1:A:277:LEU:HD11	1:A:370:LEU:HD21	1.73	0.69
1:A:294:SER:O	1:A:297:LYS:N	2.28	0.66
1:A:330:GLN:OE1	1:A:377:THR:OG1	2.06	0.66
1:A:277:LEU:HD11	1:A:370:LEU:CD2	2.26	0.65
2:B:206:LEU:O	2:B:206:LEU:HG	1.96	0.64
1:A:44:PHE:HB3	1:A:58:VAL:HG11	1.78	0.64
1:A:97:GLY:O	1:A:101:ILE:HG23	2.00	0.62
1:A:351:THR:O	1:A:351:THR:OG1	2.19	0.61
2:B:132:PRO:O	2:B:132:PRO:HD2	1.98	0.61
2:B:115:HIS:HB2	2:B:203:ARG:HH12	1.65	0.60
2:B:201:ARG:HG3	2:B:201:ARG:O	2.00	0.60
1:A:351:THR:O	1:A:352:THR:HG23	2.00	0.60
1:A:259:THR:O	1:A:259:THR:OG1	2.17	0.59
2:B:115:HIS:HB3	2:B:201:ARG:CG	2.32	0.59
1:A:30:ILE:HD12	1:A:150:ALA:HB1	1.85	0.58
1:A:402:VAL:HG13	1:A:403:LEU:HD12	1.86	0.58
1:A:267:LEU:HD11	1:A:397:VAL:CG2	2.33	0.58
1:A:54:THR:OG1	1:A:56:SER:OG	2.18	0.57
1:A:48:GLU:HG3	1:A:58:VAL:HG21	1.85	0.57
1:A:187:ASN:O	1:A:190:VAL:HG12	2.04	0.57

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:255:LEU:HD23	1:A:255:LEU:H	1.71	0.56
1:A:198:ILE:HD12	1:A:198:ILE:N	2.21	0.56
2:B:91:PRO:O	2:B:91:PRO:HD2	2.06	0.55
1:A:61:ILE:HD11	1:A:109:VAL:HG23	1.88	0.54
1:A:137:LYS:HG2	1:A:198:ILE:HD13	1.89	0.54
1:A:33:SER:HA	1:A:124:LEU:HD22	1.90	0.54
1:A:189:CYS:SG	1:A:190:VAL:N	2.81	0.53
1:A:143:ARG:N	1:A:144:PRO:HD2	2.24	0.53
1:A:322:THR:HG22	1:A:324:PRO:HD2	1.90	0.52
1:A:315:SER:O	1:A:319:VAL:HG13	2.11	0.51
1:A:38:LYS:O	1:A:41:THR:OG1	2.14	0.50
1:A:347:ALA:HB3	1:A:348:PRO:HD3	1.92	0.50
1:A:273:MET:SD	1:A:277:LEU:HD13	2.52	0.50
1:A:385:GLN:N	1:A:385:GLN:OE1	2.44	0.50
1:A:96:SER:OG	1:A:185:LEU:HD13	2.12	0.50
1:A:308:VAL:HG11	1:A:361:GLY:HA2	1.92	0.49
1:A:142:ARG:HB3	1:A:145:LEU:HD13	1.94	0.49
1:A:116:ILE:HG22	1:A:117:GLY:N	2.27	0.49
1:A:38:LYS:NZ	3:A:601:G5O:O28	2.40	0.49
1:A:257:LEU:HD22	1:A:382:VAL:HG21	1.93	0.49
1:A:44:PHE:CD2	1:A:58:VAL:HG12	2.48	0.49
1:A:95:LEU:HD12	1:A:96:SER:N	2.28	0.49
1:A:31:GLY:HA2	1:A:154:SER:HA	1.95	0.49
1:A:172:PHE:O	2:B:203:ARG:CZ	2.60	0.49
1:A:61:ILE:HG12	1:A:113:TYR:CD1	2.49	0.48
1:A:145:LEU:HD12	1:A:145:LEU:H	1.76	0.48
1:A:163:PRO:O	1:A:167:VAL:HG23	2.12	0.48
2:B:115:HIS:CA	2:B:201:ARG:CG	2.87	0.48
1:A:190:VAL:HG23	2:B:223:VAL:CG2	2.41	0.48
1:A:257:LEU:HD22	1:A:382:VAL:CG2	2.43	0.48
1:A:29:SER:OG	1:A:30:ILE:N	2.47	0.47
1:A:326:ARG:HB3	1:A:327:PRO:HD3	1.95	0.47
2:B:219:VAL:O	2:B:223:VAL:HG23	2.15	0.47
1:A:333:PHE:O	1:A:337:VAL:HG13	2.15	0.47
1:A:388:SER:O	1:A:391:VAL:HG12	2.15	0.47
1:A:151:MET:HE1	1:A:375:PHE:CE2	2.50	0.46
1:A:70:TYR:HB3	1:A:399:CYS:HB3	1.98	0.46
1:A:143:ARG:NH1	1:A:376:GLU:OE2	2.46	0.46
1:A:267:LEU:HD13	1:A:394:VAL:HG22	1.97	0.46
1:A:167:VAL:HG12	1:A:171:ILE:HD11	1.98	0.45
1:A:255:LEU:H	1:A:255:LEU:CD2	2.26	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:52:GLY:HA3	2:B:65:ASP:HA	1.97	0.45
1:A:31:GLY:O	1:A:32:PHE:C	2.54	0.45
1:A:86:ARG:NH1	1:A:195:MET:O	2.49	0.45
1:A:152:ALA:HB2	1:A:314:PRO:HD3	1.98	0.45
2:B:220:LEU:HD23	2:B:221:VAL:N	2.32	0.45
1:A:374:LEU:O	1:A:377:THR:HG22	2.17	0.45
2:B:115:HIS:HB3	2:B:201:ARG:HG2	1.99	0.45
1:A:87:ILE:O	1:A:91:VAL:HG13	2.15	0.45
1:A:255:LEU:O	1:A:258:PHE:N	2.50	0.45
1:A:103:ALA:CB	1:A:116:ILE:HD12	2.47	0.45
2:B:115:HIS:CB	2:B:201:ARG:CG	2.94	0.45
1:A:273:MET:HE1	1:A:370:LEU:HD11	1.97	0.45
1:A:48:GLU:CG	1:A:58:VAL:HG21	2.47	0.44
1:A:321:ASN:O	1:A:321:ASN:ND2	2.44	0.44
1:A:120:GLY:O	1:A:124:LEU:HG	2.18	0.44
2:B:210:TRP:CB	2:B:211:PRO:HD3	2.40	0.44
1:A:32:PHE:O	1:A:36:PHE:N	2.50	0.44
1:A:24:ILE:O	1:A:27:PHE:HB3	2.18	0.43
1:A:181:LEU:HA	1:A:184:LEU:HD22	2.01	0.43
1:A:318:LEU:O	1:A:318:LEU:HD23	2.18	0.42
1:A:400:CYS:HB3	1:A:401:PRO:HD3	2.00	0.42
1:A:398:GLU:O	1:A:402:VAL:HG12	2.18	0.42
1:A:48:GLU:OE2	1:A:55:THR:OG1	2.35	0.42
1:A:412:LEU:HD12	1:A:413:ASN:N	2.34	0.42
1:A:30:ILE:O	1:A:31:GLY:C	2.57	0.42
1:A:141:LYS:HA	1:A:141:LYS:HD2	1.77	0.42
1:A:389:SER:O	1:A:393:LEU:HG	2.20	0.42
2:B:209:LEU:CD1	2:B:213:LEU:HD21	2.49	0.42
1:A:369:TRP:O	1:A:373:VAL:HG23	2.19	0.42
1:A:95:LEU:HD11	1:A:123:GLY:N	2.35	0.42
1:A:38:LYS:HD2	1:A:158:LEU:HD21	2.01	0.41
1:A:294:SER:HB3	1:A:297:LYS:CG	2.50	0.41
2:B:213:LEU:N	2:B:213:LEU:HD23	2.35	0.41
1:A:151:MET:O	1:A:154:SER:HB3	2.20	0.41
1:A:151:MET:O	1:A:313:ARG:NH1	2.52	0.41
1:A:106:CYS:SG	1:A:111:GLN:NE2	2.94	0.41
1:A:167:VAL:HG12	1:A:171:ILE:CD1	2.51	0.41
1:A:26:ALA:O	1:A:27:PHE:C	2.58	0.41
1:A:151:MET:HE1	1:A:375:PHE:HE2	1.86	0.41
1:A:118:VAL:HG22	1:A:122:LEU:HD11	2.03	0.41
1:A:110:GLN:HA	1:A:113:TYR:CD2	2.55	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:294:SER:O	1:A:295:SER:C	2.60	0.40
1:A:28:ILE:HG21	1:A:191:ALA:HB2	2.03	0.40
1:A:190:VAL:CG2	2:B:223:VAL:HG22	2.45	0.40
1:A:305:LEU:O	1:A:308:VAL:HG12	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	378/500 (76%)	347 (92%)	31 (8%)	0	100	100
2	B	213/269 (79%)	196 (92%)	16 (8%)	1 (0%)	29	68
All	All	591/769 (77%)	543 (92%)	47 (8%)	1 (0%)	50	82

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	104	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	305/405 (75%)	271 (89%)	34 (11%)	6	25

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	30/225 (13%)	26 (87%)	4 (13%)	4	17
All	All	335/630 (53%)	297 (89%)	38 (11%)	9	24

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	48	GLU
1	A	108	THR
1	A	116	ILE
1	A	134	MET
1	A	138	TYR
1	A	139	PHE
1	A	141	LYS
1	A	158	LEU
1	A	174	TRP
1	A	177	SER
1	A	184	LEU
1	A	188	CYS
1	A	189	CYS
1	A	254	ASP
1	A	255	LEU
1	A	258	PHE
1	A	259	THR
1	A	263	PHE
1	A	273	MET
1	A	289	LYS
1	A	296	GLU
1	A	300	PHE
1	A	304	ILE
1	A	309	ASP
1	A	321	ASN
1	A	326	ARG
1	A	332	PHE
1	A	336	SER
1	A	351	THR
1	A	357	CYS
1	A	380	ASP
1	A	381	LEU
1	A	399	CYS
1	A	413	ASN
2	B	201	ARG
2	B	204	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	206	LEU
2	B	229	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	107	ASN
1	A	111	GLN
1	A	127	ASN
1	A	270	ASN
2	B	115	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	G5O	A	601	-	30,30,30	3.24	11 (36%)	43,43,43	1.94	6 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	G5O	A	601	-	-	4/24/24/24	0/3/3/3

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	601	G5O	C11-C10	8.92	1.52	1.38
3	A	601	G5O	C15-C14	8.21	1.52	1.39
3	A	601	G5O	C12-C13	6.83	1.53	1.38
3	A	601	G5O	C14-C13	-5.36	1.31	1.39
3	A	601	G5O	C15-C10	-4.23	1.31	1.39
3	A	601	G5O	C17-N18	3.75	1.45	1.35
3	A	601	G5O	C12-C11	-3.73	1.32	1.38
3	A	601	G5O	C1-S7	3.01	1.81	1.77
3	A	601	G5O	C10-S7	2.97	1.81	1.77
3	A	601	G5O	O19-C17	-2.29	1.18	1.23
3	A	601	G5O	C13-CL1	2.14	1.78	1.73

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	601	G5O	O9-S7-O8	-9.24	101.59	119.23
3	A	601	G5O	O9-S7-C10	3.39	111.79	107.97
3	A	601	G5O	O9-S7-C1	3.29	111.68	107.97
3	A	601	G5O	O8-S7-C1	3.16	111.53	107.97
3	A	601	G5O	O8-S7-C10	2.96	111.30	107.97
3	A	601	G5O	C10-S7-C1	2.55	108.84	104.35

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	601	G5O	C2-C1-S7-O8
3	A	601	G5O	C6-C1-S7-O8
3	A	601	G5O	C2-C1-S7-C10
3	A	601	G5O	C6-C1-S7-C10

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	601	G5O	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.




## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-30391. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 125



Y Index: 129




Z Index: 137


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)


### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.778. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 11 nm<sup>3</sup>; this corresponds to an approximate mass of 10 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ



\*Reported resolution corresponds to spatial frequency of 0.333 Å<sup>-1</sup>


## 8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-30391 and PDB model 7CKR. Per-residue inclusion information can be found in [section 3](#) on [page 4](#).


### 9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.778 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.778).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 48% of all backbone atoms, 40% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.778) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.4045	<div></div> 0.3670
A	<div></div> 0.5253	<div></div> 0.4620
B	<div></div> 0.1043	<div></div> 0.1280

