



wwPDB X-ray Structure Validation Summary Report ⓘ

May 13, 2020 – 09:02 am BST

PDB ID : 3CMT
Title : Mechanism of homologous recombination from the RecA-ssDNA/dsDNA structures
Authors : Chen, Z.; Yang, H.; Pavletich, N.P.
Deposited on : 2008-03-24
Resolution : 3.15 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1665 (3.20-3.12)
Clashscore	141614	1804 (3.20-3.12)
Ramachandran outliers	138981	1770 (3.20-3.12)
Sidechain outliers	138945	1769 (3.20-3.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	B	15	13% 47% 20% 20%
1	E	15	13% 40% 27% 20%
2	C	6	67% 33%
2	F	6	50% 50%
3	A	1706	78% 13% • 6%
3	D	1706	78% 13% • 6%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 25312 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called DNA (5'-D(*DTP*DTP*DTP*DTP*DTP*DCP*DCP*DCP*DAP*DCP*DCP*DTP*DTP*DTP*DT)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	12	Total	C	N	O	P	0	0	0
			236	115	32	77	12			
1	E	12	Total	C	N	O	P	0	0	0
			236	115	32	77	12			

- Molecule 2 is a DNA chain called DNA (5'-D(P*DGP*DGP*DTP*DGP*DGP*DG)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	6	Total	C	N	O	P	3	0	0
			130	60	27	37	6			
2	F	6	Total	C	N	O	P	3	0	0
			130	60	27	37	6			

- Molecule 3 is a protein called Protein recA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	1609	Total	C	N	O	S	0	0	0
			12125	7622	2100	2347	56			
3	D	1609	Total	C	N	O	S	0	0	0
			12125	7622	2101	2345	57			

There are 130 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	26	GLY	-	linker	UNP P0A7G6
A	27	ALA	-	linker	UNP P0A7G6
A	28	MET	-	linker	UNP P0A7G6
A	29	HIS	-	linker	UNP P0A7G6
A	986	THR	-	linker	UNP P0A7G6
A	987	GLY	-	linker	UNP P0A7G6
A	988	SER	-	linker	UNP P0A7G6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	989	THR	-	linker	UNP P0A7G6
A	990	GLY	-	linker	UNP P0A7G6
A	991	SER	-	linker	UNP P0A7G6
A	992	GLY	-	linker	UNP P0A7G6
A	993	THR	-	linker	UNP P0A7G6
A	994	THR	-	linker	UNP P0A7G6
A	995	GLY	-	linker	UNP P0A7G6
A	996	SER	-	linker	UNP P0A7G6
A	997	THR	-	linker	UNP P0A7G6
A	998	GLY	-	linker	UNP P0A7G6
A	999	SER	-	linker	UNP P0A7G6
A	1000	MET	-	linker	UNP P0A7G6
A	1986	THR	-	linker	UNP P0A7G6
A	1987	GLY	-	linker	UNP P0A7G6
A	1988	SER	-	linker	UNP P0A7G6
A	1989	THR	-	linker	UNP P0A7G6
A	1990	GLY	-	linker	UNP P0A7G6
A	1991	SER	-	linker	UNP P0A7G6
A	1992	MET	-	linker	UNP P0A7G6
A	1993	GLY	-	linker	UNP P0A7G6
A	1994	HIS	-	linker	UNP P0A7G6
A	1995	THR	-	linker	UNP P0A7G6
A	1996	THR	-	linker	UNP P0A7G6
A	1997	GLY	-	linker	UNP P0A7G6
A	1998	SER	-	linker	UNP P0A7G6
A	1999	MET	-	linker	UNP P0A7G6
A	2000	SER	-	linker	UNP P0A7G6
A	2985	THR	-	linker	UNP P0A7G6
A	2986	GLY	-	linker	UNP P0A7G6
A	2987	SER	-	linker	UNP P0A7G6
A	2988	THR	-	linker	UNP P0A7G6
A	2989	GLY	-	linker	UNP P0A7G6
A	2990	SER	-	linker	UNP P0A7G6
A	2991	ALA	-	linker	UNP P0A7G6
A	2992	SER	-	linker	UNP P0A7G6
A	2993	GLY	-	linker	UNP P0A7G6
A	2994	SER	-	linker	UNP P0A7G6
A	2995	SER	-	linker	UNP P0A7G6
A	2996	THR	-	linker	UNP P0A7G6
A	2997	GLY	-	linker	UNP P0A7G6
A	2998	SER	-	linker	UNP P0A7G6
A	2999	MET	-	linker	UNP P0A7G6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	3000	SER	-	linker	UNP P0A7G6
A	3986	THR	-	linker	UNP P0A7G6
A	3987	GLY	-	linker	UNP P0A7G6
A	3988	SER	-	linker	UNP P0A7G6
A	3989	THR	-	linker	UNP P0A7G6
A	3990	GLY	-	linker	UNP P0A7G6
A	3991	SER	-	linker	UNP P0A7G6
A	3992	MET	-	linker	UNP P0A7G6
A	3993	SER	-	linker	UNP P0A7G6
A	3994	GLY	-	linker	UNP P0A7G6
A	3995	ARG	-	linker	UNP P0A7G6
A	3996	THR	-	linker	UNP P0A7G6
A	3997	GLY	-	linker	UNP P0A7G6
A	3998	SER	-	linker	UNP P0A7G6
A	3999	MET	-	linker	UNP P0A7G6
A	4000	SER	-	linker	UNP P0A7G6
D	26	GLY	-	linker	UNP P0A7G6
D	27	ALA	-	linker	UNP P0A7G6
D	28	MET	-	linker	UNP P0A7G6
D	29	HIS	-	linker	UNP P0A7G6
D	986	THR	-	linker	UNP P0A7G6
D	987	GLY	-	linker	UNP P0A7G6
D	988	SER	-	linker	UNP P0A7G6
D	989	THR	-	linker	UNP P0A7G6
D	990	GLY	-	linker	UNP P0A7G6
D	991	SER	-	linker	UNP P0A7G6
D	992	GLY	-	linker	UNP P0A7G6
D	993	THR	-	linker	UNP P0A7G6
D	994	THR	-	linker	UNP P0A7G6
D	995	GLY	-	linker	UNP P0A7G6
D	996	SER	-	linker	UNP P0A7G6
D	997	THR	-	linker	UNP P0A7G6
D	998	GLY	-	linker	UNP P0A7G6
D	999	SER	-	linker	UNP P0A7G6
D	1000	MET	-	linker	UNP P0A7G6
D	1986	THR	-	linker	UNP P0A7G6
D	1987	GLY	-	linker	UNP P0A7G6
D	1988	SER	-	linker	UNP P0A7G6
D	1989	THR	-	linker	UNP P0A7G6
D	1990	GLY	-	linker	UNP P0A7G6
D	1991	SER	-	linker	UNP P0A7G6
D	1992	MET	-	linker	UNP P0A7G6

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	1993	GLY	-	linker	UNP P0A7G6
D	1994	HIS	-	linker	UNP P0A7G6
D	1995	THR	-	linker	UNP P0A7G6
D	1996	THR	-	linker	UNP P0A7G6
D	1997	GLY	-	linker	UNP P0A7G6
D	1998	SER	-	linker	UNP P0A7G6
D	1999	MET	-	linker	UNP P0A7G6
D	2000	SER	-	linker	UNP P0A7G6
D	2985	THR	-	linker	UNP P0A7G6
D	2986	GLY	-	linker	UNP P0A7G6
D	2987	SER	-	linker	UNP P0A7G6
D	2988	THR	-	linker	UNP P0A7G6
D	2989	GLY	-	linker	UNP P0A7G6
D	2990	SER	-	linker	UNP P0A7G6
D	2991	ALA	-	linker	UNP P0A7G6
D	2992	SER	-	linker	UNP P0A7G6
D	2993	GLY	-	linker	UNP P0A7G6
D	2994	SER	-	linker	UNP P0A7G6
D	2995	SER	-	linker	UNP P0A7G6
D	2996	THR	-	linker	UNP P0A7G6
D	2997	GLY	-	linker	UNP P0A7G6
D	2998	SER	-	linker	UNP P0A7G6
D	2999	MET	-	linker	UNP P0A7G6
D	3000	SER	-	linker	UNP P0A7G6
D	3986	THR	-	linker	UNP P0A7G6
D	3987	GLY	-	linker	UNP P0A7G6
D	3988	SER	-	linker	UNP P0A7G6
D	3989	THR	-	linker	UNP P0A7G6
D	3990	GLY	-	linker	UNP P0A7G6
D	3991	SER	-	linker	UNP P0A7G6
D	3992	MET	-	linker	UNP P0A7G6
D	3993	SER	-	linker	UNP P0A7G6
D	3994	GLY	-	linker	UNP P0A7G6
D	3995	ARG	-	linker	UNP P0A7G6
D	3996	THR	-	linker	UNP P0A7G6
D	3997	GLY	-	linker	UNP P0A7G6
D	3998	SER	-	linker	UNP P0A7G6
D	3999	MET	-	linker	UNP P0A7G6
D	4000	SER	-	linker	UNP P0A7G6

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	5	Total	Mg	0	0
			5	5		
4	D	5	Total	Mg	0	0
			5	5		

- Molecule 5 is TETRAFLUOROALUMINATE ION (three-letter code: ALF) (formula: AlF_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	Al	F	0	0
			5	1	4		
5	A	1	Total	Al	F	0	0
			5	1	4		
5	A	1	Total	Al	F	0	0
			5	1	4		
5	A	1	Total	Al	F	0	0
			5	1	4		
5	D	1	Total	Al	F	0	0
			5	1	4		
5	D	1	Total	Al	F	0	0
			5	1	4		
5	D	1	Total	Al	F	0	0
			5	1	4		
5	D	1	Total	Al	F	0	0
			5	1	4		

-


[illegible]

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA (5'-D(*DTP*DTP*DTP*DTP*DTP*DCP*DCP*DCP*DAP*DCP*DCP*DTP*DTP*DTP*DT)-3')

Chain B: 



- Molecule 1: DNA (5'-D(*DTP*DTP*DTP*DTP*DTP*DCP*DCP*DCP*DAP*DCP*DCP*DTP*DTP*DTP*DT)-3')

Chain E: 




- Molecule 2: DNA (5'-D(P*DGP*DGP*DTP*DGP*DGP*DG)-3')

Chain C: 




- Molecule 2: DNA (5'-D(P*DGP*DGP*DTP*DGP*DGP*DG)-3')

Chain F: 



- Molecule 3: Protein recA

Chain A: 



[illegible]

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	159.00 Å 300.50 Å 80.10 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 3.15 39.75 – 2.98	Depositor EDS
% Data completeness (in resolution range)	89.9 (40.00-3.15) 86.7 (39.75-2.98)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.10 (at 3.01 Å)	Xtriage
Refinement program	REFMAC 5.3.0036	Depositor
R, R_{free}	0.217 , 0.243 0.273 , 0.307	Depositor DCC
R_{free} test set	1459 reflections (2.01%)	wwPDB-VP
Wilson B-factor (Å ²)	70.4	Xtriage
Anisotropy	0.133	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 19.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	25312	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ALF, MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	B	1.15	0/260	1.79	7/397 (1.8%)
1	E	1.13	0/260	1.97	12/397 (3.0%)
2	C	3.88	1/146 (0.7%)	2.40	4/225 (1.8%)
2	F	6.25	1/146 (0.7%)	2.40	5/225 (2.2%)
3	A	0.39	0/12264	0.54	0/16503
3	D	0.39	0/12264	0.54	0/16501
All	All	0.70	2/25340 (0.0%)	0.67	28/34248 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	2007	DG	P-O5'	-75.00	0.84	1.59
2	C	2007	DG	P-O5'	-45.55	1.14	1.59

The worst 5 of 28 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	2007	DG	P-O5'-C5'	25.73	162.07	120.90
2	C	2007	DG	O5'-P-OP2	-20.43	86.18	110.70
2	C	2007	DG	O5'-P-OP1	18.46	132.85	110.70
1	E	1006	DC	O4'-C4'-C3'	-8.95	100.63	106.00
2	F	2008	DG	O4'-C1'-N9	-8.52	102.04	108.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	236	0	139	9	0
1	E	236	0	139	19	0
2	C	130	0	69	0	0
2	F	130	0	69	0	0
3	A	12125	0	12451	176	0
3	D	12125	0	12456	190	1
4	A	5	0	0	0	0
4	D	5	0	0	0	0
5	A	25	0	0	0	0
5	D	25	0	0	2	0
6	A	135	0	60	6	0
6	D	135	0	60	4	0
All	All	25312	0	25443	364	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 364 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:68:GLU:HG2	3:A:1216:LYS:HB3	1.39	1.02
3:D:68:GLU:HG2	3:D:1216:LYS:HB3	1.47	0.97
3:D:160:GLY:H	3:D:1173:GLN:HE22	1.14	0.94
3:A:2068:GLU:HG2	3:A:3216:LYS:HB3	1.54	0.87
3:D:1194:GLN:HE21	3:D:1196:ARG:HH12	1.23	0.86

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:218:TYR:OH	3:D:4087:GLY:O[4_456]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	1595/1706 (94%)	1549 (97%)	33 (2%)	13 (1%)	19	55
3	D	1595/1706 (94%)	1539 (96%)	43 (3%)	13 (1%)	19	55
All	All	3190/3412 (94%)	3088 (97%)	76 (2%)	26 (1%)	19	55

5 of 26 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	1023	LYS
3	A	2023	LYS
3	A	2330	ASN
3	A	3023	LYS
3	A	4023	LYS

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	1267/1339 (95%)	1142 (90%)	125 (10%)	8	28
3	D	1267/1339 (95%)	1136 (90%)	131 (10%)	7	26
All	All	2534/2678 (95%)	2278 (90%)	256 (10%)	7	27

5 of 256 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	4193	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	D	209	THR
3	D	4085	ARG
3	A	4210	THR
3	D	140	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 81 such sidechains are listed below:

Mol	Chain	Res	Type
3	A	4205	ASN
3	D	304	ASN
3	D	4181	ASN
3	A	4300	GLN
3	D	193	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 30 ligands modelled in this entry, 10 are monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	ALF	A	2501	-	0,4,4	0.00	-	-		
5	ALF	D	501	-	0,4,4	0.00	-	-		
5	ALF	D	2501	-	0,4,4	0.00	-	-		
5	ALF	A	1501	-	0,4,4	0.00	-	-		
6	ADP	D	2502	4	24,29,29	0.98	1 (4%)	29,45,45	1.39	3 (10%)
6	ADP	A	4502	4	24,29,29	1.10	3 (12%)	29,45,45	1.28	5 (17%)
5	ALF	D	3501	-	0,4,4	0.00	-	-		
5	ALF	A	4501	-	0,4,4	0.00	-	-		
5	ALF	D	4501	-	0,4,4	0.00	-	-		
6	ADP	A	2502	4	24,29,29	0.94	1 (4%)	29,45,45	1.39	4 (13%)
6	ADP	A	502	4	24,29,29	1.05	2 (8%)	29,45,45	1.48	3 (10%)
6	ADP	D	1502	4	24,29,29	0.84	1 (4%)	29,45,45	1.38	5 (17%)
5	ALF	D	1501	-	0,4,4	0.00	-	-		
6	ADP	D	502	4	24,29,29	0.91	1 (4%)	29,45,45	1.36	5 (17%)
6	ADP	A	3502	4	24,29,29	0.91	1 (4%)	29,45,45	1.28	3 (10%)
6	ADP	D	3502	4	24,29,29	0.98	1 (4%)	29,45,45	1.25	4 (13%)
5	ALF	A	501	-	0,4,4	0.00	-	-		
5	ALF	A	3501	-	0,4,4	0.00	-	-		
6	ADP	A	1502	4	24,29,29	0.96	1 (4%)	29,45,45	1.57	7 (24%)
6	ADP	D	4502	4	24,29,29	1.04	1 (4%)	29,45,45	1.43	5 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	ADP	A	1502	4	-	3/12/32/32	0/3/3/3
6	ADP	D	2502	4	-	3/12/32/32	0/3/3/3
6	ADP	D	4502	4	-	4/12/32/32	0/3/3/3
6	ADP	A	4502	4	-	5/12/32/32	0/3/3/3
6	ADP	A	2502	4	-	4/12/32/32	0/3/3/3
6	ADP	D	1502	4	-	3/12/32/32	0/3/3/3
6	ADP	D	502	4	-	3/12/32/32	0/3/3/3
6	ADP	A	3502	4	-	3/12/32/32	0/3/3/3
6	ADP	D	3502	4	-	2/12/32/32	0/3/3/3
6	ADP	A	502	4	-	5/12/32/32	0/3/3/3

The worst 5 of 13 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	D	2502	ADP	C5-C4	2.93	1.48	1.40
6	D	4502	ADP	C5-C4	2.93	1.48	1.40
6	A	502	ADP	C5-C4	2.75	1.48	1.40
6	A	4502	ADP	C5-C4	2.67	1.48	1.40
6	D	3502	ADP	C5-C4	2.55	1.47	1.40

The worst 5 of 44 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1502	ADP	N3-C2-N1	-4.06	122.33	128.68
6	A	502	ADP	PA-O3A-PB	-3.78	119.84	132.83
6	D	2502	ADP	N3-C2-N1	-3.77	122.78	128.68
6	A	3502	ADP	N3-C2-N1	-3.70	122.89	128.68
6	D	4502	ADP	N3-C2-N1	-3.48	123.24	128.68

There are no chirality outliers.

5 of 35 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	502	ADP	O4'-C4'-C5'-O5'
6	D	502	ADP	PA-O3A-PB-O1B
6	A	1502	ADP	PA-O3A-PB-O1B
6	A	2502	ADP	PA-O3A-PB-O1B
6	D	2502	ADP	PA-O3A-PB-O1B


There are no ring outliers.

9 monomers are involved in 12 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	4502	ADP	1	0
5	D	3501	ALF	1	0
6	A	2502	ADP	2	0
6	A	502	ADP	1	0
5	D	1501	ALF	1	0
6	D	502	ADP	2	0
6	D	3502	ADP	1	0
6	A	1502	ADP	2	0
6	D	4502	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In


addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand ADP A 4502




Ligand ADP A 2502









Ligand ADP D 3502



Ligand ADP A 1502





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.


6.3 Carbohydrates ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands ⓘ




Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around ADP A 1502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP A 4502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP A 2502:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP D 3502:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP D 2502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP D 4502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP D 1502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP A 3502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ADP A 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.