



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 20, 2022 – 10:10 PM JST

PDB ID : 7CNQ
Title : Crystal structure of Agrobacterium tumefaciens aconitase X (holo-form)
Authors : Murase, Y.; Watanabe, Y.; Watanabe, S.
Deposited on : 2020-08-03
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.31.3
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	579	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 90%, green 90%, grey 99%);"></div> <div style="display: flex; justify-content: space-between; width: 90%; margin: 0 auto;"> 90% 7% </div> </div>
1	B	579	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 86%, green 86%, grey 99%);"></div> <div style="display: flex; justify-content: space-between; width: 86%; margin: 0 auto;"> 86% 10% </div> </div>
1	C	579	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 2%, orange 2%, yellow 87%, green 87%, grey 99%);"></div> <div style="display: flex; justify-content: space-between; width: 87%; margin: 0 auto;"> 87% 9% </div> </div>
1	D	579	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 3%, orange 3%, yellow 81%, green 81%, grey 99%);"></div> <div style="display: flex; justify-content: space-between; width: 81%; margin: 0 auto;"> 81% 15% </div> </div>

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 17496 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cis-3-hydroxy-L-proline dehydratase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	559	Total	C	N	O	S	0	0	0
			4099	2575	719	779	26			
1	B	559	Total	C	N	O	S	0	0	0
			4099	2575	719	779	26			
1	C	559	Total	C	N	O	S	0	0	0
			4099	2575	719	779	26			
1	D	559	Total	C	N	O	S	0	0	0
			4099	2575	719	779	26			

- Molecule 2 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	Fe	S	0	0
			4	2	2		
2	B	1	Total	Fe	S	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	Fe	S	0	0
			4	2	2		
2	D	1	Total	Fe	S	0	0
			4	2	2		

- Molecule 3 is (2 {S},3 {R})-3-oxidanylpyrrolidine-2-carboxylic acid (three-letter code: G8X) (formula: C₅H₉NO₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			9	5	1	3		
3	B	1	Total	C	N	O	0	0
			9	5	1	3		
3	C	1	Total	C	N	O	0	0
			9	5	1	3		
3	D	1	Total	C	N	O	0	0
			9	5	1	3		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	250	Total	O	0	0
			250	250		
4	B	274	Total	O	0	0
			274	274		
4	C	316	Total	O	0	0
			316	316		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	208	Total 208	O 208	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: cis-3-hydroxy-L-proline dehydratase




- Molecule 1: cis-3-hydroxy-L-proline dehydratase



- Molecule 1: cis-3-hydroxy-L-proline dehydratase



● Molecule 1: cis-3-hydroxy-L-proline dehydratase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	73.25Å 73.45Å 175.18Å 90.00° 94.13° 90.00°	Depositor
Resolution (Å)	48.98 – 2.00 48.98 – 2.00	Depositor EDS
% Data completeness (in resolution range)	97.5 (48.98-2.00) 98.0 (48.98-2.00)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.99 (at 2.00Å)	Xtriage
Refinement program	PHENIX 1.14_3260	Depositor
R, R_{free}	0.209 , 0.253 0.209 , 0.251	Depositor DCC
R_{free} test set	6066 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	26.4	Xtriage
Anisotropy	0.454	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 34.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	17496	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 79.58 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.4109e-07. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: G8X, FES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/4179	0.49	1/5693 (0.0%)
1	B	0.27	0/4179	0.49	1/5693 (0.0%)
1	C	0.28	0/4179	0.48	1/5693 (0.0%)
1	D	0.29	0/4179	0.49	0/5693
All	All	0.27	0/16716	0.49	3/22772 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	243	ARG	NE-CZ-NH2	-7.73	116.44	120.30
1	B	180	ARG	NE-CZ-NH1	-7.25	116.68	120.30
1	C	563	ARG	CG-CD-NE	-5.19	100.91	111.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4099	0	4103	29	1
1	B	4099	0	4103	35	1
1	C	4099	0	4103	34	0
1	D	4099	0	4103	57	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	4	0	0	0	0
2	B	4	0	0	0	0
2	C	4	0	0	0	0
2	D	4	0	0	0	0
3	A	9	0	0	0	0
3	B	9	0	0	0	0
3	C	9	0	0	0	0
3	D	9	0	0	0	0
4	A	250	0	0	3	0
4	B	274	0	0	0	0
4	C	316	0	0	5	0
4	D	208	0	0	5	0
All	All	17496	0	16412	152	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:17:LEU:HD11	1:D:100:THR:HG23	1.56	0.88
1:D:141:LYS:HB2	1:D:146:SER:HA	1.54	0.87
1:D:133:VAL:HG22	1:D:142:ALA:HB2	1.55	0.87
1:B:292:GLU:OE2	1:B:294:ASN:ND2	2.09	0.86
1:D:379:LYS:NZ	4:D:701:HOH:O	2.10	0.83
1:D:22:GLU:HB3	1:D:134:ARG:HG3	1.62	0.80
1:C:470:HIS:HD2	1:C:472:ASP:H	1.30	0.75
1:D:225:LYS:NZ	4:D:703:HOH:O	2.23	0.71
1:B:159:LEU:HD22	1:B:163:ASP:HB3	1.74	0.70
1:C:135:ILE:HD12	1:C:139:THR:O	1.91	0.70
1:C:264:ARG:NH1	4:C:704:HOH:O	2.24	0.70
1:D:141:LYS:HB2	1:D:145:VAL:O	1.92	0.69
1:A:127:PHE:HE2	1:A:140:ILE:HG12	1.56	0.69
1:D:141:LYS:CB	1:D:146:SER:HA	2.24	0.68
1:B:473:VAL:HG21	1:B:558:GLY:HA2	1.75	0.67
1:D:155:ALA:HB1	1:D:157:LEU:HG	1.77	0.67
1:B:441:GLU:HG2	1:B:559:ARG:HE	1.59	0.66
1:D:473:VAL:HG21	1:D:558:GLY:HA2	1.79	0.64
1:D:455:GLU:OE2	4:D:702:HOH:O	2.15	0.64
1:A:24:LYS:HD2	1:D:158:ASP:HB2	1.79	0.64
1:B:159:LEU:O	1:B:164:ARG:NH1	2.32	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:166:MET:HB3	1:B:179:MET:HG3	1.79	0.63
1:B:58:THR:HG22	1:B:85:ARG:O	1.99	0.62
1:B:174:ALA:HB2	1:B:222:MET:HB3	1.81	0.62
1:D:93:CYS:SG	4:D:884:HOH:O	2.56	0.61
1:C:470:HIS:CD2	1:C:472:ASP:HB2	2.35	0.61
1:A:565:PRO:HD2	1:A:568:LEU:HD12	1.81	0.61
1:C:394:THR:HG21	1:C:530:LYS:HA	1.84	0.59
1:C:191:ALA:O	4:C:701:HOH:O	2.17	0.59
1:D:394:THR:HG21	1:D:530:LYS:HA	1.84	0.59
1:A:508:CYS:SG	1:A:509:TRP:N	2.76	0.58
1:A:473:VAL:HG21	1:A:558:GLY:HA2	1.85	0.58
1:A:432:TRP:CD1	1:A:564:LEU:HD23	2.39	0.57
1:D:141:LYS:HD2	1:D:146:SER:HB2	1.86	0.57
1:D:157:LEU:HD21	1:D:183:VAL:HG13	1.85	0.57
1:C:21:ALA:HB1	1:C:88:SER:HB2	1.85	0.57
1:B:141:LYS:HD3	1:B:146:SER:HB2	1.88	0.56
1:D:508:CYS:SG	1:D:509:TRP:N	2.79	0.56
1:D:101:LEU:HD23	1:D:185:MET:HE3	1.87	0.55
1:C:386:LYS:HE2	1:C:450:PRO:HG2	1.88	0.55
1:B:135:ILE:HG12	1:B:140:ILE:HG13	1.88	0.55
1:D:167:LEU:HD11	1:D:183:VAL:HG21	1.89	0.55
1:A:134:ARG:HH22	1:A:141:LYS:CE	2.20	0.55
1:B:13:ALA:HB2	1:B:147:LEU:CD2	2.37	0.55
1:D:365:VAL:HG21	1:D:370:PRO:HB3	1.89	0.54
1:D:196:ASP:OD1	1:D:323:ARG:NH1	2.32	0.54
1:B:382:ARG:HD3	1:C:246:GLY:HA2	1.88	0.54
1:B:14:ARG:HH22	1:B:153:ALA:HB2	1.73	0.54
1:D:213:LEU:HA	1:D:258:LEU:HD13	1.91	0.53
1:D:14:ARG:HH11	1:D:150:ALA:HB1	1.74	0.53
1:B:508:CYS:SG	1:B:509:TRP:N	2.82	0.53
1:D:292:GLU:OE2	1:D:294:ASN:ND2	2.40	0.53
1:A:127:PHE:CE2	1:A:140:ILE:HG12	2.41	0.52
1:C:159:LEU:HD22	1:C:163:ASP:HB3	1.90	0.52
1:A:525:MET:HE2	1:A:546:GLY:HA3	1.92	0.52
1:C:135:ILE:HD12	1:C:136:ASP:H	1.75	0.52
1:B:369:ILE:HD13	1:B:400:MET:HG2	1.92	0.51
1:D:90:LEU:HG	1:D:114:LEU:HD21	1.92	0.51
1:B:165:ALA:HA	1:B:168:GLU:OE1	2.11	0.51
1:D:559:ARG:NE	4:D:712:HOH:O	2.42	0.51
1:A:217:GLU:OE1	4:A:701:HOH:O	2.18	0.51
1:C:470:HIS:CD2	1:C:472:ASP:H	2.20	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:532:ALA:HA	1:A:543:VAL:HG11	1.93	0.50
1:D:119:LEU:HD21	1:D:140:ILE:HD13	1.92	0.50
1:A:564:LEU:HD22	1:A:568:LEU:HD13	1.93	0.50
1:C:156:HIS:CD2	1:C:156:HIS:H	2.28	0.50
1:C:508:CYS:SG	1:C:509:TRP:N	2.84	0.50
1:C:93:CYS:SG	4:C:976:HOH:O	2.60	0.50
1:B:155:ALA:HB1	1:B:157:LEU:HD13	1.92	0.49
1:D:21:ALA:HB1	1:D:88:SER:HB2	1.94	0.49
1:C:326:LEU:HG	1:C:331:LEU:HD21	1.94	0.49
1:B:276:TYR:HE1	1:B:386:LYS:HD2	1.77	0.49
1:C:268:ARG:HD3	4:C:746:HOH:O	2.13	0.49
1:D:117:ILE:HD11	1:D:135:ILE:CG2	2.43	0.49
1:A:432:TRP:CE2	1:A:565:PRO:HD3	2.48	0.48
1:C:365:VAL:HG21	1:C:370:PRO:HB3	1.95	0.48
1:B:185:MET:O	1:B:188:GLN:HG3	2.14	0.48
1:C:125:ALA:O	1:C:129:ARG:HG3	2.13	0.48
1:D:432:TRP:CE2	1:D:565:PRO:HD3	2.48	0.48
1:D:161:ASP:OD1	1:D:164:ARG:NH2	2.47	0.48
1:B:333:GLU:OE1	1:B:336:ARG:NH1	2.42	0.47
1:A:134:ARG:NH1	1:A:136:ASP:OD2	2.48	0.47
1:A:291:ALA:O	1:A:292:GLU:HB3	2.15	0.47
1:C:565:PRO:HD2	1:C:568:LEU:HD12	1.97	0.47
1:C:278:LEU:HD23	1:C:482:GLN:HG3	1.97	0.47
1:A:126:ARG:HD3	4:A:913:HOH:O	2.15	0.46
1:A:253:ASP:HB3	1:A:254:PRO:HD3	1.97	0.46
1:A:505:PRO:O	1:A:507:LEU:N	2.44	0.46
1:B:141:LYS:HA	1:B:145:VAL:O	2.15	0.46
1:C:135:ILE:HD12	1:C:136:ASP:N	2.29	0.46
1:C:554:SER:OG	1:C:560:ALA:HB2	2.16	0.46
1:B:177:GLN:CD	1:B:180:ARG:HH11	2.19	0.46
1:C:188:GLN:OE1	4:C:702:HOH:O	2.20	0.46
1:D:126:ARG:HG2	1:D:129:ARG:NH2	2.31	0.46
1:C:117:ILE:HD11	1:C:135:ILE:HG12	1.98	0.45
1:C:127:PHE:CD2	1:C:142:ALA:HB2	2.51	0.45
1:D:379:LYS:HA	1:D:379:LYS:HD2	1.76	0.45
1:C:482:GLN:OE1	1:C:482:GLN:N	2.47	0.45
1:C:291:ALA:O	1:C:292:GLU:HB3	2.16	0.45
1:D:253:ASP:HB3	1:D:254:PRO:HD3	1.99	0.45
1:D:291:ALA:O	1:D:292:GLU:HB3	2.16	0.45
1:B:233:ASN:OD1	1:B:273:CYS:HA	2.16	0.45
1:C:473:VAL:HG21	1:C:558:GLY:HA2	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:532:ALA:HA	1:C:543:VAL:HG11	1.97	0.45
1:D:159:LEU:O	1:D:164:ARG:NH1	2.49	0.45
1:A:426:GLU:OE1	1:A:426:GLU:N	2.36	0.45
1:B:349:ILE:HA	1:B:567:TRP:CD1	2.52	0.44
1:D:90:LEU:HD12	1:D:116:VAL:HG22	1.98	0.44
1:D:464:PHE:O	1:D:467:ARG:HG2	2.18	0.44
1:A:24:LYS:HB3	1:D:158:ASP:HB2	2.00	0.43
1:A:58:THR:HG23	1:A:85:ARG:HA	1.99	0.43
1:D:157:LEU:HA	1:D:192:SER:HA	1.99	0.43
1:D:233:ASN:OD1	1:D:273:CYS:HA	2.17	0.43
1:D:117:ILE:HD11	1:D:135:ILE:HG21	2.00	0.43
1:D:525:MET:HE2	1:D:546:GLY:HA3	2.00	0.43
1:C:233:ASN:OD1	1:C:273:CYS:HA	2.19	0.43
1:B:177:GLN:OE1	1:B:180:ARG:NH1	2.51	0.43
1:D:14:ARG:HD3	1:D:15:SER:N	2.34	0.43
1:D:371:LEU:HD13	1:D:402:HIS:HB2	2.01	0.43
1:D:415:LEU:HD12	1:D:416:GLU:H	1.83	0.43
1:D:126:ARG:HG2	1:D:129:ARG:HH22	1.84	0.42
1:A:379:LYS:HD3	1:A:379:LYS:HA	1.79	0.42
1:D:479:ALA:O	1:D:505:PRO:HA	2.20	0.42
1:D:415:LEU:HD12	1:D:416:GLU:N	2.33	0.42
1:D:482:GLN:NE2	1:D:483:VAL:HG23	2.34	0.42
1:A:134:ARG:HH22	1:A:141:LYS:CD	2.32	0.42
1:B:282:PRO:HG3	1:B:288:ILE:HD13	2.02	0.42
1:D:127:PHE:CD1	1:D:142:ALA:HB3	2.55	0.42
1:B:288:ILE:HD12	1:B:290:TRP:CE2	2.54	0.42
1:C:133:VAL:HA	1:C:141:LYS:O	2.18	0.42
1:B:291:ALA:O	1:B:292:GLU:HB3	2.20	0.42
1:B:40:PRO:HG3	1:B:76:VAL:HG13	2.02	0.41
1:D:58:THR:HG23	1:D:85:ARG:HA	2.02	0.41
1:A:473:VAL:CG2	1:A:558:GLY:HA2	2.50	0.41
1:C:179:MET:HG2	1:C:321:THR:HG21	2.02	0.41
1:D:345:LEU:HD13	1:D:346:PRO:O	2.21	0.41
1:A:441:GLU:H	1:A:441:GLU:HG3	1.64	0.41
1:B:441:GLU:HG2	1:B:559:ARG:HH21	1.86	0.41
1:D:167:LEU:HG	1:D:179:MET:HB3	2.03	0.41
1:A:134:ARG:HH22	1:A:141:LYS:HD2	1.86	0.41
1:A:166:MET:HB3	1:A:179:MET:HG3	2.01	0.41
1:A:564:LEU:O	4:A:702:HOH:O	2.22	0.41
1:B:157:LEU:HD21	1:B:186:ALA:HB3	2.03	0.41
1:B:392:PHE:CD2	1:B:401:LEU:HD22	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:360:LEU:HD11	1:D:428:MET:HA	2.03	0.41
1:A:157:LEU:HD12	1:A:183:VAL:HG13	2.02	0.41
1:C:219:MET:HA	1:C:222:MET:HE3	2.03	0.41
1:D:67:SER:O	1:D:397:ALA:HB2	2.20	0.41
1:D:78:LEU:O	1:D:82:LEU:HG	2.21	0.40
1:B:292:GLU:CD	1:B:294:ASN:ND2	2.75	0.40
1:B:473:VAL:CG2	1:B:558:GLY:HA2	2.47	0.40
1:B:565:PRO:HD2	1:B:568:LEU:HD12	2.02	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:158:ASP:OD1	1:D:24:LYS:NZ[1_545]	2.08	0.12
1:B:141:LYS:NZ	1:B:498:ASP:OD2[1_655]	2.18	0.02

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	557/579 (96%)	542 (97%)	15 (3%)	0	100	100
1	B	557/579 (96%)	540 (97%)	16 (3%)	1 (0%)	47	44
1	C	557/579 (96%)	543 (98%)	14 (2%)	0	100	100
1	D	557/579 (96%)	543 (98%)	14 (2%)	0	100	100
All	All	2228/2316 (96%)	2168 (97%)	59 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	292	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	424/439 (97%)	419 (99%)	5 (1%)	71	76
1	B	424/439 (97%)	415 (98%)	9 (2%)	53	57
1	C	424/439 (97%)	420 (99%)	4 (1%)	78	83
1	D	424/439 (97%)	419 (99%)	5 (1%)	71	76
All	All	1696/1756 (97%)	1673 (99%)	23 (1%)	67	72

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	LYS
1	A	128	SER
1	A	351	ASP
1	A	441	GLU
1	A	559	ARG
1	B	22	GLU
1	B	114	LEU
1	B	137	GLN
1	B	147	LEU
1	B	170	ARG
1	B	351	ASP
1	B	401	LEU
1	B	559	ARG
1	B	563	ARG
1	C	157	LEU
1	C	188	GLN
1	C	294	ASN
1	C	379	LYS
1	D	24	LYS
1	D	136	ASP
1	D	162	ASP
1	D	401	LEU
1	D	559	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	156	HIS
1	C	470	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	G8X	B	602	2	8,9,9	1.24	1 (12%)	8,12,12	1.08	0
2	FES	D	601	3,1	0,4,4	-	-	-		
3	G8X	D	602	2	8,9,9	1.24	1 (12%)	8,12,12	1.10	1 (12%)
2	FES	B	601	3,1	0,4,4	-	-	-		
2	FES	A	601	3,1	0,4,4	-	-	-		
2	FES	C	601	3,1	0,4,4	-	-	-		
3	G8X	C	602	2	8,9,9	1.10	1 (12%)	8,12,12	0.96	0
3	G8X	A	602	2	8,9,9	1.20	1 (12%)	8,12,12	0.98	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	G8X	B	602	2	-	2/4/14/14	0/1/1/1
2	FES	D	601	3,1	-	-	0/1/1/1
3	G8X	D	602	2	-	3/4/14/14	0/1/1/1
2	FES	B	601	3,1	-	-	0/1/1/1
2	FES	A	601	3,1	-	-	0/1/1/1
2	FES	C	601	3,1	-	-	0/1/1/1
3	G8X	C	602	2	-	3/4/14/14	0/1/1/1
3	G8X	A	602	2	-	2/4/14/14	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	602	G8X	CB-CA	-2.67	1.51	1.54
3	B	602	G8X	CB-CA	-2.60	1.51	1.54
3	A	602	G8X	CB-CA	-2.39	1.51	1.54
3	C	602	G8X	CB-CA	-2.10	1.51	1.54

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	602	G8X	O2-CB-CA	-2.22	103.75	109.73

There are no chirality outliers.


All (10) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	602	G8X	O1-C-CA-N
3	D	602	G8X	O1-C-CA-N
3	A	602	G8X	O-C-CA-N
3	C	602	G8X	O-C-CA-N
3	A	602	G8X	O1-C-CA-N
3	C	602	G8X	O1-C-CA-CB
3	B	602	G8X	O-C-CA-CB
3	D	602	G8X	O-C-CA-CB
3	D	602	G8X	O1-C-CA-CB
3	C	602	G8X	O1-C-CA-N


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	559/579 (96%)	-0.29	7 (1%) 77 76	18, 28, 49, 67	0
1	B	559/579 (96%)	-0.17	6 (1%) 80 79	16, 27, 45, 59	0
1	C	559/579 (96%)	-0.25	9 (1%) 72 70	16, 26, 47, 78	0
1	D	559/579 (96%)	-0.06	20 (3%) 42 42	17, 30, 67, 88	0
All	All	2236/2316 (96%)	-0.19	42 (1%) 66 65	16, 28, 51, 88	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	154	THR	4.6
1	C	132	HIS	4.4
1	D	144	GLY	4.0
1	C	138	ASN	3.8
1	D	143	ASP	3.7
1	B	569	SER	3.5
1	D	157	LEU	3.5
1	D	148	ALA	3.4
1	C	11	PRO	3.4
1	D	134	ARG	3.4
1	D	569	SER	3.2
1	D	11	PRO	3.2
1	B	137	GLN	3.2
1	D	142	ALA	3.2
1	D	147	LEU	2.9
1	D	14	ARG	2.8
1	A	569	SER	2.8
1	A	564	LEU	2.8
1	D	415	LEU	2.8
1	B	14	ARG	2.8
1	A	441	GLU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	136	ASP	2.4
1	A	563	ARG	2.4
1	A	11	PRO	2.4
1	B	347	ALA	2.4
1	C	155	ALA	2.4
1	D	146	SER	2.4
1	D	150	ALA	2.4
1	C	170	ARG	2.4
1	C	137	GLN	2.3
1	D	132	HIS	2.2
1	B	559	ARG	2.2
1	D	24	LYS	2.2
1	D	138	ASN	2.2
1	D	156	HIS	2.2
1	A	561	VAL	2.1
1	D	127	PHE	2.1
1	B	563	ARG	2.1
1	C	376	GLY	2.1
1	A	144	GLY	2.1
1	C	135	ILE	2.0
1	D	559	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	G8X	C	602	9/9	0.95	0.10	16,18,19,19	0
3	G8X	B	602	9/9	0.96	0.11	15,17,19,20	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	G8X	A	602	9/9	0.96	0.10	19,21,23,23	0
3	G8X	D	602	9/9	0.96	0.10	17,19,21,21	0
2	FES	A	601	4/4	0.97	0.09	23,25,26,28	0
2	FES	C	601	4/4	0.98	0.07	19,20,21,26	0
2	FES	D	601	4/4	0.98	0.08	20,23,23,26	0
2	FES	B	601	4/4	0.98	0.07	19,19,24,25	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around G8X C 602:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around G8X B 602:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around G8X A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.