



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 9, 2020 – 12:51 AM BST

PDB ID : 6CQQ
Title : Crystal structure of F24 TCR -DR15-RQ13 peptide complex
Authors : Farenc, C.; Gras, S.; Rossjohn, J.
Deposited on : 2018-03-16
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	182	<div> <div>75%</div> <div>22%</div> <div>..</div> </div>
1	F	182	<div> <div>3%</div> <div>81%</div> <div>16%</div> <div>..</div> </div>
2	B	190	<div> <div>6%</div> <div>67%</div> <div>28%</div> <div>..</div> </div>
2	G	190	<div> <div>6%</div> <div>72%</div> <div>24%</div> <div>..</div> </div>
3	C	13	<div> <div>85%</div> <div>8%</div> <div>8%</div> </div>
3	H	13	<div> <div>8%</div> <div>77%</div> <div>15%</div> <div>8%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	205	
4	I	205	
5	E	245	
5	J	245	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	NAG	G	201	-	-	-	X

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 13785 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HLA class II histocompatibility antigen, DR alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	178	Total	C	N	O	S	0	0	0
			1464	949	238	272	5			
1	F	178	Total	C	N	O	S	0	0	0
			1464	949	238	272	5			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	182	THR	ALA	conflict	UNP P01903
F	182	THR	ALA	conflict	UNP P01903

- Molecule 2 is a protein called HLA-DRB1 protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	188	Total	C	N	O	S	0	0	0
			1545	976	274	289	6			
2	G	189	Total	C	N	O	S	0	0	0
			1554	981	276	291	6			

- Molecule 3 is a protein called Peptide from Capsid protein p24.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	13	Total	C	N	O	0	0	0
			113	70	22	21			
3	H	13	Total	C	N	O	0	0	0
			113	70	22	21			

- Molecule 4 is a protein called F24 alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	200	Total	C	N	O	S	0	3	0
			1575	990	259	318	8			

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	I	200	Total	C	N	O	S	0	3	0
			1575	990	259	318	8			

- Molecule 5 is a protein called F24 beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	244	Total	C	N	O	S	0	0	0
			1972	1250	336	378	8			
5	J	244	Total	C	N	O	S	0	0	0
			1972	1250	336	378	8			

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	F	1	Total	C	N	O	0	0
			14	8	1	5		
6	G	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 7 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	1	Total	Mg	0	0
			1	1		
7	C	1	Total	Mg	0	0
			1	1		

- Molecule 8 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	E	1	Total	O	S	0	0
			5	4	1		

- Molecule 9 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	J	1	Total	C	O	0	0
			4	2	2		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	39	Total	O	0	0
			39	39		
10	B	23	Total	O	0	0
			23	23		
10	C	2	Total	O	0	0
			2	2		
10	D	45	Total	O	0	0
			45	45		
10	E	72	Total	O	0	0
			72	72		
10	F	30	Total	O	0	0
			30	30		
10	G	24	Total	O	0	0
			24	24		
10	H	6	Total	O	0	0
			6	6		
10	I	59	Total	O	0	0
			59	59		
10	J	85	Total	O	0	0
			85	85		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HLA class II histocompatibility antigen, DR alpha chain




- Molecule 1: HLA class II histocompatibility antigen, DR alpha chain




- Molecule 2: HLA-DRB1 protein




- Molecule 2: HLA-DRB1 protein









- Molecule 3: Peptide from Capsid protein p24




- Molecule 3: Peptide from Capsid protein p24





- Molecule 4: F24 alpha chain




- Molecule 4: F24 alpha chain



- Molecule 5: F24 beta chain



● Molecule 5: F24 beta chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	76.34Å 203.27Å 100.25Å 90.00° 109.16° 90.00°	Depositor
Resolution (Å)	40.99 – 2.80 40.23 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.0 (40.99-2.80) 99.2 (40.23-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.33 (at 2.81Å)	Xtriage
Refinement program	BUSTER 2.10.2	Depositor
R, R_{free}	0.207 , 0.254 0.216 , 0.268	Depositor DCC
R_{free} test set	3498 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	51.2	Xtriage
Anisotropy	0.356	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 67.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	13785	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, MG, EDO, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/1509	0.76	0/2058
1	F	0.49	0/1509	0.73	0/2058
2	B	0.50	0/1587	0.74	0/2154
2	G	0.50	0/1597	0.72	0/2169
3	C	0.52	0/114	0.99	0/149
3	H	0.61	0/114	1.00	0/149
4	D	0.56	0/1621	0.81	0/2197
4	I	0.56	0/1621	0.80	0/2197
5	E	0.53	0/2026	0.76	0/2753
5	J	0.53	0/2026	0.77	0/2753
All	All	0.52	0/13724	0.77	0/18637

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1464	0	1400	21	0
1	F	1464	0	1400	16	0
2	B	1545	0	1463	35	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	G	1554	0	1471	31	0
3	C	113	0	111	2	0
3	H	113	0	111	2	0
4	D	1575	0	1502	13	0
4	I	1575	0	1502	17	0
5	E	1972	0	1872	17	0
5	J	1972	0	1872	17	0
6	A	14	0	13	1	0
6	F	14	0	13	0	0
6	G	14	0	13	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
8	E	5	0	0	0	0
9	J	4	0	6	0	0
10	A	39	0	0	0	0
10	B	23	0	0	0	0
10	C	2	0	0	0	0
10	D	45	0	0	0	0
10	E	72	0	0	0	0
10	F	30	0	0	0	0
10	G	24	0	0	0	0
10	H	6	0	0	0	0
10	I	59	0	0	2	0
10	J	85	0	0	0	0
All	All	13785	0	12749	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:G:121:GLY:HA2	2:G:154:THR:HG23	1.52	0.91
2:G:150:ASN:HD22	2:G:154:THR:HG22	1.39	0.87
4:I:170:CYS:HG	5:J:187:CYS:HG	0.99	0.87
5:E:150:GLU:O	5:E:154:THR:HG22	1.77	0.84
1:F:135:THR:HG22	1:F:148:PHE:H	1.43	0.83
2:B:150:ASN:HD22	2:B:154:THR:HG22	1.42	0.82
1:F:103:ASN:HD22	1:F:104:VAL:H	1.31	0.78
2:B:121:GLY:HA2	2:B:154:THR:HG23	1.66	0.76
2:B:133:LEU:HD12	2:B:171:TYR:HE1	1.51	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:G:133:LEU:HD12	2:G:171:TYR:HE1	1.49	0.74
4:I:122:PRO:HG3	4:I:171:VAL:HG21	1.70	0.73
4:I:135:ARG:HD3	4:I:136:ASP:H	1.55	0.71
4:I:145:CYS:SG	4:I:195:CYS:HB3	2.32	0.69
2:G:94:ARG:HH11	2:G:94:ARG:HG3	1.58	0.69
4:D:145:CYS:SG	4:D:195:CYS:HB3	2.32	0.69
2:B:133:LEU:HD12	2:B:171:TYR:CE1	2.31	0.66
4:D:170:CYS:SG	5:E:187:CYS:HB2	2.37	0.63
2:G:152:ASP:OD1	2:G:154:THR:HB	1.99	0.62
2:B:132:PHE:HB2	2:B:172:THR:HG23	1.83	0.60
4:D:122:PRO:HG3	4:D:171:VAL:HG21	1.84	0.60
2:G:133:LEU:HD12	2:G:171:TYR:CE1	2.34	0.60
2:B:51:THR:HG22	2:B:53:LEU:H	1.66	0.59
5:E:134:LYS:HG3	5:E:135:ASN:HD22	1.68	0.59
2:G:101:VAL:HG12	2:G:186:VAL:HG12	1.84	0.59
2:G:51:THR:HG22	2:G:53:LEU:H	1.66	0.59
4:D:144:VAL:HG12	4:D:187:TRP:HB3	1.86	0.58
2:G:13:ARG:HD2	3:H:94:LEU:HD22	1.85	0.58
1:F:118:ASN:HB2	1:F:166:GLU:HB2	1.86	0.58
1:A:93:THR:HG22	1:A:105:LEU:HD12	1.85	0.58
1:A:118:ASN:HB2	1:A:166:GLU:HB2	1.87	0.57
2:B:10:GLN:HG3	2:B:31:PHE:HB2	1.86	0.57
2:G:150:ASN:ND2	2:G:154:THR:HG22	2.15	0.56
5:E:55:SER:HB3	5:E:66:SER:HB3	1.88	0.55
2:G:94:ARG:HG3	2:G:94:ARG:NH1	2.21	0.55
1:F:135:THR:CG2	1:F:148:PHE:H	2.19	0.55
5:E:169:ASP:OD2	5:E:192:PRO:HG3	2.07	0.55
4:D:11:LEU:HD21	4:D:19:THR:HG21	1.89	0.55
5:E:233:LEU:HD22	5:E:246:PRO:HD2	1.89	0.54
2:B:13:ARG:HD2	3:C:94:LEU:HD22	1.88	0.54
2:B:21:THR:HG23	2:B:80:ARG:HG2	1.91	0.53
5:J:55:SER:HB3	5:J:67:GLU:H	1.74	0.53
1:F:9:GLN:HB2	2:G:78:TYR:OH	2.09	0.53
4:I:56:MET:HG2	4:I:67:LYS:HD2	1.91	0.52
4:I:40:HIS:HB2	4:I:101:ALA:HB3	1.92	0.52
2:B:90:THR:CG2	2:B:91:VAL:H	2.22	0.52
4:D:40:HIS:HB2	4:D:101:ALA:HB3	1.92	0.51
1:A:12:PHE:CE2	1:A:21:GLU:HB2	2.45	0.51
2:G:124:PRO:O	2:G:177:HIS:HE1	1.93	0.51
1:F:12:PHE:CE2	1:F:21:GLU:HB2	2.46	0.51
2:B:152:ASP:OD1	2:B:154:THR:HB	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:I:175:ARG:HB3	5:J:184:SER:OG	2.11	0.50
4:I:203:ILE:HG22	10:I:304:HOH:O	2.11	0.50
2:B:124:PRO:O	2:B:177:HIS:HE1	1.94	0.50
2:G:13:ARG:HG3	2:G:13:ARG:HH11	1.76	0.50
1:F:76:ARG:HH22	2:G:57:ASP:CG	2.13	0.50
2:B:97:PRO:HB3	2:B:122:PHE:HB3	1.93	0.50
4:I:170:CYS:CB	5:J:187:CYS:SG	3.00	0.50
2:G:97:PRO:HB3	2:G:122:PHE:HB3	1.93	0.50
5:E:150:GLU:OE2	5:E:158:THR:HG22	2.11	0.49
5:J:10:HIS:CD2	5:J:170:HIS:HB3	2.47	0.49
1:A:97:VAL:HG21	1:A:178:TRP:HZ2	1.76	0.49
2:B:90:THR:HG23	2:B:91:VAL:N	2.26	0.49
5:J:178:ASN:ND2	5:J:223:HIS:H	2.10	0.49
1:F:9:GLN:HB2	2:G:78:TYR:HH	1.78	0.49
2:B:85:VAL:HG22	3:C:89:ARG:HB3	1.95	0.48
5:J:187:CYS:O	5:J:208:SER:HA	2.14	0.48
2:B:13:ARG:HH11	2:B:13:ARG:HG3	1.79	0.47
2:B:64:GLN:CB	2:B:67:ILE:HD12	2.44	0.47
1:F:97:VAL:HG21	1:F:178:TRP:HZ2	1.78	0.47
1:F:17:ASP:OD1	2:G:6:ARG:HD2	2.15	0.47
4:D:134:LEU:HB2	4:D:144:VAL:HG23	1.97	0.47
2:G:64:GLN:NE2	5:J:108:ARG:HH21	2.13	0.47
5:J:169:ASP:CG	5:J:170:HIS:H	2.17	0.47
2:G:21:THR:HG23	2:G:80:ARG:HG2	1.97	0.47
2:G:64:GLN:CB	2:G:67:ILE:HD12	2.45	0.47
1:A:124:ASN:HA	1:A:160:VAL:HG23	1.97	0.46
2:B:90:THR:HG23	2:B:91:VAL:H	1.81	0.46
1:A:100:ARG:HA	1:A:154:LEU:HD21	1.97	0.46
2:B:64:GLN:HB2	2:B:67:ILE:HD12	1.98	0.46
5:E:55:SER:HB3	5:E:67:GLU:H	1.81	0.46
4:I:165:TYR:O	4:I:186:ALA:HA	2.16	0.46
2:B:90:THR:CG2	2:B:91:VAL:N	2.78	0.45
1:A:18:GLN:HE21	1:A:67:LYS:NZ	2.15	0.45
1:A:8:ILE:HG12	2:B:14:GLU:HG2	1.97	0.45
1:A:97:VAL:HG21	1:A:178:TRP:CZ2	2.52	0.45
2:G:99:VAL:HG22	2:G:119:VAL:HG13	1.97	0.45
5:E:154:THR:HG23	5:E:156:LYS:H	1.81	0.45
1:A:81:PRO:HB3	2:B:5:PRO:HB2	1.98	0.45
2:G:64:GLN:HB2	2:G:67:ILE:HD12	1.99	0.45
5:E:17:GLN:H	5:E:94:THR:HG22	1.81	0.45
1:A:87:PRO:HD2	1:A:170:LEU:HD13	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:21:GLU:OE2	1:A:136:VAL:HG22	2.16	0.45
2:B:75:VAL:HG13	2:B:80:ARG:NH2	2.32	0.45
2:G:94:ARG:CG	2:G:94:ARG:HH11	2.28	0.45
4:D:165:TYR:O	4:D:186:ALA:HA	2.16	0.45
4:I:101:ALA:HB1	4:I:110:LEU:HB3	1.99	0.45
4:I:131:VAL:HG12	4:I:195:CYS:HB2	1.99	0.45
4:D:131:VAL:HG12	4:D:195:CYS:HB2	2.00	0.44
2:B:99:VAL:HG22	2:B:119:VAL:HG13	1.97	0.44
1:A:9:GLN:HB2	2:B:78:TYR:HH	1.83	0.44
1:F:160:VAL:HG12	1:F:179:GLU:HG3	2.00	0.44
2:G:177:HIS:CD2	2:G:179:SER:H	2.36	0.44
4:D:170:CYS:SG	5:E:187:CYS:SG	3.16	0.43
1:F:97:VAL:HG21	1:F:178:TRP:CZ2	2.53	0.43
5:J:178:ASN:HD21	5:J:222:ASN:HA	1.82	0.43
1:A:73:MET:HG2	2:B:9:TRP:CZ3	2.53	0.43
2:B:177:HIS:CD2	2:B:179:SER:H	2.37	0.43
1:A:160:VAL:HG12	1:A:179:GLU:HG3	2.00	0.43
4:I:170:CYS:HB3	5:J:187:CYS:SG	2.59	0.43
2:G:108:PRO:HB2	2:G:109:LEU:H	1.66	0.42
2:G:132:PHE:HB2	2:G:172:THR:HB	2.01	0.42
4:D:101:ALA:HB1	4:D:110:LEU:HB3	2.01	0.42
5:J:223:HIS:HE1	5:J:254:GLU:OE1	2.02	0.42
2:B:116:VAL:HG22	2:B:160:MET:HG2	2.01	0.42
1:F:99:LEU:HA	1:F:155:PRO:HB2	2.00	0.42
5:E:223:HIS:HE1	5:E:254:GLU:OE1	2.02	0.42
2:G:116:VAL:HG22	2:G:160:MET:HG2	2.02	0.42
2:B:180:VAL:HG11	2:B:184:LEU:HD13	2.00	0.42
5:E:17:GLN:O	5:E:94:THR:HB	2.20	0.42
2:G:101:VAL:HG12	2:G:186:VAL:CG1	2.49	0.42
1:A:26:PHE:HB2	1:A:31:ILE:HD11	2.01	0.42
2:B:39:ARG:HG2	2:B:40:PHE:N	2.35	0.42
1:F:91:VAL:HG23	1:F:176:LYS:HB3	2.01	0.42
4:I:137:SER:HB2	5:J:143:VAL:O	2.20	0.42
4:I:143:SER:HA	10:I:306:HOH:O	2.18	0.42
5:J:21:LEU:HD13	5:J:89:LEU:HD23	2.02	0.41
1:F:18:GLN:HE21	1:F:67:LYS:NZ	2.18	0.41
1:F:26:PHE:HB2	1:F:31:ILE:HD11	2.01	0.41
1:A:167:HIS:HA	6:A:201:NAG:H81	2.01	0.41
1:A:91:VAL:HG23	1:A:176:LYS:HB3	2.01	0.41
2:B:145:THR:HG22	2:B:158:LEU:H	1.84	0.41
1:A:162:ASP:OD2	1:A:175:LEU:HD23	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:106:THR:HB	2:B:107:GLN:H	1.75	0.41
4:D:170:CYS:SG	5:E:187:CYS:CB	3.07	0.41
2:B:64:GLN:NE2	5:E:108:ARG:HH21	2.19	0.41
5:E:5:THR:HB	5:E:24:VAL:HB	2.02	0.41
4:I:172:LEU:HB3	5:J:187:CYS:HB2	2.03	0.41
2:G:145:THR:HG22	2:G:158:LEU:H	1.85	0.41
5:J:161:CYS:O	5:J:207:SER:HA	2.20	0.41
4:D:169:LYS:HA	4:D:183:SER:O	2.21	0.41
1:A:9:GLN:HB2	2:B:78:TYR:OH	2.21	0.41
1:A:122:LEU:HD11	1:A:164:ARG:NH1	2.37	0.40
4:I:169:LYS:HA	4:I:183:SER:O	2.21	0.40
2:G:85:VAL:HG22	3:H:89:ARG:HB3	2.04	0.40
5:J:171:VAL:HG13	5:J:228:VAL:HG13	2.04	0.40
2:B:90:THR:HG23	2:B:91:VAL:HG23	2.03	0.40
5:E:161:CYS:O	5:E:207:SER:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	176/182 (97%)	173 (98%)	3 (2%)	0	100	100
1	F	176/182 (97%)	170 (97%)	6 (3%)	0	100	100
2	B	184/190 (97%)	171 (93%)	10 (5%)	3 (2%)	9	31
2	G	187/190 (98%)	171 (91%)	13 (7%)	3 (2%)	9	31
3	C	11/13 (85%)	11 (100%)	0	0	100	100
3	H	11/13 (85%)	11 (100%)	0	0	100	100
4	D	201/205 (98%)	188 (94%)	8 (4%)	5 (2%)	5	19
4	I	201/205 (98%)	185 (92%)	14 (7%)	2 (1%)	15	44

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	E	242/245 (99%)	232 (96%)	9 (4%)	1 (0%)	34	66
5	J	242/245 (99%)	230 (95%)	11 (4%)	1 (0%)	34	66
All	All	1631/1670 (98%)	1542 (94%)	74 (4%)	15 (1%)	17	46

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	D	178	ASP
4	D	193	PHE
5	E	81	PRO
4	D	192	ASP
2	G	105	LYS
4	I	136	ASP
5	J	81	PRO
2	B	106	THR
2	G	108	PRO
4	I	160	LYS
2	B	105	LYS
2	B	87	GLU
4	D	175	ARG
2	G	87	GLU
4	D	89	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	163/167 (98%)	150 (92%)	13 (8%)	12	34
1	F	163/167 (98%)	153 (94%)	10 (6%)	18	48
2	B	169/170 (99%)	147 (87%)	22 (13%)	4	13
2	G	170/170 (100%)	148 (87%)	22 (13%)	4	13
3	C	11/11 (100%)	10 (91%)	1 (9%)	9	27
3	H	11/11 (100%)	9 (82%)	2 (18%)	1	5

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	D	180/182 (99%)	165 (92%)	15 (8%)	11	32
4	I	180/182 (99%)	156 (87%)	24 (13%)	4	12
5	E	218/219 (100%)	198 (91%)	20 (9%)	9	27
5	J	218/219 (100%)	199 (91%)	19 (9%)	10	30
All	All	1483/1498 (99%)	1335 (90%)	148 (10%)	7	22

All (148) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	MET
1	A	40	GLU
1	A	46	GLU
1	A	53	SER
1	A	60	LEU
1	A	71	GLU
1	A	77	SER
1	A	88	GLU
1	A	92	LEU
1	A	95	SER
1	A	136	VAL
1	A	138	LEU
1	A	170	LEU
2	B	2	ASP
2	B	4	ARG
2	B	13	ARG
2	B	23	ARG
2	B	27	LEU
2	B	37	SER
2	B	65	LYS
2	B	66	ASP
2	B	75	VAL
2	B	77	THR
2	B	88	SER
2	B	90	THR
2	B	94	ARG
2	B	105	LYS
2	B	113	ASN
2	B	120	SER
2	B	137	GLU
2	B	145	THR
2	B	147	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	174	GLN
2	B	182	SER
2	B	184	LEU
3	C	94	LEU
4	D	10	SER
4	D	21	PHE
4	D	22	THR
4	D	28	SER
4	D	46	THR
4	D	61	ASP
4	D	119	LEU
4	D	140	SER
4	D	159	SER
4	D	175	ARG
4	D	178	ASP
4	D	179	PHE
4	D	197	ASN
4	D	203	ILE
4	D	204	ILE
5	E	3	GLU
5	E	11	GLN
5	E	22	ARG
5	E	23	CYS
5	E	55	SER
5	E	60	GLU
5	E	69	SER
5	E	71	ILE
5	E	94	THR
5	E	113	MET
5	E	133	LEU
5	E	148	GLU
5	E	158	THR
5	E	171	VAL
5	E	191	GLN
5	E	209	ARG
5	E	215	THR
5	E	221	ARG
5	E	242	ASP
5	E	260	ASP
1	F	36	MET
1	F	44	ARG
1	F	71	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	93	THR
1	F	95	SER
1	F	103	ASN
1	F	123	ARG
1	F	135	THR
1	F	158	GLU
1	F	171	ASP
2	G	2	ASP
2	G	4	ARG
2	G	6	ARG
2	G	13	ARG
2	G	23	ARG
2	G	27	LEU
2	G	65	LYS
2	G	66	ASP
2	G	77	THR
2	G	88	SER
2	G	92	GLN
2	G	94	ARG
2	G	105	LYS
2	G	109	LEU
2	G	130	ARG
2	G	137	GLU
2	G	145	THR
2	G	147	LEU
2	G	167	SER
2	G	174	GLN
2	G	182	SER
2	G	184	LEU
3	H	94	LEU
3	H	101	GLN
4	I	9	GLN
4	I	28	SER
4	I	46	THR
4	I	53	LEU
4	I	61	ASP
4	I	72	ILE
4	I	79	LYS
4	I	91	GLN
4	I	125	GLN
4	I	135	ARG
4	I	137	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	I	138	LYS
4	I	142	LYS
4	I	151	ASP
4	I	152	SER
4	I	160	LYS
4	I	168	ASP
4	I	175	ARG
4	I	176	SER
4	I	177	MET
4	I	178	ASP
4	I	179	PHE
4	I	197	ASN
4	I	204	ILE
5	J	11	GLN
5	J	22	ARG
5	J	23	CYS
5	J	60	GLU
5	J	77	SER
5	J	78	VAL
5	J	79	GLU
5	J	107	SER
5	J	133	LEU
5	J	135	ASN
5	J	148	GLU
5	J	159	LEU
5	J	171	VAL
5	J	187	CYS
5	J	209	ARG
5	J	215	THR
5	J	221	ARG
5	J	240	THR
5	J	258	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	GLN
1	A	94	ASN
2	B	64	GLN
2	B	150	ASN
2	B	177	HIS
4	D	40	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	E	14	GLN
5	E	135	ASN
1	F	18	GLN
1	F	94	ASN
1	F	103	ASN
2	G	64	GLN
2	G	150	ASN
2	G	156	GLN
2	G	177	HIS
4	I	40	HIS
4	I	197	ASN
5	J	178	ASN
5	J	183	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 2 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	A	201	1	14,14,15	0.32	0	17,19,21	1.00	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	G	201	2	14,14,15	0.29	0	17,19,21	1.00	1 (5%)
6	NAG	F	201	1	14,14,15	0.34	0	17,19,21	1.04	1 (5%)
9	EDO	J	301	-	3,3,3	0.56	0	2,2,2	0.50	0
8	SO4	E	301	-	4,4,4	0.12	0	6,6,6	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	A	201	1	-	0/6/23/26	0/1/1/1
6	NAG	G	201	2	-	1/6/23/26	0/1/1/1
6	NAG	F	201	1	-	2/6/23/26	0/1/1/1
9	EDO	J	301	-	-	0/1/1/1	-

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	F	201	NAG	O5-C1-C2	-3.49	105.78	111.29
6	A	201	NAG	C1-O5-C5	3.45	116.87	112.19
6	G	201	NAG	C1-O5-C5	3.16	116.48	112.19

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	F	201	NAG	O5-C5-C6-O6
6	F	201	NAG	C4-C5-C6-O6
6	G	201	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	201	NAG	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	178/182 (97%)	-0.25	0 100 100	26, 49, 76, 98	0
1	F	178/182 (97%)	0.10	6 (3%) 45 35	32, 61, 94, 116	0
2	B	188/190 (98%)	0.29	12 (6%) 19 12	27, 60, 97, 122	1 (0%)
2	G	189/190 (99%)	0.38	11 (5%) 23 15	36, 65, 94, 116	1 (0%)
3	C	13/13 (100%)	-0.23	0 100 100	29, 37, 61, 86	0
3	H	13/13 (100%)	0.15	1 (7%) 13 7	33, 44, 75, 87	0
4	D	200/205 (97%)	-0.13	3 (1%) 73 68	24, 43, 85, 102	1 (0%)
4	I	200/205 (97%)	-0.08	6 (3%) 50 40	25, 45, 82, 94	1 (0%)
5	E	244/245 (99%)	-0.23	3 (1%) 79 73	22, 44, 81, 104	4 (1%)
5	J	244/245 (99%)	-0.33	1 (0%) 92 91	22, 43, 74, 103	3 (1%)
All	All	1647/1670 (98%)	-0.05	43 (2%) 56 46	22, 50, 88, 122	11 (0%)

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	G	110	GLN	7.8
2	G	109	LEU	5.1
2	B	109	LEU	5.0
2	B	107	GLN	4.7
2	B	111	HIS	4.6
1	F	100	ARG	3.3
2	B	166	ARG	3.2
4	D	191	SER	3.1
3	H	101	GLN	3.1
2	G	167	SER	3.1
2	G	180	VAL	3.1
2	G	166	ARG	3.0
2	B	3	THR	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	G	136	GLN	2.8
2	B	168	GLY	2.8
2	G	133	LEU	2.6
2	B	189	ARG	2.5
5	E	260	ASP	2.5
4	I	176	SER	2.5
2	B	164	VAL	2.5
2	G	190	ALA	2.5
4	D	141	ASP	2.5
1	F	99	LEU	2.4
2	G	23	ARG	2.4
4	I	191	SER	2.4
5	J	260	ASP	2.4
1	F	161	TYR	2.4
2	G	170	VAL	2.3
2	G	168	GLY	2.3
4	D	192	ASP	2.3
1	F	47	GLU	2.3
1	F	104	VAL	2.2
4	I	203	ILE	2.2
2	B	138	GLU	2.2
4	I	192	ASP	2.2
2	B	130	ARG	2.2
1	F	154	LEU	2.1
2	B	167	SER	2.1
5	E	237	ASP	2.1
4	I	175	ARG	2.1
2	B	133	LEU	2.1
5	E	201	ASP	2.1
4	I	162	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	MG	C	201	1/1	0.76	0.31	63,63,63,63	0
6	NAG	G	201	14/15	0.77	0.41	121,123,125,125	0
6	NAG	F	201	14/15	0.89	0.22	77,88,91,91	0
8	SO4	E	301	5/5	0.90	0.15	97,97,99,100	0
7	MG	B	201	1/1	0.91	0.59	50,50,50,50	0
6	NAG	A	201	14/15	0.94	0.28	79,84,88,88	0
9	EDO	J	301	4/4	0.95	0.11	42,44,50,53	0

6.5 Other polymers [i](#)

There are no such residues in this entry.