



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 31, 2022 – 05:17 PM EDT

PDB ID : 8CSE  
Title : WbbB in complex with alpha-Rha-(1-3)-beta-GlcNAc acceptor  
Authors : Forrester, T.J.B.; Kimber, M.S.  
Deposited on : 2022-05-12  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.31.2  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	410	<div> <div>3%</div> <div> <div></div> <div>77%</div> <div>18%</div> <div>• •</div> </div> </div>
1	B	410	<div> <div>4%</div> <div> <div></div> <div>81%</div> <div>15%</div> <div>•</div> </div> </div>
2	D	2	<div> <div></div> <div> <div>50%</div> <div>50%</div> </div> </div>
2	E	2	<div> <div></div> <div> <div>50%</div> <div>50%</div> </div> </div>
2	F	2	<div> <div></div> <div> <div>50%</div> <div>50%</div> </div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	G	2	 50%50%
2	H	2	 50%50%

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 6984 atoms, of which 184 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called N-acetyl glucosaminyl transferase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	395	Total	C	H	N	O	S	0	2	0
			3154	2015	6	515	605	13			
1	B	396	Total	C	H	N	O	S	0	3	0
			3163	2020	6	516	609	12			

There are 22 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	expression tag	UNP Q6U8B0
A	1	GLY	-	expression tag	UNP Q6U8B0
A	390	SER	HIS	conflict	UNP Q6U8B0
A	402	LEU	-	expression tag	UNP Q6U8B0
A	403	GLU	-	expression tag	UNP Q6U8B0
A	404	HIS	-	expression tag	UNP Q6U8B0
A	405	HIS	-	expression tag	UNP Q6U8B0
A	406	HIS	-	expression tag	UNP Q6U8B0
A	407	HIS	-	expression tag	UNP Q6U8B0
A	408	HIS	-	expression tag	UNP Q6U8B0
A	409	HIS	-	expression tag	UNP Q6U8B0
B	0	MET	-	expression tag	UNP Q6U8B0
B	1	GLY	-	expression tag	UNP Q6U8B0
B	390	SER	HIS	conflict	UNP Q6U8B0
B	402	LEU	-	expression tag	UNP Q6U8B0
B	403	GLU	-	expression tag	UNP Q6U8B0
B	404	HIS	-	expression tag	UNP Q6U8B0
B	405	HIS	-	expression tag	UNP Q6U8B0
B	406	HIS	-	expression tag	UNP Q6U8B0
B	407	HIS	-	expression tag	UNP Q6U8B0
B	408	HIS	-	expression tag	UNP Q6U8B0
B	409	HIS	-	expression tag	UNP Q6U8B0

- Molecule 2 is an oligosaccharide called alpha-L-rhamnopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	2	Total	C	H	N	O	0	0	0
			50	14	25	1	10			
2	E	2	Total	C	H	N	O	0	0	0
			50	14	25	1	10			
2	F	2	Total	C	H	N	O	0	0	0
			50	14	25	1	10			
2	G	2	Total	C	H	N	O	0	0	0
			50	14	25	1	10			
2	H	2	Total	C	H	N	O	0	0	0
			48	14	24	1	9			

- Molecule 3 is N-(8-hydroxyoctyl)-4-methoxybenzamide (three-letter code: PXV) (formula:  $C_{16}H_{25}NO_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	0	0
			44	16	24	1	3		

- Molecule 4 is CYTIDINE-5'-MONOPHOSPHATE (three-letter code: C5P) (formula:  $C_9H_{14}N_3O_8P$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	H	N	O	P	0	0
			33	9	12	3	8	1		
4	B	1	Total	C	H	N	O	P	0	0
			33	9	12	3	8	1		

- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Na	0	0
			2	2		
5	B	2	Total	Na	0	0
			2	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	157	Total	O	0	0
			157	157		
6	B	148	Total	O	0	0
			148	148		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: N-acetyl glucosaminyl transferase



- Molecule 1: N-acetyl glucosaminyl transferase



- Molecule 2: alpha-L-rhamnopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: alpha-L-rhamnopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 2: alpha-L-rhamnopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  50%  50%



- Molecule 2: alpha-L-rhamnopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  50%  50%



- Molecule 2: alpha-L-rhamnopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  50%  50%





## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	92.38Å 158.02Å 117.58Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	37.76 – 2.30 47.32 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.7 (37.76-2.30) 83.3 (47.32-1.90)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	0.26 (at 1.90Å)	Xtriage
Refinement program	PHENIX 1.19_4092	Depositor
R, $R_{free}$	0.167 , 0.225 0.166 , 0.224	Depositor DCC
$R_{free}$ test set	3358 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	27.9	Xtriage
Anisotropy	0.258	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 53.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.016 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.021 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	6984	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.83% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PXV, RAM, NA, CSO, C5P, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.53	0/3217	0.64	0/4367
1	B	0.52	0/3227	0.63	0/4384
All	All	0.53	0/6444	0.64	0/8751

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3148	6	3023	50	0
1	B	3157	6	3028	43	0
2	D	25	25	24	0	0
2	E	25	25	24	0	0
2	F	25	25	24	0	0
2	G	25	25	24	0	0
2	H	24	24	22	0	0
3	A	20	24	0	0	0
4	A	21	12	12	0	0
4	B	21	12	12	0	0
5	A	2	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	2	0	0	0	0
6	A	157	0	0	7	1
6	B	148	0	0	4	1
All	All	6800	184	6193	92	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:370:VAL:HG21	1:B:392:LEU:HD11	1.35	1.06
1:A:191:CYS:SG	6:A:755:HOH:O	2.20	0.99
1:B:191:CYS:SG	6:B:609:HOH:O	2.28	0.91
1:A:257:LYS:NZ	6:A:601:HOH:O	2.15	0.79
1:B:225:VAL:HG11	1:B:248:LEU:HD23	1.65	0.79
1:A:190:LYS:NZ	6:A:602:HOH:O	2.16	0.78
1:B:81:THR:O	6:B:601:HOH:O	2.01	0.77
1:A:185:SER:O	1:A:189:GLU:HG2	1.88	0.74
1:A:195:PHE:CZ	1:A:339:PHE:HB2	2.24	0.72
1:B:370:VAL:HG21	1:B:392:LEU:CD1	2.15	0.72
1:A:258:GLU:OE1	1:A:258:GLU:N	2.22	0.71
1:A:240:HIS:NE2	1:A:318[A]:ASP:OD2	2.27	0.67
1:A:255:TYR:OH	1:A:294:GLU:OE1	2.13	0.66
1:A:100:LYS:NZ	6:A:604:HOH:O	2.31	0.62
1:A:167:TYR:CE1	1:A:209:LEU:HD13	2.36	0.61
1:A:124:LYS:HB3	1:A:127:ILE:CD1	2.31	0.60
1:A:124:LYS:HB3	1:A:127:ILE:HD11	1.83	0.59
1:B:15:LYS:N	1:B:15:LYS:HD2	2.17	0.59
1:A:194:GLU:O	1:A:194:GLU:HG3	2.03	0.58
1:A:44:VAL:HG23	1:A:50:GLN:OE1	2.03	0.58
1:A:19:LEU:HD11	1:A:23:TYR:CZ	2.41	0.56
1:A:94:HIS:HB3	1:A:100:LYS:HD3	1.88	0.55
1:B:195:PHE:CZ	1:B:339:PHE:HB2	2.42	0.55
1:B:12:ARG:HD3	1:B:231:ASP:O	2.06	0.54
1:A:87:TYR:CE2	1:A:91:LEU:HD11	2.43	0.54
1:B:18:TYR:CD1	1:B:137:ILE:HD13	2.42	0.54
1:B:347:PRO:HG3	1:B:377:TYR:CZ	2.42	0.54
1:B:218:ALA:N	6:B:604:HOH:O	2.23	0.53
1:B:70:ASN:OD1	1:B:73:SER:N	2.39	0.53
1:B:169:ASN:HB3	1:B:348:PHE:HB2	1.90	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:99:ILE:HG23	1:B:236:ILE:HD13	1.91	0.52
1:A:207:TYR:CD1	1:A:403:GLU:HG3	2.45	0.51
1:A:378:SER:O	1:A:380:ASP:N	2.43	0.51
1:B:22:PHE:CZ	1:B:26:LEU:HD11	2.46	0.51
1:B:1:GLY:N	1:B:132:ASP:OD2	2.43	0.51
1:A:248:LEU:HD21	1:A:277:PHE:CE2	2.47	0.50
1:B:255:TYR:OH	1:B:294:GLU:OE1	2.27	0.49
1:B:164:ALA:HB1	1:B:165:PRO:HA	1.94	0.49
1:B:225:VAL:HG11	1:B:248:LEU:CD2	2.40	0.49
1:A:282:SER:HB3	1:A:287:ALA:HB3	1.94	0.49
1:B:61:MET:HB3	1:B:66:TYR:O	2.13	0.48
1:B:191:CYS:SG	1:B:366:GLU:HG3	2.54	0.48
1:B:89:THR:O	1:B:93:ARG:HG3	2.14	0.47
1:A:31:ASP:OD1	1:A:32[B]:SER:N	2.42	0.47
1:A:243:THR:HG22	6:A:684:HOH:O	2.13	0.47
1:B:275:ASP:OD1	1:B:275:ASP:N	2.34	0.47
1:A:241:ASP:HB2	6:A:615:HOH:O	2.14	0.47
1:B:169:ASN:HB3	1:B:348:PHE:CB	2.45	0.46
1:A:294:GLU:HG2	1:A:312:LYS:HB3	1.97	0.46
1:B:203:ASP:HB3	1:B:400:ILE:CG2	2.46	0.46
1:A:94:HIS:ND1	1:A:100:LYS:HE3	2.31	0.46
1:B:401:SER:O	1:B:404:HIS:HB3	2.16	0.46
1:A:125:LYS:HD2	6:A:724:HOH:O	2.16	0.45
1:A:8:PRO:HB3	1:A:38:GLY:HA3	1.97	0.45
1:B:187:ARG:HB3	1:B:339:PHE:HZ	1.81	0.45
1:A:398:GLU:OE1	1:A:398:GLU:HA	2.17	0.45
1:A:144:GLU:HB3	1:B:148:ARG:NH2	2.31	0.44
1:A:380:ASP:N	1:A:380:ASP:OD1	2.51	0.44
1:B:201:LEU:HD23	1:B:201:LEU:HA	1.75	0.44
1:B:299:ASN:HB2	1:B:319:CYS:HB3	2.00	0.44
1:A:16:ALA:HA	1:A:41:TYR:CE1	2.53	0.44
1:A:61:MET:HG2	1:A:66:TYR:CE1	2.52	0.43
1:A:94:HIS:HB3	1:A:100:LYS:CD	2.48	0.43
1:A:378:SER:C	1:A:380:ASP:H	2.21	0.43
1:B:177:GLY:O	1:B:182:THR:HG22	2.19	0.43
1:A:174:ASP:CG	1:A:183:GLU:HG2	2.38	0.43
1:B:203:ASP:HB3	1:B:400:ILE:HG23	2.01	0.43
1:A:196:ASP:N	1:A:393:SER:OG	2.47	0.42
1:B:158:GLU:HB2	1:B:178:VAL:HG21	2.01	0.42
1:A:7:PRO:HA	1:A:8:PRO:HD3	1.94	0.42
1:B:235:LEU:HA	1:B:239:ASN:HB3	2.01	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:370:VAL:CG2	1:B:392:LEU:HD11	2.27	0.42
1:A:18:TYR:CD1	1:A:137:ILE:HD13	2.55	0.42
1:A:12:ARG:HD3	1:A:231:ASP:O	2.19	0.42
1:B:173:LEU:C	1:B:173:LEU:HD23	2.40	0.42
1:A:50:GLN:O	1:A:53:ARG:HG2	2.19	0.42
1:A:158:GLU:HB2	1:A:178:VAL:HG21	2.01	0.42
1:A:225:VAL:HG11	1:A:248:LEU:HD12	2.01	0.41
1:A:392:LEU:HD23	1:A:396:ILE:HD12	2.02	0.41
1:B:99:ILE:HG23	1:B:236:ILE:CD1	2.49	0.41
1:A:186:ALA:O	1:A:190:LYS:HG3	2.20	0.41
1:B:282:SER:HB3	1:B:287:ALA:HB3	2.02	0.41
1:B:289:ILE:HG21	1:B:289:ILE:HD13	1.80	0.41
1:A:184:ALA:HB2	1:A:344:TYR:CE1	2.56	0.41
1:B:362:GLY:O	6:B:602:HOH:O	2.22	0.41
1:B:51:ARG:HD3	1:B:51:ARG:HA	1.85	0.41
1:A:136:SER:O	1:A:156:HIS:HA	2.21	0.41
1:A:299:ASN:HB2	1:A:319:CYS:HB3	2.03	0.41
1:B:70:ASN:H	1:B:73:SER:HB3	1.86	0.41
1:A:169:ASN:HB3	1:A:348:PHE:HB2	2.03	0.40
1:A:174:ASP:OD2	1:A:183:GLU:HG2	2.22	0.40
1:B:178:VAL:O	1:B:179:ASN:HB2	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:717:HOH:O	6:B:718:HOH:O[6_554]	2.17	0.03

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	390/410 (95%)	375 (96%)	13 (3%)	2 (0%)	29	35
1	B	394/410 (96%)	376 (95%)	16 (4%)	2 (0%)	29	35
All	All	784/820 (96%)	751 (96%)	29 (4%)	4 (0%)	29	35

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	276	VAL
1	B	194	GLU
1	A	379	ALA
1	B	195	PHE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	338/348 (97%)	327 (97%)	11 (3%)	38	53
1	B	339/348 (97%)	334 (98%)	5 (2%)	65	79
All	All	677/696 (97%)	661 (98%)	16 (2%)	49	66

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	102	PHE
1	A	125	LYS
1	A	158	GLU
1	A	209	LEU
1	A	220	HIS
1	A	248	LEU
1	A	273	ARG
1	A	276	VAL
1	A	343	SER
1	A	354	GLN
1	A	355	GLU
1	B	42	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	45	THR
1	B	76	CYS
1	B	158	GLU
1	B	274	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	206	ASN
1	A	220	HIS
1	A	354	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	CSO	A	28	1	3,6,7	0.87	0	0,6,8	-	-
1	CSO	B	28	1	3,6,7	0.88	0	0,6,8	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSO	A	28	1	-	0/1/5/7	-
1	CSO	B	28	1	-	0/1/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates

10 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	NAG	D	1	2	15,15,15	0.36	0	21,21,21	0.57	0
2	RAM	D	2	2	10,10,11	1.46	1 (10%)	14,14,16	1.61	4 (28%)
2	NAG	E	1	2	15,15,15	0.29	0	21,21,21	0.31	0
2	RAM	E	2	2	10,10,11	1.77	2 (20%)	14,14,16	2.28	6 (42%)
2	NAG	F	1	2	15,15,15	0.27	0	21,21,21	0.38	0
2	RAM	F	2	2	10,10,11	1.55	1 (10%)	14,14,16	1.55	3 (21%)
2	NAG	G	1	2	15,15,15	0.32	0	21,21,21	0.52	0
2	RAM	G	2	2	10,10,11	1.61	1 (10%)	14,14,16	1.59	2 (14%)
2	NAG	H	1	2	14,14,15	0.33	0	17,19,21	0.46	0
2	RAM	H	2	2	10,10,11	1.83	2 (20%)	14,14,16	1.40	2 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	2	-	0/6/26/26	0/1/1/1
2	RAM	D	2	2	-	-	0/1/1/1
2	NAG	E	1	2	-	0/6/26/26	0/1/1/1

*Continued on next page...*



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	RAM	E	2	2	-	-	0/1/1/1
2	NAG	F	1	2	-	0/6/26/26	0/1/1/1
2	RAM	F	2	2	-	-	0/1/1/1
2	NAG	G	1	2	-	2/6/26/26	0/1/1/1
2	RAM	G	2	2	-	-	0/1/1/1
2	NAG	H	1	2	-	2/6/23/26	0/1/1/1
2	RAM	H	2	2	-	-	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	2	RAM	O5-C1	4.70	1.51	1.43
2	E	2	RAM	O5-C1	4.51	1.50	1.43
2	G	2	RAM	O5-C1	4.22	1.50	1.43
2	F	2	RAM	O5-C1	3.92	1.50	1.43
2	D	2	RAM	O5-C1	3.58	1.49	1.43
2	E	2	RAM	C2-C3	-2.38	1.49	1.52
2	H	2	RAM	O5-C5	2.12	1.48	1.43

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	2	RAM	O5-C1-C2	4.02	116.97	110.77
2	E	2	RAM	O3-C3-C4	-3.85	101.45	110.35
2	E	2	RAM	C1-C2-C3	-3.77	105.03	109.67
2	E	2	RAM	O2-C2-C1	3.45	116.21	109.15
2	E	2	RAM	O5-C1-C2	3.32	115.90	110.77
2	H	2	RAM	C1-C2-C3	3.20	113.60	109.67
2	F	2	RAM	O5-C5-C4	3.17	115.20	109.52
2	D	2	RAM	O5-C5-C4	2.88	114.68	109.52
2	G	2	RAM	C3-C4-C5	2.85	114.21	109.77
2	F	2	RAM	C1-C2-C3	2.65	112.92	109.67
2	E	2	RAM	O3-C3-C2	2.50	114.78	109.99
2	D	2	RAM	O5-C5-C6	-2.48	101.99	107.33
2	F	2	RAM	O3-C3-C4	-2.41	104.77	110.35
2	D	2	RAM	C1-C2-C3	-2.36	106.77	109.67
2	D	2	RAM	C3-C4-C5	-2.27	106.24	109.77
2	H	2	RAM	O5-C5-C4	2.25	113.56	109.52
2	E	2	RAM	O5-C5-C6	-2.18	102.64	107.33

There are no chirality outliers.


All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	H	1	NAG	O5-C5-C6-O6
2	H	1	NAG	C4-C5-C6-O6
2	G	1	NAG	C4-C5-C6-O6
2	G	1	NAG	O5-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











## 5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 4 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
4	C5P	A	502	-	22,22,22	2.30	8 (36%)	33,33,33	1.47	5 (15%)
3	PXV	A	501	-	20,20,20	1.31	1 (5%)	23,23,23	1.13	4 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	C5P	B	501	-	22,22,22	2.44	8 (36%)	33,33,33	1.69	8 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	C5P	A	502	-	-	0/10/26/26	0/2/2/2
3	PXV	A	501	-	-	11/16/16/16	0/1/1/1
4	C5P	B	501	-	-	0/10/26/26	0/2/2/2

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	501	C5P	P-O5'	6.58	1.81	1.60
4	A	502	C5P	P-O5'	6.24	1.80	1.60
3	A	501	PXV	C02-N03	4.95	1.44	1.33
4	A	502	C5P	C4-N4	4.53	1.44	1.33
4	B	501	C5P	C4-N4	4.38	1.44	1.33
4	B	501	C5P	C2-N3	3.49	1.43	1.36
4	B	501	C5P	C5-C4	3.39	1.50	1.42
4	A	502	C5P	C2-N3	3.11	1.42	1.36
4	B	501	C5P	O5'-C5'	-3.03	1.33	1.44
4	A	502	C5P	O5'-C5'	-3.02	1.33	1.44
4	B	501	C5P	C2-N1	2.73	1.45	1.40
4	A	502	C5P	C5-C4	2.63	1.48	1.42
4	B	501	C5P	C1'-N1	2.41	1.54	1.47
4	A	502	C5P	O2-C2	-2.38	1.19	1.23
4	A	502	C5P	O3'-C3'	-2.28	1.37	1.43
4	A	502	C5P	O2'-C2'	-2.26	1.37	1.43
4	B	501	C5P	C5'-C4'	2.23	1.58	1.51

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	501	C5P	O3'-C3'-C4'	4.34	123.60	111.05
4	A	502	C5P	O3'-C3'-C4'	3.66	121.63	111.05
4	B	501	C5P	O2P-P-O5'	-3.56	97.27	106.73
4	B	501	C5P	O5'-P-O1P	-2.77	98.71	106.47
4	B	501	C5P	O3'-C3'-C2'	-2.72	103.01	111.82
4	A	502	C5P	C5'-C4'-C3'	-2.62	105.36	115.18

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	501	C5P	C5'-C4'-C3'	-2.61	105.39	115.18
3	A	501	PXV	C18-O17-C16	-2.61	111.84	117.51
4	A	502	C5P	O2P-P-O3P	2.57	117.46	107.64
4	A	502	C5P	O3P-P-O5'	-2.33	100.53	106.73
3	A	501	PXV	O01-C02-N03	-2.27	118.08	122.61
4	B	501	C5P	O2-C2-N3	2.21	125.93	122.33
3	A	501	PXV	C13-C02-N03	2.15	121.70	117.09
3	A	501	PXV	C04-N03-C02	-2.13	117.22	122.08
4	A	502	C5P	O5'-P-O1P	-2.12	100.53	106.47
4	B	501	C5P	C4-N3-C2	2.09	123.62	120.25
4	B	501	C5P	O2P-P-O1P	2.02	118.58	110.68

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	501	PXV	N03-C02-C13-C20
3	A	501	PXV	O01-C02-C13-C20
3	A	501	PXV	O01-C02-C13-C14
3	A	501	PXV	N03-C02-C13-C14
3	A	501	PXV	C15-C16-O17-C18
3	A	501	PXV	C19-C16-O17-C18
3	A	501	PXV	C05-C06-C07-C08
3	A	501	PXV	N03-C04-C05-C06
3	A	501	PXV	C06-C07-C08-C09
3	A	501	PXV	C09-C10-C11-O12
3	A	501	PXV	C08-C09-C10-C11


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient



equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	394/410 (96%)	-0.28	11 (2%) 53 60	30, 42, 82, 110	0
1	B	395/410 (96%)	-0.14	16 (4%) 37 44	31, 44, 85, 135	0
All	All	789/820 (96%)	-0.21	27 (3%) 45 52	30, 43, 84, 135	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	46	ASP	7.6
1	A	217	ALA	5.7
1	B	45	THR	5.6
1	B	48	GLU	4.2
1	B	405	HIS	4.2
1	B	49	ALA	3.9
1	B	44	VAL	3.7
1	B	50	GLN	3.6
1	B	47	ASP	3.6
1	A	48	GLU	3.6
1	B	72	GLN	3.0
1	A	216	GLU	2.9
1	A	195	PHE	2.8
1	A	49	ALA	2.8
1	B	195	PHE	2.7
1	B	51	ARG	2.7
1	B	193	ALA	2.6
1	B	404	HIS	2.6
1	A	215	ALA	2.5
1	A	45	THR	2.4
1	B	125	LYS	2.4
1	A	380	ASP	2.4
1	A	194	GLU	2.3
1	A	51	ARG	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	194	GLU	2.2
1	A	381	MET	2.2
1	B	218	ALA	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	CSO	B	28	7/8	0.85	0.12	43,51,60,61	0
1	CSO	A	28	7/8	0.91	0.10	43,52,63,63	0

## 6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	NAG	G	1	15/15	0.74	0.15	63,75,86,91	29
2	NAG	F	1	15/15	0.77	0.16	73,85,102,102	0
2	RAM	G	2	10/11	0.77	0.18	71,82,97,99	21
2	NAG	H	1	14/15	0.81	0.24	54,59,72,72	27
2	RAM	F	2	10/11	0.84	0.15	75,84,98,101	21
2	NAG	E	1	15/15	0.86	0.15	39,44,53,54	29
2	RAM	H	2	10/11	0.87	0.19	42,56,65,67	21
2	NAG	D	1	15/15	0.92	0.12	39,47,60,64	29
2	RAM	D	2	10/11	0.95	0.09	38,42,49,50	0
2	RAM	E	2	10/11	0.96	0.12	38,40,48,48	21

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around Chain D:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain E:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain F:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain G:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	PXV	A	501	20/20	0.78	0.29	58,71,83,85	44
5	NA	A	503	1/1	0.83	0.17	50,50,50,50	0
5	NA	A	504	1/1	0.90	0.11	44,44,44,44	0
5	NA	B	502	1/1	0.92	0.08	55,55,55,55	0
5	NA	B	503	1/1	0.93	0.19	53,53,53,53	0
4	C5P	B	501	21/21	0.97	0.11	29,36,44,47	0
4	C5P	A	502	21/21	0.98	0.10	31,35,42,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around C5P B 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around C5P A 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.