



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 22, 2022 – 01:43 PM EDT

PDB ID : 8CU6  
Title : Crystal structure of A2AAR-StaR2-S277-bRIL in complex with a novel A2a antagonist, LJ-4517  
Authors : Shiriaeva, A.; Park, D.-J.; Kim, G.; Lee, Y.; Hou, X.; Jarhad, D.B.; Kim, G.; Yu, J.; Hyun, Y.E.; Kim, W.; Gao, Z.-G.; Jacobson, K.A.; Han, G.W.; Stevens, R.C.; Jeong, L.S.; Choi, S.; Cherezov, V.  
Deposited on : 2022-05-16  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.29
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.29


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*


The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	447	

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 3485 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenosine receptor A2a,Soluble cytochrome b562.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	393	Total	C	N	O	S	0	2	0
			3024	1971	508	524	21			

There are 47 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-24	MET	-	expression tag	UNP P29274
A	-23	LYS	-	expression tag	UNP P29274
A	-22	THR	-	expression tag	UNP P29274
A	-21	ILE	-	expression tag	UNP P29274
A	-20	ILE	-	expression tag	UNP P29274
A	-19	ALA	-	expression tag	UNP P29274
A	-18	LEU	-	expression tag	UNP P29274
A	-17	SER	-	expression tag	UNP P29274
A	-16	TYR	-	expression tag	UNP P29274
A	-15	ILE	-	expression tag	UNP P29274
A	-14	PHE	-	expression tag	UNP P29274
A	-13	CYS	-	expression tag	UNP P29274
A	-12	LEU	-	expression tag	UNP P29274
A	-11	VAL	-	expression tag	UNP P29274
A	-10	PHE	-	expression tag	UNP P29274
A	-9	ALA	-	expression tag	UNP P29274
A	-8	ASP	-	expression tag	UNP P29274
A	-7	TYR	-	expression tag	UNP P29274
A	-6	LYS	-	expression tag	UNP P29274
A	-5	ASP	-	expression tag	UNP P29274
A	-4	ASP	-	expression tag	UNP P29274
A	-3	ASP	-	expression tag	UNP P29274
A	-2	ASP	-	expression tag	UNP P29274
A	-1	GLY	-	expression tag	UNP P29274
A	0	ALA	-	expression tag	UNP P29274
A	1	PRO	-	expression tag	UNP P29274
A	54	LEU	ALA	engineered mutation	UNP P29274

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	88	ALA	THR	engineered mutation	UNP P29274
A	107	ALA	ARG	engineered mutation	UNP P29274
A	122	ALA	LYS	engineered mutation	UNP P29274
A	154	ALA	ASN	engineered mutation	UNP P29274
A	202	ALA	LEU	engineered mutation	UNP P29274
A	1007	TRP	MET	engineered mutation	UNP P0ABE7
A	1102	ILE	HIS	engineered mutation	UNP P0ABE7
A	1106	LEU	-	engineered mutation	UNP P0ABE7
A	235	ALA	LEU	engineered mutation	UNP P29274
A	239	ALA	VAL	engineered mutation	UNP P29274
A	317	HIS	-	expression tag	UNP P29274
A	318	HIS	-	expression tag	UNP P29274
A	319	HIS	-	expression tag	UNP P29274
A	320	HIS	-	expression tag	UNP P29274
A	321	HIS	-	expression tag	UNP P29274
A	322	HIS	-	expression tag	UNP P29274
A	323	HIS	-	expression tag	UNP P29274
A	324	HIS	-	expression tag	UNP P29274
A	325	HIS	-	expression tag	UNP P29274
A	326	HIS	-	expression tag	UNP P29274

- Molecule 2 is OLEIC ACID (three-letter code: OLA) (formula:  $C_{18}H_{34}O_2$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			20	18	2		

Continued on next page...

*Continued from previous page...*


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			20	18	2		
2	A	1	Total	C	O	0	0
			12	10	2		
2	A	1	Total	C	O	0	0
			20	18	2		
2	A	1	Total	C	O	0	0
			20	18	2		
2	A	1	Total	C	O	0	0
			12	10	2		
2	A	1	Total	C		0	0
			11	11			
2	A	1	Total	C		0	0
			12	12			
2	A	1	Total	C	O	0	0
			19	17	2		
2	A	1	Total	C	O	0	0
			14	12	2		
2	A	1	Total	C		0	0
			11	11			
2	A	1	Total	C	O	0	0
			17	15	2		
2	A	1	Total	C	O	0	0
			13	11	2		
2	A	1	Total	C	O	0	0
			18	16	2		
2	A	1	Total	C	O	0	0
			13	11	2		
2	A	1	Total	C		0	0
			8	8			

- Molecule 3 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (three-letter code: OLC) (formula: C<sub>21</sub>H<sub>40</sub>O<sub>4</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			25	21	4		
3	A	1	Total	C	O	0	0
			16	12	4		
3	A	1	Total	C	O	0	0
			21	17	4		

- Molecule 4 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			7	4	3		

- Molecule 5 is (2R,3R,4R)-2-[(8P)-6-amino-2-(hex-1-yn-1-yl)-8-(thiophen-2-yl)-9H-purin-9-yl]oxolane-3,4-diol (three-letter code: LJX) (formula: C<sub>19</sub>H<sub>21</sub>N<sub>5</sub>O<sub>3</sub>S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	S	0	0
			28	19	5	3	1		

- Molecule 6 is CHOLESTEROL (three-letter code: CLR) (formula: C<sub>27</sub>H<sub>46</sub>O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			28	27	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			28	27	1		
6	A	1	Total	C	O	0	0
			28	27	1		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	40	Total	O	0	0
			40	40		



### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Adenosine receptor A2a,Soluble cytochrome b562



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	39.23Å 179.06Å 140.01Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.96 – 2.80 36.96 – 2.80	Depositor EDS
% Data completeness (in resolution range)	84.8 (36.96-2.80) 84.8 (36.96-2.80)	Depositor EDS
$R_{merge}$	0.21	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.44 (at 2.81Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, $R_{free}$	0.196 , 0.247 0.202 , 0.249	Depositor DCC
$R_{free}$ test set	552 reflections (5.13%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	48.1	Xtriage
Anisotropy	0.279	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 62.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	3485	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.36% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, LJX, OLA, OLC, CLR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.24	0/3089	0.42	0/4209

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3024	0	3073	15	0
2	A	240	0	351	7	0
3	A	62	0	90	4	0
4	A	7	0	10	1	0
5	A	28	0	0	0	0
6	A	84	0	138	2	0
7	A	40	0	0	0	0
All	All	3485	0	3662	20	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (20) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:25:VAL:HG13	2:A:1213:OLA:H10	1.75	0.68
1:A:1063:HIS:NE2	1:A:1067:ILE:HD11	2.21	0.55
1:A:243:ALA:HB3	2:A:1214:OLA:H112	1.88	0.55
1:A:95:LEU:HD21	1:A:238:ILE:HG22	1.89	0.55
3:A:1205:OLC:H18A	3:A:1205:OLC:H11	1.93	0.51
1:A:56:GLY:HA2	1:A:60:ILE:HD12	1.91	0.51
1:A:238:ILE:HD11	1:A:287:ILE:HB	1.93	0.49
1:A:57:VAL:HG13	2:A:1201:OLA:H172	1.93	0.49
2:A:1213:OLA:H122	3:A:1215:OLC:H6	1.94	0.49
6:A:1211:CLR:H212	6:A:1211:CLR:H121	1.97	0.46
1:A:187:LEU:HD11	6:A:1211:CLR:H241	1.96	0.46
1:A:55:VAL:HA	1:A:59:ALA:HB3	1.97	0.46
1:A:270:MET:HG3	4:A:1207:PEG:H31	1.99	0.44
1:A:78:LEU:HD21	1:A:144:ASN:HB3	2.01	0.42
1:A:25:VAL:HG22	2:A:1213:OLA:H121	2.01	0.42
2:A:1213:OLA:H81	3:A:1215:OLC:H2	2.02	0.41
1:A:34:ASN:ND2	1:A:294:GLU:OE2	2.45	0.41
1:A:108:ILE:HD12	1:A:111:ARG:HG3	2.03	0.40
1:A:144:ASN:HA	1:A:173:PRO:HD3	2.04	0.40
2:A:1213:OLA:H141	3:A:1215:OLC:H8	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	391/447 (88%)	386 (99%)	5 (1%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	314/368 (85%)	313 (100%)	1 (0%)	92	98

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1027	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	OLA	A	1222	-	17,17,19	0.59	0	17,17,19	0.82	0
6	CLR	A	1209	-	31,31,31	0.59	0	48,48,48	0.90	3 (6%)
2	OLA	A	1202	-	19,19,19	0.57	0	19,19,19	0.88	1 (5%)
2	OLA	A	1224	-	7,7,19	0.38	0	6,6,19	0.63	0
2	OLA	A	1218	-	13,13,19	0.69	0	12,13,19	0.95	1 (8%)
6	CLR	A	1211	-	31,31,31	0.55	0	48,48,48	0.87	2 (4%)
2	OLA	A	1219	-	10,10,19	0.27	0	9,9,19	0.42	0
4	PEG	A	1207	-	6,6,6	0.70	0	5,5,5	0.78	0
2	OLA	A	1213	-	10,10,19	0.31	0	8,9,19	0.44	0
2	OLA	A	1223	-	12,12,19	0.73	0	12,12,19	1.09	1 (8%)
2	OLA	A	1214	-	11,11,19	0.31	0	9,10,19	0.49	0
2	OLA	A	1221	-	12,12,19	0.74	0	12,12,19	1.03	1 (8%)
2	OLA	A	1204	-	19,19,19	0.55	0	19,19,19	0.93	1 (5%)
2	OLA	A	1220	-	16,16,19	0.62	0	16,16,19	0.86	0
5	LJX	A	1208	-	28,31,31	0.73	0	27,44,44	1.76	6 (22%)
2	OLA	A	1217	-	18,18,19	0.56	0	18,18,19	0.96	1 (5%)
2	OLA	A	1201	-	19,19,19	0.56	0	19,19,19	0.90	0
3	OLC	A	1215	-	15,15,24	0.74	0	16,16,25	1.06	1 (6%)
3	OLC	A	1216	-	20,20,24	0.64	0	21,21,25	0.97	1 (4%)
2	OLA	A	1212	-	11,11,19	0.76	0	11,11,19	1.09	1 (9%)
6	CLR	A	1210	-	31,31,31	0.59	0	48,48,48	0.77	1 (2%)
2	OLA	A	1203	-	11,11,19	0.71	0	11,11,19	1.05	1 (9%)
3	OLC	A	1205	-	24,24,24	0.64	0	25,25,25	0.95	1 (4%)
2	OLA	A	1206	-	19,19,19	0.58	0	19,19,19	0.86	2 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	OLA	A	1222	-	-	10/15/15/17	-
6	CLR	A	1209	-	-	0/10/68/68	0/4/4/4
2	OLA	A	1202	-	-	11/17/17/17	-
2	OLA	A	1224	-	-	3/5/5/17	-
2	OLA	A	1218	-	-	5/11/11/17	-
6	CLR	A	1211	-	-	4/10/68/68	0/4/4/4
2	OLA	A	1219	-	-	4/8/8/17	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PEG	A	1207	-	-	2/4/4/4	-
2	OLA	A	1213	-	-	5/8/8/17	-
2	OLA	A	1223	-	-	5/10/10/17	-
2	OLA	A	1214	-	-	3/9/9/17	-
2	OLA	A	1221	-	-	5/10/10/17	-
2	OLA	A	1204	-	-	6/17/17/17	-
2	OLA	A	1220	-	-	7/14/14/17	-
5	LJX	A	1208	-	-	1/3/27/27	0/4/4/4
2	OLA	A	1217	-	-	6/16/16/17	-
2	OLA	A	1201	-	-	12/17/17/17	-
3	OLC	A	1215	-	-	6/15/15/24	-
3	OLC	A	1216	-	-	9/20/20/24	-
2	OLA	A	1212	-	-	5/9/9/17	-
6	CLR	A	1210	-	-	3/10/68/68	0/4/4/4
2	OLA	A	1203	-	-	3/9/9/17	-
3	OLC	A	1205	-	-	12/24/24/24	-
2	OLA	A	1206	-	-	9/17/17/17	-

There are no bond length outliers.

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1208	LJX	C2-N3-C4	5.16	121.52	115.08
5	A	1208	LJX	C3-C1-S1	-3.61	110.05	112.98
5	A	1208	LJX	N3-C2-N1	-3.39	120.54	127.67
6	A	1209	CLR	C4-C5-C10	2.84	120.19	116.42
5	A	1208	LJX	N7-C8-N9	-2.48	108.84	115.06
5	A	1208	LJX	C8-N7-C5	2.35	107.92	103.60
6	A	1209	CLR	C4-C5-C6	-2.28	117.33	120.61
6	A	1211	CLR	C4-C5-C6	-2.24	117.37	120.61
2	A	1223	OLA	O2-C1-C2	2.24	121.21	114.03
3	A	1205	OLC	C3-C2-C1	-2.23	105.52	113.62
3	A	1215	OLC	C3-C2-C1	-2.22	105.56	113.62
2	A	1217	OLA	O2-C1-C2	2.19	121.07	114.03
2	A	1204	OLA	O2-C1-C2	2.19	121.06	114.03
6	A	1210	CLR	C4-C5-C6	-2.17	117.48	120.61
6	A	1209	CLR	C7-C8-C9	2.16	112.33	109.71
2	A	1206	OLA	O2-C1-O1	-2.11	118.03	123.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1211	CLR	C4-C5-C10	2.11	119.22	116.42
2	A	1212	OLA	O2-C1-C2	2.08	120.71	114.03
2	A	1206	OLA	O2-C1-C2	2.06	120.66	114.03
3	A	1216	OLC	C3-C2-C1	-2.06	106.13	113.62
2	A	1221	OLA	O2-C1-C2	2.05	120.60	114.03
2	A	1218	OLA	O2-C1-C2	2.03	120.56	114.03
2	A	1202	OLA	O2-C1-C2	2.03	120.56	114.03
2	A	1203	OLA	O2-C1-C2	2.03	120.55	114.03
5	A	1208	LJX	C4-C5-N7	-2.00	107.44	109.47

There are no chirality outliers.

All (136) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1213	OLA	C7-C8-C9-C10
3	A	1215	OLC	O20-C21-C22-O23
3	A	1216	OLC	O20-C21-C22-C24
3	A	1205	OLC	O19-C1-O20-C21
3	A	1216	OLC	O19-C1-O20-C21
3	A	1205	OLC	C2-C1-O20-C21
3	A	1216	OLC	C2-C1-O20-C21
3	A	1216	OLC	O20-C21-C22-O23
2	A	1202	OLA	C1-C2-C3-C4
2	A	1221	OLA	C1-C2-C3-C4
6	A	1210	CLR	C22-C23-C24-C25
2	A	1206	OLA	C5-C6-C7-C8
2	A	1224	OLA	C7-C8-C9-C10
2	A	1206	OLA	C3-C4-C5-C6
2	A	1222	OLA	C12-C13-C14-C15
2	A	1203	OLA	C4-C5-C6-C7
2	A	1206	OLA	C14-C15-C16-C17
2	A	1222	OLA	C2-C3-C4-C5
2	A	1204	OLA	C3-C4-C5-C6
2	A	1212	OLA	C5-C6-C7-C8
3	A	1205	OLC	C21-C22-C24-O25
2	A	1203	OLA	C2-C3-C4-C5
2	A	1218	OLA	C4-C5-C6-C7
2	A	1206	OLA	C12-C13-C14-C15
3	A	1216	OLC	C2-C3-C4-C5
2	A	1202	OLA	C2-C3-C4-C5
2	A	1202	OLA	C4-C5-C6-C7
3	A	1205	OLC	O23-C22-C24-O25

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	A	1206	OLA	C6-C7-C8-C9
2	A	1218	OLA	C1-C2-C3-C4
2	A	1201	OLA	C11-C12-C13-C14
2	A	1213	OLA	C10-C11-C12-C13
2	A	1202	OLA	C14-C15-C16-C17
2	A	1217	OLA	C12-C13-C14-C15
2	A	1213	OLA	C13-C14-C15-C16
3	A	1205	OLC	O20-C21-C22-C24
2	A	1218	OLA	C6-C7-C8-C9
2	A	1219	OLA	C10-C11-C12-C13
2	A	1223	OLA	C6-C7-C8-C9
2	A	1217	OLA	C1-C2-C3-C4
3	A	1205	OLC	C13-C14-C15-C16
2	A	1202	OLA	C13-C14-C15-C16
2	A	1213	OLA	C11-C12-C13-C14
6	A	1211	CLR	C23-C24-C25-C26
4	A	1207	PEG	O1-C1-C2-O2
6	A	1211	CLR	C20-C22-C23-C24
2	A	1202	OLA	C10-C11-C12-C13
2	A	1203	OLA	C6-C7-C8-C9
2	A	1220	OLA	C6-C7-C8-C9
2	A	1222	OLA	C10-C11-C12-C13
2	A	1206	OLA	C4-C5-C6-C7
6	A	1211	CLR	C23-C24-C25-C27
2	A	1201	OLA	C4-C5-C6-C7
2	A	1204	OLA	C14-C15-C16-C17
2	A	1212	OLA	C1-C2-C3-C4
6	A	1210	CLR	C23-C24-C25-C26
2	A	1224	OLA	C5-C6-C7-C8
5	A	1208	LJX	C13-C14-C15-C16
2	A	1221	OLA	C5-C6-C7-C8
2	A	1223	OLA	C2-C3-C4-C5
2	A	1218	OLA	C2-C3-C4-C5
3	A	1205	OLC	C15-C16-C17-C18
2	A	1206	OLA	C1-C2-C3-C4
2	A	1218	OLA	C9-C10-C11-C12
2	A	1201	OLA	C1-C2-C3-C4
2	A	1204	OLA	C12-C13-C14-C15
3	A	1205	OLC	C14-C15-C16-C17
6	A	1210	CLR	C23-C24-C25-C27
2	A	1202	OLA	C15-C16-C17-C18
2	A	1222	OLA	C11-C12-C13-C14

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	A	1222	OLA	C1-C2-C3-C4
2	A	1206	OLA	C2-C3-C4-C5
2	A	1201	OLA	C10-C11-C12-C13
2	A	1212	OLA	C6-C7-C8-C9
2	A	1222	OLA	C6-C7-C8-C9
2	A	1201	OLA	C13-C14-C15-C16
3	A	1205	OLC	O20-C21-C22-O23
2	A	1220	OLA	C2-C3-C4-C5
3	A	1215	OLC	O20-C21-C22-C24
2	A	1219	OLA	C12-C13-C14-C15
2	A	1201	OLA	C6-C7-C8-C9
2	A	1221	OLA	C4-C5-C6-C7
3	A	1216	OLC	C1-C2-C3-C4
4	A	1207	PEG	C1-C2-O2-C3
3	A	1215	OLC	C6-C7-C8-C9
2	A	1201	OLA	C3-C4-C5-C6
3	A	1215	OLC	C3-C4-C5-C6
2	A	1201	OLA	C9-C10-C11-C12
2	A	1217	OLA	C7-C8-C9-C10
3	A	1205	OLC	C7-C8-C9-C10
2	A	1204	OLA	C7-C8-C9-C10
3	A	1205	OLC	C1-C2-C3-C4
2	A	1220	OLA	C1-C2-C3-C4
2	A	1212	OLA	C2-C3-C4-C5
2	A	1214	OLA	C1-C2-C3-C4
2	A	1220	OLA	O1-C1-C2-C3
2	A	1220	OLA	C9-C10-C11-C12
2	A	1219	OLA	C11-C12-C13-C14
2	A	1201	OLA	C15-C16-C17-C18
2	A	1222	OLA	O1-C1-C2-C3
2	A	1206	OLA	C9-C10-C11-C12
2	A	1220	OLA	O2-C1-C2-C3
2	A	1201	OLA	C12-C13-C14-C15
2	A	1204	OLA	C5-C6-C7-C8
2	A	1223	OLA	C4-C5-C6-C7
2	A	1221	OLA	O2-C1-C2-C3
2	A	1201	OLA	C2-C3-C4-C5
2	A	1222	OLA	O2-C1-C2-C3
2	A	1221	OLA	O1-C1-C2-C3
6	A	1211	CLR	C22-C23-C24-C25
2	A	1217	OLA	O2-C1-C2-C3
2	A	1214	OLA	C9-C10-C11-C12

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	A	1217	OLA	C4-C5-C6-C7
3	A	1216	OLC	C9-C10-C11-C12
2	A	1212	OLA	C3-C4-C5-C6
2	A	1219	OLA	C5-C6-C7-C8
2	A	1222	OLA	C9-C10-C11-C12
2	A	1202	OLA	O2-C1-C2-C3
2	A	1201	OLA	C7-C8-C9-C10
2	A	1202	OLA	C7-C8-C9-C10
2	A	1202	OLA	C9-C10-C11-C12
2	A	1223	OLA	O2-C1-C2-C3
3	A	1205	OLC	C11-C12-C13-C14
2	A	1213	OLA	C12-C13-C14-C15
2	A	1202	OLA	O1-C1-C2-C3
2	A	1217	OLA	O1-C1-C2-C3
2	A	1204	OLA	C9-C10-C11-C12
2	A	1223	OLA	O1-C1-C2-C3
2	A	1214	OLA	C5-C6-C7-C8
2	A	1220	OLA	C12-C13-C14-C15
3	A	1216	OLC	O20-C1-C2-C3
3	A	1215	OLC	O20-C1-C2-C3
2	A	1224	OLA	C4-C5-C6-C7
2	A	1222	OLA	C5-C6-C7-C8
3	A	1215	OLC	O19-C1-C2-C3
3	A	1216	OLC	O19-C1-C2-C3


There are no ring outliers.




7 monomers are involved in 11 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1211	CLR	2	0
4	A	1207	PEG	1	0
2	A	1213	OLA	5	0
2	A	1214	OLA	1	0
2	A	1201	OLA	1	0
3	A	1215	OLC	3	0
3	A	1205	OLC	1	0




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.



Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

























## Ligand OLA A 1212




## Ligand CLR A 1210



## Ligand OLA A 1203





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	393/447 (87%)	-0.04	10 (2%) 57 47	24, 41, 77, 105	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1057	GLU	6.7
1	A	1055	SER	6.3
1	A	1056	PRO	5.4
1	A	1058	MET	3.8
1	A	308	LEU	2.9
1	A	307	VAL	2.9
1	A	1060	ASP	2.9
1	A	305	SER	2.4
1	A	1002	ASP	2.2
1	A	1061	PHE	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	OLA	A	1204	20/20	0.74	0.40	42,48,57,57	0
2	OLA	A	1218	14/20	0.78	0.36	52,56,58,59	0
3	OLC	A	1205	25/25	0.79	0.32	42,55,61,62	0
2	OLA	A	1214	12/20	0.80	0.27	35,43,49,51	0
2	OLA	A	1203	12/20	0.80	0.33	40,45,49,50	0
2	OLA	A	1202	20/20	0.80	0.31	35,44,51,54	0
2	OLA	A	1223	13/20	0.84	0.27	38,44,58,60	0
2	OLA	A	1212	12/20	0.84	0.29	38,47,60,62	0
3	OLC	A	1216	21/25	0.84	0.28	45,52,57,60	0
3	OLC	A	1215	16/25	0.85	0.31	36,44,54,57	0
2	OLA	A	1217	19/20	0.85	0.28	34,39,67,69	0
2	OLA	A	1206	20/20	0.86	0.31	37,41,48,52	0
2	OLA	A	1213	11/20	0.87	0.34	34,40,46,49	0
2	OLA	A	1201	20/20	0.89	0.20	37,41,52,53	0
2	OLA	A	1219	11/20	0.89	0.26	31,36,43,47	0
2	OLA	A	1221	13/20	0.90	0.20	29,40,55,55	0
4	PEG	A	1207	7/7	0.90	0.25	34,42,47,50	0
2	OLA	A	1222	18/20	0.92	0.18	29,38,48,48	0
2	OLA	A	1220	17/20	0.94	0.20	34,40,47,49	0
2	OLA	A	1224	8/20	0.94	0.25	32,37,45,47	0
6	CLR	A	1211	28/28	0.94	0.17	29,35,41,42	0
6	CLR	A	1209	28/28	0.95	0.17	34,38,51,54	0
6	CLR	A	1210	28/28	0.97	0.15	31,36,43,43	0
5	LJX	A	1208	28/28	0.97	0.17	30,35,44,49	0



The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around OLA A 1204:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLA A 1218:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLC A 1205:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around OLA A 1214:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around OLA A 1203:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLA A 1202:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLA A 1223:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLA A 1212:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around OLC A 1216:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC A 1215:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLA A 1217:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLA A 1206:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLA A 1213:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around OLA A 1201:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around OLA A 1219:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLA A 1221:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLA A 1222:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLA A 1220:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLA A 1224:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around CLR A 1211:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around CLR A 1209:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around CLR A 1210:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.