



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 1, 2020 – 01:40 am BST

PDB ID : 5D7Y
Title : Crystal structure of Hepatitis B virus T=4 capsid in complex with the allosteric modulator HAP18
Authors : Venkatakrishnan, B.; Katen, S.P.; Zlotnick, A.
Deposited on : 2015-08-14
Resolution : 3.89 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1002 (4.14-3.66)
Clashscore	141614	1004 (4.12-3.68)
Ramachandran outliers	138981	1021 (4.14-3.66)
Sidechain outliers	138945	1014 (4.14-3.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	150	
1	B	150	
1	C	150	
1	D	150	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4610 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Capsid protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	142	Total	C	N	O	S	0	0	0
			1130	735	186	206	3			
1	B	143	Total	C	N	O	S	0	0	0
			1138	741	187	207	3			
1	C	142	Total	C	N	O	S	0	0	0
			1130	735	186	206	3			
1	D	143	Total	C	N	O	S	0	0	0
			1138	741	187	207	3			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	48	ALA	CYS	engineered mutation	UNP P03147
A	61	ALA	CYS	engineered mutation	UNP P03147
A	93	MET	VAL	engineered mutation	UNP P03147
A	107	ALA	CYS	engineered mutation	UNP P03147
A	150	CYS	-	expression tag	UNP P03147
B	48	ALA	CYS	engineered mutation	UNP P03147
B	61	ALA	CYS	engineered mutation	UNP P03147
B	93	MET	VAL	engineered mutation	UNP P03147
B	107	ALA	CYS	engineered mutation	UNP P03147
B	150	CYS	-	expression tag	UNP P03147
C	48	ALA	CYS	engineered mutation	UNP P03147
C	61	ALA	CYS	engineered mutation	UNP P03147
C	93	MET	VAL	engineered mutation	UNP P03147
C	107	ALA	CYS	engineered mutation	UNP P03147
C	150	CYS	-	expression tag	UNP P03147
D	48	ALA	CYS	engineered mutation	UNP P03147
D	61	ALA	CYS	engineered mutation	UNP P03147
D	93	MET	VAL	engineered mutation	UNP P03147
D	107	ALA	CYS	engineered mutation	UNP P03147
D	150	CYS	-	expression tag	UNP P03147

- Molecule 2 is methyl (4R)-4-(2-chloro-4-fluorophenyl)-6-{{[4-(3-hydroxypenta-1,4-diyne-3-yl) piperidin-1-yl]methyl}-2-(pyridin-2-yl)-1,4-dihydropyrimidine-5-carboxylate (three-letter code: 58H) (formula: C₂₈H₂₆ClFN₄O₃).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	B	1	Total	C	Cl	F	N	O	0	0
			37	28	1	1	4	3		
2	C	1	Total	C	Cl	F	N	O	0	0
			37	28	1	1	4	3		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Capsid protein

Chain A: 




• Molecule 1: Capsid protein

Chain B: 




• Molecule 1: Capsid protein


Chain C: 



• Molecule 1: Capsid protein

Chain D: 





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	529.38Å 367.41Å 542.00Å 90.00° 104.79° 90.00°	Depositor
Resolution (Å)	35.68 – 3.89 35.68 – 3.89	Depositor EDS
% Data completeness (in resolution range)	89.1 (35.68-3.89) 75.2 (35.68-3.89)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.18 (at 3.87Å)	Xtriage
Refinement program	PHENIX 1.8.2_1309	Depositor
R, R_{free}	0.263 , 0.273 0.366 , 0.359	Depositor DCC
R_{free} test set	2000 reflections (0.24%)	wwPDB-VP
Wilson B-factor (Å ²)	133.7	Xtriage
Anisotropy	0.151	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.21 , 52.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.83	EDS
Total number of atoms	4610	wwPDB-VP
Average B, all atoms (Å ²)	180.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 58H

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.23	0/1165	0.40	0/1597
1	B	0.23	0/1173	0.42	0/1608
1	C	0.31	1/1165 (0.1%)	0.51	1/1597 (0.1%)
1	D	0.27	0/1173	0.57	0/1608
All	All	0.26	1/4676 (0.0%)	0.48	1/6410 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	79	PRO	N-CD	5.12	1.55	1.47

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	78	ASP	C-N-CD	5.88	140.74	128.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	85	VAL	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1130	0	1110	24	0
1	B	1138	0	1121	32	0
1	C	1130	0	1110	44	0
1	D	1138	0	1121	47	0
2	B	37	0	26	0	0
2	C	37	0	26	1	0
All	All	4610	0	4514	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:79:PRO:HG2	1:C:81:SER:HB3	1.55	0.85
1:C:79:PRO:HD2	1:C:81:SER:HB3	1.58	0.85
1:C:79:PRO:HG2	1:C:81:SER:CB	2.06	0.84
1:D:128:THR:OG1	1:D:133:ARG:NH2	2.15	0.80
1:C:80:ALA:H	1:C:81:SER:HB3	1.47	0.78
1:C:90:ASN:O	1:C:90:ASN:ND2	2.15	0.77
1:C:79:PRO:CG	1:C:81:SER:HB3	2.15	0.76
1:C:79:PRO:CD	1:C:81:SER:HB3	2.15	0.76
1:D:86:VAL:H	1:D:87:SER:C	1.88	0.76
1:C:65:LEU:HD21	1:D:65:LEU:HD11	1.68	0.74
1:D:133:ARG:HH11	1:D:134:PRO:HD3	1.57	0.70
1:C:72:VAL:HG11	1:C:85:VAL:HG11	1.72	0.69
1:D:68:LEU:HA	1:D:71:TRP:HB2	1.76	0.68
1:C:69:ALA:HB1	1:C:86:VAL:HG13	1.74	0.68
1:C:79:PRO:HB2	1:C:83:ASP:OD2	1.95	0.66
1:C:122:PHE:O	1:C:124:VAL:N	2.28	0.66
1:A:56:ARG:NH1	1:B:8:GLU:OE2	2.28	0.65
1:B:47:HIS:HD1	1:B:47:HIS:H	1.45	0.64
1:D:87:SER:OG	1:D:88:TYR:N	2.27	0.63
1:D:69:ALA:H	1:D:70:THR:C	2.00	0.63
1:A:76:LEU:HD12	1:B:81:SER:HB2	1.81	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:89:VAL:O	1:D:94:GLY:N	2.31	0.62
1:C:118:TYR:CG	1:C:140:LEU:HG	2.35	0.62
1:C:78:ASP:HB2	1:C:79:PRO:HD3	1.81	0.61
1:C:82:ARG:H	1:C:86:VAL:HG23	1.65	0.61
1:B:29:ASP:O	1:B:33:THR:OG1	2.17	0.61
1:C:122:PHE:O	1:C:125:TRP:N	2.26	0.61
1:C:79:PRO:HG2	1:C:81:SER:HB2	1.82	0.61
1:D:87:SER:O	1:D:89:VAL:N	2.34	0.61
1:D:129:PRO:O	1:D:131:ALA:N	2.34	0.60
1:A:81:SER:HB2	1:B:76:LEU:HG	1.84	0.60
1:C:68:LEU:HD12	1:D:89:VAL:HG21	1.83	0.59
1:D:24:PHE:O	1:D:98:ARG:NH1	2.34	0.59
1:A:50:PRO:HG3	1:B:47:HIS:CD2	2.38	0.59
1:C:16:LEU:HD12	1:C:99:GLN:HB3	1.84	0.59
1:B:30:LEU:HD12	1:B:101:LEU:HB3	1.86	0.58
1:D:82:ARG:HB2	1:D:86:VAL:HG22	1.84	0.58
1:B:102:TRP:HH2	1:B:119:LEU:HD21	1.69	0.57
1:C:80:ALA:O	1:C:82:ARG:NH1	2.37	0.57
1:A:12:THR:HG23	1:A:15:LEU:H	1.69	0.57
1:B:25:PRO:HB3	1:C:129:PRO:HD3	1.86	0.56
1:D:12:THR:HG23	1:D:15:LEU:HD13	1.87	0.56
1:D:85:VAL:N	1:D:86:VAL:HG23	2.21	0.56
1:A:21:SER:HB3	1:A:95:LEU:HD11	1.86	0.56
1:A:39:ARG:HD2	1:B:1:MET:HG2	1.88	0.55
1:C:34:ALA:HB2	1:C:105:ILE:HD11	1.89	0.55
1:B:42:LEU:O	1:B:56:ARG:NH1	2.40	0.54
1:D:21:SER:HB2	1:D:95:LEU:HD11	1.88	0.54
1:C:90:ASN:C	1:C:90:ASN:HD22	2.07	0.54
1:D:133:ARG:HG2	1:D:134:PRO:HB3	1.90	0.54
1:D:133:ARG:HD2	1:D:134:PRO:HG3	1.90	0.54
1:D:78:ASP:OD2	1:D:81:SER:OG	2.26	0.53
1:B:125:TRP:CE2	1:B:133:ARG:HD2	2.44	0.53
1:D:6:TYR:CZ	1:D:100:LEU:HD12	2.44	0.53
1:A:42:LEU:HD21	1:A:55:LEU:HD23	1.91	0.52
1:A:72:VAL:HA	1:A:76:LEU:HD23	1.91	0.52
1:C:73:GLY:O	1:C:82:ARG:NH2	2.42	0.52
1:A:65:LEU:HD21	1:B:65:LEU:HD21	1.92	0.52
1:A:93:MET:HE1	1:B:64:ASP:HB3	1.92	0.51
1:C:110:PHE:CE1	1:C:140:LEU:HB3	2.44	0.51
1:D:134:PRO:HG2	1:D:136:ASN:O	2.11	0.51
1:D:46:GLU:O	1:D:48:ALA:N	2.44	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:5:PRO:HG3	1:B:60:LEU:HD13	1.92	0.51
1:D:2:ASP:N	1:D:2:ASP:OD1	2.42	0.51
1:D:86:VAL:HB	1:D:87:SER:CB	2.41	0.51
1:D:66:MET:H	1:D:67:THR:HG22	1.75	0.50
1:B:16:LEU:HD21	1:B:102:TRP:HZ3	1.76	0.50
1:D:4:ASP:HB3	1:D:7:LYS:HB2	1.91	0.50
1:D:66:MET:N	1:D:68:LEU:H	2.09	0.50
1:C:79:PRO:CG	1:C:81:SER:CB	2.80	0.49
1:C:141:SER:O	1:C:142:THR:OG1	2.29	0.49
1:C:15:LEU:HD23	1:C:119:LEU:HD22	1.95	0.49
1:B:130:PRO:HA	1:B:133:ARG:HB3	1.94	0.49
1:A:110:PHE:CE2	1:A:140:LEU:HB3	2.48	0.49
1:B:104:HIS:O	1:B:108:LEU:HG	2.13	0.49
1:B:24:PHE:CZ	1:B:99:GLN:HG2	2.48	0.48
1:C:79:PRO:CG	1:C:80:ALA:H	2.26	0.48
1:C:23:PHE:CZ	2:C:201:58H:H20	2.49	0.48
1:D:67:THR:O	1:D:68:LEU:HB2	2.12	0.48
1:A:11:ALA:HB2	1:A:116:LEU:HD21	1.96	0.47
1:A:24:PHE:HA	1:A:25:PRO:HD2	1.75	0.47
1:D:72:VAL:HG22	1:D:76:LEU:HB2	1.97	0.47
1:C:19:LEU:HD13	1:C:23:PHE:CE1	2.50	0.47
1:D:86:VAL:N	1:D:87:SER:O	2.46	0.47
1:B:42:LEU:HD21	1:B:55:LEU:HD23	1.97	0.46
1:D:48:ALA:HB3	1:D:52:HIS:CG	2.51	0.46
1:A:79:PRO:HA	1:A:82:ARG:HB3	1.97	0.46
1:C:27:VAL:HG11	1:C:62:TRP:CE2	2.51	0.46
1:C:79:PRO:HG2	1:C:80:ALA:H	1.79	0.46
1:D:20:PRO:O	1:D:22:ASP:N	2.49	0.45
1:A:60:LEU:HD21	1:B:3:ILE:HB	1.98	0.45
1:C:42:LEU:O	1:C:56:ARG:HD3	2.16	0.45
1:C:80:ALA:HB3	1:C:81:SER:HA	1.99	0.45
1:D:86:VAL:HB	1:D:87:SER:HB3	1.98	0.45
1:A:129:PRO:HA	1:A:130:PRO:HD3	1.83	0.45
1:B:72:VAL:HG21	1:B:85:VAL:HG11	1.98	0.45
1:D:18:PHE:HZ	1:D:127:ARG:CZ	2.30	0.45
1:D:60:LEU:HA	1:D:60:LEU:HD23	1.87	0.45
1:C:137:ALA:O	1:C:139:ILE:HD12	2.18	0.44
1:D:133:ARG:NH1	1:D:134:PRO:HD3	2.27	0.44
1:B:20:PRO:HD3	1:B:126:ILE:HD12	1.99	0.44
1:B:52:HIS:O	1:B:56:ARG:HG3	2.18	0.44
1:C:79:PRO:HB2	1:C:83:ASP:CG	2.37	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:34:ALA:HB2	1:D:105:ILE:HD11	2.00	0.44
1:D:71:TRP:CE2	1:D:72:VAL:HG23	2.52	0.44
1:A:48:ALA:HB3	1:A:52:HIS:CG	2.52	0.43
1:A:4:ASP:HB3	1:A:7:LYS:HB2	2.01	0.43
1:D:14:GLU:O	1:D:17:SER:OG	2.35	0.43
1:C:79:PRO:HD2	1:C:81:SER:CB	2.40	0.43
1:C:97:PHE:O	1:C:101:LEU:HB2	2.19	0.43
1:C:38:TYR:OH	1:C:109:THR:OG1	2.25	0.43
1:D:72:VAL:HG22	1:D:76:LEU:HD13	2.01	0.42
1:C:47:HIS:HA	1:C:56:ARG:NH2	2.35	0.42
1:A:30:LEU:HD12	1:A:105:ILE:HD12	2.00	0.42
1:B:102:TRP:O	1:B:106:SER:OG	2.32	0.42
1:B:48:ALA:HB3	1:B:52:HIS:CG	2.54	0.42
1:D:66:MET:N	1:D:68:LEU:N	2.68	0.42
1:D:93:MET:C	1:D:95:LEU:H	2.23	0.42
1:B:47:HIS:N	1:B:47:HIS:ND1	2.59	0.41
1:D:65:LEU:HG	1:D:68:LEU:O	2.21	0.41
1:B:61:ALA:O	1:B:65:LEU:HD23	2.20	0.41
1:C:102:TRP:O	1:C:106:SER:OG	2.34	0.41
1:C:76:LEU:O	1:C:77:GLU:HB3	2.20	0.41
1:A:126:ILE:HG22	1:A:127:ARG:HG3	2.03	0.41
1:A:27:VAL:HG11	1:A:62:TRP:CZ2	2.55	0.41
1:B:101:LEU:HD23	1:B:101:LEU:HA	1.94	0.41
1:D:37:LEU:HB2	1:D:38:TYR:CD1	2.56	0.41
1:D:85:VAL:HB	1:D:86:VAL:HA	2.03	0.41
1:A:82:ARG:O	1:A:86:VAL:HG23	2.21	0.41
1:D:125:TRP:HE1	1:D:134:PRO:HG2	1.86	0.41
1:B:110:PHE:CG	1:B:140:LEU:HD21	2.56	0.40
1:D:59:ILE:O	1:D:63:GLY:N	2.55	0.40
1:B:118:TYR:OH	1:B:138:PRO:O	2.32	0.40
1:B:46:GLU:O	1:B:48:ALA:N	2.54	0.40
1:C:94:GLY:O	1:C:98:ARG:HG3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	140/150 (93%)	133 (95%)	4 (3%)	3 (2%)	7	39
1	B	141/150 (94%)	132 (94%)	9 (6%)	0	100	100
1	C	140/150 (93%)	117 (84%)	18 (13%)	5 (4%)	3	29
1	D	141/150 (94%)	113 (80%)	19 (14%)	9 (6%)	1	19
All	All	562/600 (94%)	495 (88%)	50 (9%)	17 (3%)	4	33

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	77	GLU
1	C	123	GLY
1	D	47	HIS
1	D	68	LEU
1	D	88	TYR
1	D	134	PRO
1	C	47	HIS
1	C	79	PRO
1	C	122	PHE
1	D	21	SER
1	A	23	PHE
1	A	24	PHE
1	D	72	VAL
1	D	135	PRO
1	A	47	HIS
1	D	132	TYR
1	D	130	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	122/130 (94%)	115 (94%)	7 (6%)	20	50
1	B	123/130 (95%)	114 (93%)	9 (7%)	14	43
1	C	122/130 (94%)	103 (84%)	19 (16%)	2	17
1	D	123/130 (95%)	101 (82%)	22 (18%)	2	12
All	All	490/520 (94%)	433 (88%)	57 (12%)	5	26

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	GLU
1	A	40	ASP
1	A	47	HIS
1	A	82	ARG
1	A	112	ARG
1	A	126	ILE
1	A	142	THR
1	B	2	ASP
1	B	16	LEU
1	B	17	SER
1	B	30	LEU
1	B	37	LEU
1	B	47	HIS
1	B	72	VAL
1	B	109	THR
1	B	124	VAL
1	C	2	ASP
1	C	16	LEU
1	C	37	LEU
1	C	47	HIS
1	C	55	LEU
1	C	68	LEU
1	C	71	TRP
1	C	75	ASN
1	C	77	GLU
1	C	83	ASP
1	C	84	LEU
1	C	90	ASN
1	C	96	LYS
1	C	105	ILE
1	C	106	SER
1	C	109	THR
1	C	110	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	114	THR
1	C	119	LEU
1	D	2	ASP
1	D	12	THR
1	D	18	PHE
1	D	28	ARG
1	D	44	SER
1	D	47	HIS
1	D	55	LEU
1	D	67	THR
1	D	70	THR
1	D	71	TRP
1	D	76	LEU
1	D	77	GLU
1	D	82	ARG
1	D	84	LEU
1	D	87	SER
1	D	90	ASN
1	D	100	LEU
1	D	119	LEU
1	D	124	VAL
1	D	126	ILE
1	D	127	ARG
1	D	136	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	58H	B	201	-	36,40,40	1.04	2 (5%)	43,57,57	1.63	10 (23%)
2	58H	C	201	-	36,40,40	0.77	0	43,57,57	1.57	7 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	58H	B	201	-	-	9/22/56/56	0/4/4/4
2	58H	C	201	-	-	8/22/56/56	0/4/4/4

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	201	58H	C06-N07	2.73	1.52	1.47
2	B	201	58H	C08-N07	2.42	1.53	1.46

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	201	58H	C04-C05-N19	-4.42	115.84	120.55
2	C	201	58H	C04-C05-N19	-4.13	116.14	120.55
2	B	201	58H	C29-C30-CL3	3.72	124.26	120.41
2	C	201	58H	C06-N07-C12	2.90	115.59	111.09
2	C	201	58H	C29-C30-CL3	2.67	123.18	120.41
2	B	201	58H	C30-C32-C33	2.56	119.45	117.73
2	C	201	58H	C30-C32-C33	2.54	119.44	117.73
2	B	201	58H	C11-C12-N07	-2.52	107.21	111.11
2	B	201	58H	C03-C04-C05	2.44	124.91	121.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	201	58H	C06-N07-C12	2.31	114.67	111.09
2	B	201	58H	C36-C29-C28	-2.19	117.03	120.88
2	C	201	58H	C23-C22-C21	-2.14	116.04	118.63
2	B	201	58H	C22-C21-N26	2.13	125.63	122.72
2	B	201	58H	C32-C30-CL3	-2.12	115.06	118.49
2	C	201	58H	C03-C04-C05	-2.12	118.23	121.33
2	B	201	58H	C20-C21-N26	-2.03	113.73	115.97
2	C	201	58H	O02-C03-O37	2.00	127.39	123.53

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	201	58H	C11-C10-C13-O16
2	C	201	58H	O02-C03-C04-C05
2	C	201	58H	N19-C20-C21-C22
2	C	201	58H	N19-C20-C21-N26
2	C	201	58H	N27-C20-C21-C22
2	C	201	58H	N27-C20-C21-N26
2	C	201	58H	O37-C03-C04-C05
2	C	201	58H	O37-C03-C04-C28
2	B	201	58H	O02-C03-C04-C28
2	B	201	58H	O37-C03-C04-C28
2	C	201	58H	O02-C03-C04-C28
2	B	201	58H	O02-C03-C04-C05
2	B	201	58H	O37-C03-C04-C05
2	B	201	58H	C11-C10-C13-C14
2	B	201	58H	C11-C10-C13-C17
2	B	201	58H	C09-C10-C13-C17
2	B	201	58H	C04-C28-C29-C36


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	201	58H	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.


6.3 Carbohydrates ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands ⓘ




Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around 58H C 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.