



Full wwPDB X-ray Structure Validation Report ⓘ

May 15, 2020 – 09:56 pm BST

PDB ID : 1DKE
Title : NI BETA HEME HUMAN HEMOGLOBIN
Authors : Bruno, S.; Bettatti, S.; Mozzarelli, A.; Bolognesi, M.; Deriu, D.; Rosano, C.;
Tsuneshige, A.; Yonetani, T.; Henry, E.R.
Deposited on : 1999-12-07
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	141	
1	C	141	
2	B	146	
2	D	146	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 4823 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HEMOGLOBIN: ALPHA CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	141	Total	C	N	O	S	0	0	0
			1068	685	187	193	3			
1	C	141	Total	C	N	O	S	11	0	0
			1068	685	187	193	3			

- Molecule 2 is a protein called HEMOGLOBIN: BETA CHAIN.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	146	Total	C	N	O	S	19	0	0
			1122	724	195	200	3			
2	D	146	Total	C	N	O	S	18	0	0
			1122	724	195	200	3			

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	Fe	N	O	
			43	34	1	4	4	
3	B	1	Total	C	Fe	N	O	
			43	34	1	4	4	
3	C	1	Total	C	Fe	N	O	
			43	34	1	4	4	
3	D	1	Total	C	Fe	N	O	
			43	34	1	4	4	

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	O S		
			5	4 1	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	74	Total	O		
			74	74	0	0
5	B	88	Total	O		
			88	88	0	0
5	C	57	Total	O		
			57	57	0	0
5	D	47	Total	O		
			47	47	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: HEMOGLOBIN: ALPHA CHAIN

Chain A: 





4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	55.72Å 81.40Å 63.15Å 90.00° 97.81° 90.00°	Depositor
Resolution (Å)	12.00 – 2.10	Depositor
% Data completeness (in resolution range)	(Not available) (12.00-2.10)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC	Depositor
R, R_{free}	0.200 , 0.280	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4823	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.94	1/1096 (0.1%)	1.85	26/1491 (1.7%)
1	C	0.89	0/1096	1.97	35/1491 (2.3%)
2	B	1.24	5/1152 (0.4%)	2.00	35/1566 (2.2%)
2	D	0.89	2/1152 (0.2%)	2.22	28/1566 (1.8%)
All	All	1.00	8/4496 (0.2%)	2.02	124/6114 (2.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	1	0
2	B	1	0
2	D	1	2
All	All	3	2

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1	VAL	C-N	20.98	1.82	1.34
2	B	3	LEU	CB-CG	10.43	1.82	1.52
2	D	1	VAL	C-N	8.87	1.54	1.34
2	B	144	LYS	CD-CE	-8.75	1.29	1.51
2	B	144	LYS	CG-CD	6.61	1.75	1.52
2	B	78	LEU	CG-CD1	5.68	1.72	1.51
2	D	146	HIS	C-O	5.58	1.33	1.23
1	A	35	SER	CA-CB	5.09	1.60	1.52

All (124) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1	VAL	O-C-N	-39.73	59.13	122.70
2	D	1	VAL	CA-C-N	25.07	172.37	117.20
1	C	31	ARG	NE-CZ-NH2	-18.67	110.96	120.30
2	B	104	ARG	NE-CZ-NH1	-16.32	112.14	120.30
2	B	73	ASP	CB-CG-OD1	14.36	131.22	118.30
1	A	92	ARG	CD-NE-CZ	13.72	142.80	123.60
2	D	104	ARG	NE-CZ-NH2	12.76	126.68	120.30
2	D	30	ARG	NE-CZ-NH2	11.93	126.26	120.30
2	D	94	ASP	CB-CG-OD2	11.80	128.92	118.30
1	A	92	ARG	NE-CZ-NH1	-11.33	114.64	120.30
2	B	104	ARG	NE-CZ-NH2	11.25	125.92	120.30
2	B	73	ASP	CB-CG-OD2	-10.82	108.56	118.30
1	C	140	TYR	CB-CG-CD2	10.18	127.11	121.00
2	B	134	VAL	CA-CB-CG1	9.93	125.79	110.90
1	C	31	ARG	NE-CZ-NH1	9.74	125.17	120.30
1	A	141	ARG	CA-C-O	-9.29	100.59	120.10
2	B	45	PHE	CB-CG-CD1	-9.29	114.30	120.80
2	B	1	VAL	C-N-CA	-9.26	98.55	121.70
2	B	45	PHE	CB-CG-CD2	9.02	127.11	120.80
1	C	92	ARG	NE-CZ-NH2	8.87	124.73	120.30
2	D	146	HIS	CA-C-O	-8.75	101.73	120.10
2	D	30	ARG	NE-CZ-NH1	-8.63	115.98	120.30
1	C	117	PHE	O-C-N	-8.42	109.22	122.70
2	B	7	GLU	OE1-CD-OE2	-8.32	113.31	123.30
2	B	101	GLU	OE1-CD-OE2	-8.29	113.35	123.30
2	D	40	ARG	NE-CZ-NH1	-8.13	116.23	120.30
1	C	141	ARG	CA-C-O	-8.11	103.07	120.10
2	D	52	ASP	CB-CG-OD2	7.94	125.45	118.30
2	B	3	LEU	CA-CB-CG	-7.93	97.07	115.30
2	D	43	GLU	CB-CA-C	-7.81	94.79	110.40
1	C	141	ARG	NE-CZ-NH2	-7.72	116.44	120.30
2	B	3	LEU	CB-CG-CD1	-7.70	97.92	111.00
2	B	47	ASP	CB-CG-OD2	7.66	125.19	118.30
2	B	134	VAL	N-CA-CB	7.62	128.26	111.50
1	C	74	ASP	CB-CG-OD1	7.57	125.11	118.30
2	D	135	ALA	CB-CA-C	7.54	121.42	110.10
1	C	81	SER	N-CA-CB	7.45	121.68	110.50
1	A	140	TYR	CB-CG-CD1	-7.37	116.58	121.00
1	C	123	ALA	CB-CA-C	7.32	121.09	110.10
1	A	75	ASP	CB-CG-OD1	7.29	124.86	118.30
1	A	23	GLU	CA-CB-CG	7.29	129.43	113.40
1	A	106	LEU	CA-CB-CG	7.28	132.05	115.30
1	C	141	ARG	NE-CZ-NH1	7.24	123.92	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	4	THR	N-CA-CB	-7.15	96.71	110.30
1	C	118	THR	CA-CB-CG2	7.14	122.39	112.40
1	C	118	THR	N-CA-CB	-7.07	96.88	110.30
1	A	75	ASP	CB-CG-OD2	-7.02	111.98	118.30
2	B	121	GLU	OE1-CD-OE2	-7.01	114.88	123.30
1	C	117	PHE	CA-C-O	6.99	134.79	120.10
2	B	68	LEU	CA-CB-CG	6.93	131.25	115.30
1	A	84	SER	N-CA-CB	6.83	120.75	110.50
2	D	30	ARG	CD-NE-CZ	6.81	133.14	123.60
2	B	146	HIS	CA-C-O	-6.79	105.83	120.10
1	C	92	ARG	NH1-CZ-NH2	-6.72	112.00	119.40
1	C	53	ALA	N-CA-CB	6.68	119.45	110.10
2	B	30	ARG	NE-CZ-NH1	6.67	123.63	120.30
1	C	64	ASP	CB-CG-OD2	6.67	124.30	118.30
2	D	52	ASP	CB-CG-OD1	-6.63	112.33	118.30
1	C	141	ARG	CD-NE-CZ	6.59	132.82	123.60
1	A	123	ALA	CB-CA-C	-6.57	100.25	110.10
1	A	104	CYS	CA-CB-SG	6.55	125.79	114.00
2	B	40	ARG	CD-NE-CZ	6.52	132.73	123.60
1	A	116	GLU	OE1-CD-OE2	-6.48	115.52	123.30
1	C	127	LYS	N-CA-CB	6.42	122.16	110.60
1	A	110	ALA	CB-CA-C	-6.42	100.48	110.10
2	B	94	ASP	CB-CG-OD2	6.34	124.01	118.30
2	D	78	LEU	CA-CB-CG	6.34	129.88	115.30
2	B	21	ASP	CB-CG-OD1	6.28	123.95	118.30
1	C	10	VAL	CA-CB-CG1	6.28	120.31	110.90
2	B	145	TYR	CB-CG-CD1	6.26	124.75	121.00
1	C	10	VAL	CG1-CB-CG2	6.23	120.88	110.90
1	A	140	TYR	CB-CG-CD2	6.18	124.70	121.00
2	D	71	PHE	CB-CG-CD2	6.18	125.12	120.80
2	D	55	MET	CA-CB-CG	6.11	123.69	113.30
1	A	83	LEU	CB-CG-CD1	6.03	121.26	111.00
2	D	42	PHE	CB-CG-CD2	5.99	124.99	120.80
2	B	65	LYS	CA-CB-CG	-5.98	100.25	113.40
2	D	1	VAL	C-N-CA	-5.98	106.76	121.70
1	A	92	ARG	NE-CZ-NH2	5.95	123.28	120.30
1	C	36	PHE	N-CA-CB	-5.95	99.89	110.60
2	B	118	PHE	CB-CG-CD1	5.92	124.95	120.80
1	C	92	ARG	NE-CZ-NH1	5.90	123.25	120.30
1	C	113	LEU	CB-CG-CD2	5.89	121.01	111.00
1	A	33	PHE	CB-CG-CD2	-5.81	116.73	120.80
2	B	62	ALA	CB-CA-C	5.78	118.77	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	122	HIS	CA-CB-CG	5.75	123.37	113.60
1	C	92	ARG	CD-NE-CZ	5.74	131.64	123.60
2	D	23	VAL	CA-CB-CG2	-5.74	102.30	110.90
1	A	122	HIS	CA-CB-CG	5.71	123.30	113.60
2	D	21	ASP	CB-CG-OD1	5.70	123.43	118.30
2	D	92	HIS	N-CA-CB	5.66	120.78	110.60
2	D	99	ASP	CB-CG-OD2	5.63	123.37	118.30
1	C	75	ASP	CB-CG-OD2	-5.63	113.24	118.30
1	A	46	PHE	CB-CG-CD1	-5.60	116.88	120.80
1	A	61	LYS	O-C-N	5.60	131.66	122.70
2	B	9	SER	N-CA-CB	-5.58	102.13	110.50
2	B	121	GLU	CG-CD-OE2	5.58	129.46	118.30
1	C	123	ALA	N-CA-CB	5.57	117.90	110.10
2	B	42	PHE	O-C-N	-5.55	113.82	122.70
2	B	78	LEU	CB-CG-CD1	-5.53	101.60	111.00
1	A	131	SER	N-CA-CB	5.50	118.75	110.50
2	B	142	ALA	N-CA-CB	-5.49	102.42	110.10
1	A	101	LEU	CB-CG-CD1	5.47	120.30	111.00
1	C	2	LEU	CA-C-N	5.43	129.15	117.20
1	C	79	ALA	CB-CA-C	-5.39	102.01	110.10
2	D	2	HIS	N-CA-CB	-5.38	100.91	110.60
2	B	2	HIS	CA-C-O	5.34	131.31	120.10
1	C	135	VAL	CA-CB-CG1	-5.33	102.91	110.90
1	A	141	ARG	CD-NE-CZ	5.31	131.04	123.60
2	D	2	HIS	CB-CA-C	5.25	120.91	110.40
1	C	37	PRO	N-CA-CB	5.23	109.58	103.30
1	A	41	THR	CA-CB-OG1	5.23	119.98	109.00
1	C	24	TYR	CB-CG-CD2	5.17	124.11	121.00
2	D	140	ALA	CB-CA-C	5.15	117.83	110.10
1	C	8	THR	CA-CB-OG1	-5.14	98.21	109.00
2	B	87	THR	OG1-CB-CG2	-5.12	98.22	110.00
1	A	75	ASP	CA-CB-CG	5.11	124.64	113.40
2	D	2	HIS	CA-CB-CG	5.08	122.23	113.60
2	B	133	VAL	CA-CB-CG1	-5.08	103.28	110.90
2	D	28	LEU	N-CA-CB	5.08	120.55	110.40
2	D	94	ASP	CB-CG-OD1	-5.08	113.73	118.30
1	A	2	LEU	CB-CG-CD1	5.04	119.57	111.00
1	C	103	HIS	CA-CB-CG	5.03	122.15	113.60
2	B	87	THR	CA-CB-CG2	-5.01	105.39	112.40

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	B	134	VAL	CA
1	C	118	THR	CB
2	D	2	HIS	CA

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	D	1	VAL	Mainchain,Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1068	0	1073	22	0
1	C	1068	0	1073	20	0
2	B	1122	0	1117	33	0
2	D	1122	0	1118	20	0
3	A	43	0	30	2	0
3	B	43	0	30	2	0
3	C	43	0	30	0	0
3	D	43	0	30	2	0
4	B	5	0	0	0	0
5	A	74	0	0	2	0
5	B	88	0	0	5	0
5	C	57	0	0	1	0
5	D	47	0	0	0	0
All	All	4823	0	4501	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:107:GLY:HA3	2:B:134:VAL:HG21	1.31	1.10
2:D:4:THR:OG1	2:D:5:PRO:HD2	1.59	1.03
2:B:4:THR:HG21	5:B:438:HOH:O	1.56	1.01

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:107:GLY:CA	2:B:134:VAL:HG21	1.92	1.00
2:B:87:THR:HG22	5:B:468:HOH:O	1.62	0.99
2:D:8:LYS:NZ	2:D:79:ASP:OD2	2.01	0.93
2:B:80:ASN:O	2:B:84:THR:HG22	1.68	0.92
1:A:46:PHE:HA	1:A:54:GLN:HE22	1.34	0.92
2:B:144:LYS:CE	2:B:144:LYS:CG	2.52	0.86
2:B:4:THR:HG22	2:B:7:GLU:H	1.41	0.83
2:D:4:THR:OG1	2:D:5:PRO:CD	2.25	0.83
2:B:50:THR:HB	2:B:51:PRO:HD2	1.66	0.78
2:B:107:GLY:HA3	2:B:134:VAL:CG2	2.11	0.77
1:A:47:ASP:HB3	1:A:54:GLN:OE1	1.86	0.76
1:A:46:PHE:HA	1:A:54:GLN:NE2	2.01	0.74
2:B:80:ASN:O	2:B:84:THR:CG2	2.36	0.73
2:D:4:THR:HG23	2:D:7:GLU:H	1.56	0.71
2:B:2:HIS:N	2:B:2:HIS:CD2	2.62	0.67
1:A:47:ASP:CB	1:A:54:GLN:OE1	2.42	0.66
2:B:50:THR:HB	2:B:51:PRO:CD	2.26	0.66
2:B:29:GLY:O	2:B:33:VAL:HG23	1.96	0.65
2:B:124:PRO:HB2	2:B:125:PRO:HD3	1.80	0.63
1:A:141:ARG:HG3	1:C:127:LYS:HD2	1.81	0.63
1:C:118:THR:HG22	1:C:121:VAL:HB	1.81	0.62
2:D:4:THR:OG1	2:D:5:PRO:N	2.31	0.62
1:A:7:LYS:O	1:A:11:LYS:CG	2.48	0.60
2:B:4:THR:HG23	2:B:6:GLU:OE1	2.02	0.60
1:A:54:GLN:HG3	5:A:173:HOH:O	2.01	0.60
2:B:91:LEU:HD21	3:B:147:HEM:HBA1	1.82	0.59
2:B:24:GLY:N	2:B:68:LEU:HD12	2.17	0.59
1:C:7:LYS:NZ	1:C:74:ASP:OD1	2.31	0.59
2:B:134:VAL:HG23	5:B:403:HOH:O	2.03	0.58
1:A:7:LYS:O	1:A:11:LYS:HE3	2.06	0.56
2:B:144:LYS:CG	2:B:144:LYS:HE2	2.35	0.56
2:D:4:THR:HG22	2:D:7:GLU:HG3	1.87	0.56
1:A:7:LYS:C	1:A:11:LYS:HE3	2.27	0.55
2:B:4:THR:HG22	2:B:7:GLU:N	2.18	0.55
2:D:110:LEU:O	2:D:110:LEU:HG	2.06	0.55
1:A:7:LYS:O	1:A:11:LYS:HG2	2.07	0.54
2:D:4:THR:HG23	2:D:7:GLU:N	2.21	0.54
2:D:19:ASN:CG	2:D:22:GLU:HG2	2.28	0.54
1:A:31:ARG:O	1:A:35:SER:HB2	2.08	0.54
2:B:2:HIS:N	2:B:2:HIS:HD2	2.06	0.53
1:C:6:ASP:O	1:C:10:VAL:HG13	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:57:ASN:OD1	2:B:59:LYS:HB2	2.10	0.52
1:C:76:MET:N	1:C:77:PRO:CD	2.73	0.52
1:C:78:ASN:HB3	5:C:175:HOH:O	2.10	0.52
2:B:82:LYS:HE2	2:B:139:ASN:OD1	2.11	0.51
2:B:2:HIS:HB2	5:B:432:HOH:O	2.11	0.50
1:C:3:SER:O	1:C:6:ASP:HB2	2.12	0.50
1:A:11:LYS:NZ	5:A:168:HOH:O	2.02	0.49
2:D:68:LEU:HD22	2:D:71:PHE:HB3	1.95	0.49
1:A:31:ARG:HD3	2:B:127:GLN:OE1	2.13	0.48
2:B:77:HIS:HB2	2:B:84:THR:HG21	1.94	0.48
2:D:82:LYS:HA	2:D:140:ALA:HB1	1.95	0.48
1:A:7:LYS:O	1:A:11:LYS:HG3	2.15	0.47
2:D:4:THR:O	2:D:5:PRO:C	2.52	0.47
1:C:43:PHE:N	1:C:44:PRO:CD	2.78	0.47
2:B:134:VAL:O	2:B:134:VAL:HG23	2.15	0.47
1:C:14:TRP:O	1:C:17:VAL:HB	2.15	0.46
1:C:118:THR:HG22	1:C:121:VAL:CB	2.43	0.46
2:B:91:LEU:CD2	3:B:147:HEM:HBA1	2.45	0.46
1:C:46:PHE:HB3	1:C:48:LEU:HD23	1.97	0.46
1:A:16:LYS:HG3	1:A:113:LEU:HD22	1.96	0.46
2:D:67:VAL:HG13	3:D:147:HEM:C3B	2.52	0.45
2:D:68:LEU:HA	2:D:68:LEU:HD23	1.80	0.45
1:C:118:THR:HG22	1:C:121:VAL:CG2	2.46	0.44
1:C:6:ASP:OD2	1:C:127:LYS:HE2	2.17	0.44
1:A:47:ASP:N	1:A:54:GLN:OE1	2.44	0.44
1:C:21:ALA:HB1	1:C:63:ALA:HB1	2.00	0.44
1:C:3:SER:H	1:C:6:ASP:HB2	1.82	0.43
1:A:47:ASP:H	1:A:54:GLN:CD	2.18	0.43
1:A:93:VAL:HG11	3:A:142:HEM:CAC	2.48	0.43
1:A:118:THR:HB	1:A:119:PRO:HD2	2.01	0.43
1:A:7:LYS:HB3	1:A:11:LYS:HE3	2.00	0.43
2:B:123:THR:HA	5:B:407:HOH:O	2.19	0.43
1:C:16:LYS:O	1:C:17:VAL:C	2.57	0.42
1:A:39:THR:HG22	1:A:97:ASN:HD22	1.83	0.42
2:D:30:ARG:HD2	2:D:113:VAL:HG22	2.01	0.42
1:C:123:ALA:HB2	2:D:34:VAL:HA	2.01	0.42
1:C:123:ALA:HB2	2:D:34:VAL:HG22	2.02	0.42
2:D:111:VAL:HG13	2:D:122:PHE:CZ	2.55	0.42
1:A:58:HIS:HE1	3:A:142:HEM:CHA	2.32	0.42
2:B:123:THR:HB	2:B:124:PRO:CD	2.50	0.42
2:B:111:VAL:HG11	2:B:131:GLN:OE1	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:11:VAL:HG13	2:D:130:TYR:CZ	2.55	0.41
1:C:83:LEU:HD12	1:C:83:LEU:HA	1.95	0.41
3:D:147:HEM:HBC2	3:D:147:HEM:CMC	2.50	0.41
2:B:38:THR:HG22	2:B:102:ASN:ND2	2.36	0.41
1:C:3:SER:N	1:C:6:ASP:HB2	2.36	0.41
2:D:82:LYS:HD3	2:D:143:HIS:CE1	2.57	0.40
2:B:81:LEU:HA	2:B:81:LEU:HD23	1.97	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	139/141 (99%)	136 (98%)	3 (2%)	0	100	100
1	C	139/141 (99%)	135 (97%)	4 (3%)	0	100	100
2	B	144/146 (99%)	141 (98%)	3 (2%)	0	100	100
2	D	144/146 (99%)	140 (97%)	3 (2%)	1 (1%)	22	18
All	All	566/574 (99%)	552 (98%)	13 (2%)	1 (0%)	47	49

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	2	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	113/113 (100%)	105 (93%)	8 (7%)	14	11
1	C	113/113 (100%)	104 (92%)	9 (8%)	12	8
2	B	118/118 (100%)	111 (94%)	7 (6%)	19	17
2	D	118/118 (100%)	109 (92%)	9 (8%)	13	10
All	All	462/462 (100%)	429 (93%)	33 (7%)	14	11

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	LYS
1	A	16	LYS
1	A	35	SER
1	A	46	PHE
1	A	52	SER
1	A	83	LEU
1	A	90	LYS
1	A	106	LEU
2	B	2	HIS
2	B	3	LEU
2	B	4	THR
2	B	59	LYS
2	B	75	LEU
2	B	84	THR
2	B	134	VAL
1	C	10	VAL
1	C	34	LEU
1	C	48	LEU
1	C	49	SER
1	C	52	SER
1	C	60	LYS
1	C	73	VAL
1	C	90	LYS
1	C	118	THR
2	D	2	HIS
2	D	4	THR
2	D	65	LYS
2	D	68	LEU
2	D	73	ASP
2	D	78	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	80	ASN
2	D	84	THR
2	D	90	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	58	HIS
1	A	78	ASN
1	A	97	ASN
2	B	63	HIS
2	B	80	ASN
2	B	102	ASN
1	C	97	ASN
2	D	63	HIS
2	D	80	ASN
2	D	102	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	HEM	A	142	1	27,50,50	2.11	8 (29%)	17,82,82	2.05	4 (23%)
3	HEM	D	147	2	27,50,50	2.04	8 (29%)	17,82,82	1.88	5 (29%)
3	HEM	B	147	2	27,50,50	2.00	6 (22%)	17,82,82	5.75	8 (47%)
4	SO4	B	402	-	4,4,4	1.90	1 (25%)	6,6,6	0.69	0
3	HEM	C	142	1	27,50,50	1.74	5 (18%)	17,82,82	2.89	8 (47%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	A	142	1	-	0/6/54/54	-
3	HEM	D	147	2	-	0/6/54/54	-
3	HEM	B	147	2	-	0/6/54/54	-
3	HEM	C	142	1	-	0/6/54/54	-

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	142	HEM	C3B-C2B	-5.22	1.33	1.40
3	A	142	HEM	C3C-C2C	-4.99	1.33	1.40
3	B	147	HEM	C3B-C2B	-4.64	1.33	1.40
3	D	147	HEM	C3C-C2C	-4.20	1.34	1.40
3	B	147	HEM	C3B-CAB	4.17	1.56	1.47
3	B	147	HEM	C3C-C2C	-4.01	1.34	1.40
3	D	147	HEM	CAA-C2A	4.00	1.57	1.52
3	C	142	HEM	C3C-C2C	-3.86	1.35	1.40
3	C	142	HEM	C3B-C2B	-3.86	1.35	1.40
3	D	147	HEM	C3B-C2B	-3.81	1.35	1.40
4	B	402	SO4	O1-S	3.63	1.65	1.46
3	A	142	HEM	CAD-C3D	3.58	1.58	1.52
3	D	147	HEM	C3C-CAC	3.43	1.54	1.47
3	B	147	HEM	CAD-C3D	3.24	1.57	1.52
3	D	147	HEM	C3B-CAB	3.17	1.54	1.47
3	A	142	HEM	C3B-CAB	3.05	1.54	1.47
3	C	142	HEM	C3B-CAB	2.89	1.53	1.47
3	A	142	HEM	C3C-CAC	2.85	1.53	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	147	HEM	C1C-C2C	2.69	1.48	1.42
3	C	142	HEM	C3C-CAC	2.59	1.53	1.47
3	B	147	HEM	C3C-CAC	2.33	1.52	1.47
3	D	147	HEM	CMC-C2C	2.29	1.57	1.51
3	C	142	HEM	C1A-NA	2.24	1.40	1.36
3	A	142	HEM	CAA-C2A	2.19	1.55	1.52
3	A	142	HEM	C1A-NA	2.18	1.40	1.36
3	D	147	HEM	CAD-C3D	2.16	1.56	1.52
3	D	147	HEM	C1D-ND	2.09	1.40	1.36
3	A	142	HEM	CMC-C2C	2.05	1.56	1.51

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	147	HEM	CAA-CBA-CGA	18.67	144.00	112.67
3	B	147	HEM	CBA-CAA-C2A	9.36	129.76	112.49
3	B	147	HEM	CAD-CBD-CGD	7.11	124.61	112.67
3	C	142	HEM	CAA-CBA-CGA	6.50	123.57	112.67
3	C	142	HEM	CBA-CAA-C2A	5.75	123.09	112.49
3	D	147	HEM	CAD-CBD-CGD	5.00	121.06	112.67
3	A	142	HEM	CBA-CAA-C2A	4.70	121.15	112.49
3	B	147	HEM	C4A-C3A-C2A	4.37	110.04	107.00
3	C	142	HEM	CAD-CBD-CGD	4.10	119.55	112.67
3	B	147	HEM	CMA-C3A-C4A	-4.07	122.21	128.46
3	A	142	HEM	CAD-CBD-CGD	3.87	119.16	112.67
3	B	147	HEM	CMC-C2C-C3C	3.84	131.86	124.68
3	C	142	HEM	CMD-C2D-C1D	-3.49	123.10	128.46
3	C	142	HEM	CMC-C2C-C3C	3.18	130.62	124.68
3	A	142	HEM	CMA-C3A-C4A	-3.16	123.60	128.46
3	C	142	HEM	CMA-C3A-C4A	-3.11	123.69	128.46
3	D	147	HEM	CMD-C2D-C1D	-3.06	123.77	128.46
3	B	147	HEM	CMB-C2B-C3B	2.99	130.28	124.68
3	D	147	HEM	CAA-CBA-CGA	2.59	117.02	112.67
3	A	142	HEM	CMD-C2D-C1D	-2.42	124.74	128.46
3	D	147	HEM	CMB-C2B-C3B	2.25	128.88	124.68
3	D	147	HEM	CMC-C2C-C3C	2.10	128.62	124.68
3	B	147	HEM	CAA-C2A-C3A	2.06	133.17	127.25
3	C	142	HEM	CMD-C2D-C3D	2.04	128.78	124.94
3	C	142	HEM	CMA-C3A-C2A	2.02	128.75	124.94

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.


3 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	142	HEM	2	0
3	D	147	HEM	2	0
3	B	147	HEM	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	1:VAL	C	2:HIS	N	1.82

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section is therefore empty.

6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

6.5 Other polymers ⓘ

EDS was not executed - this section is therefore empty.