



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 10, 2020 – 01:46 PM BST

PDB ID : 2DKD  
Title : Crystal structure of N-acetylglucosamine-phosphate mutase, a member of the alpha-D-phosphohexomutase superfamily, in the product complex  
Authors : Nishitani, Y.; Maruyama, D.; Nonaka, T.; Kita, A.; Fukami, T.A.; Mio, T.; Yamada-Okabe, H.; Yamada-Okabe, T.; Miki, K.  
Deposited on : 2006-04-07  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	544	<div> <div>3%</div> <div>80%</div> <div>17%</div> <div>..</div> </div>
1	B	544	<div> <div>3%</div> <div>79%</div> <div>19%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NG1	A	901	X	-	-	-
2	NG1	B	902	X	-	-	-

## 2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 9296 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphoacetylglucosamine mutase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	536	Total	C	N	O	S	0	0	0
			4183	2662	691	821	9			
1	B	535	Total	C	N	O	S	0	0	0
			4173	2654	688	823	8			

- Molecule 2 is 2-acetamido-2-deoxy-1-O-phosphono-alpha-D-galactopyranose (three-letter code: NG1) (formula: C<sub>8</sub>H<sub>16</sub>NO<sub>9</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			19	8	1	9	1		
2	B	1	Total	C	N	O	P	0	0
			19	8	1	9	1		

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Zn	0	0
			1	1		
4	A	1	Total	Zn	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	454	Total	O	0	0
			454	454		
5	B	436	Total	O	0	0
			436	436		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Phosphoacetylglucosamine mutase



#### • Molecule 1: Phosphoacetylglucosamine mutase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	60.19Å 129.52Å 81.25Å 90.00° 109.22° 90.00°	Depositor
Resolution (Å)	36.59 – 2.10 36.59 – 2.10	Depositor EDS
% Data completeness (in resolution range)	98.4 (36.59-2.10) 98.5 (36.59-2.10)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.78 (at 2.10Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.181 , 0.225 0.177 , 0.174	Depositor DCC
$R_{free}$ test set	3367 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	17.5	Xtriage
Anisotropy	0.299	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 56.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.033 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	9296	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.43% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, PO4, NG1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.32	0/4268	0.58	0/5800
1	B	0.32	0/4257	0.59	0/5787
All	All	0.32	0/8525	0.59	0/11587

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4183	0	4138	74	0
1	B	4173	0	4113	81	0
2	A	19	0	14	0	0
2	B	19	0	14	0	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	454	0	0	6	0
5	B	436	0	0	8	0
All	All	9296	0	8279	153	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:338:ASN:HD21	1:B:381:ASP:H	1.05	0.92
1:A:397:ASN:OD1	1:A:399:GLU:HG2	1.70	0.90
1:A:338:ASN:HD21	1:A:381:ASP:H	1.22	0.86
1:B:338:ASN:C	1:B:338:ASN:HD22	1.81	0.85
1:B:338:ASN:ND2	1:B:381:ASP:H	1.74	0.84
1:B:20:VAL:HG12	1:B:21:THR:H	1.46	0.81
1:A:529:GLN:O	1:A:533:GLU:HG2	1.84	0.77
1:B:348:ASN:HD21	1:B:463:LEU:H	1.30	0.76
1:A:475:ARG:HE	1:A:518:ASP:HA	1.52	0.74
1:A:482:ASN:HD21	1:A:485:ARG:HH21	1.32	0.74
1:A:338:ASN:C	1:A:338:ASN:HD22	1.90	0.73
1:A:338:ASN:ND2	1:A:381:ASP:H	1.87	0.72
1:B:482:ASN:ND2	1:B:485:ARG:HH21	1.89	0.70
1:B:482:ASN:HD21	1:B:485:ARG:HH21	1.40	0.70
1:A:482:ASN:ND2	1:A:485:ARG:HH21	1.91	0.68
1:B:338:ASN:HD21	1:B:381:ASP:N	1.85	0.68
1:B:20:VAL:HG12	1:B:21:THR:N	2.09	0.68
1:B:32:LYS:HD3	1:B:72:ASP:OD1	1.95	0.67
1:B:411:ASN:ND2	1:B:413:ASN:HB2	2.10	0.67
1:B:221:ILE:HD13	1:B:232:ILE:HG12	1.77	0.66
1:A:348:ASN:HD21	1:A:463:LEU:H	1.44	0.66
1:B:342:VAL:HG12	1:B:373:LEU:HD23	1.77	0.65
1:A:204:GLN:O	1:A:208:THR:HG23	1.97	0.65
1:A:136:VAL:HG12	1:A:165:GLN:HB3	1.80	0.64
1:A:276:LYS:HG2	1:A:277:ASN:OD1	1.99	0.62
1:A:12:PRO:HG2	5:A:1325:HOH:O	2.00	0.62
1:B:273:LYS:NZ	1:B:273:LYS:HB2	2.14	0.62
1:A:32:LYS:HD3	1:A:72:ASP:OD1	2.00	0.61
1:A:241:HIS:HB3	5:A:1238:HOH:O	2.01	0.60
1:B:331:ASP:OD1	1:B:333:THR:HG22	2.02	0.60
1:A:310:LEU:HA	1:A:314:LYS:HG3	1.83	0.60
1:B:163:LYS:HD2	1:B:163:LYS:N	2.18	0.59
1:B:411:ASN:HD21	1:B:413:ASN:HB2	1.67	0.59
1:B:348:ASN:HD22	1:B:350:SER:H	1.50	0.58
1:B:355:VAL:HG11	1:B:363:VAL:HG22	1.86	0.58
1:B:254:LYS:HB2	5:B:947:HOH:O	2.04	0.57
1:A:370:VAL:HG11	1:A:391:HIS:CD2	2.39	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:348:ASN:ND2	1:B:463:LEU:H	2.02	0.57
1:B:11:LEU:N	1:B:12:PRO:HD2	2.19	0.57
1:A:282:ASN:ND2	1:A:301:GLN:HE21	2.03	0.57
1:B:282:ASN:ND2	1:B:301:GLN:HE21	2.04	0.56
1:B:280:PRO:HA	1:B:286:TYR:OH	2.06	0.56
1:A:327:PHE:HA	1:A:330:ILE:HG12	1.89	0.55
1:A:476:SER:O	1:A:479:LYS:HE3	2.06	0.55
1:A:86:GLU:OE1	1:B:375:HIS:HE1	1.89	0.55
1:A:496:GLU:HG2	1:A:542:LEU:HD21	1.89	0.55
1:A:343:GLN:HB3	5:A:927:HOH:O	2.07	0.54
1:B:370:VAL:HG11	1:B:391:HIS:CD2	2.41	0.54
1:B:34:ASP:OD1	1:B:35:LYS:HG3	2.08	0.54
1:B:368:THR:HG22	5:B:1331:HOH:O	2.09	0.53
1:B:399:GLU:HB2	5:B:1350:HOH:O	2.09	0.52
1:B:274:LEU:HD11	1:B:280:PRO:HG3	1.92	0.52
1:B:482:ASN:HD21	1:B:485:ARG:NH2	2.07	0.52
1:A:169:LEU:HD22	1:A:227:VAL:HG23	1.92	0.52
1:B:138:ALA:HB1	1:B:170:PHE:HB2	1.91	0.52
1:A:434:ASP:HB3	1:A:437:SER:HB3	1.92	0.51
1:B:338:ASN:ND2	1:B:338:ASN:C	2.54	0.51
1:B:68:ASN:HB3	1:B:69:PRO:HD2	1.92	0.51
1:A:534:GLU:HA	1:A:537:LYS:CE	2.41	0.51
1:B:65:ALA:HB3	1:B:142:ARG:CZ	2.41	0.51
1:B:434:ASP:HB3	1:B:437:SER:HB3	1.93	0.51
1:B:310:LEU:HA	1:B:314:LYS:HG3	1.93	0.50
1:B:355:VAL:CG1	1:B:363:VAL:HG22	2.41	0.50
1:A:411:ASN:ND2	1:A:414:GLU:H	2.09	0.50
1:B:411:ASN:HD22	1:B:413:ASN:H	1.59	0.50
1:A:11:LEU:N	1:A:12:PRO:HD2	2.27	0.50
1:B:36:LEU:HD23	1:B:148:LEU:HD13	1.94	0.49
1:A:31:MET:O	1:A:72:ASP:HB3	2.13	0.49
1:B:495:ASP:O	1:B:499:LYS:HG3	2.12	0.49
1:A:534:GLU:HA	1:A:537:LYS:HE2	1.94	0.49
1:A:38:TYR:O	1:A:41:PHE:HB3	2.13	0.49
1:A:348:ASN:ND2	1:A:350:SER:H	2.10	0.49
1:A:327:PHE:O	1:A:330:ILE:HG12	2.13	0.49
1:A:65:ALA:HB3	1:A:142:ARG:CZ	2.43	0.48
1:B:102:SER:OG	1:B:103:PRO:HD2	2.13	0.48
1:B:115:VAL:O	1:B:119:LYS:HG3	2.12	0.48
1:B:20:VAL:CG1	1:B:21:THR:H	2.22	0.48
1:B:162:THR:C	1:B:163:LYS:HD2	2.33	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:335:ILE:HG13	1:A:337:LEU:HG	1.95	0.48
1:A:432:VAL:HG22	1:A:433:GLY:N	2.29	0.48
1:A:125:LEU:O	1:A:126:LYS:HB2	2.14	0.48
1:A:274:LEU:CD1	1:A:280:PRO:HB3	2.44	0.48
1:B:204:GLN:O	1:B:208:THR:HG23	2.14	0.48
1:A:338:ASN:C	1:A:338:ASN:ND2	2.62	0.47
1:B:416:LYS:O	1:B:420:VAL:HG23	2.14	0.47
1:A:138:ALA:HB1	1:A:170:PHE:HB2	1.96	0.47
1:A:276:LYS:O	1:A:277:ASN:HB2	2.14	0.47
1:B:282:ASN:HD21	1:B:301:GLN:HE21	1.62	0.47
1:B:272:GLN:HB3	5:B:1203:HOH:O	2.15	0.47
1:A:136:VAL:HG11	1:A:182:LEU:CD1	2.45	0.46
1:A:409:PRO:HB3	1:A:414:GLU:HG2	1.98	0.46
1:A:464:PRO:HD2	1:A:526:ALA:O	2.15	0.46
1:A:180:ARG:HH11	1:A:180:ARG:HG3	1.81	0.46
1:A:368:THR:HG22	5:A:1034:HOH:O	2.15	0.46
1:A:410:ASN:C	1:A:410:ASN:HD22	2.19	0.46
1:A:501:VAL:HG13	1:A:507:GLY:C	2.37	0.45
1:A:414:GLU:O	1:A:418:ILE:HG12	2.17	0.45
1:A:475:ARG:NE	1:A:518:ASP:HA	2.25	0.45
1:A:268:VAL:HG23	1:A:297:ILE:HG21	1.99	0.44
1:A:530:ASN:O	1:A:534:GLU:HG2	2.17	0.44
1:A:348:ASN:HD22	1:A:350:SER:H	1.65	0.44
1:B:205:GLU:HB3	1:B:423:ASN:ND2	2.32	0.44
1:B:331:ASP:HA	1:B:332:PRO:HD2	1.91	0.44
1:A:65:ALA:HB2	1:A:73:ASN:HA	1.99	0.44
1:B:20:VAL:CG1	1:B:21:THR:N	2.79	0.44
1:A:171:THR:HG23	1:A:231:LYS:HG3	1.99	0.44
1:B:38:TYR:O	1:B:41:PHE:HB3	2.17	0.44
1:A:266:ASP:OD1	1:A:295:ARG:NH1	2.51	0.44
1:B:113:SER:HB3	1:B:116:GLU:HG2	2.00	0.44
1:B:287:ALA:HB1	1:B:296:LEU:HD11	2.00	0.44
1:B:135:VAL:O	1:B:164:TYR:HA	2.18	0.44
1:B:361:ILE:HD11	5:B:1232:HOH:O	2.18	0.44
1:A:43:VAL:O	1:A:46:ILE:HG22	2.18	0.43
1:B:257:ASN:HB3	5:B:1188:HOH:O	2.17	0.43
1:A:537:LYS:HG3	5:A:1257:HOH:O	2.17	0.43
1:B:475:ARG:NH1	5:B:1048:HOH:O	2.51	0.43
1:A:464:PRO:HB3	1:A:529:GLN:NE2	2.34	0.43
1:B:43:VAL:O	1:B:46:ILE:HG22	2.18	0.43
1:B:327:PHE:HA	1:B:330:ILE:HG12	2.00	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:348:ASN:ND2	1:B:350:SER:H	2.15	0.43
1:B:436:ILE:HD12	5:B:1033:HOH:O	2.17	0.43
1:B:441:ALA:O	1:B:445:VAL:HG23	2.18	0.43
1:B:145:SER:HB2	1:B:146:PRO:HD3	2.01	0.43
1:A:135:VAL:O	1:A:164:TYR:HA	2.19	0.43
1:A:361:ILE:HG23	1:A:362:PRO:HD2	1.99	0.43
1:B:276:LYS:O	1:B:277:ASN:HB2	2.19	0.43
1:B:273:LYS:HZ2	1:B:273:LYS:HB2	1.83	0.42
1:B:472:VAL:HB	1:B:473:PRO:HD2	2.01	0.42
1:A:409:PRO:HG2	1:A:415:ALA:HA	2.00	0.42
1:A:224:ALA:HA	1:A:263:CYS:SG	2.59	0.42
1:B:488:VAL:HG12	1:B:489:GLU:HG3	2.01	0.42
1:A:463:LEU:O	1:A:464:PRO:C	2.56	0.42
1:A:413:ASN:HB2	5:A:1349:HOH:O	2.20	0.42
1:B:172:THR:HB	1:B:173:PRO:HD3	2.03	0.41
1:B:201:LYS:O	1:B:205:GLU:HG2	2.19	0.41
1:A:441:ALA:O	1:A:445:VAL:HG23	2.20	0.41
1:B:370:VAL:HG11	1:B:391:HIS:HD2	1.85	0.41
1:A:115:VAL:O	1:A:119:LYS:HG3	2.20	0.41
1:A:465:ASN:HA	1:A:532:VAL:HG21	2.03	0.41
1:B:489:GLU:HA	1:B:490:PRO:C	2.41	0.41
1:B:331:ASP:CG	1:B:333:THR:HG22	2.40	0.41
1:A:348:ASN:ND2	1:A:463:LEU:H	2.14	0.41
1:B:353:LYS:HE3	1:B:353:LYS:HB3	1.91	0.41
1:A:279:LYS:HA	1:A:280:PRO:HD2	1.85	0.40
1:A:370:VAL:CG1	1:A:391:HIS:CD2	3.03	0.40
1:B:327:PHE:CE1	1:B:339:ILE:HD11	2.56	0.40
1:A:356:GLU:OE2	1:B:126:LYS:HE3	2.21	0.40
1:B:255:GLN:HA	1:B:256:PRO:HD2	1.86	0.40
1:B:370:VAL:CG1	1:B:391:HIS:HD2	2.35	0.40
1:A:530:ASN:O	1:A:533:GLU:HB2	2.22	0.40
1:B:212:SER:C	1:B:214:ASN:H	2.24	0.40
1:B:411:ASN:OD1	1:B:414:GLU:HG3	2.21	0.40
1:A:36:LEU:HD23	1:A:148:LEU:HD13	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	532/544 (98%)	514 (97%)	17 (3%)	1 (0%)	47	49
1	B	529/544 (97%)	510 (96%)	19 (4%)	0	100	100
All	All	1061/1088 (98%)	1024 (96%)	36 (3%)	1 (0%)	51	54

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	518	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	466/480 (97%)	461 (99%)	5 (1%)	73	79
1	B	465/480 (97%)	460 (99%)	5 (1%)	73	79
All	All	931/960 (97%)	921 (99%)	10 (1%)	73	79

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	170	PHE
1	A	338	ASN
1	A	343	GLN
1	A	410	ASN
1	A	534	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	112	ASN
1	B	170	PHE
1	B	273	LYS
1	B	338	ASN
1	B	464	PRO

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (33) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	55	GLN
1	A	112	ASN
1	A	257	ASN
1	A	272	GLN
1	A	282	ASN
1	A	324	GLN
1	A	338	ASN
1	A	343	GLN
1	A	348	ASN
1	A	372	HIS
1	A	375	HIS
1	A	410	ASN
1	A	411	ASN
1	A	482	ASN
1	A	529	GLN
1	B	9	GLN
1	B	14	HIS
1	B	112	ASN
1	B	165	GLN
1	B	255	GLN
1	B	277	ASN
1	B	282	ASN
1	B	325	GLN
1	B	338	ASN
1	B	343	GLN
1	B	348	ASN
1	B	375	HIS
1	B	411	ASN
1	B	413	ASN
1	B	422	GLN
1	B	482	ASN
1	B	503	GLN
1	B	529	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	PO4	B	912	4	4,4,4	1.74	1 (25%)	6,6,6	0.43	0
2	NG1	A	901	-	18,19,19	1.76	5 (27%)	27,28,28	1.02	1 (3%)
3	PO4	A	911	4	4,4,4	1.66	0	6,6,6	0.44	0
2	NG1	B	902	-	18,19,19	1.73	5 (27%)	27,28,28	0.96	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NG1	A	901	-	1/1/7/8	1/10/31/31	0/1/1/1
2	NG1	B	902	-	1/1/7/8	1/10/31/31	0/1/1/1

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	902	NG1	C2-N2	4.40	1.52	1.45
2	A	901	NG1	C2-N2	4.29	1.52	1.45
2	A	901	NG1	C1-C2	2.69	1.57	1.53
2	B	902	NG1	O5-C1	2.44	1.48	1.41
2	B	902	NG1	C1-C2	2.36	1.57	1.53
2	A	901	NG1	P1-OP3	2.21	1.57	1.50
2	A	901	NG1	O5-C1	2.18	1.47	1.41
2	B	902	NG1	P1-OP3	2.16	1.57	1.50
3	B	912	PO4	P-O2	-2.09	1.48	1.54
2	A	901	NG1	C3-C2	2.05	1.57	1.53
2	B	902	NG1	C4-C5	2.05	1.57	1.53

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	902	NG1	O5-C1-O1	-2.93	107.53	111.36
2	A	901	NG1	O5-C1-O1	-2.88	107.60	111.36

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	901	NG1	C4
2	B	902	NG1	C4

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	901	NG1	O5-C1-O1-P1
2	B	902	NG1	O5-C1-O1-P1


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.



The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	536/544 (98%)	-0.03	15 (2%)	53 59	7, 16, 39, 61	0
1	B	535/544 (98%)	-0.06	16 (2%)	50 56	7, 17, 41, 60	0
All	All	1071/1088 (98%)	-0.05	31 (2%)	51 57	7, 17, 40, 61	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	26	THR	5.0
1	A	103	PRO	4.5
1	B	103	PRO	4.4
1	A	213	ASN	4.1
1	B	333	THR	4.1
1	A	330	ILE	3.8
1	B	102	SER	3.6
1	B	26	THR	3.2
1	A	410	ASN	3.1
1	A	102	SER	3.0
1	B	331	ASP	2.9
1	A	333	THR	2.8
1	A	412	ASP	2.5
1	A	519	ALA	2.5
1	A	518	ASP	2.5
1	B	335	ILE	2.5
1	B	3	ILE	2.5
1	A	476	SER	2.4
1	B	113	SER	2.4
1	B	502	ALA	2.4
1	B	17	PRO	2.4
1	A	17	PRO	2.3
1	B	330	ILE	2.2
1	A	413	ASN	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	112	ASN	2.2
1	A	113	SER	2.2
1	A	279	LYS	2.1
1	B	5	GLN	2.1
1	B	257	ASN	2.1
1	B	409	PRO	2.0
1	B	412	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	PO4	B	912	5/5	0.84	0.36	37,37,38,39	5
3	PO4	A	911	5/5	0.85	0.26	30,30,31,32	5
2	NG1	A	901	19/19	0.96	0.11	21,26,32,34	0
2	NG1	B	902	19/19	0.96	0.11	16,25,34,37	0
4	ZN	A	921	1/1	1.00	0.03	24,24,24,24	0
4	ZN	B	922	1/1	1.00	0.04	26,26,26,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



**Electron density around NG1 A 901:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around NG1 B 902:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.