



Full wwPDB X-ray Structure Validation Report ⓘ

May 14, 2020 – 09:03 am BST

PDB ID : 1DM6
Title : BOVINE ENDOTHELIAL NITRIC OXIDE SYNTHASE HEME DOMAIN
COMPLEXED WITH N-(4-CHLOROPHENYL)-N'-HYDROXYGUANIDIN
E (H4B FREE)
Authors : Raman, C.S.; Li, H.; Martasek, P.; Southan, G.J.; Masters, B.S.S.; Poulos,
T.L.
Deposited on : 1999-12-13
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	444	<div> <div>8%</div> <div> <div></div> <div>76%</div> <div>16%</div> <div>• 6%</div> </div> </div>
1	B	444	<div> <div>8%</div> <div> <div></div> <div>75%</div> <div>16%</div> <div>• 7%</div> </div> </div>

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 7266 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NITRIC OXIDE SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	416	Total	C	N	O	S	0	0	0
			3302	2099	584	603	16			
1	B	414	Total	C	N	O	S	0	0	0
			3291	2092	582	601	16			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	100	ARG	CYS	CONFLICT	UNP P29473
B	100	ARG	CYS	CONFLICT	UNP P29473

- Molecule 2 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is CACODYLATE ION (three-letter code: CAC) (formula: $C_2H_6AsO_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	As	C	0	0
			3	1	2		
3	B	1	Total	As	C	0	0
			3	1	2		

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Zn	0	0
			1	1		

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 6 is N-(CHLOROPHENYL)-N'-HYDROXYGUANIDINE (three-letter code: PH3) (formula: $C_7H_8ClN_3O$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	Cl	N	O	0	0
			12	7	1	3	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total 12	C 7	Cl 1	N 3	O 1	0	0
6	B	1	Total 12	C 7	Cl 1	N 3	O 1	0	0
6	B	1	Total 12	C 7	Cl 1	N 3	O 1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	276	Total 276	O 276	0	0
7	B	240	Total 240	O 240	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: NITRIC OXIDE SYNTHASE



• Molecule 1: NITRIC OXIDE SYNTHASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	57.88Å 106.43Å 155.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.20 – 1.95 28.20 – 1.95	Depositor EDS
% Data completeness (in resolution range)	82.9 (28.20-1.95) 65.8 (28.20-1.95)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.87 (at 1.95Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.220 , 0.255 0.212 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	27.9	Xtriage
Anisotropy	0.441	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 47.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7266	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PH3, CAC, ZN, HEM, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	0/3397	0.60	1/4631 (0.0%)
1	B	0.33	0/3385	0.61	2/4614 (0.0%)
All	All	0.33	0/6782	0.60	3/9245 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	360	MET	N-CA-C	-6.09	94.54	111.00
1	B	360	MET	N-CA-C	-5.53	96.06	111.00
1	B	243	PHE	N-CA-C	-5.00	97.49	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3302	0	3215	72	0
1	B	3291	0	3205	64	0
2	A	8	0	6	1	0
2	B	8	0	6	0	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	1	0	0	0	0
5	A	43	0	30	0	0
5	B	43	0	30	2	0
6	A	24	0	14	2	0
6	B	24	0	14	5	0
7	A	276	0	0	5	0
7	B	240	0	0	3	0
All	All	7266	0	6520	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:249:GLN:HB2	1:A:252:ARG:HD3	1.35	1.08
1:B:249:GLN:HB2	1:B:252:ARG:HD3	1.21	1.08
1:A:115:PRO:HD3	1:A:479:PRO:HG2	1.36	1.07
1:A:99:ARG:HH11	1:A:99:ARG:HB2	1.37	0.90
1:B:112:GLN:HG3	1:B:113:THR:H	1.39	0.85
1:B:114:ARG:HH11	1:B:114:ARG:HA	1.44	0.83
1:A:126:LEU:HD12	1:A:130:ARG:HE	1.44	0.80
1:A:146:GLN:O	1:A:150:GLU:HG3	1.81	0.80
1:A:126:LEU:HD11	1:A:156:GLU:HG2	1.66	0.76
1:B:108:PRO:HB3	1:B:111:LEU:HB2	1.68	0.73
1:A:223:ARG:HB2	1:A:223:ARG:HH11	1.54	0.72
1:A:115:PRO:HD3	1:A:479:PRO:CG	2.17	0.70
1:A:378:LEU:HB2	7:A:3021:HOH:O	1.93	0.69
1:B:140:ILE:HB	1:B:142:ARG:NH1	2.08	0.68
1:B:322:LEU:HD13	1:B:324:TRP:CZ2	2.29	0.67
1:A:126:LEU:HD21	1:A:156:GLU:HA	1.77	0.66
1:B:378:LEU:HB2	7:B:2870:HOH:O	1.95	0.66
1:B:146:GLN:O	1:B:150:GLU:HG3	1.95	0.65
1:B:281:TRP:HB2	1:B:304:LEU:HD21	1.79	0.65
1:B:114:ARG:HD3	1:B:115:PRO:HD2	1.79	0.65
1:B:116:SER:O	1:B:238:PRO:HA	1.97	0.64
1:A:111:LEU:H	1:A:111:LEU:HD12	1.62	0.64
1:A:152:LEU:O	1:A:156:GLU:HG3	1.97	0.64
1:B:477:TYR:OH	5:B:2500:HEM:O1D	2.11	0.64
1:A:115:PRO:O	1:A:117:PRO:HD3	1.99	0.62
1:A:168:ARG:HB2	1:A:171:GLU:HG3	1.82	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:149:GLU:O	1:A:153:GLN:HG3	1.99	0.62
1:B:366:THR:O	1:B:370:CYS:HB2	2.00	0.61
1:B:314:GLU:CD	1:B:331:ARG:HH21	2.04	0.61
1:B:249:GLN:HB2	1:B:252:ARG:CD	2.14	0.61
1:B:416:LYS:HA	1:B:416:LYS:HE3	1.82	0.61
1:B:149:GLU:O	1:B:153:GLN:HG3	2.01	0.60
1:A:218:LYS:HG2	1:A:311:LEU:HD22	1.83	0.60
1:A:77:GLU:HG3	1:B:372:PRO:HG2	1.84	0.60
1:A:340:ASN:HD22	1:A:340:ASN:H	1.49	0.60
1:B:455:SER:HB3	1:B:458:LEU:HD12	1.82	0.60
1:B:110:LYS:C	1:B:112:GLN:H	2.06	0.58
1:A:270:VAL:O	1:A:274:GLU:HG3	2.03	0.58
1:A:281:TRP:HB2	1:A:304:LEU:HD21	1.85	0.58
1:A:94:GLY:O	1:A:110:LYS:HE2	2.02	0.58
1:B:409:LEU:O	1:B:413:GLN:HG3	2.03	0.57
1:B:120:PRO:HD2	7:B:3074:HOH:O	2.04	0.57
1:A:322:LEU:HD13	1:A:324:TRP:CZ2	2.39	0.57
6:B:2780:PH3:HN1	6:B:2780:PH3:H2	1.69	0.57
1:A:370:CYS:SG	1:A:378:LEU:HD13	2.44	0.57
1:B:167:LEU:HG	1:B:348:LEU:HD12	1.87	0.56
1:A:274:GLU:O	1:A:278:GLN:HG3	2.04	0.56
1:A:99:ARG:NH1	1:A:99:ARG:HB2	2.16	0.55
1:B:370:CYS:SG	1:B:378:LEU:HD13	2.47	0.55
1:B:112:GLN:HG3	1:B:113:THR:N	2.15	0.55
1:A:115:PRO:CD	1:A:479:PRO:HG2	2.24	0.55
1:A:455:SER:HB3	1:A:458:LEU:HD12	1.89	0.54
1:B:340:ASN:HD22	1:B:340:ASN:H	1.53	0.54
1:B:113:THR:HG21	1:B:342:LEU:HD13	1.89	0.54
1:A:249:GLN:HB2	1:A:252:ARG:CD	2.24	0.53
1:B:110:LYS:O	1:B:112:GLN:N	2.41	0.53
1:B:390:ARG:NH1	1:B:390:ARG:HB2	2.24	0.53
1:A:244:ARG:NH2	1:A:481:PRO:HD3	2.25	0.52
1:B:117:PRO:HA	1:B:239:GLY:H	1.75	0.52
1:B:114:ARG:NH1	1:B:114:ARG:HA	2.20	0.52
1:B:114:ARG:HH11	1:B:115:PRO:HD3	1.74	0.52
1:B:140:ILE:HD12	1:B:142:ARG:HH11	1.74	0.52
1:A:109:ARG:O	1:A:110:LYS:HD2	2.11	0.51
1:A:285:ASN:C	1:A:285:ASN:HD22	2.12	0.51
1:A:126:LEU:HD12	1:A:130:ARG:NE	2.21	0.50
1:B:114:ARG:HD3	1:B:115:PRO:CD	2.40	0.50
1:B:231:THR:O	1:B:353:ALA:HA	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:320:PRO:HG3	1:B:410:HIS:CG	2.46	0.50
1:B:69:LYS:HG2	1:B:70:PHE:CD1	2.47	0.49
1:A:325:PHE:O	1:A:328:LEU:HB2	2.12	0.49
1:B:234:PRO:HB2	1:B:243:PHE:CE1	2.47	0.49
1:A:240:ARG:HG2	1:A:241:GLY:N	2.28	0.48
1:A:99:ARG:CB	1:A:99:ARG:HH11	2.19	0.48
6:B:2780:PH3:C2	6:B:2780:PH3:HN1	2.25	0.48
1:A:223:ARG:NH1	1:A:223:ARG:HB2	2.26	0.48
1:A:123:GLU:HB2	7:A:2946:HOH:O	2.12	0.48
1:A:285:ASN:C	1:A:285:ASN:ND2	2.67	0.47
1:B:390:ARG:HH11	1:B:390:ARG:CB	2.27	0.47
1:A:127:SER:HA	1:A:130:ARG:CZ	2.45	0.47
1:A:338:VAL:HG21	6:A:1780:PH3:C4	2.44	0.47
1:A:115:PRO:C	1:A:117:PRO:HD3	2.34	0.47
1:A:113:THR:CG2	1:A:476:ARG:HD2	2.44	0.46
1:A:126:LEU:O	1:A:130:ARG:HG3	2.15	0.46
1:B:270:VAL:O	1:B:274:GLU:HG3	2.15	0.46
1:B:340:ASN:HD22	1:B:340:ASN:N	2.10	0.46
1:A:122:ALA:O	1:A:126:LEU:HB2	2.15	0.46
1:A:328:LEU:HB3	1:A:330:LEU:HG	1.97	0.46
1:A:252:ARG:NH2	2:A:1850:ACT:OXT	2.49	0.46
1:A:372:PRO:HG2	1:B:77:GLU:HG3	1.98	0.45
1:A:114:ARG:HD2	1:A:479:PRO:HG3	1.99	0.45
1:B:281:TRP:O	1:B:283:PRO:HD3	2.16	0.45
1:B:244:ARG:NH2	1:B:481:PRO:HD3	2.31	0.45
1:B:185:ARG:HD3	1:B:449:TRP:CD2	2.52	0.45
1:A:472:SER:HA	1:A:473:PRO:C	2.37	0.45
1:A:264:ARG:HG3	1:A:264:ARG:HH11	1.83	0.45
1:A:108:PRO:O	1:A:110:LYS:N	2.50	0.44
1:B:340:ASN:H	1:B:340:ASN:ND2	2.15	0.44
1:A:109:ARG:HD3	1:A:109:ARG:HA	1.83	0.44
1:B:251:VAL:O	1:B:252:ARG:HD2	2.18	0.44
1:B:99:ARG:HH11	1:B:99:ARG:HB2	1.82	0.44
1:A:273:THR:O	1:A:277:ILE:HG13	2.18	0.44
1:A:340:ASN:HD22	1:A:340:ASN:N	2.10	0.44
1:A:70:PHE:HB3	1:A:84:ASP:O	2.18	0.43
1:B:390:ARG:NH1	1:B:390:ARG:CB	2.80	0.43
1:A:249:GLN:CB	1:A:252:ARG:HD3	2.26	0.43
1:B:298:PRO:O	1:B:300:GLU:HG2	2.18	0.43
1:B:114:ARG:NH1	1:B:115:PRO:HD3	2.34	0.43
1:B:169:GLU:O	1:B:173:VAL:HG23	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:191:GLN:NE2	1:B:194:LYS:HE3	2.34	0.43
1:A:77:GLU:HG3	1:B:372:PRO:CG	2.48	0.43
1:A:252:ARG:HD2	1:A:252:ARG:HA	1.93	0.42
1:A:111:LEU:O	1:A:112:GLN:C	2.57	0.42
1:A:114:ARG:HD2	1:A:479:PRO:CG	2.49	0.42
1:B:116:SER:N	1:B:117:PRO:CD	2.83	0.42
1:A:338:VAL:HG21	6:A:1780:PH3:C3	2.50	0.42
1:A:167:LEU:HG	1:A:348:LEU:HD12	2.01	0.42
1:A:366:THR:O	1:A:370:CYS:HB2	2.20	0.42
1:B:220:ALA:O	1:B:226:LEU:HA	2.20	0.42
1:B:233:PHE:HB3	1:B:234:PRO:CD	2.50	0.42
1:A:319:HIS:CG	1:A:320:PRO:HD2	2.54	0.42
1:A:178:GLN:HG2	7:A:2817:HOH:O	2.19	0.41
5:B:2500:HEM:HBD2	6:B:2780:PH3:CL	2.57	0.41
1:A:111:LEU:HG	1:A:470:ILE:HD13	2.02	0.41
1:B:317:LEU:HG	1:B:331:ARG:HA	2.02	0.41
1:A:448:ALA:O	6:B:1785:PH3:NH2	2.53	0.41
1:B:140:ILE:HB	1:B:142:ARG:HH12	1.82	0.41
1:B:290:VAL:HG23	7:B:3089:HOH:O	2.21	0.41
1:A:109:ARG:HH11	1:A:109:ARG:HG2	1.85	0.41
1:A:214:CYS:O	1:A:218:LYS:HG3	2.21	0.41
1:A:141:LYS:NZ	7:A:2931:HOH:O	2.52	0.41
1:B:108:PRO:CB	1:B:111:LEU:HB2	2.45	0.41
1:A:168:ARG:HD2	7:A:2949:HOH:O	2.22	0.40
1:B:110:LYS:C	1:B:112:GLN:N	2.73	0.40
1:A:234:PRO:HB2	1:A:243:PHE:CE1	2.56	0.40
1:B:214:CYS:O	1:B:218:LYS:HG3	2.20	0.40
6:B:2780:PH3:H2	6:B:2780:PH3:NH1	2.35	0.40
1:B:93:ASP:O	1:B:111:LEU:HD21	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	414/444 (93%)	392 (95%)	19 (5%)	3 (1%)	22	11
1	B	412/444 (93%)	380 (92%)	28 (7%)	4 (1%)	15	6
All	All	826/888 (93%)	772 (94%)	47 (6%)	7 (1%)	19	9

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	259	GLN
1	A	112	GLN
1	B	111	LEU
1	A	117	PRO
1	A	109	ARG
1	B	115	PRO
1	B	481	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	354/377 (94%)	346 (98%)	8 (2%)	50	42
1	B	353/377 (94%)	344 (98%)	9 (2%)	47	38
All	All	707/754 (94%)	690 (98%)	17 (2%)	49	40

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	99	ARG
1	A	100	ARG
1	A	126	LEU
1	A	285	ASN
1	A	328	LEU
1	A	340	ASN
1	A	414	LEU
1	A	468	ASN
1	B	99	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	100	ARG
1	B	114	ARG
1	B	225	ASN
1	B	257	ARG
1	B	340	ASN
1	B	378	LEU
1	B	416	LYS
1	B	419	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	112	GLN
1	A	124	GLN
1	A	153	GLN
1	A	191	GLN
1	A	259	GLN
1	A	278	GLN
1	A	279	HIS
1	A	285	ASN
1	A	340	ASN
1	A	376	ASN
1	A	468	ASN
1	B	112	GLN
1	B	191	GLN
1	B	222	ASN
1	B	225	ASN
1	B	258	GLN
1	B	279	HIS
1	B	340	ASN
1	B	405	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 13 ligands modelled in this entry, 1 is monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	PH3	A	2785	-	12,12,12	2.10	4 (33%)	13,15,15	1.55	2 (15%)
2	ACT	B	2860	-	1,3,3	3.12	1 (100%)	0,3,3	0.00	-
5	HEM	A	1500	1	27,50,50	1.61	6 (22%)	17,82,82	1.03	1 (5%)
2	ACT	A	1860	-	1,3,3	2.66	1 (100%)	0,3,3	0.00	-
5	HEM	B	2500	1	27,50,50	1.70	7 (25%)	17,82,82	1.24	2 (11%)
3	CAC	B	950	1	0,2,4	0.00	-	0,1,6	0.00	-
3	CAC	A	950	1	0,2,4	0.00	-	0,1,6	0.00	-
2	ACT	B	2850	-	1,3,3	2.92	1 (100%)	0,3,3	0.00	-
6	PH3	B	1785	-	12,12,12	1.83	3 (25%)	13,15,15	1.50	1 (7%)
2	ACT	A	1850	-	1,3,3	3.25	1 (100%)	0,3,3	0.00	-
6	PH3	B	2780	-	12,12,12	4.38	6 (50%)	13,15,15	1.71	3 (23%)
6	PH3	A	1780	-	12,12,12	4.28	6 (50%)	13,15,15	1.77	3 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	PH3	A	2785	-	-	0/4/6/6	0/1/1/1
5	HEM	A	1500	1	-	0/6/54/54	-
6	PH3	A	1780	-	-	0/4/6/6	0/1/1/1
5	HEM	B	2500	1	-	0/6/54/54	-
6	PH3	B	1785	-	-	0/4/6/6	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	PH3	B	2780	-	-	0/4/6/6	0/1/1/1

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	2780	PH3	C2-C1	11.03	1.57	1.39
6	A	1780	PH3	C2-C1	10.92	1.57	1.39
6	B	2780	PH3	C3-C2	8.00	1.53	1.38
6	A	1780	PH3	C3-C2	7.92	1.53	1.38
6	A	2785	PH3	C4-CL	-4.49	1.64	1.74
5	A	1500	HEM	C3B-CAB	-4.12	1.39	1.47
6	B	2780	PH3	C5-C4	3.89	1.45	1.38
6	A	2785	PH3	OH-NH1	-3.69	1.30	1.40
5	B	2500	HEM	C3C-C2C	-3.68	1.35	1.40
6	B	1785	PH3	OH-NH1	-3.65	1.30	1.40
5	A	1500	HEM	C4A-NA	3.47	1.43	1.36
5	B	2500	HEM	C3B-CAB	-3.37	1.41	1.47
6	B	1785	PH3	C4-CL	-3.36	1.67	1.74
2	A	1850	ACT	CH3-C	3.25	1.52	1.48
6	A	1780	PH3	C5-C4	3.13	1.44	1.38
2	B	2860	ACT	CH3-C	3.12	1.52	1.48
6	B	1785	PH3	C2-C1	3.03	1.44	1.39
6	A	1780	PH3	OH-NH1	-2.99	1.32	1.40
2	B	2850	ACT	CH3-C	2.92	1.52	1.48
6	A	2785	PH3	CZ-NE	-2.83	1.34	1.37
6	B	2780	PH3	OH-NH1	-2.79	1.33	1.40
6	A	2785	PH3	C2-C1	2.77	1.43	1.39
5	B	2500	HEM	C3B-C2B	-2.70	1.36	1.40
5	B	2500	HEM	C1A-NA	2.67	1.41	1.36
2	A	1860	ACT	CH3-C	2.66	1.52	1.48
6	B	2780	PH3	C6-C5	2.60	1.43	1.38
5	B	2500	HEM	C4B-NB	2.53	1.41	1.36
5	A	1500	HEM	C4B-NB	2.52	1.41	1.36
5	A	1500	HEM	C3C-CAC	-2.51	1.42	1.47
6	B	2780	PH3	C3-C4	2.39	1.42	1.38
5	A	1500	HEM	C1A-NA	2.36	1.41	1.36
5	B	2500	HEM	C3C-CAC	-2.33	1.43	1.47
5	B	2500	HEM	C1D-ND	2.31	1.40	1.36
6	A	1780	PH3	C3-C4	2.27	1.42	1.38
6	A	1780	PH3	CZ-NE	-2.26	1.35	1.37
5	A	1500	HEM	C3B-C2B	-2.04	1.37	1.40

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	1785	PH3	C1-NE-CZ	4.58	139.30	126.57
6	A	2785	PH3	C1-NE-CZ	4.43	138.91	126.57
6	A	1780	PH3	NE-CZ-NH1	3.41	124.61	117.56
6	A	1780	PH3	C2-C3-C4	-3.37	115.69	119.24
6	B	2780	PH3	C2-C3-C4	-3.36	115.70	119.24
6	B	2780	PH3	NE-CZ-NH1	3.32	124.43	117.56
5	A	1500	HEM	C4C-C3C-C2C	-2.89	104.88	106.90
6	B	2780	PH3	C5-C4-C3	2.33	124.26	121.24
6	A	1780	PH3	C5-C4-C3	2.29	124.21	121.24
5	B	2500	HEM	CMD-C2D-C1D	-2.25	125.00	128.46
5	B	2500	HEM	CMD-C2D-C3D	2.21	129.12	124.94
6	A	2785	PH3	NE-CZ-NH1	2.05	121.80	117.56

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.

5 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	2500	HEM	2	0
6	B	1785	PH3	1	0
2	A	1850	ACT	1	0
6	B	2780	PH3	4	0
6	A	1780	PH3	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	416/444 (93%)	0.57	36 (8%) 10 16	23, 33, 60, 100	0
1	B	414/444 (93%)	0.65	37 (8%) 9 15	24, 36, 66, 100	0
All	All	830/888 (93%)	0.61	73 (8%) 10 16	23, 34, 65, 100	0

All (73) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	119	PRO	13.8
1	B	113	THR	13.6
1	A	113	THR	11.9
1	B	111	LEU	11.3
1	B	115	PRO	10.2
1	B	117	PRO	9.7
1	B	110	LYS	9.5
1	A	115	PRO	9.1
1	A	117	PRO	8.3
1	B	114	ARG	8.2
1	B	116	SER	7.5
1	A	118	GLY	7.0
1	A	116	SER	6.9
1	B	119	PRO	6.5
1	A	110	LYS	6.4
1	A	121	PRO	6.3
1	A	112	GLN	6.1
1	B	259	GLN	6.0
1	A	122	ALA	6.0
1	A	114	ARG	5.6
1	B	260	ASP	5.5
1	A	239	GLY	5.5
1	B	121	PRO	5.4
1	B	112	GLN	5.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	123	GLU	5.3
1	A	111	LEU	5.3
1	B	118	GLY	5.3
1	B	261	GLY	5.0
1	A	120	PRO	4.9
1	A	259	GLN	4.4
1	B	142	ARG	4.1
1	B	120	PRO	4.0
1	B	258	GLN	3.9
1	B	223	ARG	3.7
1	A	160	ALA	3.5
1	B	482	TRP	3.3
1	A	146	GLN	3.3
1	A	69	LYS	3.2
1	B	262	SER	3.1
1	B	140	ILE	3.0
1	A	99	ARG	3.0
1	B	263	VAL	2.9
1	B	146	GLN	2.9
1	B	147	ALA	2.8
1	A	109	ARG	2.8
1	A	250	LEU	2.7
1	A	161	SER	2.7
1	A	126	LEU	2.6
1	B	69	LYS	2.6
1	A	257	ARG	2.6
1	B	451	VAL	2.5
1	B	123	GLU	2.5
1	B	239	GLY	2.5
1	B	323	GLU	2.4
1	A	390	ARG	2.4
1	B	149	GLU	2.4
1	B	390	ARG	2.3
1	A	482	TRP	2.3
1	A	258	GLN	2.3
1	A	223	ARG	2.3
1	A	261	GLY	2.2
1	A	153	GLN	2.2
1	B	137	TYR	2.2
1	B	141	LYS	2.2
1	B	257	ARG	2.2
1	A	67	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	107	LEU	2.2
1	B	449	TRP	2.2
1	B	364	ILE	2.1
1	A	332	TRP	2.1
1	B	270	VAL	2.0
1	A	130	ARG	2.0
1	A	238	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	PH3	B	2780	12/12	0.86	0.21	37,42,45,46	0
6	PH3	A	1780	12/12	0.91	0.16	35,36,40,42	0
2	ACT	A	1860	4/4	0.92	0.11	40,41,41,42	0
2	ACT	B	2860	4/4	0.94	0.13	43,43,44,45	0
2	ACT	A	1850	4/4	0.94	0.24	50,50,50,50	0
2	ACT	B	2850	4/4	0.95	0.12	44,45,46,47	0
6	PH3	A	2785	12/12	0.95	0.11	35,36,37,37	0
6	PH3	B	1785	12/12	0.96	0.10	32,34,37,37	0
5	HEM	B	2500	43/43	0.98	0.13	23,27,40,42	0
5	HEM	A	1500	43/43	0.98	0.14	23,25,40,43	0
3	CAC	A	950	3/5	0.99	0.07	41,41,41,45	0
3	CAC	B	950	3/5	0.99	0.09	51,51,51,51	0
4	ZN	A	900	1/1	1.00	0.06	27,27,27,27	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEM B 2500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM A 1500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.