



wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 7, 2020 – 01:52 PM BST

PDB ID : 6DMF
Title : Bacteroides ovatus mixed-linkage glucan utilization locus (MLGUL) SGBP-A with cellohexaose
Authors : Koropatkin, N.M.; Bahr, C.M.
Deposited on : 2018-06-05
Resolution : 2.40 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.13.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.13.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	520	<div><div>%</div><div>91%7%..</div></div>
1	B	520	<div><div>90%9%..</div></div>
1	C	520	<div><div>%</div><div>91%8%.</div></div>
1	D	520	<div><div>90%9%.</div></div>
1	E	520	<div><div>91%8%..</div></div>
1	F	520	<div><div>92%6%..</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	520	
1	H	520	
1	I	520	
1	J	520	
2	K	5	
3	L	6	
3	M	6	
3	N	6	
3	O	6	
3	P	6	
3	Q	6	
3	R	6	
3	S	6	
3	T	6	

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 42441 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called mixed-linkage glucan utilization locus (MLGUL) SGBP-B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	513	Total	C	N	O	S	0	0	0
			4072	2572	676	804	20			
1	B	516	Total	C	N	O	S	0	0	0
			4082	2579	680	803	20			
1	C	512	Total	C	N	O	S	0	0	0
			4061	2563	675	803	20			
1	D	519	Total	C	N	O	S	0	0	0
			4103	2592	683	808	20			
1	E	517	Total	C	N	O	S	0	0	0
			4097	2588	681	808	20			
1	F	514	Total	C	N	O	S	0	0	0
			4069	2571	677	801	20			
1	G	512	Total	C	N	O	S	0	0	0
			4041	2552	673	796	20			
1	H	514	Total	C	N	O	S	0	0	0
			4072	2574	677	801	20			
1	I	510	Total	C	N	O	S	0	0	0
			4035	2551	672	792	20			
1	J	512	Total	C	N	O	S	0	0	0
			4053	2561	674	798	20			

There are 10 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	39	ILE	-	expression tag	UNP A7LY27
B	39	ILE	-	expression tag	UNP A7LY27
C	39	ILE	-	expression tag	UNP A7LY27
D	39	ILE	-	expression tag	UNP A7LY27
E	39	ILE	-	expression tag	UNP A7LY27
F	39	ILE	-	expression tag	UNP A7LY27
G	39	ILE	-	expression tag	UNP A7LY27
H	39	ILE	-	expression tag	UNP A7LY27
I	39	ILE	-	expression tag	UNP A7LY27

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	39	ILE	-	expression tag	UNP A7LY27

- Molecule 2 is an oligosaccharide called beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	K	5	Total	C	O	0	0	0
			56	30	26			

- Molecule 3 is an oligosaccharide called beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
3	L	6	Total	C	O	0	0	0
			67	36	31			
3	M	6	Total	C	O	0	0	0
			67	36	31			
3	N	6	Total	C	O	0	0	0
			67	36	31			
3	O	6	Total	C	O	0	0	0
			67	36	31			
3	P	6	Total	C	O	0	0	0
			67	36	31			
3	Q	6	Total	C	O	0	0	0
			67	36	31			
3	R	6	Total	C	O	0	0	0
			67	36	31			
3	S	6	Total	C	O	0	0	0
			67	36	31			
3	T	6	Total	C	O	0	0	0
			67	36	31			

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	G	1	Total Mg 1 1	0	0
4	J	1	Total Mg 1 1	0	0
4	D	1	Total Mg 1 1	0	0
4	E	1	Total Mg 1 1	0	0
4	H	1	Total Mg 1 1	0	0
4	B	1	Total Mg 1 1	0	0
4	I	1	Total Mg 1 1	0	0
4	C	1	Total Mg 1 1	0	0
4	A	1	Total Mg 1 1	0	0
4	F	1	Total Mg 1 1	0	0

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	E	1	Total	C	O	0	0
			4	2	2		
5	F	1	Total	C	O	0	0
			4	2	2		
5	H	1	Total	C	O	0	0
			4	2	2		
5	I	1	Total	C	O	0	0
			4	2	2		
5	J	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			7	4	3		
6	A	1	Total	C	O	0	0
			7	4	3		
6	B	1	Total	C	O	0	0
			7	4	3		
6	B	1	Total	C	O	0	0
			7	4	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	J	1	Total	C	O	0	0
			7	4	3		

- Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			4	2	2		
7	B	1	Total	C	O	0	0
			4	2	2		
7	B	1	Total	C	O	0	0
			4	2	2		
7	C	1	Total	C	O	0	0
			4	2	2		
7	C	1	Total	C	O	0	0
			4	2	2		
7	C	1	Total	C	O	0	0
			4	2	2		
7	D	1	Total	C	O	0	0
			4	2	2		
7	E	1	Total	C	O	0	0
			4	2	2		
7	E	1	Total	C	O	0	0
			4	2	2		
7	E	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	E	1	Total C O 4 2 2	0	0
7	G	1	Total C O 4 2 2	0	0
7	G	1	Total C O 4 2 2	0	0
7	G	1	Total C O 4 2 2	0	0
7	G	1	Total C O 4 2 2	0	0
7	G	1	Total C O 4 2 2	0	0
7	H	1	Total C O 4 2 2	0	0
7	I	1	Total C O 4 2 2	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	110	Total O 110 110	0	0
8	B	129	Total O 129 129	0	0
8	C	98	Total O 98 98	0	0
8	D	88	Total O 88 88	0	0
8	E	115	Total O 115 115	0	0
8	F	59	Total O 59 59	0	0
8	G	90	Total O 90 90	0	0
8	H	87	Total O 87 87	0	0
8	I	64	Total O 64 64	0	0
8	J	104	Total O 104 104	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: mixed-linkage glucan utilization locus (MLGUL) SGBP-B




- Molecule 1: mixed-linkage glucan utilization locus (MLGUL) SGBP-B




- Molecule 1: mixed-linkage glucan utilization locus (MLGUL) SGBP-B




- Molecule 1: mixed-linkage glucan utilization locus (MLGUL) SGBP-B






- Molecule 1: mixed-linkage glucan utilization locus (MLGUL) SGBP-B

Chain E: 91% 8% ..




- Molecule 1: mixed-linkage glucan utilization locus (MLGUL) SGBP-B

Chain F: 92% 6% ..




- Molecule 1: mixed-linkage glucan utilization locus (MLGUL) SGBP-B

Chain G: 90% 8% ..





- Molecule 1: mixed-linkage glucan utilization locus (MLGUL) SGBP-B

Chain H: 89% 8% ..





- Molecule 1: mixed-linkage glucan utilization locus (MLGUL) SGBP-B

Chain I:  90% 7% ..



- Molecule 1: mixed-linkage glucan utilization locus (MLGUL) SGBP-B

Chain J:  89% 8% ..



- Molecule 2: beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose

Chain K:  60% 40%



- Molecule 3: beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose

Chain L:  17% 83%



- Molecule 3: beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose

Chain M:  33% 67%



- Molecule 3: beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose

Chain N:  67% 33%



- Molecule 3: beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose

Chain O:  33% 67%



- Molecule 3: beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose

Chain P:  50% 50%



- Molecule 3: beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose

Chain Q:  50% 50%



- Molecule 3: beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose

Chain R:  33% 67%



- Molecule 3: beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose

Chain S:  50% 50%



- Molecule 3: beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose

Chain T:  17% 83%



4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	228.84Å 228.84Å 246.52Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.60 – 2.40 49.55 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.60-2.40) 89.6 (49.55-2.40)	Depositor EDS
R_{merge}	0.22	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.97 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.8.0222	Depositor
R, R_{free}	0.190 , 0.242 0.191 , 0.242	Depositor DCC
R_{free} test set	14142 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	28.9	Xtriage
Anisotropy	0.258	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 30.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.53$, $\langle L^2 \rangle = 0.37$	Xtriage
Estimated twinning fraction	0.023 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	42441	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 57.57 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.3232e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, MG, BGC, EDO, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/4171	0.53	0/5671
1	B	0.36	0/4181	0.54	0/5684
1	C	0.35	0/4159	0.53	0/5655
1	D	0.35	0/4203	0.51	0/5715
1	E	0.37	0/4196	0.52	0/5703
1	F	0.33	0/4168	0.51	0/5668
1	G	0.34	0/4139	0.52	0/5631
1	H	0.37	0/4171	0.52	0/5672
1	I	0.34	0/4133	0.52	0/5619
1	J	0.36	0/4152	0.52	0/5646
All	All	0.35	0/41673	0.52	0/56664

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	2
1	F	0	1
All	All	0	3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	219	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	D	270	ARG	Sidechain
1	F	219	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4072	0	3860	19	0
1	B	4082	0	3870	28	0
1	C	4061	0	3851	28	0
1	D	4103	0	3890	27	0
1	E	4097	0	3890	21	0
1	F	4069	0	3854	17	0
1	G	4041	0	3822	24	0
1	H	4072	0	3863	30	0
1	I	4035	0	3824	25	0
1	J	4053	0	3837	24	0
2	K	56	0	48	0	0
3	L	67	0	57	0	0
3	M	67	0	57	0	0
3	N	67	0	57	0	0
3	O	67	0	57	1	0
3	P	67	0	57	0	0
3	Q	67	0	57	0	0
3	R	67	0	57	0	0
3	S	67	0	57	0	0
3	T	67	0	57	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
4	I	1	0	0	0	0
4	J	1	0	0	0	0
5	A	4	0	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	4	0	3	0	0
5	C	4	0	3	0	0
5	D	4	0	3	0	0
5	E	4	0	3	0	0
5	F	4	0	3	0	0
5	H	4	0	3	0	0
5	I	4	0	3	0	0
5	J	4	0	3	0	0
6	A	14	0	20	0	0
6	B	14	0	20	0	0
6	J	7	0	10	0	0
7	A	4	0	6	0	0
7	B	8	0	12	0	0
7	C	12	0	18	1	0
7	D	4	0	6	0	0
7	E	16	0	24	1	0
7	G	20	0	30	2	0
7	H	4	0	6	0	0
7	I	4	0	6	0	0
8	A	110	0	0	1	0
8	B	129	0	0	2	0
8	C	98	0	0	4	0
8	D	88	0	0	0	0
8	E	115	0	0	0	0
8	F	59	0	0	0	0
8	G	90	0	0	1	0
8	H	87	0	0	0	0
8	I	64	0	0	2	0
8	J	104	0	0	0	0
All	All	42441	0	39307	232	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 232 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:143:TYR:O	1:D:520:ARG:NH1	1.60	1.31
1:H:51:GLN:NE2	1:H:104:SER:OG	1.87	1.07
1:G:143:TYR:O	1:G:520:ARG:NH1	2.05	0.89
1:G:268:ASP:OD1	1:G:270:ARG:HD3	1.83	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:520:ARG:NH1	8:I:701:HOH:O	2.00	0.78

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	509/520 (98%)	487 (96%)	21 (4%)	1 (0%)	47	62
1	B	512/520 (98%)	492 (96%)	20 (4%)	0	100	100
1	C	508/520 (98%)	489 (96%)	19 (4%)	0	100	100
1	D	517/520 (99%)	500 (97%)	16 (3%)	1 (0%)	47	62
1	E	513/520 (99%)	493 (96%)	20 (4%)	0	100	100
1	F	510/520 (98%)	489 (96%)	20 (4%)	1 (0%)	47	62
1	G	508/520 (98%)	489 (96%)	19 (4%)	0	100	100
1	H	510/520 (98%)	483 (95%)	27 (5%)	0	100	100
1	I	504/520 (97%)	489 (97%)	14 (3%)	1 (0%)	47	62
1	J	508/520 (98%)	493 (97%)	14 (3%)	1 (0%)	47	62
All	All	5099/5200 (98%)	4904 (96%)	190 (4%)	5 (0%)	51	68

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	321	THR
1	F	189	LYS
1	A	321	THR
1	I	321	THR
1	J	144	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	436/441 (99%)	419 (96%)	17 (4%)	32	50
1	B	435/441 (99%)	419 (96%)	16 (4%)	34	53
1	C	435/441 (99%)	427 (98%)	8 (2%)	59	76
1	D	437/441 (99%)	422 (97%)	15 (3%)	37	56
1	E	438/441 (99%)	420 (96%)	18 (4%)	30	48
1	F	434/441 (98%)	420 (97%)	14 (3%)	39	59
1	G	430/441 (98%)	416 (97%)	14 (3%)	38	57
1	H	435/441 (99%)	418 (96%)	17 (4%)	32	50
1	I	430/441 (98%)	418 (97%)	12 (3%)	43	63
1	J	432/441 (98%)	418 (97%)	14 (3%)	39	59
All	All	4342/4410 (98%)	4197 (97%)	145 (3%)	38	57

5 of 145 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	375	THR
1	F	509	GLN
1	J	214	LEU
1	E	512	THR
1	E	558	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 31 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	331	GLN
1	F	531	ASN
1	J	112	GLN
1	F	440	ASN
1	F	558	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

59 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	BGC	K	1	2	12,12,12	0.45	0	17,17,17	0.64	0
2	BGC	K	2	2	11,11,12	0.29	0	15,15,17	0.88	0
2	BGC	K	3	2	11,11,12	0.56	0	15,15,17	1.10	1 (6%)
2	BGC	K	4	2	11,11,12	0.56	0	15,15,17	0.83	0
2	BGC	K	5	2	11,11,12	0.58	0	15,15,17	1.26	1 (6%)
3	BGC	L	1	3	12,12,12	0.54	0	17,17,17	1.06	1 (5%)
3	BGC	L	2	3	11,11,12	0.31	0	15,15,17	0.88	0
3	BGC	L	3	3	11,11,12	0.57	0	15,15,17	1.96	2 (13%)
3	BGC	L	4	3	11,11,12	0.45	0	15,15,17	1.02	2 (13%)
3	BGC	L	5	3	11,11,12	0.36	0	15,15,17	1.10	2 (13%)
3	BGC	L	6	3	11,11,12	0.66	0	15,15,17	1.24	2 (13%)
3	BGC	M	1	3	12,12,12	0.50	0	17,17,17	0.87	0
3	BGC	M	2	3	11,11,12	0.29	0	15,15,17	0.83	0
3	BGC	M	3	3	11,11,12	0.64	0	15,15,17	0.88	1 (6%)
3	BGC	M	4	3	11,11,12	0.38	0	15,15,17	0.89	2 (13%)
3	BGC	M	5	3	11,11,12	0.38	0	15,15,17	0.83	1 (6%)
3	BGC	M	6	3	11,11,12	0.44	0	15,15,17	1.11	1 (6%)
3	BGC	N	1	3	12,12,12	0.48	0	17,17,17	0.90	1 (5%)
3	BGC	N	2	3	11,11,12	0.33	0	15,15,17	1.14	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	BGC	N	3	3	11,11,12	0.43	0	15,15,17	0.97	0
3	BGC	N	4	3	11,11,12	0.31	0	15,15,17	0.79	0
3	BGC	N	5	3	11,11,12	0.51	0	15,15,17	0.86	0
3	BGC	N	6	3	11,11,12	0.40	0	15,15,17	1.04	0
3	BGC	O	1	3	12,12,12	0.56	0	17,17,17	0.96	0
3	BGC	O	2	3	11,11,12	0.40	0	15,15,17	1.14	2 (13%)
3	BGC	O	3	3	11,11,12	0.36	0	15,15,17	0.77	1 (6%)
3	BGC	O	4	3	11,11,12	0.38	0	15,15,17	0.69	0
3	BGC	O	5	3	11,11,12	0.48	0	15,15,17	1.26	3 (20%)
3	BGC	O	6	3	11,11,12	0.33	0	15,15,17	0.65	0
3	BGC	P	1	3	12,12,12	0.53	0	17,17,17	0.89	0
3	BGC	P	2	3	11,11,12	0.40	0	15,15,17	0.61	0
3	BGC	P	3	3	11,11,12	0.30	0	15,15,17	0.90	1 (6%)
3	BGC	P	4	3	11,11,12	0.51	0	15,15,17	0.85	1 (6%)
3	BGC	P	5	3	11,11,12	0.39	0	15,15,17	1.17	1 (6%)
3	BGC	P	6	3	11,11,12	0.40	0	15,15,17	0.77	0
3	BGC	Q	1	3	12,12,12	0.47	0	17,17,17	0.59	0
3	BGC	Q	2	3	11,11,12	0.39	0	15,15,17	0.78	0
3	BGC	Q	3	3	11,11,12	0.25	0	15,15,17	1.09	1 (6%)
3	BGC	Q	4	3	11,11,12	0.31	0	15,15,17	0.89	0
3	BGC	Q	5	3	11,11,12	0.41	0	15,15,17	1.29	1 (6%)
3	BGC	Q	6	3	11,11,12	0.42	0	15,15,17	1.01	1 (6%)
3	BGC	R	1	3	12,12,12	0.55	0	17,17,17	1.03	0
3	BGC	R	2	3	11,11,12	0.69	0	15,15,17	0.74	0
3	BGC	R	3	3	11,11,12	0.49	0	15,15,17	0.79	1 (6%)
3	BGC	R	4	3	11,11,12	0.38	0	15,15,17	0.81	1 (6%)
3	BGC	R	5	3	11,11,12	0.39	0	15,15,17	1.39	1 (6%)
3	BGC	R	6	3	11,11,12	0.33	0	15,15,17	0.90	1 (6%)
3	BGC	S	1	3	12,12,12	0.46	0	17,17,17	0.85	1 (5%)
3	BGC	S	2	3	11,11,12	0.37	0	15,15,17	1.71	2 (13%)
3	BGC	S	3	3	11,11,12	0.40	0	15,15,17	0.51	0
3	BGC	S	4	3	11,11,12	0.25	0	15,15,17	0.90	0
3	BGC	S	5	3	11,11,12	0.49	0	15,15,17	0.83	0
3	BGC	S	6	3	11,11,12	0.35	0	15,15,17	1.11	2 (13%)
3	BGC	T	1	3	12,12,12	0.47	0	17,17,17	0.81	1 (5%)
3	BGC	T	2	3	11,11,12	0.26	0	15,15,17	1.28	2 (13%)
3	BGC	T	3	3	11,11,12	0.61	0	15,15,17	0.70	0
3	BGC	T	4	3	11,11,12	0.36	0	15,15,17	0.87	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	BGC	T	5	3	11,11,12	0.29	0	15,15,17	1.27	3 (20%)
3	BGC	T	6	3	11,11,12	0.36	0	15,15,17	0.96	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BGC	K	1	2	-	1/2/22/22	0/1/1/1
2	BGC	K	2	2	-	0/2/19/22	0/1/1/1
2	BGC	K	3	2	-	0/2/19/22	0/1/1/1
2	BGC	K	4	2	-	0/2/19/22	0/1/1/1
2	BGC	K	5	2	-	2/2/19/22	0/1/1/1
3	BGC	L	1	3	-	0/2/22/22	0/1/1/1
3	BGC	L	2	3	-	0/2/19/22	0/1/1/1
3	BGC	L	3	3	-	1/2/19/22	0/1/1/1
3	BGC	L	4	3	-	1/2/19/22	0/1/1/1
3	BGC	L	5	3	-	2/2/19/22	0/1/1/1
3	BGC	L	6	3	-	1/2/19/22	0/1/1/1
3	BGC	M	1	3	-	2/2/22/22	0/1/1/1
3	BGC	M	2	3	-	2/2/19/22	0/1/1/1
3	BGC	M	3	3	-	0/2/19/22	0/1/1/1
3	BGC	M	4	3	-	1/2/19/22	0/1/1/1
3	BGC	M	5	3	-	2/2/19/22	0/1/1/1
3	BGC	M	6	3	-	2/2/19/22	0/1/1/1
3	BGC	N	1	3	-	2/2/22/22	0/1/1/1
3	BGC	N	2	3	-	0/2/19/22	0/1/1/1
3	BGC	N	3	3	-	0/2/19/22	0/1/1/1
3	BGC	N	4	3	-	0/2/19/22	0/1/1/1
3	BGC	N	5	3	-	2/2/19/22	0/1/1/1
3	BGC	N	6	3	-	2/2/19/22	0/1/1/1
3	BGC	O	1	3	-	2/2/22/22	0/1/1/1
3	BGC	O	2	3	-	0/2/19/22	0/1/1/1
3	BGC	O	3	3	-	0/2/19/22	0/1/1/1
3	BGC	O	4	3	-	1/2/19/22	0/1/1/1
3	BGC	O	5	3	-	0/2/19/22	0/1/1/1
3	BGC	O	6	3	-	0/2/19/22	0/1/1/1
3	BGC	P	1	3	-	2/2/22/22	0/1/1/1
3	BGC	P	2	3	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BGC	P	3	3	-	2/2/19/22	0/1/1/1
3	BGC	P	4	3	-	0/2/19/22	0/1/1/1
3	BGC	P	5	3	-	2/2/19/22	0/1/1/1
3	BGC	P	6	3	-	0/2/19/22	0/1/1/1
3	BGC	Q	1	3	-	0/2/22/22	0/1/1/1
3	BGC	Q	2	3	-	0/2/19/22	0/1/1/1
3	BGC	Q	3	3	-	2/2/19/22	0/1/1/1
3	BGC	Q	4	3	-	0/2/19/22	0/1/1/1
3	BGC	Q	5	3	-	1/2/19/22	0/1/1/1
3	BGC	Q	6	3	-	1/2/19/22	0/1/1/1
3	BGC	R	1	3	-	0/2/22/22	0/1/1/1
3	BGC	R	2	3	-	0/2/19/22	0/1/1/1
3	BGC	R	3	3	-	2/2/19/22	0/1/1/1
3	BGC	R	4	3	-	0/2/19/22	0/1/1/1
3	BGC	R	5	3	-	2/2/19/22	0/1/1/1
3	BGC	R	6	3	-	2/2/19/22	0/1/1/1
3	BGC	S	1	3	-	2/2/22/22	0/1/1/1
3	BGC	S	2	3	-	2/2/19/22	0/1/1/1
3	BGC	S	3	3	-	0/2/19/22	0/1/1/1
3	BGC	S	4	3	-	0/2/19/22	0/1/1/1
3	BGC	S	5	3	-	1/2/19/22	0/1/1/1
3	BGC	S	6	3	-	2/2/19/22	0/1/1/1
3	BGC	T	1	3	-	1/2/22/22	0/1/1/1
3	BGC	T	2	3	-	0/2/19/22	0/1/1/1
3	BGC	T	3	3	-	0/2/19/22	0/1/1/1
3	BGC	T	4	3	-	0/2/19/22	0/1/1/1
3	BGC	T	5	3	-	2/2/19/22	0/1/1/1
3	BGC	T	6	3	-	1/2/19/22	0/1/1/1

There are no bond length outliers.

The worst 5 of 47 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	L	3	BGC	C1-O5-C5	5.75	119.98	112.19
3	S	2	BGC	C1-O5-C5	5.28	119.35	112.19
3	R	5	BGC	C1-O5-C5	3.90	117.48	112.19
3	M	6	BGC	O5-C5-C6	3.40	112.53	107.20
3	T	2	BGC	C1-O5-C5	3.37	116.75	112.19

There are no chirality outliers.

5 of 53 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	R	6	BGC	O5-C5-C6-O6
3	M	5	BGC	O5-C5-C6-O6
3	S	6	BGC	O5-C5-C6-O6
2	K	5	BGC	O5-C5-C6-O6
3	P	3	BGC	O5-C5-C6-O6




There are no ring outliers.


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	O	1	BGC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

Of 42 ligands modelled in this entry, 10 are monoatomic - leaving 32 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	EDO	E	610	-	3,3,3	0.55	0	2,2,2	0.38	0
7	EDO	E	611	-	3,3,3	0.50	0	2,2,2	0.15	0
7	EDO	G	612	-	3,3,3	0.48	0	2,2,2	0.34	0
5	ACT	C	608	-	1,3,3	1.13	0	0,3,3	0.00	-
7	EDO	E	612	-	3,3,3	0.52	0	2,2,2	0.21	0
5	ACT	E	608	-	1,3,3	1.69	0	0,3,3	0.00	-
7	EDO	E	609	-	3,3,3	0.53	0	2,2,2	0.17	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	PEG	A	609	-	6,6,6	0.48	0	5,5,5	0.17	0
7	EDO	B	611	-	3,3,3	0.47	0	2,2,2	0.19	0
7	EDO	G	610	-	3,3,3	0.49	0	2,2,2	0.27	0
7	EDO	G	611	-	3,3,3	0.48	0	2,2,2	0.23	0
6	PEG	B	610	-	6,6,6	0.48	0	5,5,5	0.19	0
5	ACT	H	608	-	1,3,3	1.61	0	0,3,3	0.00	-
6	PEG	B	609	-	6,6,6	0.53	0	5,5,5	0.29	0
5	ACT	F	608	-	1,3,3	1.06	0	0,3,3	0.00	-
7	EDO	B	612	-	3,3,3	0.45	0	2,2,2	0.25	0
7	EDO	I	609	-	3,3,3	0.52	0	2,2,2	0.21	0
6	PEG	J	609	-	6,6,6	0.44	0	5,5,5	0.28	0
7	EDO	G	608	-	3,3,3	0.77	0	2,2,2	0.83	0
7	EDO	C	610	-	3,3,3	0.45	0	2,2,2	0.25	0
7	EDO	C	611	-	3,3,3	0.50	0	2,2,2	0.12	0
5	ACT	B	608	-	1,3,3	2.41	1 (100%)	0,3,3	0.00	-
7	EDO	G	609	-	3,3,3	0.50	0	2,2,2	0.19	0
5	ACT	I	608	-	1,3,3	1.39	0	0,3,3	0.00	-
7	EDO	A	610	-	3,3,3	0.49	0	2,2,2	0.22	0
5	ACT	A	607	-	1,3,3	1.44	0	0,3,3	0.00	-
5	ACT	J	608	-	1,3,3	1.96	0	0,3,3	0.00	-
7	EDO	C	609	-	3,3,3	0.49	0	2,2,2	0.21	0
7	EDO	D	609	-	3,3,3	0.45	0	2,2,2	0.23	0
6	PEG	A	608	-	6,6,6	0.58	0	5,5,5	0.77	0
5	ACT	D	608	-	1,3,3	1.35	0	0,3,3	0.00	-
7	EDO	H	609	-	3,3,3	0.45	0	2,2,2	0.26	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	EDO	E	610	-	-	1/1/1/1	-
7	EDO	E	611	-	-	0/1/1/1	-
7	EDO	G	612	-	-	0/1/1/1	-
7	EDO	E	612	-	-	1/1/1/1	-
7	EDO	E	609	-	-	0/1/1/1	-
7	EDO	G	609	-	-	1/1/1/1	-
7	EDO	B	611	-	-	1/1/1/1	-
7	EDO	G	610	-	-	0/1/1/1	-
7	EDO	G	611	-	-	1/1/1/1	-
6	PEG	B	610	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	PEG	B	609	-	-	2/4/4/4	-
7	EDO	B	612	-	-	0/1/1/1	-
7	EDO	I	609	-	-	1/1/1/1	-
6	PEG	J	609	-	-	2/4/4/4	-
7	EDO	G	608	-	-	0/1/1/1	-
7	EDO	C	610	-	-	1/1/1/1	-
7	EDO	C	611	-	-	1/1/1/1	-
6	PEG	A	609	-	-	2/4/4/4	-
7	EDO	A	610	-	-	1/1/1/1	-
7	EDO	C	609	-	-	0/1/1/1	-
7	EDO	D	609	-	-	1/1/1/1	-
6	PEG	A	608	-	-	2/4/4/4	-
7	EDO	H	609	-	-	1/1/1/1	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	608	ACT	CH3-C	2.41	1.51	1.48

There are no bond angle outliers.

There are no chirality outliers.

5 of 21 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	J	609	PEG	O1-C1-C2-O2
6	A	609	PEG	O2-C3-C4-O4
6	A	608	PEG	O2-C3-C4-O4
7	E	610	EDO	O1-C1-C2-O2
7	E	612	EDO	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	E	610	EDO	1	0
7	G	608	EDO	2	0
7	C	611	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	513/520 (98%)	-0.62	3 (0%) 89 88	19, 30, 53, 79	0
1	B	516/520 (99%)	-0.70	1 (0%) 95 94	16, 27, 46, 78	0
1	C	512/520 (98%)	-0.57	5 (0%) 82 80	19, 32, 58, 87	0
1	D	519/520 (99%)	-0.59	2 (0%) 92 91	18, 34, 55, 79	0
1	E	517/520 (99%)	-0.63	1 (0%) 95 94	19, 31, 52, 75	0
1	F	514/520 (98%)	-0.52	2 (0%) 92 91	20, 39, 63, 81	0
1	G	512/520 (98%)	-0.61	4 (0%) 86 84	21, 32, 56, 72	0
1	H	514/520 (98%)	-0.53	5 (0%) 82 80	20, 35, 56, 76	0
1	I	510/520 (98%)	-0.55	2 (0%) 92 91	24, 39, 59, 70	0
1	J	512/520 (98%)	-0.59	3 (0%) 89 88	19, 34, 58, 85	0
All	All	5139/5200 (98%)	-0.59	28 (0%) 91 89	16, 33, 58, 87	0

The worst 5 of 28 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	160	PHE	3.7
1	C	39	ILE	3.4
1	C	114	ARG	3.1
1	D	155	PHE	2.9
1	A	114	ARG	2.9

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	BGC	L	1	12/12	0.81	0.21	53,58,62,65	0
3	BGC	O	1	12/12	0.83	0.21	53,63,71,75	0
3	BGC	S	1	12/12	0.87	0.17	51,62,72,74	0
3	BGC	N	1	12/12	0.87	0.17	54,62,64,71	0
3	BGC	T	1	12/12	0.88	0.15	53,57,64,68	0
3	BGC	M	1	12/12	0.88	0.23	54,68,73,74	0
3	BGC	Q	1	12/12	0.89	0.13	56,59,64,65	0
3	BGC	R	2	11/12	0.89	0.13	49,53,57,57	0
3	BGC	R	1	12/12	0.90	0.16	57,63,66,66	0
2	BGC	K	1	12/12	0.90	0.16	50,59,66,66	0
3	BGC	N	2	11/12	0.91	0.14	53,55,58,60	0
3	BGC	M	2	11/12	0.91	0.14	44,47,58,64	0
3	BGC	P	1	12/12	0.92	0.14	61,67,71,76	0
3	BGC	P	6	11/12	0.92	0.18	63,68,75,76	0
3	BGC	L	6	11/12	0.93	0.13	42,47,51,53	0
3	BGC	P	2	11/12	0.93	0.11	49,57,60,61	0
3	BGC	M	3	11/12	0.93	0.11	40,43,45,47	0
3	BGC	P	3	11/12	0.93	0.15	60,62,68,74	0
3	BGC	L	3	11/12	0.94	0.11	33,35,42,43	0
3	BGC	S	2	11/12	0.94	0.10	42,45,51,60	0
3	BGC	P	5	11/12	0.94	0.12	56,60,66,70	0
3	BGC	T	2	11/12	0.94	0.12	41,48,52,62	0
3	BGC	Q	2	11/12	0.94	0.10	44,46,49,54	0
3	BGC	Q	6	11/12	0.94	0.12	41,44,49,51	0
3	BGC	M	6	11/12	0.94	0.11	44,48,52,62	0
3	BGC	L	2	11/12	0.94	0.11	40,43,50,57	0
3	BGC	N	6	11/12	0.94	0.11	53,58,63,65	0
3	BGC	T	5	11/12	0.94	0.11	36,39,46,48	0
3	BGC	P	4	11/12	0.94	0.11	52,56,59,59	0
3	BGC	N	3	11/12	0.94	0.09	46,50,52,54	0
3	BGC	L	5	11/12	0.95	0.12	34,38,42,46	0
3	BGC	N	4	11/12	0.95	0.10	46,52,57,58	0
3	BGC	N	5	11/12	0.95	0.10	50,54,63,65	0
2	BGC	K	3	11/12	0.95	0.11	37,45,53,58	0
2	BGC	K	5	11/12	0.95	0.10	38,42,48,50	0
3	BGC	O	2	11/12	0.95	0.14	43,51,57,58	0
3	BGC	S	5	11/12	0.95	0.13	39,43,46,49	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	BGC	R	3	11/12	0.95	0.13	46,47,57,59	0
3	BGC	R	6	11/12	0.95	0.12	50,54,60,60	0
3	BGC	T	4	11/12	0.95	0.10	32,34,36,36	0
3	BGC	T	6	11/12	0.95	0.18	45,49,57,64	0
3	BGC	O	3	11/12	0.95	0.10	40,41,48,48	0
3	BGC	Q	5	11/12	0.96	0.10	37,39,44,47	0
3	BGC	R	5	11/12	0.96	0.10	46,49,52,60	0
3	BGC	M	4	11/12	0.96	0.10	33,39,41,42	0
3	BGC	R	4	11/12	0.96	0.10	45,48,55,62	0
3	BGC	O	6	11/12	0.96	0.11	38,40,43,45	0
3	BGC	Q	3	11/12	0.96	0.12	37,41,48,59	0
3	BGC	S	4	11/12	0.96	0.10	36,38,42,45	0
3	BGC	S	3	11/12	0.96	0.08	39,42,47,50	0
2	BGC	K	2	11/12	0.96	0.09	47,49,53,55	0
2	BGC	K	4	11/12	0.97	0.07	35,36,38,40	0
3	BGC	S	6	11/12	0.97	0.12	41,44,47,52	0
3	BGC	O	4	11/12	0.97	0.10	33,36,40,42	0
3	BGC	L	4	11/12	0.97	0.11	32,33,35,35	0
3	BGC	O	5	11/12	0.97	0.09	36,40,47,51	0
3	BGC	T	3	11/12	0.97	0.08	36,39,42,49	0
3	BGC	Q	4	11/12	0.97	0.08	32,37,41,42	0
3	BGC	M	5	11/12	0.97	0.09	39,42,43,45	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain L:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain M:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain N:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain O:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain P:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain Q:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain R:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain S:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain T:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	EDO	G	610	4/4	0.73	0.17	54,57,57,58	0
5	ACT	H	608	4/4	0.78	0.16	66,69,70,74	0
7	EDO	G	611	4/4	0.79	0.16	54,55,56,57	0
7	EDO	E	609	4/4	0.79	0.19	52,55,56,56	0
6	PEG	B	609	7/7	0.82	0.21	49,53,61,62	0
7	EDO	D	609	4/4	0.84	0.17	56,63,63,65	0
6	PEG	A	609	7/7	0.85	0.15	52,57,64,66	0
5	ACT	E	608	4/4	0.86	0.23	42,51,53,64	0
5	ACT	I	608	4/4	0.86	0.20	52,53,56,57	0
6	PEG	B	610	7/7	0.86	0.12	56,57,60,61	0
7	EDO	C	609	4/4	0.87	0.18	51,53,53,53	0
7	EDO	H	609	4/4	0.87	0.16	52,54,55,57	0
7	EDO	G	608	4/4	0.88	0.23	41,47,50,52	0
7	EDO	E	612	4/4	0.88	0.15	65,67,68,68	0
5	ACT	D	608	4/4	0.88	0.21	53,53,54,57	0
7	EDO	G	612	4/4	0.88	0.21	44,46,50,51	0
5	ACT	B	608	4/4	0.89	0.17	38,42,43,50	0
5	ACT	F	608	4/4	0.89	0.14	51,55,57,57	0
7	EDO	G	609	4/4	0.89	0.11	50,57,58,59	0
5	ACT	J	608	4/4	0.89	0.14	48,49,54,58	0
7	EDO	E	610	4/4	0.91	0.20	43,47,50,52	0
6	PEG	J	609	7/7	0.91	0.12	52,52,56,56	0
7	EDO	C	610	4/4	0.91	0.16	47,50,51,51	0
7	EDO	I	609	4/4	0.92	0.12	54,57,58,59	0
6	PEG	A	608	7/7	0.92	0.30	36,45,58,62	0
7	EDO	B	612	4/4	0.93	0.11	54,54,55,55	0
5	ACT	A	607	4/4	0.93	0.17	54,56,58,60	0
7	EDO	E	611	4/4	0.94	0.12	48,49,52,53	0
5	ACT	C	608	4/4	0.94	0.16	47,51,54,55	0
4	MG	F	607	1/1	0.95	0.06	52,52,52,52	0
4	MG	C	607	1/1	0.95	0.10	50,50,50,50	0
4	MG	D	607	1/1	0.96	0.09	44,44,44,44	0
4	MG	G	607	1/1	0.96	0.06	53,53,53,53	0
4	MG	I	607	1/1	0.96	0.05	55,55,55,55	0
7	EDO	A	610	4/4	0.97	0.14	46,47,51,52	0
4	MG	A	606	1/1	0.97	0.12	45,45,45,45	0
7	EDO	C	611	4/4	0.97	0.15	36,37,38,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	MG	H	607	1/1	0.98	0.08	51,51,51,51	0
4	MG	E	607	1/1	0.98	0.12	54,54,54,54	0
4	MG	B	607	1/1	0.99	0.09	48,48,48,48	0
7	EDO	B	611	4/4	0.99	0.12	36,37,37,39	0
4	MG	J	607	1/1	0.99	0.08	43,43,43,43	0

6.5 Other polymers [i](#)

There are no such residues in this entry.