



# Full wwPDB X-ray Structure Validation Report ⓘ

May 14, 2020 – 03:43 pm BST

PDB ID : 3DP3  
Title : Crystal structure of (3R)-Hydroxyacyl-Acyl Carrier Protein Dehydratase (FabZ) from *Helicobacter pylori* in complex with compound 3q  
Authors : Zhang, L.; He, L.; Liu, X.; Liu, H.; Shen, X.; Jiang, H.  
Deposited on : 2008-07-07  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	159	<div> <div>3%</div> <div> <div></div> <div>75%</div> <div>18%</div> <div>• •</div> </div> </div>
1	B	159	<div> <div>3%</div> <div> <div></div> <div>77%</div> <div>16%</div> <div>• 6%</div> </div> </div>
1	C	159	<div> <div>3%</div> <div> <div></div> <div>79%</div> <div>14%</div> <div>• 5%</div> </div> </div>
1	D	159	<div> <div>6%</div> <div> <div></div> <div>76%</div> <div>18%</div> <div>• 5%</div> </div> </div>
1	E	159	<div> <div>%</div> <div> <div></div> <div>74%</div> <div>19%</div> <div>• •</div> </div> </div>
1	F	159	<div> <div>4%</div> <div> <div></div> <div>75%</div> <div>17%</div> <div>• 6%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	BEN	B	162	-	-	X	-
4	4BB	C	162	-	-	X	-

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7785 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called (3R)-hydroxymyristoyl-acyl carrier protein dehydratase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	152	Total	C	N	O	S	0	0	0
			1224	803	203	213	5			
1	B	149	Total	C	N	O	S	0	0	0
			1198	787	199	207	5			
1	C	151	Total	C	N	O	S	0	0	0
			1216	797	202	212	5			
1	D	151	Total	C	N	O	S	0	0	0
			1214	798	202	209	5			
1	E	152	Total	C	N	O	S	0	0	0
			1224	803	203	213	5			
1	F	149	Total	C	N	O	S	0	0	0
			1198	787	199	207	5			

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	D	1	Total	Cl	0	0
			1	1		
2	E	1	Total	Cl	0	0
			1	1		
2	B	1	Total	Cl	0	0
			1	1		
2	C	1	Total	Cl	0	0
			1	1		
2	A	1	Total	Cl	0	0
			1	1		
2	F	1	Total	Cl	0	0
			1	1		

- Molecule 3 is BENZAMIDINE (three-letter code: BEN) (formula: C<sub>7</sub>H<sub>8</sub>N<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	N	0	0
			9	7	2		
3	A	1	Total	C	N	0	0
			9	7	2		
3	B	1	Total	C	N	0	0
			9	7	2		
3	B	1	Total	C	N	0	0
			9	7	2		
3	C	1	Total	C	N	0	0
			9	7	2		
3	E	1	Total	C	N	0	0
			9	7	2		

- Molecule 4 is 4-tert-butyl-N'-[(1E)-(3,5-dibromo-2,4-dihydroxyphenyl)methylidene]benzohydrazide (three-letter code: 4BB) (formula: C<sub>18</sub>H<sub>18</sub>Br<sub>2</sub>N<sub>2</sub>O<sub>3</sub>).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	Br	C	N	O	0	0
			25	2	18	2	3		
4	C	1	Total	Br	C	N	O	0	0
			25	2	18	2	3		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	73	Total	O	0	0
			73	73		
5	B	73	Total	O	0	0
			73	73		
5	C	67	Total	O	0	0
			67	67		
5	D	58	Total	O	0	0
			58	58		
5	E	74	Total	O	0	0
			74	74		
5	F	56	Total	O	0	0
			56	56		




- Molecule 1: (3R)-hydroxymyristoyl-acyl carrier protein dehydratase





- Molecule 1: (3R)-hydroxymyristoyl-acyl carrier protein dehydratase

Chain E:  74% 19%



- Molecule 1: (3R)-hydroxymyristoyl-acyl carrier protein dehydratase

Chain F:  75% 17% 4% 6%





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	73.90Å 100.23Å 186.63Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.30 19.98 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.8 (15.00-2.30) 99.8 (19.98-2.30)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	0.10	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.45 (at 2.30Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.203 , 0.231 0.196 , 0.193	Depositor DCC
$R_{free}$ test set	3148 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	25.2	Xtriage
Anisotropy	0.245	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.40 , 48.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	7785	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 29.19 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.6172e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 4BB, BEN, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.43	0/1255	0.65	0/1698
1	B	0.43	0/1229	0.64	0/1663
1	C	0.42	0/1247	0.65	0/1686
1	D	0.41	0/1245	0.65	0/1685
1	E	0.40	0/1255	0.65	0/1697
1	F	0.41	0/1229	0.65	0/1663
All	All	0.42	0/7460	0.65	0/10092

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1224	0	1243	26	0
1	B	1198	0	1218	23	0
1	C	1216	0	1232	43	0
1	D	1214	0	1237	27	0
1	E	1224	0	1243	30	0
1	F	1198	0	1218	30	0
2	A	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
3	A	18	0	14	2	0
3	B	18	0	14	4	0
3	C	9	0	7	0	0
3	E	9	0	7	0	0
4	A	25	0	16	6	0
4	C	25	0	16	31	0
5	A	73	0	0	2	0
5	B	73	0	0	3	0
5	C	67	0	0	5	0
5	D	58	0	0	3	0
5	E	74	0	0	3	0
5	F	56	0	0	0	0
All	All	7785	0	7465	171	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (171) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:C:162:4BB:CAI	4:C:162:4BB:HAJ	1.55	1.37
4:C:162:4BB:HAI	4:C:162:4BB:CAJ	1.53	1.37
1:C:158:ARG:CD	4:C:162:4BB:HAC	1.57	1.33
1:C:158:ARG:CZ	4:C:162:4BB:HAB	1.64	1.27
4:A:163:4BB:HAI	4:A:163:4BB:OAD	1.50	1.10
1:C:158:ARG:HD2	4:C:162:4BB:HAC	1.15	1.10
1:F:29:LEU:H	1:F:76:GLN:HE22	1.10	0.99
1:C:158:ARG:NE	4:C:162:4BB:HAC	1.77	0.98
1:C:158:ARG:CZ	4:C:162:4BB:CAB	2.44	0.94
1:B:13:PHE:H	1:B:16:HIS:HD2	1.19	0.91
1:C:15:GLU:HG3	5:C:223:HOH:O	1.71	0.89
4:C:162:4BB:HAK	5:C:226:HOH:O	1.75	0.86
1:C:158:ARG:HD2	4:C:162:4BB:CAC	2.05	0.84
4:C:162:4BB:HAI	4:C:162:4BB:HAJ	0.86	0.84
1:A:13:PHE:H	1:A:16:HIS:HD2	1.25	0.83
1:F:37:GLN:HB3	1:F:40:GLN:HE21	1.44	0.82

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:158:ARG:NE	4:C:162:4BB:CAC	2.44	0.80
1:B:47:ASN:HB3	1:F:47:ASN:HB3	1.65	0.78
1:A:29:LEU:H	1:A:76:GLN:HE22	1.31	0.77
1:E:104:ILE:HB	1:F:107:VAL:HG13	1.67	0.76
4:A:163:4BB:OAD	4:A:163:4BB:CAI	2.29	0.75
1:F:29:LEU:N	1:F:76:GLN:HE22	1.86	0.73
1:B:29:LEU:H	1:B:76:GLN:HE22	1.34	0.72
1:C:47:ASN:HB3	1:E:47:ASN:HB3	1.70	0.72
1:C:104:ILE:HB	1:D:107:VAL:HG13	1.71	0.72
1:C:104:ILE:HB	1:D:107:VAL:CG1	2.20	0.71
1:E:104:ILE:HB	1:F:107:VAL:CG1	2.21	0.71
1:C:158:ARG:NH2	4:C:162:4BB:CAB	2.54	0.71
4:C:162:4BB:CAI	4:C:162:4BB:CAJ	2.35	0.71
1:E:123:LEU:HD12	1:E:135:VAL:HG13	1.73	0.71
1:C:107:VAL:HG13	1:D:104:ILE:HB	1.72	0.70
1:A:47:ASN:HB3	1:D:47:ASN:HB3	1.75	0.69
1:C:158:ARG:CD	4:C:162:4BB:CAC	2.53	0.68
1:F:92:GLU:O	1:F:95:LYS:HG2	1.94	0.67
1:C:107:VAL:CG1	1:D:104:ILE:HB	2.25	0.67
3:B:162:BEN:N1	5:B:229:HOH:O	2.28	0.66
1:C:158:ARG:NE	4:C:162:4BB:HAB	2.08	0.66
1:D:11:GLN:HG3	1:D:33:ILE:O	1.97	0.64
1:E:111:ILE:O	1:E:146:VAL:HG22	1.98	0.64
1:B:98:ILE:HG23	1:B:158:ARG:HA	1.79	0.64
1:A:98:ILE:HD13	1:A:99:VAL:N	2.14	0.63
1:B:99:VAL:HB	3:B:162:BEN:C	2.29	0.63
1:C:98:ILE:HD11	1:C:100:TYR:CZ	2.34	0.63
1:C:158:ARG:NH2	4:C:162:4BB:HAB	2.11	0.62
1:A:75:ALA:HB2	1:A:101:PHE:CZ	2.34	0.62
1:C:158:ARG:NH1	4:C:162:4BB:HAB	2.12	0.62
1:E:107:VAL:HB	1:F:104:ILE:HB	1.80	0.62
1:F:96:THR:O	1:F:158:ARG:HB2	1.99	0.62
1:A:35:GLU:HB2	1:A:43:VAL:HB	1.82	0.61
1:B:13:PHE:H	1:B:16:HIS:CD2	2.11	0.61
1:C:118:ARG:HD2	5:C:191:HOH:O	2.00	0.60
4:C:162:4BB:BRAH	5:C:222:HOH:O	2.71	0.60
1:D:75:ALA:HB2	1:D:101:PHE:CZ	2.36	0.60
1:F:110:ARG:NH2	1:F:148:GLU:OE2	2.35	0.59
1:C:158:ARG:NH2	4:C:162:4BB:HABB	2.19	0.58
1:F:158:ARG:HG3	1:F:158:ARG:HH21	1.70	0.57
4:A:163:4BB:HAK	5:A:232:HOH:O	2.03	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:35:GLU:HG3	5:A:183:HOH:O	2.03	0.57
1:F:37:GLN:HB3	1:F:40:GLN:NE2	2.16	0.57
1:B:97:LYS:O	3:B:162:BEN:H3	2.05	0.56
4:C:162:4BB:CAA	5:D:201:HOH:O	2.52	0.56
1:E:111:ILE:HB	1:E:146:VAL:HG23	1.85	0.56
1:E:104:ILE:O	1:F:107:VAL:HG13	2.06	0.56
3:B:162:BEN:N2	5:B:230:HOH:O	2.30	0.56
1:F:29:LEU:H	1:F:76:GLN:NE2	1.92	0.55
4:A:163:4BB:HABA	1:B:100:TYR:CD1	2.41	0.55
1:C:158:ARG:NE	4:C:162:4BB:CAB	2.67	0.54
1:E:33:ILE:HD12	1:E:42:ILE:HD11	1.88	0.54
1:F:110:ARG:HG2	1:F:110:ARG:HH11	1.73	0.53
4:C:162:4BB:HAAB	5:D:201:HOH:O	2.07	0.53
1:D:35:GLU:HB2	1:D:43:VAL:HB	1.90	0.53
1:A:98:ILE:HD13	1:A:99:VAL:H	1.74	0.53
1:C:99:VAL:HG13	4:C:162:4BB:CAR	2.39	0.53
1:D:37:GLN:NE2	1:D:40:GLN:NE2	2.56	0.53
1:A:62:LYS:HG3	4:A:163:4BB:CAX	2.39	0.52
1:E:92:GLU:HA	1:E:95:LYS:NZ	2.25	0.52
1:A:36:LEU:HD13	1:A:37:GLN:N	2.24	0.52
1:B:98:ILE:HG13	1:B:98:ILE:O	2.09	0.52
1:E:111:ILE:HB	1:E:146:VAL:CG2	2.40	0.52
1:D:8:LEU:HD22	1:D:9:GLN:N	2.25	0.52
1:E:120:GLU:OE1	1:E:122:HIS:NE2	2.38	0.52
4:A:163:4BB:HABA	1:B:100:TYR:CE1	2.44	0.51
1:D:107:VAL:HA	1:D:148:GLU:O	2.10	0.51
1:E:95:LYS:HB2	1:E:95:LYS:HZ2	1.74	0.51
1:C:22:PRO:HB2	4:C:162:4BB:HABA	1.93	0.50
1:E:68:VAL:HB	1:F:68:VAL:HB	1.93	0.50
1:A:37:GLN:HG3	1:A:40:GLN:HB2	1.93	0.50
1:F:158:ARG:HG3	1:F:158:ARG:NH2	2.27	0.50
1:A:148:GLU:OE2	3:A:161:BEN:H2	2.11	0.50
1:C:98:ILE:HG22	1:C:158:ARG:HD3	1.93	0.50
1:F:60:PRO:O	1:F:61:ASN:HB2	2.11	0.50
1:E:8:LEU:N	5:E:225:HOH:O	2.45	0.49
1:D:8:LEU:HD22	1:D:9:GLN:H	1.77	0.49
1:E:83:PHE:CZ	1:E:94:ALA:HB2	2.47	0.49
1:D:8:LEU:CD2	1:D:9:GLN:H	2.27	0.48
1:B:11:GLN:HA	1:B:33:ILE:O	2.14	0.48
1:E:95:LYS:CB	1:E:95:LYS:NZ	2.77	0.48
1:C:99:VAL:HG22	4:C:162:4BB:CAX	2.44	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:96:THR:O	1:D:97:LYS:HD3	2.13	0.47
1:A:144:LYS:N	1:A:144:LYS:HD2	2.29	0.47
1:B:12:PHE:HB2	1:B:33:ILE:HB	1.96	0.47
1:F:107:VAL:HA	1:F:148:GLU:O	2.15	0.47
1:C:104:ILE:HB	1:D:107:VAL:HG11	1.95	0.47
1:C:158:ARG:CG	4:C:162:4BB:HAC	2.37	0.47
1:C:122:HIS:O	1:C:137:GLY:HA3	2.15	0.47
1:F:33:ILE:HD12	1:F:42:ILE:HD11	1.97	0.47
1:D:67:GLY:HA2	1:D:70:ILE:HD12	1.97	0.46
1:A:120:GLU:CD	1:A:122:HIS:HE2	2.15	0.46
1:B:122:HIS:O	1:B:137:GLY:HA3	2.15	0.46
1:C:99:VAL:CG2	1:C:99:VAL:O	2.63	0.46
1:D:92:GLU:HA	1:D:95:LYS:HE2	1.96	0.46
1:D:98:ILE:HG22	1:D:99:VAL:N	2.31	0.46
1:C:15:GLU:H	1:C:15:GLU:CD	2.19	0.45
1:C:104:ILE:O	1:D:107:VAL:HG13	2.16	0.45
1:A:13:PHE:H	1:A:16:HIS:CD2	2.16	0.45
1:C:107:VAL:HA	1:C:148:GLU:O	2.17	0.45
1:C:22:PRO:CB	4:C:162:4BB:HABA	2.47	0.45
1:E:104:ILE:HB	1:F:107:VAL:HG11	1.99	0.44
1:F:75:ALA:HB2	1:F:101:PHE:CZ	2.52	0.44
1:A:8:LEU:HD12	1:A:8:LEU:C	2.38	0.44
1:E:128:HIS:ND1	5:E:233:HOH:O	2.35	0.44
1:E:95:LYS:HB2	1:E:95:LYS:NZ	2.32	0.44
1:A:108:LYS:HD2	1:B:103:THR:HG22	1.99	0.44
1:C:107:VAL:HG13	1:D:104:ILE:O	2.17	0.44
4:C:162:4BB:OAF	4:C:162:4BB:NAO	2.48	0.43
1:C:36:LEU:HD23	1:C:36:LEU:C	2.38	0.43
1:A:158:ARG:O	1:B:62:LYS:NZ	2.44	0.43
1:A:131:MET:HG3	3:A:162:BEN:H3	2.00	0.43
1:D:75:ALA:CB	1:D:101:PHE:CZ	3.00	0.43
1:D:49:THR:HG23	1:D:52:GLU:HG3	2.01	0.43
1:E:49:THR:HG23	1:E:52:GLU:HG3	2.00	0.43
1:F:110:ARG:NH1	1:F:110:ARG:HG2	2.34	0.43
1:C:22:PRO:CB	4:C:162:4BB:HAL	2.48	0.43
1:E:64:ILE:HD13	1:F:100:TYR:CE2	2.54	0.43
1:A:104:ILE:HB	1:B:107:VAL:HB	2.00	0.43
1:D:12:PHE:HB3	1:D:16:HIS:HB2	2.00	0.43
1:B:29:LEU:H	1:B:76:GLN:NE2	2.09	0.43
1:A:44:ALA:O	1:A:121:TYR:N	2.43	0.43
1:B:107:VAL:HA	1:B:148:GLU:O	2.19	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:122:HIS:O	1:F:137:GLY:HA3	2.19	0.42
1:A:68:VAL:HB	1:B:68:VAL:HB	2.02	0.42
1:E:60:PRO:O	1:F:158:ARG:NH1	2.40	0.42
1:E:83:PHE:C	1:E:83:PHE:CD2	2.93	0.42
1:F:144:LYS:HE3	1:F:144:LYS:HB2	1.81	0.42
1:E:109:PHE:CD1	1:F:101:PHE:HB3	2.55	0.42
1:B:25:TYR:CE2	1:B:26:PRO:HB3	2.54	0.41
1:E:11:GLN:NE2	1:E:13:PHE:CE1	2.88	0.41
1:E:72:GLU:HG3	1:E:76:GLN:HE21	1.85	0.41
1:A:36:LEU:HD13	1:A:36:LEU:C	2.41	0.41
1:D:37:GLN:HE21	1:D:40:GLN:NE2	2.18	0.41
1:E:60:PRO:O	1:E:61:ASN:HB2	2.19	0.41
1:A:122:HIS:O	1:A:137:GLY:HA3	2.20	0.41
1:C:158:ARG:HE	4:C:162:4BB:CAC	2.28	0.41
1:F:97:LYS:CE	1:F:157:GLU:OE2	2.69	0.41
1:A:25:TYR:HA	1:A:26:PRO:HA	1.91	0.41
1:C:108:LYS:HD2	1:C:148:GLU:OE2	2.20	0.41
1:C:80:PHE:CE1	1:C:84:THR:HG21	2.56	0.41
1:E:63:PRO:HG3	5:E:214:HOH:O	2.20	0.41
1:A:29:LEU:N	1:A:76:GLN:HE22	2.08	0.41
1:C:35:GLU:OE2	1:C:41:LYS:HE3	2.21	0.41
1:C:55:PHE:HB2	5:C:184:HOH:O	2.20	0.41
1:D:98:ILE:CG2	1:D:99:VAL:N	2.83	0.41
1:F:39:ASN:ND2	1:F:133:TRP:HH2	2.19	0.41
1:C:33:ILE:HD12	1:C:42:ILE:HD11	2.02	0.41
1:B:95:LYS:HE3	5:B:188:HOH:O	2.21	0.40
4:C:162:4BB:HAAA	5:D:201:HOH:O	2.19	0.40
1:D:97:LYS:N	1:D:158:ARG:HD2	2.36	0.40
1:E:114:THR:HB	1:E:115:PRO:HD2	2.04	0.40
1:B:127:LYS:HB2	1:B:127:LYS:HE3	1.69	0.40
1:B:107:VAL:HG22	1:B:149:ALA:CB	2.52	0.40
1:D:99:VAL:HA	1:D:154:MET:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	150/159 (94%)	145 (97%)	4 (3%)	1 (1%)	22	26
1	B	147/159 (92%)	143 (97%)	3 (2%)	1 (1%)	22	26
1	C	149/159 (94%)	144 (97%)	5 (3%)	0	100	100
1	D	149/159 (94%)	141 (95%)	8 (5%)	0	100	100
1	E	150/159 (94%)	143 (95%)	6 (4%)	1 (1%)	22	26
1	F	147/159 (92%)	142 (97%)	5 (3%)	0	100	100
All	All	892/954 (94%)	858 (96%)	31 (4%)	3 (0%)	41	50

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	51	ASN
1	A	51	ASN
1	B	51	ASN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	131/138 (95%)	126 (96%)	5 (4%)	33	47
1	B	128/138 (93%)	126 (98%)	2 (2%)	62	78
1	C	130/138 (94%)	124 (95%)	6 (5%)	27	38
1	D	130/138 (94%)	126 (97%)	4 (3%)	40	55
1	E	131/138 (95%)	126 (96%)	5 (4%)	33	47
1	F	128/138 (93%)	123 (96%)	5 (4%)	32	46
All	All	778/828 (94%)	751 (96%)	27 (4%)	36	50

All (27) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	A	26	PRO
1	A	98	ILE
1	A	101	PHE
1	A	124	GLU
1	A	158	ARG
1	B	11	GLN
1	B	36	LEU
1	C	26	PRO
1	C	86	LEU
1	C	99	VAL
1	C	105	ASP
1	C	107	VAL
1	C	158	ARG
1	D	8	LEU
1	D	86	LEU
1	D	105	ASP
1	D	107	VAL
1	E	11	GLN
1	E	26	PRO
1	E	101	PHE
1	E	135	VAL
1	E	146	VAL
1	F	18	LEU
1	F	86	LEU
1	F	101	PHE
1	F	107	VAL
1	F	158	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	16	HIS
1	A	51	ASN
1	A	76	GLN
1	A	134	GLN
1	B	16	HIS
1	B	37	GLN
1	B	51	ASN
1	B	76	GLN
1	C	37	GLN
1	C	134	GLN
1	D	9	GLN
1	D	11	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	37	GLN
1	D	39	ASN
1	D	40	GLN
1	D	51	ASN
1	E	9	GLN
1	E	11	GLN
1	E	37	GLN
1	E	51	ASN
1	F	37	GLN
1	F	39	ASN
1	F	40	GLN
1	F	76	GLN
1	F	134	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 6 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	BEN	A	161	-	9,9,9	1.53	1 (11%)	7,11,11	0.58	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	4BB	A	163	-	26,26,26	2.58	3 (11%)	38,38,38	1.29	4 (10%)
3	BEN	E	161	-	9,9,9	1.53	1 (11%)	7,11,11	0.60	0
4	4BB	C	162	-	26,26,26	2.50	3 (11%)	38,38,38	2.80	8 (21%)
3	BEN	A	162	-	9,9,9	1.55	1 (11%)	7,11,11	0.64	0
3	BEN	B	162	-	9,9,9	1.53	1 (11%)	7,11,11	0.65	0
3	BEN	B	161	-	9,9,9	1.53	1 (11%)	7,11,11	0.62	0
3	BEN	C	161	-	9,9,9	1.53	1 (11%)	7,11,11	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BEN	A	161	-	-	0/4/4/4	0/1/1/1
4	4BB	A	163	-	-	1/16/16/16	0/2/2/2
3	BEN	E	161	-	-	0/4/4/4	0/1/1/1
4	4BB	C	162	-	-	5/16/16/16	0/2/2/2
3	BEN	A	162	-	-	0/4/4/4	0/1/1/1
3	BEN	B	162	-	-	4/4/4/4	0/1/1/1
3	BEN	B	161	-	-	0/4/4/4	0/1/1/1
3	BEN	C	161	-	-	4/4/4/4	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	163	4BB	NAP-NAO	-11.89	1.23	1.38
4	C	162	4BB	NAP-NAO	-11.67	1.23	1.38
3	A	162	BEN	C1-C	-4.38	1.39	1.47
3	B	162	BEN	C1-C	-4.33	1.39	1.47
3	B	161	BEN	C1-C	-4.31	1.39	1.47
3	E	161	BEN	C1-C	-4.31	1.39	1.47
3	C	161	BEN	C1-C	-4.31	1.39	1.47
3	A	161	BEN	C1-C	-4.31	1.39	1.47
4	A	163	4BB	CAI-NAO	3.60	1.32	1.28
4	C	162	4BB	CAI-NAO	3.23	1.32	1.28
4	A	163	4BB	CAT-CAI	-3.22	1.39	1.45
4	C	162	4BB	CAT-CAI	-2.85	1.40	1.45

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	162	4BB	CAQ-NAP-NAO	9.90	133.46	118.91
4	C	162	4BB	CAI-NAO-NAP	9.64	132.95	115.96
4	C	162	4BB	CAT-CAI-NAO	-6.35	111.30	120.70
4	C	162	4BB	CAV-CAX-CAU	-3.60	119.31	121.58
4	A	163	4BB	CAV-CAX-CAU	-3.03	119.67	121.58
4	A	163	4BB	CAT-CAI-NAO	2.94	125.05	120.70
4	C	162	4BB	CAT-CAV-CAX	2.92	120.89	118.10
4	C	162	4BB	CAS-CAQ-NAP	2.81	119.93	115.97
4	C	162	4BB	BRAH-CAX-CAV	2.36	122.16	118.57
4	A	163	4BB	CAT-CAV-CAX	2.19	120.20	118.10
4	A	163	4BB	CAV-CAT-CAI	-2.19	118.54	121.01
4	C	162	4BB	BRAG-CAR-CAN	2.15	122.06	118.39

There are no chirality outliers.

All (14) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	C	162	4BB	NAO-CAI-CAT-CAV
4	C	162	4BB	CAI-NAO-NAP-CAQ
4	A	163	4BB	CAI-NAO-NAP-CAQ
4	C	162	4BB	NAO-CAI-CAT-CAN
4	C	162	4BB	OAD-CAQ-NAP-NAO
4	C	162	4BB	CAS-CAQ-NAP-NAO
3	B	162	BEN	N2-C-C1-C2
3	B	162	BEN	N2-C-C1-C6
3	C	161	BEN	N2-C-C1-C2
3	C	161	BEN	N2-C-C1-C6
3	B	162	BEN	N1-C-C1-C2
3	B	162	BEN	N1-C-C1-C6
3	C	161	BEN	N1-C-C1-C2
3	C	161	BEN	N1-C-C1-C6


There are no ring outliers.

5 monomers are involved in 43 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	161	BEN	1	0
4	A	163	4BB	6	0
4	C	162	4BB	31	0
3	A	162	BEN	1	0
3	B	162	BEN	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å²)	Q<0.9
1	A	152/159 (95%)	-0.33	4 (2%)	56	63	10, 18, 33, 39	0
1	B	149/159 (93%)	-0.12	4 (2%)	54	62	10, 18, 31, 42	0
1	C	151/159 (94%)	-0.07	5 (3%)	46	53	12, 19, 33, 44	0
1	D	151/159 (94%)	-0.04	9 (5%)	21	28	10, 19, 36, 44	0
1	E	152/159 (95%)	-0.23	1 (0%)	87	91	12, 20, 33, 39	0
1	F	149/159 (93%)	-0.08	7 (4%)	31	38	11, 19, 33, 41	0
All	All	904/954 (94%)	-0.15	30 (3%)	46	53	10, 19, 34, 44	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	10	SER	6.0
1	F	10	SER	5.3
1	C	159	GLU	4.8
1	E	8	LEU	4.6
1	D	9	GLN	4.5
1	C	9	GLN	4.4
1	A	8	LEU	4.4
1	D	100	TYR	4.1
1	D	10	SER	3.9
1	D	8	LEU	3.6
1	D	96	THR	3.3
1	A	101	PHE	2.9
1	C	10	SER	2.8
1	F	92	GLU	2.5
1	D	95	LYS	2.5
1	B	142	ASP	2.5
1	F	157	GLU	2.4
1	A	129	LYS	2.3
1	F	156	ALA	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	F	11	GLN	2.3
1	B	92	GLU	2.3
1	C	100	TYR	2.3
1	A	159	GLU	2.2
1	B	100	TYR	2.2
1	F	142	ASP	2.2
1	D	158	ARG	2.1
1	D	142	ASP	2.1
1	C	11	GLN	2.1
1	D	61	ASN	2.0
1	F	127	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	BEN	A	161	9/9	0.76	0.30	31,33,38,38	0
4	4BB	A	163	25/25	0.77	0.35	30,44,68,77	0
3	BEN	B	161	9/9	0.78	0.24	26,28,30,30	0
3	BEN	B	162	9/9	0.79	0.30	20,24,32,32	0
4	4BB	C	162	25/25	0.80	0.29	37,39,54,60	0
3	BEN	A	162	9/9	0.85	0.30	31,32,37,37	0
3	BEN	C	161	9/9	0.86	0.24	24,26,34,34	0
3	BEN	E	161	9/9	0.88	0.16	22,23,24,24	0
2	CL	F	160	1/1	0.94	0.15	37,37,37,37	0
2	CL	B	160	1/1	0.94	0.18	58,58,58,58	0
2	CL	D	160	1/1	0.96	0.21	60,60,60,60	0
2	CL	C	160	1/1	0.97	0.08	34,34,34,34	0

*Continued on next page...*






*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	CL	A	160	1/1	0.97	0.12	41,41,41,41	0
2	CL	E	160	1/1	0.97	0.10	40,40,40,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



**Electron density around 4BB A 163:**

2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around 4BB C 162:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.