



# Full wwPDB X-ray Structure Validation Report ⓘ

May 29, 2020 – 02:21 am BST

PDB ID : 3DSQ  
Title : Structure of Desulfitobacterium hafniense PylSc, a pyrrolysyl tRNA synthetase  
Authors : Lee, M.M.; Chan, M.K.  
Deposited on : 2008-07-14  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	288	<div> <div>10%</div> <div> <div></div> <div>61%</div> <div>33%</div> <div>• •</div> </div> </div>
1	B	288	<div> <div>6%</div> <div> <div></div> <div>59%</div> <div>36%</div> <div>• •</div> </div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4706 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyrrolysyl-tRNA synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	278	Total	C	N	O	S	0	0	0
			2250	1436	393	409	12			
1	B	282	Total	C	N	O	S	0	0	0
			2291	1460	405	413	13			

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cl	0	0
			1	1		

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Na	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	79	Total	O	0	0
			79	79		
4	B	84	Total	O	0	0
			84	84		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Pyrrolsyl-tRNA synthetase



#### • Molecule 1: Pyrrolsyl-tRNA synthetase



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	130.18Å 68.47Å 96.29Å 90.00° 136.36° 90.00°	Depositor
Resolution (Å)	36.32 – 2.10 36.32 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.4 (36.32-2.10) 99.5 (36.32-2.10)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	0.10	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.81 (at 2.10Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, $R_{free}$	0.235 , 0.283 0.235 , 0.282	Depositor DCC
$R_{free}$ test set	1720 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	30.3	Xtriage
Anisotropy	0.700	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.40 , 61.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.024 for h+2*l,-k,-l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	4706	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.93% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.36	0/2298	0.63	0/3098
1	B	0.36	0/2339	0.62	0/3152
All	All	0.36	0/4637	0.62	0/6250

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2250	0	2258	99	0
1	B	2291	0	2302	95	0
2	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	79	0	0	7	0
4	B	84	0	0	2	0
All	All	4706	0	4560	187	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (187) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:174:MET:HE1	1:B:256:GLY:HA2	1.23	1.11
1:B:112:HIS:HB3	1:B:113:PRO:HD2	1.34	1.05
1:A:192:GLU:HG2	1:A:209:LEU:HD12	1.55	0.88
1:B:215:VAL:HG22	1:B:216:VAL:H	1.40	0.86
1:B:3:LEU:HD23	1:B:3:LEU:H	1.43	0.81
1:B:54:MET:HE3	1:B:287:ILE:HA	1.63	0.80
1:A:76:LEU:HD22	1:A:80:LEU:HG	1.62	0.80
1:B:107:THR:HG21	1:B:114:LEU:HD22	1.63	0.80
1:B:112:HIS:CB	1:B:113:PRO:HD2	2.11	0.78
1:B:174:MET:HE1	1:B:256:GLY:CA	2.11	0.77
1:B:112:HIS:HB3	1:B:113:PRO:CD	2.11	0.77
1:A:204:ILE:HD11	1:A:230:LEU:HD21	1.69	0.75
1:A:199:LEU:HB3	1:A:204:ILE:HG23	1.70	0.73
1:A:204:ILE:CD1	1:A:230:LEU:HD21	2.22	0.70
1:A:209:LEU:HD22	1:A:223:VAL:HG22	1.73	0.69
1:A:21:ARG:NH1	1:A:286:ASN:HD21	1.90	0.69
1:A:169:LEU:CD1	1:A:258:GLU:HG3	2.22	0.69
1:B:90:VAL:HB	1:B:152:ILE:HD13	1.74	0.69
1:A:90:VAL:HG11	1:B:64:LEU:HD11	1.73	0.69
1:A:206:GLU:O	1:A:225:LYS:HD3	1.93	0.69
1:A:191:LEU:HD13	1:A:221:VAL:HG21	1.74	0.68
1:B:82:LYS:O	1:B:86:GLN:HG3	1.93	0.68
1:B:52:GLN:HE21	1:B:56:GLN:HE21	1.40	0.67
1:B:54:MET:CE	1:B:287:ILE:HA	2.25	0.65
1:B:192:GLU:HG2	1:B:209:LEU:HD13	1.79	0.65
1:B:172:PHE:HD1	1:B:174:MET:HE2	1.61	0.64
1:A:38:ASP:HA	4:A:316:HOH:O	1.97	0.63
1:B:199:LEU:HD11	1:B:223:VAL:HG11	1.79	0.63
1:B:151:ARG:HH21	1:B:190:ARG:HE	1.44	0.63
1:A:64:LEU:HD11	1:B:90:VAL:HG11	1.81	0.63
1:B:120:TRP:CE3	1:B:126:CYS:HB3	2.34	0.63
1:A:225:LYS:CB	1:A:230:LEU:HD11	2.29	0.63
1:A:213:SER:HA	1:A:219:ASP:HA	1.81	0.62
1:A:82:LYS:O	1:A:86:GLN:HG3	2.01	0.61
1:A:208:GLU:HG2	1:A:224:MET:HB2	1.81	0.61
1:B:20:GLN:O	1:B:24:GLU:HG3	2.01	0.60
1:B:52:GLN:NE2	1:B:56:GLN:HE21	1.99	0.60
1:B:272:SER:OG	1:B:282:GLY:HA2	2.02	0.60
1:A:124:LYS:HG3	1:A:125:LYS:HG3	1.84	0.60
1:B:141:GLU:HA	1:B:144:ARG:HH21	1.67	0.60
1:B:124:LYS:HE2	1:B:125:LYS:HE2	1.84	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:215:VAL:C	1:A:217:TYR:H	2.04	0.59
1:B:190:ARG:HH11	1:B:190:ARG:HG2	1.67	0.59
1:A:192:GLU:HG2	1:A:209:LEU:CD1	2.31	0.58
1:B:215:VAL:HG22	1:B:216:VAL:N	2.16	0.58
1:A:28:SER:OG	1:A:31:GLN:HG3	2.04	0.58
1:B:106:MET:HE1	1:B:244:TRP:NE1	2.19	0.58
1:A:15:THR:HG22	1:A:16:LYS:N	2.19	0.57
1:A:225:LYS:HB3	1:A:230:LEU:HD11	1.85	0.57
1:A:258:GLU:HG2	4:A:299:HOH:O	2.05	0.56
1:B:76:LEU:HD22	1:B:80:LEU:HG	1.88	0.56
1:B:103:LEU:HD11	1:B:114:LEU:HG	1.88	0.56
1:B:211:THR:HG22	1:B:221:VAL:HG22	1.88	0.56
1:B:182:THR:O	1:B:249:PRO:HB2	2.05	0.56
1:A:29:GLY:HA2	1:A:32:LEU:HD12	1.88	0.55
1:A:199:LEU:HD22	1:A:204:ILE:HG21	1.88	0.55
1:B:124:LYS:HG3	1:B:125:LYS:HG3	1.88	0.55
1:A:64:LEU:HD13	1:A:64:LEU:C	2.27	0.55
1:B:129:PRO:HG2	1:B:130:MET:SD	2.47	0.55
1:A:231:ALA:HB2	1:A:255:PHE:CD2	2.42	0.54
1:B:215:VAL:HG13	1:B:216:VAL:N	2.22	0.54
1:B:68:LYS:O	1:B:69:HIS:HB2	2.07	0.54
1:A:108:ILE:O	1:A:108:ILE:HG22	2.09	0.53
1:A:21:ARG:HH12	1:A:286:ASN:HD21	1.54	0.53
1:B:114:LEU:O	1:B:118:VAL:HG13	2.09	0.53
1:B:216:VAL:O	1:B:218:GLY:N	2.42	0.53
1:A:236:GLY:HA2	1:A:237:PRO:C	2.29	0.53
1:A:124:LYS:NZ	1:A:125:LYS:HE3	2.24	0.53
1:A:215:VAL:C	1:A:217:TYR:N	2.61	0.53
1:A:114:LEU:HD21	1:A:130:MET:CE	2.39	0.53
1:A:225:LYS:HB2	1:A:230:LEU:HD11	1.91	0.53
1:B:177:LEU:HD13	1:B:194:MET:SD	2.48	0.53
1:B:106:MET:HE2	1:B:244:TRP:CZ2	2.44	0.52
1:A:118:VAL:O	1:A:161:LYS:HE3	2.09	0.52
1:B:227:ASP:OD1	1:B:227:ASP:O	2.27	0.52
1:A:259:ARG:NH2	4:A:319:HOH:O	2.42	0.52
1:B:177:LEU:HD13	1:B:194:MET:CE	2.38	0.52
1:B:62:GLU:OE2	1:B:65:ARG:HD3	2.09	0.52
1:A:139:TRP:HZ2	1:A:178:THR:HB	1.75	0.52
1:A:206:GLU:HB2	1:A:225:LYS:HE2	1.92	0.52
1:A:109:GLY:O	1:A:110:GLU:HB2	2.11	0.51
1:B:238:HIS:ND1	1:B:239:PHE:N	2.59	0.51

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:31:GLN:HA	1:A:34:MET:HG3	1.92	0.51
1:A:155:ILE:HG12	1:A:175:LEU:HD13	1.94	0.50
1:B:258:GLU:HG2	1:B:274:ALA:HB2	1.93	0.50
1:B:94:THR:HB	1:B:95:PRO:CD	2.42	0.50
1:A:208:GLU:CG	1:A:224:MET:HB2	2.41	0.50
1:A:253:LEU:HG	1:A:255:PHE:CE1	2.46	0.50
1:A:190:ARG:O	1:A:194:MET:HG3	2.12	0.49
1:A:122:ASP:OD1	1:A:124:LYS:HG2	2.12	0.49
1:A:54:MET:HE1	1:A:287:ILE:HB	1.94	0.49
1:B:210:VAL:HG21	1:B:224:MET:HE2	1.94	0.49
1:A:54:MET:CE	1:A:287:ILE:HB	2.42	0.49
1:B:213:SER:HA	1:B:218:GLY:O	2.13	0.49
1:A:23:LYS:HG2	1:A:269:HIS:NE2	2.28	0.49
1:B:224:MET:HG2	1:B:229:GLU:HA	1.94	0.49
1:A:191:LEU:CD2	1:A:251:VAL:HG13	2.43	0.49
1:A:212:GLU:O	1:A:214:SER:N	2.46	0.49
1:B:162:GLU:HA	1:B:168:HIS:CE1	2.48	0.49
1:B:2:PHE:N	1:B:2:PHE:CD1	2.79	0.49
1:A:96:THR:HA	1:A:128:ARG:HD3	1.95	0.49
1:B:106:MET:HE3	1:B:133:PRO:HA	1.94	0.48
1:A:212:GLU:C	1:A:214:SER:H	2.16	0.48
1:A:76:LEU:HD22	1:A:80:LEU:CG	2.41	0.48
1:B:192:GLU:HG2	1:B:209:LEU:CD1	2.42	0.48
1:A:93:VAL:HG22	1:B:275:ARG:HG2	1.96	0.48
1:A:64:LEU:HD11	1:B:90:VAL:CG1	2.43	0.48
1:A:286:ASN:O	1:A:287:ILE:HB	2.14	0.48
1:B:28:SER:OG	1:B:31:GLN:HG3	2.13	0.48
1:A:213:SER:O	1:A:215:VAL:N	2.46	0.47
1:A:275:ARG:HG2	1:B:93:VAL:HG22	1.96	0.47
1:B:1:MET:C	1:B:3:LEU:HD23	2.35	0.47
1:A:10:LEU:HA	1:A:36:PHE:O	2.15	0.47
1:A:68:LYS:O	1:A:69:HIS:HB2	2.14	0.47
1:B:236:GLY:HA2	1:B:237:PRO:C	2.35	0.47
1:B:107:THR:HG21	1:B:114:LEU:CD2	2.38	0.47
1:A:54:MET:O	1:A:58:LYS:HG3	2.15	0.47
1:B:112:HIS:CB	1:B:113:PRO:CD	2.83	0.47
1:B:190:ARG:O	1:B:194:MET:HG3	2.15	0.47
1:B:141:GLU:OE2	1:B:144:ARG:NH2	2.48	0.47
1:B:210:VAL:HG21	1:B:224:MET:CE	2.44	0.47
1:A:10:LEU:HD12	1:A:10:LEU:N	2.30	0.47
1:B:139:TRP:O	1:B:143:GLU:HG2	2.15	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:169:LEU:HD11	1:A:258:GLU:HG3	1.94	0.46
1:B:64:LEU:C	1:B:64:LEU:HD13	2.35	0.46
1:B:44:ARG:HD2	4:B:319:HOH:O	2.16	0.46
1:A:90:VAL:CG1	1:B:64:LEU:HD11	2.44	0.46
1:B:80:LEU:HD13	1:B:175:LEU:HD22	1.97	0.46
1:A:124:LYS:HE2	1:A:125:LYS:HE3	1.98	0.46
1:B:61:LEU:O	1:B:65:ARG:HG2	2.16	0.46
1:B:224:MET:HB3	1:B:228:LEU:O	2.16	0.45
1:B:177:LEU:CD1	1:B:253:LEU:HB3	2.47	0.45
1:A:204:ILE:HD13	1:A:230:LEU:HD21	1.98	0.45
1:A:260:LEU:C	1:A:260:LEU:HD23	2.38	0.44
1:A:284:ARG:HG3	1:A:286:ASN:OD1	2.17	0.44
1:B:177:LEU:HD11	1:B:253:LEU:HB3	1.99	0.44
1:B:94:THR:HB	1:B:95:PRO:HD2	1.98	0.44
1:A:15:THR:CG2	1:A:16:LYS:N	2.81	0.44
1:B:3:LEU:CD2	1:B:3:LEU:H	2.22	0.44
1:B:4:THR:HB	1:B:6:ARG:HG2	1.99	0.44
1:A:141:GLU:OE2	1:B:285:LEU:HB2	2.18	0.44
1:A:84:LEU:CD2	1:A:177:LEU:HD23	2.48	0.44
1:A:214:SER:O	1:A:215:VAL:O	2.36	0.44
1:A:44:ARG:NE	4:A:344:HOH:O	2.49	0.44
1:B:25:LEU:HB3	1:B:53:LEU:HB3	2.00	0.44
1:B:187:ARG:HD2	1:B:235:MET:CG	2.47	0.44
1:A:155:ILE:CG1	1:A:175:LEU:HD13	2.48	0.43
1:B:15:THR:OG1	1:B:18:GLN:HG3	2.18	0.43
1:A:207:PHE:HA	1:A:224:MET:O	2.18	0.43
1:A:41:SER:O	1:A:44:ARG:HG3	2.18	0.43
1:A:54:MET:HB3	1:A:287:ILE:HG22	2.00	0.43
1:A:114:LEU:HD21	1:A:130:MET:HE3	2.00	0.43
1:A:120:TRP:CE3	1:A:126:CYS:HB3	2.54	0.43
1:A:183:PRO:HB2	1:A:186:GLU:HG3	2.01	0.42
1:A:259:ARG:HG3	1:A:259:ARG:HH11	1.84	0.42
1:B:139:TRP:HZ2	1:B:178:THR:HB	1.84	0.42
1:A:177:LEU:HD13	1:A:194:MET:CE	2.50	0.42
1:B:101:SER:O	1:B:105:LYS:HG3	2.20	0.42
1:B:52:GLN:HE21	1:B:56:GLN:HG3	1.84	0.42
1:B:119:PHE:CE2	1:B:161:LYS:HG2	2.55	0.42
1:A:149:PRO:HA	1:A:180:LEU:O	2.19	0.42
1:A:212:GLU:C	1:A:214:SER:N	2.74	0.42
1:B:61:LEU:HD23	1:B:61:LEU:HA	1.90	0.42
1:A:287:ILE:HG23	4:A:331:HOH:O	2.19	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:79:LYS:HD2	4:A:338:HOH:O	2.19	0.41
1:B:93:VAL:O	1:B:93:VAL:HG13	2.20	0.41
1:A:285:LEU:C	1:A:287:ILE:H	2.23	0.41
1:B:190:ARG:NH1	1:B:190:ARG:HG2	2.34	0.41
1:A:108:ILE:HG23	1:A:239:PHE:CZ	2.55	0.41
1:B:264:ARG:HD3	1:B:265:GLU:OE1	2.20	0.41
1:A:143:GLU:HA	1:A:150:ILE:HD11	2.01	0.41
1:B:194:MET:HA	1:B:197:TRP:CE3	2.55	0.41
1:A:124:LYS:CE	1:A:125:LYS:HE3	2.50	0.41
1:A:21:ARG:HH21	1:A:54:MET:CE	2.34	0.41
1:B:10:LEU:N	4:B:341:HOH:O	2.47	0.41
1:B:231:ALA:HB2	1:B:255:PHE:CD2	2.56	0.41
1:A:94:THR:HB	1:A:95:PRO:CD	2.51	0.40
1:A:209:LEU:CD2	1:A:223:VAL:HG22	2.46	0.40
1:A:63:GLN:O	1:A:67:VAL:HB	2.22	0.40
1:A:15:THR:HG23	4:A:315:HOH:O	2.22	0.40
1:A:211:THR:HG22	1:A:221:VAL:HG22	2.04	0.40
1:A:21:ARG:HH12	1:A:286:ASN:ND2	2.17	0.40
1:A:199:LEU:HD11	1:A:223:VAL:HG11	2.03	0.40
1:B:189:GLN:NE2	1:B:193:ASP:OD1	2.54	0.40
1:B:105:LYS:HB2	1:B:244:TRP:CZ2	2.55	0.40
1:B:60:HIS:O	1:B:63:GLN:HB3	2.22	0.40
1:B:63:GLN:O	1:B:67:VAL:HB	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	274/288 (95%)	262 (96%)	8 (3%)	4 (2%)	10 5
1	B	276/288 (96%)	264 (96%)	10 (4%)	2 (1%)	22 18

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	550/576 (96%)	526 (96%)	18 (3%)	6 (1%)	14	9

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	215	VAL
1	B	4	THR
1	A	213	SER
1	A	216	VAL
1	B	215	VAL
1	A	214	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	242/252 (96%)	234 (97%)	8 (3%)	38	40
1	B	247/252 (98%)	234 (95%)	13 (5%)	22	20
All	All	489/504 (97%)	468 (96%)	21 (4%)	29	29

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	GLU
1	A	44	ARG
1	A	76	LEU
1	A	136	TYR
1	A	143	GLU
1	A	177	LEU
1	A	267	THR
1	A	272	SER
1	B	2	PHE
1	B	3	LEU
1	B	7	ASP
1	B	42	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	76	LEU
1	B	103	LEU
1	B	112	HIS
1	B	130	MET
1	B	136	TYR
1	B	177	LEU
1	B	185	GLU
1	B	272	SER
1	B	280	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	91	GLN
1	B	52	GLN
1	B	87	GLN
1	B	189	GLN
1	B	269	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	278/288 (96%)	0.59	28 (10%) <b>7</b> <b>9</b>	19, 39, 61, 76	0
1	B	282/288 (97%)	0.51	18 (6%) <b>19</b> <b>24</b>	20, 37, 67, 82	0
All	All	560/576 (97%)	0.55	46 (8%) <b>11</b> <b>15</b>	19, 38, 64, 82	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	247	PHE	7.9
1	B	215	VAL	7.9
1	A	10	LEU	5.2
1	A	217	TYR	5.0
1	B	1	MET	4.9
1	A	36	PHE	4.2
1	A	166	ALA	4.1
1	A	13	PHE	4.1
1	A	247	PHE	3.8
1	B	164	GLN	3.4
1	A	108	ILE	3.4
1	A	109	GLY	3.4
1	A	33	GLU	3.2
1	A	15	THR	3.0
1	B	114	LEU	2.9
1	A	212	GLU	2.9
1	B	216	VAL	2.8
1	A	239	PHE	2.8
1	A	40	LEU	2.8
1	A	51	HIS	2.7
1	B	92	VAL	2.7
1	B	65	ARG	2.6
1	A	216	VAL	2.6
1	A	208	GLU	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	3	LEU	2.6
1	A	12	SER	2.5
1	B	227	ASP	2.5
1	A	209	LEU	2.4
1	B	242	GLU	2.4
1	B	166	ALA	2.4
1	A	242	GLU	2.4
1	A	204	ILE	2.3
1	B	51	HIS	2.3
1	A	205	ARG	2.2
1	A	206	GLU	2.2
1	A	9	PRO	2.2
1	A	74	LEU	2.1
1	B	112	HIS	2.1
1	B	131	LEU	2.1
1	A	131	LEU	2.1
1	B	73	LEU	2.1
1	A	46	PHE	2.1
1	B	4	THR	2.0
1	A	41	SER	2.0
1	B	214	SER	2.0
1	A	175	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	NA	B	289	1/1	0.96	0.13	53,53,53,53	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	CL	A	289	1/1	0.97	0.12	36,36,36,36	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.