



Full wwPDB X-ray Structure Validation Report ⓘ

May 17, 2020 – 01:29 pm BST

PDB ID : 2DU8
Title : Crystal structure of human D-amino acid oxidase
Authors : Kawazoe, T.; Tsuge, H.; Fukui, K.
Deposited on : 2006-07-20
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	347	<div> <div>4%</div> <div> <div></div> <div>73%</div> <div>22%</div> <div>..</div> </div> </div>
1	B	347	<div> <div>2%</div> <div> <div></div> <div>73%</div> <div>22%</div> <div>..</div> </div> </div>
1	G	347	<div> <div>4%</div> <div> <div></div> <div>78%</div> <div>17%</div> <div>..</div> </div> </div>
1	J	347	<div> <div>7%</div> <div> <div></div> <div>71%</div> <div>23%</div> <div>..</div> </div> </div>

2 Entry composition ⓘ

There are 4 unique types of molecules in this entry. The entry contains 11436 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D-amino-acid oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	340	Total	C	N	O	S	0	0	0
			2733	1751	479	494	9			
1	B	340	Total	C	N	O	S	0	0	0
			2733	1751	479	494	9			
1	G	340	Total	C	N	O	S	0	0	0
			2733	1751	479	494	9			
1	J	340	Total	C	N	O	S	0	0	0
			2733	1751	479	494	9			

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	G	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	J	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is BENZOIC ACID (three-letter code: BEZ) (formula: C₇H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			9	7	2		
3	B	1	Total	C	O	0	0
			9	7	2		
3	G	1	Total	C	O	0	0
			9	7	2		
3	J	1	Total	C	O	0	0
			9	7	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	71	Total	O	0	0
			71	71		
4	B	83	Total	O	0	0
			83	83		
4	G	62	Total	O	0	0
			62	62		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	J	40	Total	O	0	0
			40	40		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: D-amino-acid oxidase




• Molecule 1: D-amino-acid oxidase




• Molecule 1: D-amino-acid oxidase





• Molecule 1: D-amino-acid oxidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	150.98 Å 183.18 Å 51.08 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.78 – 2.50 46.78 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.1 (46.78-2.50) 99.1 (46.78-2.50)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.58 (at 2.51 Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.223 , 0.270 0.223 , 0.219	Depositor DCC
R_{free} test set	2469 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	49.4	Xtriage
Anisotropy	0.403	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 38.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	11436	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 22.05 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.1757e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BEZ, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.57	1/2810 (0.0%)	0.66	1/3824 (0.0%)
1	B	0.60	1/2810 (0.0%)	0.68	2/3824 (0.1%)
1	G	0.58	0/2810	0.67	1/3824 (0.0%)
1	J	0.56	1/2810 (0.0%)	0.63	0/3824
All	All	0.58	3/11240 (0.0%)	0.66	4/15296 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	1018	CYS	CB-SG	-6.83	1.70	1.82
1	J	3018	CYS	CB-SG	-5.85	1.72	1.81
1	A	18	CYS	CB-SG	-5.47	1.73	1.81

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	40	THR	N-CA-C	5.23	125.11	111.00
1	G	2040	THR	N-CA-C	5.22	125.10	111.00
1	B	1040	THR	N-CA-C	5.19	125.02	111.00
1	B	1316	LEU	CA-CB-CG	5.04	126.89	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2733	0	2680	64	0
1	B	2733	0	2677	63	0
1	G	2733	0	2677	50	0
1	J	2733	0	2677	69	0
2	A	53	0	31	1	0
2	B	53	0	31	0	0
2	G	53	0	31	0	0
2	J	53	0	31	1	0
3	A	9	0	5	0	0
3	B	9	0	5	0	0
3	G	9	0	5	1	0
3	J	9	0	5	0	0
4	A	71	0	0	4	0
4	B	83	0	0	2	0
4	G	62	0	0	4	0
4	J	40	0	0	1	0
All	All	11436	0	10855	242	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (242) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:192:ASP:HB3	4:A:403:HOH:O	1.26	1.28
1:J:3180:ASN:HD22	1:J:3307:HIS:HD2	1.09	0.96
1:B:1028:GLN:HB3	1:B:1029:PRO:HD3	1.53	0.91
1:J:3241:ILE:HD12	1:J:3259:ILE:HD11	1.51	0.89
1:G:2241:ILE:HD13	1:G:2255:ASP:HB3	1.56	0.88
1:G:2028:GLN:HB3	1:G:2029:PRO:HD3	1.55	0.87
1:J:3102:ILE:HG13	1:J:3103:PRO:HD2	1.57	0.87
1:J:3028:GLN:HB3	1:J:3029:PRO:HD3	1.60	0.84
1:A:201:GLN:HE22	1:A:252:ASN:H	1.25	0.81
1:J:3241:ILE:HD13	1:J:3255:ASP:HB3	1.61	0.81
1:A:1:MET:CE	1:A:176:ASP:HB2	2.10	0.80
1:J:3297:ARG:HA	1:J:3302:ASN:HB3	1.62	0.80
1:B:1297:ARG:HA	1:B:1302:ASN:HB3	1.64	0.80
1:B:1180:ASN:HD22	1:B:1307:HIS:HD2	1.28	0.80
1:J:3001:MET:HE1	1:J:3176:ASP:HB2	1.63	0.80
1:A:180:ASN:HD22	1:A:307:HIS:HD2	1.31	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:MET:HE3	1:A:176:ASP:HB2	1.69	0.75
1:B:1001:MET:CE	1:B:1176:ASP:HB2	2.17	0.74
1:B:1066:ASP:O	1:B:1070:GLN:HG3	1.89	0.73
1:G:2241:ILE:CD1	1:G:2255:ASP:HB3	2.20	0.71
1:A:102:ILE:HD12	1:A:103:PRO:HD2	1.73	0.71
1:A:40:THR:HG23	1:A:41:PRO:HD3	1.74	0.70
1:G:2091:LEU:HD23	1:G:2137:LEU:HD23	1.72	0.70
1:B:1168:GLU:O	1:B:1172:ARG:HD3	1.92	0.69
1:J:3197:PRO:HG3	1:J:3247:TRP:CE2	2.28	0.69
1:J:3241:ILE:CD1	1:J:3255:ASP:HB3	2.22	0.68
1:G:2199:ARG:HH22	1:G:2201:GLN:NE2	1.92	0.68
1:B:1201:GLN:HE22	1:B:1252:ASN:H	1.41	0.68
1:G:2316:LEU:O	1:G:2319:HIS:HD2	1.77	0.68
1:B:1241:ILE:HG12	1:B:1259:ILE:HD11	1.76	0.67
1:J:3180:ASN:ND2	1:J:3307:HIS:HD2	1.89	0.66
1:A:241:ILE:HD13	1:A:255:ASP:HB3	1.77	0.66
1:A:79:VAL:HG13	1:A:80:HIS:CD2	2.30	0.66
1:J:3241:ILE:CD1	1:J:3259:ILE:HD11	2.26	0.66
1:A:56:LEU:HD11	1:A:132:TRP:HH2	1.61	0.65
1:J:3199:ARG:HH22	1:J:3201:GLN:NE2	1.93	0.65
1:G:2180:ASN:HD22	1:G:2307:HIS:HD2	1.43	0.65
1:A:197:PRO:HG3	1:A:247:TRP:CZ2	2.31	0.64
1:A:1:MET:HE1	1:A:176:ASP:HB2	1.79	0.64
1:A:291:LEU:HA	1:A:307:HIS:O	1.98	0.64
1:A:38:ARG:HG2	2:A:351:FAD:O2B	1.98	0.64
1:J:3252:ASN:HD22	1:J:3255:ASP:H	1.46	0.64
1:G:2091:LEU:HD23	1:G:2137:LEU:CD2	2.28	0.64
1:A:252:ASN:HD21	1:A:254:GLN:HB2	1.62	0.64
1:A:201:GLN:NE2	1:A:252:ASN:H	1.96	0.63
1:A:37:ASP:OD2	1:A:38:ARG:NH1	2.32	0.63
1:A:28:GLN:HB3	1:A:29:PRO:HD3	1.80	0.63
1:G:2243:GLN:NE2	1:G:2246:ASN:HD22	1.97	0.63
1:B:1001:MET:HE3	1:B:1176:ASP:HB2	1.80	0.62
1:G:2221:ARG:HG3	1:G:2225:ASN:HB3	1.80	0.62
1:A:91:LEU:HD23	1:A:137:LEU:HD23	1.81	0.62
1:G:2040:THR:HG23	1:G:2041:PRO:HD3	1.81	0.62
1:J:3180:ASN:HD22	1:J:3307:HIS:CD2	2.02	0.62
1:J:3201:GLN:HE22	1:J:3252:ASN:H	1.45	0.62
1:G:2254:GLN:HG3	4:G:208:HOH:O	1.99	0.61
1:B:1112:LEU:HB2	1:B:1135:THR:HB	1.80	0.61
1:A:239:GLY:HA2	1:A:259:ILE:HD12	1.82	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:2038:ARG:NH2	4:G:221:HOH:O	2.27	0.60
1:A:215:LEU:HD23	1:A:228:TYR:HB2	1.83	0.60
1:B:1233:THR:HG23	1:B:1234:GLN:HG2	1.83	0.60
1:J:3255:ASP:O	1:J:3259:ILE:HG12	2.01	0.59
1:B:1296:LEU:O	1:B:1302:ASN:HB2	2.02	0.59
1:J:3286:ARG:CZ	1:J:3290:ARG:HB2	2.33	0.59
1:A:252:ASN:ND2	1:A:254:GLN:HB2	2.17	0.59
1:J:3079:VAL:HG13	1:J:3080:HIS:HD2	1.68	0.59
1:J:3199:ARG:HH22	1:J:3201:GLN:HE21	1.49	0.58
1:B:1221:ARG:HH21	1:B:1221:ARG:HB2	1.67	0.58
1:J:3001:MET:CE	1:J:3176:ASP:HB2	2.30	0.58
1:B:1039:PHE:O	1:B:1041:PRO:HD2	2.04	0.58
1:A:241:ILE:CD1	1:A:255:ASP:HB3	2.33	0.58
1:B:1197:PRO:HG3	1:B:1247:TRP:CE2	2.39	0.58
1:A:241:ILE:HD12	1:A:259:ILE:HD11	1.86	0.58
1:B:1104:ASP:OD1	1:B:1116:LYS:HE2	2.03	0.58
1:J:3178:ILE:HB	1:J:3305:VAL:HG22	1.87	0.57
1:J:3001:MET:HG2	1:J:3027:LEU:HD13	1.87	0.57
1:B:1197:PRO:HG3	1:B:1247:TRP:CZ2	2.39	0.57
1:G:2028:GLN:HB3	1:G:2029:PRO:CD	2.33	0.57
1:B:1199:ARG:HH22	1:B:1201:GLN:HE21	1.54	0.56
1:B:1028:GLN:HB3	1:B:1029:PRO:CD	2.30	0.56
1:G:2291:LEU:HA	1:G:2307:HIS:O	2.05	0.56
1:A:81:SER:HB2	1:A:82:PRO:HD2	1.88	0.56
1:J:3040:THR:O	1:J:3046:ASP:OD2	2.23	0.56
1:A:267:GLU:O	1:A:270:LEU:HB2	2.06	0.56
1:G:2201:GLN:HE22	1:G:2252:ASN:H	1.53	0.56
1:A:201:GLN:C	4:A:400:HOH:O	2.43	0.56
1:G:2140:GLU:OE1	1:G:2233:THR:HG22	2.06	0.55
1:J:3150:GLU:HG3	1:J:3151:ARG:HH11	1.71	0.55
1:B:1252:ASN:HD21	1:B:1254:GLN:HB2	1.71	0.55
1:B:1202:ILE:O	1:B:1278:GLU:HG3	2.06	0.55
1:B:1140:GLU:OE1	1:B:1233:THR:CG2	2.55	0.55
1:J:3252:ASN:ND2	1:J:3255:ASP:H	2.05	0.55
1:G:2252:ASN:HD21	1:G:2254:GLN:HB2	1.72	0.54
1:B:1061:ASN:HD21	1:B:1063:GLN:HB2	1.72	0.54
1:J:3201:GLN:NE2	1:J:3252:ASN:H	2.05	0.54
1:A:180:ASN:HD22	1:A:307:HIS:CD2	2.18	0.54
1:A:140:GLU:OE1	1:A:233:THR:HG22	2.08	0.54
1:A:18:CYS:SG	1:A:324:LEU:HD23	2.47	0.54
1:G:2180:ASN:HD22	1:G:2307:HIS:CD2	2.25	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:2115:ARG:HH22	1:J:3113:GLY:HA3	1.73	0.53
1:A:184:VAL:HG23	1:A:284:PRO:HA	1.90	0.53
1:B:1184:VAL:HG23	1:B:1284:PRO:HA	1.89	0.53
1:G:2040:THR:O	1:G:2046:ASP:OD2	2.26	0.53
1:G:2079:VAL:HG13	1:G:2080:HIS:CD2	2.44	0.52
1:G:2196:GLN:HG3	1:G:2244:LEU:HD22	1.90	0.52
1:A:316:LEU:O	1:A:319:HIS:HD2	1.91	0.52
1:A:56:LEU:HD11	1:A:132:TRP:CH2	2.41	0.52
1:B:1140:GLU:OE1	1:B:1233:THR:HG22	2.09	0.52
1:B:1089:LEU:HD23	1:B:1090:PHE:N	2.24	0.52
1:G:2197:PRO:HG3	1:G:2247:TRP:CE2	2.44	0.52
1:B:1018:CYS:O	1:B:1022:ARG:HB2	2.09	0.52
1:A:216:THR:O	1:A:226:SER:HB3	2.10	0.52
1:G:2241:ILE:HD12	1:G:2259:ILE:HD11	1.91	0.52
1:B:1199:ARG:HH22	1:B:1201:GLN:NE2	2.07	0.52
1:G:2140:GLU:OE1	1:G:2233:THR:CG2	2.59	0.51
1:G:2168:GLU:HB3	1:G:2172:ARG:NH1	2.26	0.51
1:A:141:GLY:O	1:A:145:LEU:HB2	2.11	0.51
1:G:2120:ARG:HA	1:G:2120:ARG:HE	1.76	0.51
1:B:1255:ASP:O	1:B:1259:ILE:HG12	2.11	0.51
1:A:79:VAL:HG13	1:A:80:HIS:HD2	1.73	0.51
1:A:168:GLU:O	1:A:172:ARG:HD3	2.10	0.51
1:A:197:PRO:HG2	1:A:247:TRP:CE2	2.46	0.51
1:J:3297:ARG:HA	1:J:3302:ASN:CB	2.39	0.51
1:B:1079:VAL:HG13	1:B:1080:HIS:CD2	2.46	0.50
1:J:3252:ASN:HD21	1:J:3254:GLN:HB2	1.76	0.50
1:A:102:ILE:CD1	1:A:103:PRO:HD2	2.39	0.50
1:G:2017:LEU:HB2	1:G:2152:LEU:HD11	1.94	0.50
1:A:112:LEU:HB2	1:A:135:THR:HB	1.92	0.50
1:A:151:ARG:O	1:A:155:ARG:HG3	2.12	0.50
1:B:1221:ARG:NH2	1:B:1221:ARG:HB2	2.26	0.50
1:A:117:LEU:HD12	1:A:131:GLY:HA3	1.94	0.50
1:B:1001:MET:HE1	1:B:1176:ASP:HB2	1.94	0.50
1:J:3140:GLU:OE1	1:J:3233:THR:CG2	2.60	0.50
1:A:83:ASN:O	1:A:87:LEU:CD1	2.60	0.49
1:J:3241:ILE:HD12	1:J:3259:ILE:CD1	2.35	0.49
1:J:3028:GLN:HB3	1:J:3029:PRO:CD	2.39	0.49
1:A:91:LEU:HD11	1:B:1124:MET:SD	2.51	0.49
1:B:1089:LEU:HA	1:B:1138:ILE:O	2.12	0.49
1:B:1201:GLN:NE2	1:B:1252:ASN:H	2.08	0.49
1:A:17:LEU:HB2	1:A:152:LEU:HD11	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1040:THR:CG2	1:B:1041:PRO:HD3	2.43	0.48
1:B:1241:ILE:HG12	1:B:1259:ILE:CD1	2.43	0.48
1:B:1291:LEU:HA	1:B:1307:HIS:O	2.13	0.48
1:A:199:ARG:HH22	1:A:201:GLN:NE2	2.11	0.48
1:G:2241:ILE:CD1	1:G:2259:ILE:HD11	2.43	0.48
1:G:2243:GLN:HE21	1:G:2246:ASN:HD22	1.61	0.48
1:G:2294:GLU:OE2	1:G:2307:HIS:HE1	1.96	0.48
1:B:1076:LEU:O	1:B:1079:VAL:HG12	2.13	0.48
1:B:1180:ASN:HD22	1:B:1307:HIS:CD2	2.19	0.48
1:G:2199:ARG:HH22	1:G:2201:GLN:HE22	1.60	0.48
1:J:3104:ASP:HB3	1:J:3108:LYS:HD3	1.95	0.48
1:A:197:PRO:CG	1:A:247:TRP:CE2	2.97	0.48
1:B:1197:PRO:CG	1:B:1247:TRP:CE2	2.97	0.47
1:G:2272:ASN:HB2	4:J:126:HOH:O	2.13	0.47
1:J:3010:VAL:HB	1:J:3045:THR:HG21	1.94	0.47
1:J:3056:LEU:HD11	1:J:3132:TRP:HH2	1.78	0.47
1:J:3274:ARG:HA	1:J:3274:ARG:HE	1.79	0.47
1:J:3328:LYS:HG2	1:J:3332:ARG:HH12	1.79	0.47
1:G:2091:LEU:HD11	1:J:3124:MET:SD	2.54	0.47
1:J:3168:GLU:OE1	1:J:3298:THR:HB	2.14	0.47
1:A:140:GLU:OE1	1:A:233:THR:CG2	2.62	0.47
1:J:3286:ARG:HG2	1:J:3287:PRO:HD2	1.96	0.47
1:J:3079:VAL:HG13	1:J:3080:HIS:CD2	2.49	0.47
1:G:2196:GLN:HG3	1:G:2244:LEU:CD2	2.45	0.47
1:J:3052:TRP:CD1	1:J:3317:THR:HG23	2.50	0.47
1:A:315:GLY:O	1:A:319:HIS:HB3	2.15	0.47
1:A:83:ASN:O	1:A:87:LEU:HD13	2.14	0.47
1:B:1027:LEU:HD11	1:B:1334:LEU:HD21	1.97	0.47
1:G:2140:GLU:OE2	1:G:2233:THR:HG22	2.15	0.46
1:J:3017:LEU:HA	1:J:3152:LEU:HD11	1.97	0.46
1:G:2313:GLY:O	3:G:2352:BEZ:H6	2.16	0.46
1:B:1039:PHE:HE1	1:B:1159:PHE:CD1	2.34	0.46
1:G:2081:SER:HB2	1:G:2082:PRO:HD2	1.96	0.46
1:J:3267:GLU:O	1:J:3270:LEU:HB2	2.16	0.46
1:B:1252:ASN:ND2	1:B:1254:GLN:HB2	2.31	0.46
1:B:1150:GLU:O	1:B:1154:GLU:HG2	2.16	0.45
1:J:3151:ARG:HE	1:J:3151:ARG:CA	2.28	0.45
1:J:3140:GLU:OE1	1:J:3233:THR:HG22	2.15	0.45
1:A:296:LEU:O	1:A:302:ASN:HB2	2.17	0.45
1:J:3091:LEU:HD23	1:J:3137:LEU:HD23	1.98	0.45
1:A:241:ILE:CD1	1:A:259:ILE:HD11	2.45	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:298:THR:O	1:A:298:THR:HG23	2.15	0.45
1:B:1040:THR:HG23	1:B:1041:PRO:HD3	1.99	0.45
1:G:2202:ILE:O	1:G:2278:GLU:HG3	2.17	0.45
1:A:115:ARG:HH22	1:B:1113:GLY:HA3	1.81	0.45
1:J:3056:LEU:HD11	1:J:3132:TRP:CH2	2.52	0.45
1:J:3296:LEU:O	1:J:3302:ASN:HB2	2.17	0.45
1:B:1089:LEU:C	1:B:1089:LEU:HD23	2.36	0.44
1:G:2102:ILE:HD12	1:G:2103:PRO:HD2	1.99	0.44
1:B:1039:PHE:CE1	1:B:1159:PHE:HD1	2.35	0.44
1:J:3081:SER:HB2	1:J:3082:PRO:HD2	1.99	0.44
1:G:2197:PRO:HG3	1:G:2247:TRP:CZ2	2.53	0.44
1:G:2179:VAL:HG12	1:G:2181:CYS:SG	2.57	0.44
1:J:3299:GLY:HA3	1:J:3300:PRO:HD2	1.84	0.44
1:G:2252:ASN:HD22	1:G:2255:ASP:CG	2.20	0.44
1:A:1:MET:HE1	1:A:176:ASP:CB	2.47	0.44
1:A:40:THR:CG2	1:A:41:PRO:HD3	2.45	0.44
1:J:3252:ASN:HD21	1:J:3254:GLN:CB	2.31	0.44
1:A:197:PRO:CG	1:A:247:TRP:CZ2	3.00	0.43
1:B:1053:GLN:HB2	4:B:54:HOH:O	2.18	0.43
1:A:242:PHE:HE1	1:A:244:LEU:HG	1.83	0.43
1:G:2006:ILE:HA	1:G:2035:TYR:O	2.18	0.43
1:G:2299:GLY:HA3	1:G:2300:PRO:HD2	1.89	0.43
1:J:3039:PHE:O	1:J:3041:PRO:HD2	2.18	0.43
1:G:2120:ARG:HB2	4:G:229:HOH:O	2.18	0.43
1:J:3170:VAL:O	1:J:3173:GLU:HG2	2.19	0.43
1:B:1225:ASN:ND2	1:B:1242:PHE:H	2.17	0.43
1:G:2140:GLU:CD	1:G:2233:THR:HG22	2.39	0.43
1:J:3079:VAL:HA	1:J:3089:LEU:HD13	2.00	0.43
1:J:3315:GLY:O	1:J:3319:HIS:HB3	2.19	0.43
1:B:1252:ASN:HD22	1:B:1255:ASP:H	1.67	0.42
1:J:3290:ARG:NH2	1:J:3294:GLU:OE2	2.52	0.42
1:B:1061:ASN:ND2	1:B:1063:GLN:HB2	2.33	0.42
1:J:3112:LEU:HB2	1:J:3135:THR:HB	2.01	0.42
1:J:3233:THR:HG23	1:J:3234:GLN:HG2	2.01	0.42
1:J:3199:ARG:NH2	1:J:3201:GLN:HE21	2.14	0.42
1:A:195:LEU:HA	1:A:286:ARG:HG3	2.01	0.42
1:B:1118:THR:HB	1:B:1119:PRO:HD2	2.01	0.42
1:B:1040:THR:O	1:B:1046:ASP:OD2	2.38	0.42
1:J:3040:THR:OG1	1:J:3145:LEU:HB3	2.20	0.42
1:J:3038:ARG:HG2	2:J:3351:FAD:O2B	2.19	0.41
1:J:3136:SER:OG	1:J:3137:LEU:N	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:2002:ARG:HG2	1:G:2002:ARG:HH11	1.84	0.41
1:B:1081:SER:HB2	1:B:1082:PRO:HD2	2.02	0.41
1:B:1297:ARG:HB2	1:B:1297:ARG:CZ	2.51	0.41
1:A:201:GLN:O	4:A:400:HOH:O	2.22	0.41
1:A:24:HIS:HE1	4:A:394:HOH:O	2.03	0.41
1:J:3001:MET:HE3	1:J:3002:ARG:N	2.36	0.41
1:J:3040:THR:CG2	1:J:3041:PRO:HD3	2.51	0.41
1:A:151:ARG:O	1:A:154:GLU:HG2	2.21	0.41
1:A:91:LEU:HD23	1:A:137:LEU:CD2	2.50	0.41
1:B:1116:LYS:HD2	1:B:1130:TYR:OH	2.21	0.41
1:J:3005:VAL:HG13	1:J:3179:VAL:HB	2.03	0.41
1:B:1151:ARG:HD2	4:B:136:HOH:O	2.20	0.41
1:B:1218:ASP:HA	1:B:1219:PRO:HD2	1.82	0.41
1:A:56:LEU:CD1	1:A:132:TRP:HH2	2.29	0.41
1:J:3297:ARG:H	1:J:3297:ARG:NE	2.19	0.41
1:B:1146:GLN:HA	1:B:1146:GLN:NE2	2.36	0.40
1:B:1093:SER:O	1:B:1212:HIS:HA	2.21	0.40
1:B:1052:TRP:CD1	1:B:1317:THR:HG23	2.56	0.40
1:J:3013:LEU:HA	1:J:3013:LEU:HD23	1.92	0.40
1:G:2166:SER:HB2	4:G:18:HOH:O	2.21	0.40
1:J:3116:LYS:HD2	1:J:3130:TYR:OH	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	338/347 (97%)	310 (92%)	26 (8%)	2 (1%)	25	43
1	B	338/347 (97%)	320 (95%)	17 (5%)	1 (0%)	41	61
1	G	338/347 (97%)	319 (94%)	16 (5%)	3 (1%)	17	31
1	J	338/347 (97%)	315 (93%)	21 (6%)	2 (1%)	25	43

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1352/1388 (97%)	1264 (94%)	80 (6%)	8 (1%)	25	43

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	40	THR
1	B	1040	THR
1	G	2040	THR
1	J	3040	THR
1	G	2053	GLN
1	G	2300	PRO
1	J	3240	GLY
1	A	240	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	292/299 (98%)	270 (92%)	22 (8%)	13	26
1	B	292/299 (98%)	269 (92%)	23 (8%)	12	24
1	G	292/299 (98%)	272 (93%)	20 (7%)	16	30
1	J	292/299 (98%)	270 (92%)	22 (8%)	13	26
All	All	1168/1196 (98%)	1081 (93%)	87 (7%)	13	27

All (87) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	ARG
1	A	42	LEU
1	A	56	LEU
1	A	58	ASP
1	A	89	LEU
1	A	115	ARG
1	A	120	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	127	ASP
1	A	151	ARG
1	A	152	LEU
1	A	191	ARG
1	A	196	GLN
1	A	205	VAL
1	A	238	LEU
1	A	261	GLU
1	A	265	ARG
1	A	266	LEU
1	A	270	LEU
1	A	271	LYS
1	A	274	ARG
1	A	286	ARG
1	A	297	ARG
1	B	1022	ARG
1	B	1056	LEU
1	B	1089	LEU
1	B	1102	ILE
1	B	1108	LYS
1	B	1115	ARG
1	B	1120	ARG
1	B	1145	LEU
1	B	1151	ARG
1	B	1152	LEU
1	B	1172	ARG
1	B	1184	VAL
1	B	1191	ARG
1	B	1205	VAL
1	B	1221	ARG
1	B	1225	ASN
1	B	1261	GLU
1	B	1265	ARG
1	B	1266	LEU
1	B	1270	LEU
1	B	1295	GLN
1	B	1297	ARG
1	B	1332	ARG
1	G	2018	CYS
1	G	2028	GLN
1	G	2089	LEU
1	G	2102	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	2112	LEU
1	G	2115	ARG
1	G	2120	ARG
1	G	2151	ARG
1	G	2152	LEU
1	G	2158	LYS
1	G	2191	ARG
1	G	2205	VAL
1	G	2221	ARG
1	G	2266	LEU
1	G	2270	LEU
1	G	2271	LYS
1	G	2274	ARG
1	G	2295	GLN
1	G	2297	ARG
1	G	2316	LEU
1	J	3056	LEU
1	J	3058	ASP
1	J	3089	LEU
1	J	3115	ARG
1	J	3145	LEU
1	J	3151	ARG
1	J	3152	LEU
1	J	3161	GLN
1	J	3172	ARG
1	J	3191	ARG
1	J	3205	VAL
1	J	3226	SER
1	J	3254	GLN
1	J	3261	GLU
1	J	3266	LEU
1	J	3270	LEU
1	J	3271	LYS
1	J	3274	ARG
1	J	3295	GLN
1	J	3296	LEU
1	J	3297	ARG
1	J	3298	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (45) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	69	GLN
1	A	80	HIS
1	A	143	ASN
1	A	161	GLN
1	A	196	GLN
1	A	201	GLN
1	A	225	ASN
1	A	243	GLN
1	A	252	ASN
1	A	307	HIS
1	A	319	HIS
1	B	1063	GLN
1	B	1069	GLN
1	B	1080	HIS
1	B	1146	GLN
1	B	1201	GLN
1	B	1225	ASN
1	B	1243	GLN
1	B	1252	ASN
1	B	1288	GLN
1	B	1307	HIS
1	B	1319	HIS
1	G	2053	GLN
1	G	2063	GLN
1	G	2069	GLN
1	G	2080	HIS
1	G	2096	ASN
1	G	2161	GLN
1	G	2196	GLN
1	G	2201	GLN
1	G	2243	GLN
1	G	2252	ASN
1	G	2307	HIS
1	G	2319	HIS
1	J	3060	ASN
1	J	3063	GLN
1	J	3080	HIS
1	J	3143	ASN
1	J	3196	GLN
1	J	3201	GLN
1	J	3243	GLN
1	J	3252	ASN
1	J	3288	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	J	3307	HIS
1	J	3319	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	B	1351	-	51,58,58	1.08	4 (7%)	60,89,89	1.86	10 (16%)
2	FAD	J	3351	-	51,58,58	0.99	3 (5%)	60,89,89	1.77	11 (18%)
3	BEZ	B	1352	-	7,9,9	1.24	1 (14%)	8,11,11	0.71	0
3	BEZ	J	3352	-	7,9,9	1.49	1 (14%)	8,11,11	0.55	0
2	FAD	G	2351	-	51,58,58	0.95	3 (5%)	60,89,89	1.92	9 (15%)
2	FAD	A	351	-	51,58,58	1.05	4 (7%)	60,89,89	1.89	14 (23%)
3	BEZ	A	352	-	7,9,9	1.50	1 (14%)	8,11,11	0.41	0
3	BEZ	G	2352	-	7,9,9	1.31	1 (14%)	8,11,11	0.77	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	B	1351	-	-	1/30/50/50	0/6/6/6
2	FAD	J	3351	-	-	1/30/50/50	0/6/6/6
3	BEZ	B	1352	-	-	0/0/4/4	0/1/1/1
3	BEZ	J	3352	-	-	0/0/4/4	0/1/1/1
2	FAD	G	2351	-	-	1/30/50/50	0/6/6/6
2	FAD	A	351	-	-	1/30/50/50	0/6/6/6
3	BEZ	A	352	-	-	0/0/4/4	0/1/1/1
3	BEZ	G	2352	-	-	0/0/4/4	0/1/1/1

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	352	BEZ	C1-C	3.65	1.51	1.47
3	J	3352	BEZ	C1-C	3.63	1.51	1.47
2	B	1351	FAD	O4B-C1B	3.40	1.45	1.41
2	A	351	FAD	C9A-N10	3.32	1.43	1.38
2	B	1351	FAD	C9A-N10	3.12	1.42	1.38
3	G	2352	BEZ	C1-C	3.07	1.50	1.47
3	B	1352	BEZ	C1-C	2.81	1.50	1.47
2	G	2351	FAD	C9A-N10	2.80	1.42	1.38
2	J	3351	FAD	C9A-N10	2.55	1.42	1.38
2	A	351	FAD	C4X-N5	2.49	1.36	1.33
2	A	351	FAD	C4-N3	2.40	1.37	1.33
2	G	2351	FAD	O4B-C1B	2.35	1.44	1.41
2	G	2351	FAD	C2A-N3A	2.32	1.35	1.32
2	B	1351	FAD	C4X-N5	2.30	1.36	1.33
2	J	3351	FAD	C4X-N5	2.27	1.36	1.33
2	J	3351	FAD	C4-N3	2.19	1.36	1.33
2	A	351	FAD	O4B-C1B	2.06	1.44	1.41
2	B	1351	FAD	C4-N3	2.05	1.36	1.33

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	2351	FAD	C1'-N10-C9A	7.17	123.94	118.29
2	A	351	FAD	C4X-N5-C5X	6.37	123.13	116.77
2	A	351	FAD	C1'-N10-C9A	6.08	123.08	118.29
2	G	2351	FAD	C4-N3-C2	5.91	120.13	115.14
2	B	1351	FAD	C4X-N5-C5X	5.86	122.62	116.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	J	3351	FAD	C4-N3-C2	5.69	119.95	115.14
2	B	1351	FAD	C4-N3-C2	5.57	119.84	115.14
2	A	351	FAD	C4-N3-C2	5.55	119.83	115.14
2	B	1351	FAD	N3A-C2A-N1A	-5.43	120.20	128.68
2	G	2351	FAD	N3A-C2A-N1A	-5.30	120.40	128.68
2	B	1351	FAD	C1'-N10-C9A	5.22	122.40	118.29
2	J	3351	FAD	C4X-N5-C5X	5.05	121.81	116.77
2	A	351	FAD	N3A-C2A-N1A	-4.68	121.36	128.68
2	J	3351	FAD	C1'-N10-C9A	4.63	121.94	118.29
2	J	3351	FAD	N3A-C2A-N1A	-4.59	121.51	128.68
2	G	2351	FAD	C4X-N5-C5X	4.45	121.22	116.77
2	G	2351	FAD	C9A-N10-C10	-3.48	117.36	121.91
2	B	1351	FAD	C4-C4X-N5	3.40	122.48	118.60
2	G	2351	FAD	C4-C4X-N5	3.30	122.37	118.60
2	A	351	FAD	C4-C4X-N5	3.24	122.30	118.60
2	J	3351	FAD	C5X-C9A-N10	3.03	119.91	117.72
2	J	3351	FAD	C9A-N10-C10	-2.96	118.04	121.91
2	J	3351	FAD	C4-C4X-N5	2.90	121.91	118.60
2	J	3351	FAD	C4-C4X-C10	-2.89	118.04	119.95
2	A	351	FAD	C10-C4X-N5	-2.87	119.27	121.26
2	B	1351	FAD	C4-C4X-C10	-2.86	118.06	119.95
2	G	2351	FAD	C4X-C4-N3	-2.73	119.70	123.43
2	G	2351	FAD	C10-C4X-N5	-2.68	119.40	121.26
2	A	351	FAD	O4B-C1B-C2B	-2.66	103.03	106.93
2	J	3351	FAD	C1B-N9A-C4A	-2.62	122.04	126.64
2	G	2351	FAD	C4-C4X-C10	-2.61	118.22	119.95
2	B	1351	FAD	C10-C4X-N5	-2.60	119.46	121.26
2	A	351	FAD	C4A-C5A-N7A	-2.46	106.83	109.40
2	A	351	FAD	C4X-C4-N3	-2.45	120.08	123.43
2	J	3351	FAD	C4X-C4-N3	-2.45	120.08	123.43
2	A	351	FAD	C5X-C9A-N10	2.31	119.39	117.72
2	B	1351	FAD	C4A-C5A-N7A	-2.30	107.00	109.40
2	A	351	FAD	C4-C4X-C10	-2.30	118.43	119.95
2	A	351	FAD	C9A-C5X-N5	-2.18	118.95	122.36
2	A	351	FAD	O3'-C3'-C4'	-2.16	103.59	108.81
2	B	1351	FAD	O2'-C2'-C3'	2.16	114.34	109.10
2	A	351	FAD	C9A-N10-C10	-2.13	119.12	121.91
2	B	1351	FAD	O2'-C2'-C1'	-2.12	104.50	109.59
2	J	3351	FAD	C4A-C5A-N7A	-2.03	107.28	109.40

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	G	2351	FAD	O4B-C4B-C5B-O5B
2	B	1351	FAD	O4B-C4B-C5B-O5B
2	J	3351	FAD	O4B-C4B-C5B-O5B
2	A	351	FAD	O4B-C4B-C5B-O5B


There are no ring outliers.


3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	J	3351	FAD	1	0
2	A	351	FAD	1	0
3	G	2352	BEZ	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	340/347 (97%)	0.18	13 (3%) 40 43	33, 49, 72, 82	0
1	B	340/347 (97%)	0.13	8 (2%) 59 62	32, 47, 72, 89	0
1	G	340/347 (97%)	0.23	14 (4%) 37 40	30, 48, 70, 87	0
1	J	340/347 (97%)	0.44	23 (6%) 17 17	35, 54, 79, 98	0
All	All	1360/1388 (97%)	0.24	58 (4%) 35 38	30, 50, 74, 98	0

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	2339	LEU	11.3
1	J	3339	LEU	10.1
1	J	3340	SER	9.3
1	J	3300	PRO	9.1
1	J	3301	SER	8.6
1	G	2340	SER	8.3
1	G	2300	PRO	7.2
1	B	1340	SER	6.8
1	G	2298	THR	6.6
1	J	3299	GLY	6.3
1	G	2301	SER	6.0
1	J	3298	THR	6.0
1	B	1339	LEU	5.5
1	G	2297	ARG	5.3
1	J	3297	ARG	4.9
1	J	3296	LEU	4.6
1	B	1059	PRO	4.5
1	J	3334	LEU	4.4
1	B	1300	PRO	4.3
1	J	3302	ASN	3.9
1	G	2299	GLY	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	60	ASN	3.9
1	J	3337	LYS	3.4
1	J	3028	GLN	3.3
1	J	3082	PRO	3.2
1	J	3172	ARG	3.1
1	J	3338	LYS	2.9
1	J	3333	ILE	2.9
1	A	298	THR	2.9
1	J	3305	VAL	2.8
1	A	242	PHE	2.8
1	J	3307	HIS	2.8
1	J	3303	THR	2.7
1	G	2060	ASN	2.6
1	G	2335	GLU	2.6
1	J	3060	ASN	2.6
1	A	28	GLN	2.6
1	G	2303	THR	2.5
1	B	1040	THR	2.5
1	A	219	PRO	2.5
1	G	2110	THR	2.4
1	J	3291	LEU	2.4
1	G	2059	PRO	2.4
1	A	58	ASP	2.4
1	A	56	LEU	2.4
1	B	1301	SER	2.4
1	A	289	ILE	2.3
1	B	1221	ARG	2.3
1	J	3040	THR	2.3
1	A	224	TYR	2.3
1	A	339	LEU	2.2
1	G	2038	ARG	2.2
1	G	2296	LEU	2.1
1	A	291	LEU	2.1
1	B	1220	GLU	2.1
1	A	31	ASP	2.1
1	J	3059	PRO	2.1
1	A	57	SER	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	BEZ	G	2352	9/9	0.85	0.27	52,57,60,61	0
3	BEZ	B	1352	9/9	0.91	0.22	51,57,59,59	0
3	BEZ	J	3352	9/9	0.93	0.20	62,64,67,67	0
3	BEZ	A	352	9/9	0.95	0.30	60,61,62,62	0
2	FAD	A	351	53/53	0.96	0.14	35,39,43,43	0
2	FAD	G	2351	53/53	0.97	0.15	32,37,40,42	0
2	FAD	B	1351	53/53	0.98	0.13	27,33,37,40	0
2	FAD	J	3351	53/53	0.98	0.13	42,45,47,48	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around FAD A 351:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD G 2351:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD B 1351:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD J 3351:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.