



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 22, 2020 – 08:17 PM BST

PDB ID : 4DYJ
Title : Crystal structure of a broad specificity amino acid racemase (Bar) within internal aldimine linkage
Authors : Wang, W.C.; Wu, H.M.
Deposited on : 2012-02-29
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1544 (2.48-2.44)
Clashscore	141614	1613 (2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)
RSRZ outliers	127900	1523 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	409	
1	B	409	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	A	508	-	-	X	-
3	GOL	B	508	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6333 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called broad specificity amino acid racemase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	384	Total	C	N	O	P	S	0	0	0
			2935	1830	530	560	1	14			
1	B	384	Total	C	N	O	P	S	0	0	0
			2935	1830	530	560	1	14			

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	212	Total	O	0	0
			212	212		
4	B	169	Total	O	0	0
			169	169		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: broad specificity amino acid racemase



- Molecule 1: broad specificity amino acid racemase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	142.25Å 118.74Å 77.78Å 90.00° 100.71° 90.00°	Depositor
Resolution (Å)	30.00 – 2.45 25.74 – 2.45	Depositor EDS
% Data completeness (in resolution range)	99.6 (30.00-2.45) 99.6 (25.74-2.45)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.72 (at 2.44Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.158 , 0.215 0.164 , 0.215	Depositor DCC
R_{free} test set	2344 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	36.7	Xtriage
Anisotropy	0.049	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 49.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6333	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, LLP, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.85	1/2958 (0.0%)	0.74	1/4005 (0.0%)
1	B	0.84	0/2958	0.70	1/4005 (0.0%)
All	All	0.85	1/5916 (0.0%)	0.72	2/8010 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	200	VAL	CB-CG1	5.15	1.63	1.52

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	266	LEU	CA-CB-CG	5.66	128.32	115.30
1	B	266	LEU	CA-CB-CG	5.24	127.35	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2935	0	2918	84	0
1	B	2935	0	2917	88	0
2	A	35	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	35	0	0	2	0
3	A	6	0	8	17	0
3	B	6	0	8	14	0
4	A	212	0	0	11	0
4	B	169	0	0	10	0
All	All	6333	0	5851	167	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:349:MET:H	3:A:508:GOL:C1	1.63	1.12
1:A:349:MET:H	3:A:508:GOL:H11	1.06	1.10
1:B:126:LEU:HD11	1:B:149:GLN:HE21	1.15	1.09
1:B:349:MET:H	3:B:508:GOL:H11	1.24	0.99
1:A:242:HIS:HD2	1:A:261:ARG:HH11	1.03	0.98
1:B:242:HIS:HD2	1:B:261:ARG:HH11	0.99	0.98
1:B:281:MET:SD	4:B:756:HOH:O	2.20	0.97
1:B:286:HIS:HD2	4:B:614:HOH:O	1.50	0.95
1:A:168:ASN:HD21	1:A:173:SER:H	1.13	0.94
1:B:242:HIS:CD2	1:B:261:ARG:HH11	1.85	0.94
1:A:349:MET:N	3:A:508:GOL:H11	1.82	0.94
1:A:242:HIS:CD2	1:A:261:ARG:HH11	1.86	0.92
1:B:168:ASN:HD21	1:B:173:SER:H	1.11	0.91
1:A:122:ARG:HB2	4:A:810:HOH:O	1.70	0.91
1:B:282:GLN:NE2	1:B:373:LYS:H	1.70	0.89
1:A:281:MET:SD	4:A:645:HOH:O	2.30	0.89
1:B:38:THR:H	1:B:41:ASN:HD21	1.18	0.88
3:A:508:GOL:H2	1:B:174:ARG:HH12	1.38	0.88
1:A:138:GLU:OE1	1:A:164:HIS:HE1	1.57	0.87
1:A:330:ASN:HD21	1:A:345:GLY:H	1.23	0.87
1:A:115:THR:HG22	4:A:648:HOH:O	1.74	0.87
1:B:301:TYR:HE2	3:B:508:GOL:H12	1.40	0.84
1:A:349:MET:HB3	3:A:508:GOL:H32	1.60	0.81
1:A:38:THR:H	1:A:41:ASN:HD21	1.28	0.81
1:B:339:HIS:HD2	2:B:506:SO4:O2	1.65	0.80
1:A:330:ASN:ND2	1:A:345:GLY:H	1.80	0.80
1:B:32:ASN:HD21	1:B:107:ARG:HH12	1.32	0.78
1:A:349:MET:CB	3:A:508:GOL:H11	2.13	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:508:GOL:H2	1:B:174:ARG:NH1	1.98	0.77
1:B:38:THR:H	1:B:41:ASN:ND2	1.84	0.76
1:B:205:HIS:HD2	1:B:261:ARG:HH21	1.32	0.76
1:A:164:HIS:HD2	1:A:242:HIS:HE1	1.32	0.76
1:B:282:GLN:HE22	1:B:373:LYS:H	1.31	0.75
1:A:31:ASP:O	1:A:34:THR:HB	1.87	0.75
1:A:164:HIS:CD2	1:A:242:HIS:HE1	2.04	0.75
1:B:58:ARG:HD3	4:B:716:HOH:O	1.87	0.74
1:B:349:MET:N	3:B:508:GOL:H11	2.00	0.74
1:A:130:GLU:OE2	1:A:157:HIS:HE1	1.70	0.73
1:B:32:ASN:ND2	1:B:107:ARG:HH12	1.85	0.72
1:A:32:ASN:HD21	1:A:107:ARG:HH12	1.37	0.72
1:B:165:MET:HE3	1:B:167:LEU:CD2	2.20	0.72
1:B:130:GLU:OE2	1:B:157:HIS:HE1	1.73	0.71
1:B:165:MET:CE	1:B:167:LEU:HD21	2.19	0.71
1:A:205:HIS:HD2	1:A:261:ARG:HH21	1.39	0.71
1:A:115:THR:CG2	4:A:648:HOH:O	2.36	0.70
1:B:330:ASN:HD21	1:B:345:GLY:H	1.40	0.70
1:A:75:LLP:C4'	3:B:508:GOL:HO2	2.04	0.70
1:A:32:ASN:ND2	1:A:107:ARG:HH12	1.90	0.69
1:B:349:MET:HB3	3:B:508:GOL:H32	1.74	0.69
1:B:301:TYR:CE2	3:B:508:GOL:H12	2.25	0.69
1:A:349:MET:H	3:A:508:GOL:H12	1.56	0.69
1:B:168:ASN:ND2	1:B:173:SER:H	1.88	0.69
1:A:164:HIS:HD2	1:A:242:HIS:CE1	2.09	0.68
1:B:330:ASN:ND2	1:B:345:GLY:H	1.91	0.68
1:B:138:GLU:OE1	1:B:164:HIS:HE1	1.77	0.68
1:B:165:MET:HE3	1:B:167:LEU:HD21	1.77	0.67
1:A:196:HIS:ND1	4:A:714:HOH:O	2.27	0.67
1:B:164:HIS:HD2	1:B:242:HIS:HE1	1.42	0.67
1:A:205:HIS:HE1	1:B:301:TYR:OH	1.76	0.66
1:A:30:MET:CE	1:A:33:GLY:HA2	2.26	0.66
1:A:174:ARG:HH12	3:B:508:GOL:H2	1.62	0.65
1:B:164:HIS:CD2	1:B:242:HIS:HE1	2.15	0.65
1:A:38:THR:H	1:A:41:ASN:ND2	1.95	0.65
1:A:168:ASN:ND2	1:A:173:SER:H	1.92	0.63
1:B:164:HIS:HD2	1:B:242:HIS:CE1	2.17	0.63
1:A:380:THR:OG1	1:A:383:GLU:HG2	1.98	0.63
1:A:348:SER:HB3	3:A:508:GOL:H12	1.81	0.63
1:A:386:GLU:HG2	4:A:668:HOH:O	1.99	0.62
1:B:245:ASN:HA	1:B:261:ARG:O	2.00	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:348:SER:HB3	3:B:508:GOL:H11	1.81	0.62
1:B:58:ARG:NH1	4:B:716:HOH:O	2.31	0.62
1:A:34:THR:HG22	4:A:805:HOH:O	1.99	0.61
1:A:349:MET:N	3:A:508:GOL:C1	2.49	0.60
1:B:242:HIS:CD2	1:B:261:ARG:NH1	2.67	0.59
1:B:31:ASP:O	1:B:34:THR:HB	2.04	0.58
1:A:409:ASP:C	4:A:791:HOH:O	2.43	0.57
1:A:348:SER:HB3	3:A:508:GOL:C1	2.35	0.57
1:A:187:GLU:HA	1:A:190:GLN:HE21	1.70	0.57
1:A:242:HIS:CD2	1:A:261:ARG:NH1	2.68	0.57
1:B:198:LYS:CE	4:B:763:HOH:O	2.54	0.56
1:A:301:TYR:OH	1:B:205:HIS:HE1	1.88	0.56
1:B:41:ASN:HD22	1:B:41:ASN:H	1.54	0.55
1:A:350:ASN:OD1	1:B:75:LLP:HD3	2.06	0.55
3:A:508:GOL:C2	1:B:174:ARG:HH12	2.16	0.55
1:A:205:HIS:CE1	1:B:301:TYR:OH	2.59	0.55
1:B:348:SER:HB3	3:B:508:GOL:C1	2.36	0.55
1:B:198:LYS:HE3	4:B:763:HOH:O	2.06	0.55
1:B:165:MET:HE2	1:B:167:LEU:HD21	1.89	0.55
1:A:75:LLP:C4'	3:B:508:GOL:O2	2.56	0.54
1:B:178:GLU:O	1:B:184:GLY:HA3	2.08	0.54
1:A:164:HIS:CD2	1:A:242:HIS:CE1	2.90	0.53
1:A:349:MET:CA	3:A:508:GOL:H11	2.39	0.52
1:B:349:MET:CB	3:B:508:GOL:H32	2.39	0.52
1:A:349:MET:HB3	3:A:508:GOL:H11	1.92	0.52
1:A:115:THR:O	1:A:115:THR:HG23	2.09	0.52
1:B:126:LEU:CD1	1:B:149:GLN:HE21	2.05	0.52
1:B:301:TYR:HE2	3:B:508:GOL:C1	2.17	0.52
1:B:205:HIS:HD2	1:B:261:ARG:NH2	2.04	0.52
1:A:138:GLU:OE1	1:A:164:HIS:CE1	2.50	0.51
1:A:349:MET:HB2	3:A:508:GOL:H11	1.92	0.51
1:B:148:ARG:NH1	1:B:190:GLN:OE1	2.41	0.51
1:B:307:LEU:HD13	1:B:311:SER:HB2	1.92	0.51
1:A:336:ILE:HG12	1:A:368:VAL:HG22	1.93	0.51
1:A:53:LEU:HD23	1:A:89:SER:CB	2.41	0.50
1:A:75:LLP:O3	1:A:75:LLP:NZ	2.44	0.50
1:B:205:HIS:CD2	1:B:261:ARG:HH21	2.21	0.50
1:B:38:THR:N	1:B:41:ASN:HD21	1.98	0.50
1:B:126:LEU:HG	4:B:637:HOH:O	2.11	0.50
1:B:286:HIS:CD2	4:B:614:HOH:O	2.36	0.49
1:A:236:ARG:CZ	1:A:241:LEU:HD22	2.43	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:164:HIS:CG	1:A:201:ALA:HB3	2.48	0.49
1:B:349:MET:H	3:B:508:GOL:C1	2.10	0.49
1:A:143:SER:HB2	4:B:602:HOH:O	2.13	0.49
1:B:140:LEU:HD11	1:B:166:ALA:HB2	1.94	0.48
1:A:316:ILE:HG22	1:A:318:VAL:HG12	1.96	0.48
1:B:225:THR:O	1:B:229:ILE:HG13	2.14	0.48
1:A:242:HIS:CD2	1:A:261:ARG:HD3	2.49	0.47
1:B:242:HIS:CD2	1:B:261:ARG:HD3	2.49	0.47
1:A:30:MET:HE3	1:A:33:GLY:HA2	1.94	0.47
1:B:130:GLU:OE2	1:B:157:HIS:CE1	2.60	0.47
1:B:43:ASN:HD22	1:B:43:ASN:H	1.63	0.46
1:A:286:HIS:HD2	4:A:643:HOH:O	1.99	0.46
1:B:129:LEU:HD23	1:B:129:LEU:C	2.36	0.46
1:B:377:GLY:HA2	2:B:502:SO4:O2	2.16	0.46
1:B:232:ALA:HB3	1:B:234:LEU:HG	1.98	0.45
1:A:335:LEU:HA	1:A:339:HIS:O	2.17	0.45
1:A:348:SER:CB	3:A:508:GOL:H12	2.45	0.45
1:B:39:VAL:HG13	1:B:45:TRP:CH2	2.51	0.45
1:B:164:HIS:CD2	1:B:242:HIS:CE1	2.98	0.45
1:A:379:ILE:HA	1:A:383:GLU:OE1	2.17	0.45
1:A:348:SER:HB3	3:A:508:GOL:C2	2.47	0.45
2:A:502:SO4:O2	1:B:391:LEU:N	2.49	0.45
1:A:294:PRO:O	1:A:297:ASN:HB2	2.17	0.44
1:B:115:THR:HG23	1:B:115:THR:O	2.16	0.44
1:A:130:GLU:OE2	1:A:156:ARG:NH2	2.50	0.44
1:B:349:MET:HB3	3:B:508:GOL:C3	2.44	0.44
1:B:26:PRO:HD3	1:B:402:SER:O	2.17	0.44
1:B:274:ARG:HA	1:B:274:ARG:HD3	1.69	0.43
1:A:245:ASN:HA	1:A:261:ARG:O	2.19	0.43
1:B:90:ILE:HG23	1:B:95:VAL:HB	2.00	0.43
1:B:163:ILE:HD13	1:B:197:LEU:HD13	2.01	0.42
1:B:168:ASN:HD21	1:B:173:SER:N	1.95	0.42
1:B:257:LEU:HB3	1:B:258:ASP:H	1.67	0.42
1:A:99:ALA:HB1	1:A:121:VAL:HG13	2.00	0.42
1:A:188:ALA:O	1:A:192:THR:HG23	2.20	0.42
1:A:339:HIS:HD2	4:A:741:HOH:O	2.01	0.42
1:A:165:MET:HE2	1:A:167:LEU:CD2	2.50	0.42
1:A:133:LEU:HB3	1:A:159:LYS:HE3	2.01	0.42
1:A:90:ILE:HG23	1:A:95:VAL:HB	2.02	0.42
1:B:41:ASN:HD22	1:B:41:ASN:N	2.13	0.42
1:A:178:GLU:O	1:A:184:GLY:HA3	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:136:ASP:HB3	1:A:162:ARG:HH22	1.84	0.41
1:B:165:MET:HE1	1:B:188:ALA:CB	2.50	0.41
1:A:205:HIS:HD2	1:A:261:ARG:NH2	2.13	0.41
1:A:340:ARG:O	1:A:340:ARG:HG2	2.20	0.41
1:A:315:ASN:ND2	1:B:123:LEU:HD12	2.36	0.41
1:B:190:GLN:HG2	4:B:735:HOH:O	2.21	0.41
1:A:250:LEU:HD13	1:A:274:ARG:HG3	2.02	0.41
1:B:115:THR:CG2	1:B:115:THR:O	2.63	0.41
1:B:99:ALA:HB1	1:B:121:VAL:HG13	2.03	0.41
1:A:43:ASN:HD22	1:A:43:ASN:H	1.67	0.41
1:B:39:VAL:HG13	1:B:45:TRP:CZ2	2.56	0.41
1:A:34:THR:HG21	4:A:803:HOH:O	2.21	0.40
1:A:120:ARG:NE	1:A:124:ALA:HB2	2.37	0.40
1:B:165:MET:CE	1:B:167:LEU:CD2	2.86	0.40
1:B:341:ILE:HG22	1:B:354:VAL:HB	2.04	0.40
1:A:205:HIS:CD2	1:A:261:ARG:HH21	2.28	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	381/409 (93%)	364 (96%)	17 (4%)	0	100	100
1	B	381/409 (93%)	366 (96%)	15 (4%)	0	100	100
All	All	762/818 (93%)	730 (96%)	32 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	306/324 (94%)	286 (94%)	20 (6%)	17	21
1	B	306/324 (94%)	284 (93%)	22 (7%)	14	17
All	All	612/648 (94%)	570 (93%)	42 (7%)	15	18

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	THR
1	A	37	LEU
1	A	41	ASN
1	A	43	ASN
1	A	74	LEU
1	A	115	THR
1	A	119	VAL
1	A	133	LEU
1	A	143	SER
1	A	216	LYS
1	A	228	LEU
1	A	235	ASP
1	A	238	LYS
1	A	241	LEU
1	A	257	LEU
1	A	266	LEU
1	A	313	LEU
1	A	326	ARG
1	A	363	LYS
1	A	407	LEU
1	B	34	THR
1	B	37	LEU
1	B	41	ASN
1	B	69	ARG
1	B	74	LEU
1	B	85	LEU
1	B	115	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	119	VAL
1	B	133	LEU
1	B	143	SER
1	B	177	VAL
1	B	183	SER
1	B	193	ASP
1	B	216	LYS
1	B	228	LEU
1	B	257	LEU
1	B	266	LEU
1	B	313	LEU
1	B	326	ARG
1	B	363	LYS
1	B	386	GLU
1	B	407	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	ASN
1	A	41	ASN
1	A	43	ASN
1	A	149	GLN
1	A	157	HIS
1	A	164	HIS
1	A	168	ASN
1	A	190	GLN
1	A	205	HIS
1	A	231	HIS
1	A	242	HIS
1	A	286	HIS
1	A	330	ASN
1	B	32	ASN
1	B	41	ASN
1	B	43	ASN
1	B	149	GLN
1	B	157	HIS
1	B	164	HIS
1	B	168	ASN
1	B	205	HIS
1	B	242	HIS
1	B	282	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	286	HIS
1	B	330	ASN
1	B	339	HIS
1	B	350	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	LLP	A	75	1	23,24,25	1.86	6 (26%)	25,32,34	1.84	3 (12%)
1	LLP	B	75	1	23,24,25	1.97	6 (26%)	25,32,34	1.49	3 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	A	75	1	-	3/16/17/19	0/1/1/1
1	LLP	B	75	1	-	5/16/17/19	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	75	LLP	O3-C3	-5.27	1.24	1.37
1	A	75	LLP	O3-C3	-4.97	1.25	1.37
1	B	75	LLP	C4-C4'	3.55	1.53	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	75	LLP	C4'-NZ	3.44	1.38	1.27
1	B	75	LLP	C4'-NZ	2.98	1.37	1.27
1	B	75	LLP	CB-CA	2.88	1.57	1.53
1	A	75	LLP	C6-N1	2.86	1.40	1.34
1	A	75	LLP	P-OP3	-2.46	1.45	1.54
1	B	75	LLP	C6-N1	2.33	1.39	1.34
1	A	75	LLP	C2-N1	2.29	1.38	1.33
1	A	75	LLP	C4-C4'	2.20	1.50	1.46
1	B	75	LLP	C2-N1	2.14	1.37	1.33

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	75	LLP	OP4-C5'-C5	5.27	119.39	109.35
1	A	75	LLP	C4-C4'-NZ	-4.89	101.88	124.31
1	B	75	LLP	OP4-C5'-C5	4.68	118.28	109.35
1	A	75	LLP	C3-C4-C5	3.25	120.75	118.26
1	B	75	LLP	C4-C4'-NZ	-3.06	110.27	124.31
1	B	75	LLP	OP2-P-OP4	-2.07	101.23	106.73

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	75	LLP	C4-C4'-NZ-CE
1	A	75	LLP	C4-C4'-NZ-CE
1	B	75	LLP	CG-CD-CE-NZ
1	A	75	LLP	C3-C4-C4'-NZ
1	B	75	LLP	CD-CE-NZ-C4'
1	B	75	LLP	C3-C4-C4'-NZ
1	B	75	LLP	C-CA-CB-CG
1	A	75	LLP	CG-CD-CE-NZ

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	75	LLP	3	0
1	B	75	LLP	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	B	503	-	4,4,4	0.26	0	6,6,6	0.27	0
2	SO4	A	503	-	4,4,4	0.18	0	6,6,6	0.24	0
2	SO4	B	507	-	4,4,4	0.15	0	6,6,6	0.30	0
2	SO4	A	507	-	4,4,4	0.13	0	6,6,6	0.43	0
2	SO4	B	506	-	4,4,4	0.16	0	6,6,6	0.16	0
2	SO4	A	504	-	4,4,4	0.12	0	6,6,6	0.27	0
2	SO4	B	501	-	4,4,4	0.14	0	6,6,6	0.19	0
2	SO4	A	505	-	4,4,4	0.21	0	6,6,6	0.50	0
2	SO4	B	505	-	4,4,4	0.20	0	6,6,6	0.16	0
2	SO4	B	502	-	4,4,4	0.15	0	6,6,6	0.13	0
3	GOL	A	508	-	5,5,5	0.67	0	5,5,5	1.01	0
3	GOL	B	508	-	5,5,5	0.76	0	5,5,5	1.20	1 (20%)
2	SO4	A	502	-	4,4,4	0.29	0	6,6,6	0.53	0
2	SO4	A	506	-	4,4,4	0.19	0	6,6,6	0.18	0
2	SO4	A	501	-	4,4,4	0.27	0	6,6,6	0.62	0
2	SO4	B	504	-	4,4,4	0.14	0	6,6,6	0.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	508	-	-	4/4/4/4	-
3	GOL	B	508	-	-	4/4/4/4	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	508	GOL	O2-C2-C1	-2.37	98.67	109.12

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	508	GOL	O1-C1-C2-C3
3	B	508	GOL	O1-C1-C2-C3
3	A	508	GOL	O1-C1-C2-O2
3	B	508	GOL	O1-C1-C2-O2
3	A	508	GOL	C1-C2-C3-O3
3	B	508	GOL	C1-C2-C3-O3
3	A	508	GOL	O2-C2-C3-O3
3	B	508	GOL	O2-C2-C3-O3

There are no ring outliers.

5 monomers are involved in 34 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	506	SO4	1	0
2	B	502	SO4	1	0
3	A	508	GOL	17	0
3	B	508	GOL	14	0
2	A	502	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	383/409 (93%)	-0.29	8 (2%) 63 60	22, 34, 48, 60	0
1	B	383/409 (93%)	-0.24	7 (1%) 68 65	23, 36, 51, 63	0
All	All	766/818 (93%)	-0.26	15 (1%) 65 62	22, 35, 49, 63	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	308	ALA	4.1
1	B	273	ALA	3.3
1	A	273	ALA	2.9
1	A	375	ALA	2.9
1	B	233	LYS	2.8
1	B	156	ARG	2.8
1	B	235	ASP	2.8
1	B	195	LYS	2.7
1	B	212	ASP	2.6
1	A	156	ARG	2.5
1	A	376	GLY	2.4
1	A	309	ARG	2.3
1	A	212	ASP	2.2
1	A	386	GLU	2.1
1	B	226	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
1	LLP	A	75	24/25	0.96	0.15	26,35,38,41	0
1	LLP	B	75	24/25	0.96	0.13	29,37,40,41	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	SO4	B	506	5/5	0.74	0.35	113,113,114,114	0
2	SO4	B	507	5/5	0.80	0.30	110,110,110,110	0
2	SO4	B	505	5/5	0.86	0.20	92,92,93,94	0
2	SO4	B	504	5/5	0.89	0.32	104,105,105,105	0
2	SO4	A	506	5/5	0.90	0.37	95,96,96,97	0
3	GOL	A	508	6/6	0.90	0.23	52,54,55,56	0
2	SO4	A	503	5/5	0.93	0.29	85,85,85,85	0
3	GOL	B	508	6/6	0.94	0.22	59,60,61,63	0
2	SO4	B	503	5/5	0.94	0.17	90,91,91,92	0
2	SO4	A	505	5/5	0.94	0.24	78,78,78,79	0
2	SO4	A	507	5/5	0.95	0.29	91,91,91,92	0
2	SO4	B	501	5/5	0.95	0.31	81,81,82,83	0
2	SO4	A	504	5/5	0.96	0.26	65,66,67,67	0
2	SO4	B	502	5/5	0.98	0.30	62,63,64,64	0
2	SO4	A	502	5/5	0.98	0.16	52,52,54,54	0
2	SO4	A	501	5/5	0.99	0.12	44,47,49,52	0

6.5 Other polymers [i](#)

There are no such residues in this entry.