



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 12, 2021 – 02:10 PM JST

PDB ID : 7E0P
Title : Crystal Structure of Human Indoleamine 2,3-dioxygenase 1 (hIDO1) Complexed with 4-(((6-Bromo-1H-indazol-4-yl)amino)methyl)phenol (2)
Authors : Li, G.-B.; Ning, X.-L.
Deposited on : 2021-01-28
Resolution : 2.63 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.22
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.22


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.63 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1426 (2.66-2.62)
Clashscore	141614	1472 (2.66-2.62)
Ramachandran outliers	138981	1446 (2.66-2.62)
Sidechain outliers	138945	1446 (2.66-2.62)
RSRZ outliers	127900	1408 (2.66-2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	392	<div> <div> <div></div> <div>67%</div> <div>24%</div> <div>• 5%</div> </div> </div>
1	B	392	<div> <div>6%</div> <div> <div></div> <div>55%</div> <div>32%</div> <div>7%</div> <div>• 5%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	HEM	B	502	-	-	X	-
4	ACY	B	503	-	-	-	X

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 6012 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Indoleamine 2,3-dioxygenase 1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	371	Total	C	N	O	S	0	0	0
			2938	1889	501	531	17			
1	B	371	Total	C	N	O	S	0	0	0
			2938	1889	501	531	17			

- Molecule 2 is 4-[[[(6-bromanyl-1 {H}-indazol-4-yl)amino]methyl]phenol (three-letter code: HU0) (formula: C₁₄H₁₂BrN₃O) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	Br	C	N	O	0	0
			19	1	14	3	1		
2	B	1	Total	Br	C	N	O	0	0
			19	1	14	3	1		

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 4 is ACETIC ACID (three-letter code: ACY) (formula: $C_2H_4O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			4	2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	6	Total 6	O 6	0	0
5	B	2	Total 2	O 2	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Indoleamine 2,3-dioxygenase 1



• Molecule 1: Indoleamine 2,3-dioxygenase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	85.75Å 91.56Å 126.77Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	63.38 – 2.63 63.38 – 2.63	Depositor EDS
% Data completeness (in resolution range)	98.2 (63.38-2.63) 98.2 (63.38-2.63)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.15 (at 2.65Å)	Xtriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.200 , 0.266 0.212 , 0.269	Depositor DCC
R_{free} test set	1997 reflections (6.73%)	wwPDB-VP
Wilson B-factor (Å ²)	64.5	Xtriage
Anisotropy	0.579	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 58.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6012	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACY, HEM, HU0

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.76	0/3006	0.80	2/4066 (0.0%)
1	B	0.65	0/3006	0.76	1/4066 (0.0%)
All	All	0.71	0/6012	0.78	3/8132 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	105	ARG	NE-CZ-NH1	5.73	123.17	120.30
1	A	294	ASP	CB-CG-OD2	-5.55	113.30	118.30
1	B	141	LYS	C-N-CD	5.10	139.11	128.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2938	0	2947	65	1
1	B	2938	0	2947	139	0
2	A	19	0	0	2	0
2	B	19	0	0	1	0
3	A	43	0	30	12	0
3	B	43	0	30	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	4	0	3	1	0
5	A	6	0	0	0	0
5	B	2	0	0	0	0
All	All	6012	0	5957	216	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (216) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:502:HEM:HMB2	3:A:502:HEM:HBB2	1.33	1.10
3:B:502:HEM:HBD2	3:B:502:HEM:HHA	1.32	1.06
3:A:502:HEM:HHA	3:A:502:HEM:HBA2	1.35	1.06
1:B:167:SER:OG	3:B:502:HEM:HBB2	1.55	1.05
1:A:263:SER:OG	3:A:502:HEM:O2A	1.76	1.01
1:B:36:TYR:O	1:B:38:ASP:N	1.96	0.97
1:B:178:ILE:HD11	1:B:269:VAL:HG12	1.44	0.96
1:B:167:SER:HA	3:B:502:HEM:CBB	2.00	0.91
1:B:136:LYS:HE2	1:B:143:LEU:CD2	2.04	0.86
1:B:136:LYS:NZ	1:B:141:LYS:O	2.08	0.86
1:B:350:VAL:HG22	3:B:502:HEM:HHD	1.56	0.85
1:A:344:SER:OG	1:A:392:ARG:NH1	2.09	0.85
1:A:297:ARG:NH1	1:B:293:GLN:OE1	2.10	0.83
1:A:62:LEU:O	1:A:106:ASN:ND2	2.11	0.83
1:B:141:LYS:HB2	1:B:147:ASN:ND2	1.95	0.81
3:B:502:HEM:HBD2	3:B:502:HEM:CHA	2.03	0.78
1:B:178:ILE:HD11	1:B:269:VAL:CG1	2.13	0.78
1:B:283:ALA:O	1:B:285:GLY:N	2.17	0.78
1:B:63:ASN:O	1:B:65:LEU:HD23	1.83	0.77
1:B:141:LYS:HB2	1:B:147:ASN:HD22	1.47	0.77
3:A:502:HEM:HBB2	3:A:502:HEM:CMB	2.09	0.76
1:B:62:LEU:O	1:B:106:ASN:ND2	2.19	0.75
1:B:355:LEU:HD13	1:B:385:MET:SD	2.29	0.73
1:B:88:MET:HE1	1:B:123:ILE:HG13	1.70	0.72
1:B:167:SER:CA	3:B:502:HEM:CBB	2.67	0.72
1:A:281:GLN:O	1:A:289:ALA:HA	1.91	0.71
1:B:136:LYS:HE2	1:B:143:LEU:HD22	1.70	0.71
1:B:35:PHE:N	1:B:37:ASN:HD21	1.89	0.71
1:B:347:LEU:O	1:B:351:THR:OG1	2.09	0.71
1:B:136:LYS:CE	1:B:143:LEU:CD2	2.70	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:167:SER:HG	3:B:502:HEM:HBB2	1.56	0.68
1:A:136:LYS:HE2	1:A:141:LYS:O	1.93	0.68
1:B:60:GLU:OE1	1:B:100:ARG:NH1	2.27	0.68
1:A:56:ARG:NH1	1:A:98:ASP:OD2	2.27	0.68
1:B:350:VAL:HG22	3:B:502:HEM:CHD	2.23	0.66
1:B:217:ILE:HG21	1:B:349:ILE:CD1	2.25	0.66
1:B:145:TYR:CZ	1:B:220:HIS:HD2	2.14	0.65
1:B:266:GLN:O	4:B:503:ACY:H3	1.95	0.65
1:B:63:ASN:O	1:B:65:LEU:N	2.29	0.65
1:A:76:GLN:HB3	1:A:114:LEU:HD11	1.79	0.64
1:B:274:ASP:OD2	1:B:343:ARG:NH2	2.30	0.64
3:B:502:HEM:HHA	3:B:502:HEM:CBD	2.19	0.64
1:B:145:TYR:CZ	1:B:220:HIS:CD2	2.85	0.63
1:A:80:ARG:NH2	1:A:123:ILE:O	2.32	0.63
1:B:136:LYS:HG2	1:B:147:ASN:ND2	2.13	0.63
1:A:72:ASP:O	1:A:76:GLN:HG3	2.00	0.61
1:A:263:SER:CB	3:A:502:HEM:O2A	2.48	0.61
1:B:175:ALA:HA	1:B:178:ILE:HD12	1.83	0.61
1:B:167:SER:HA	3:B:502:HEM:HBB1	1.82	0.61
3:B:502:HEM:HBC2	3:B:502:HEM:CMC	2.31	0.60
1:B:137:LYS:HB2	1:B:147:ASN:OD1	2.02	0.60
3:A:502:HEM:HBA2	3:A:502:HEM:CHA	2.11	0.60
1:B:32:LEU:HD12	1:B:40:MET:HG3	1.84	0.60
1:A:63:ASN:O	1:A:65:LEU:HD23	2.01	0.59
1:B:103:LEU:O	1:B:250:GLU:HB2	2.01	0.59
1:B:144:THR:O	1:B:148:MET:HG3	2.02	0.59
1:B:167:SER:N	3:B:502:HEM:HBB1	2.17	0.59
1:B:347:LEU:HD22	1:B:385:MET:HE3	1.84	0.59
1:B:167:SER:CA	3:B:502:HEM:HBB1	2.33	0.58
1:B:211:LEU:HD12	1:B:342:LEU:HA	1.85	0.58
1:B:401:LYS:H	1:B:401:LYS:HD2	1.68	0.58
1:A:30:GLU:OE1	1:A:135:LYS:NZ	2.33	0.58
1:A:88:MET:HE3	1:A:123:ILE:HG13	1.85	0.57
1:B:36:TYR:HD1	1:B:65:LEU:HD12	1.70	0.57
1:A:321:LEU:HD21	1:A:400:LEU:HD22	1.86	0.57
1:A:109:VAL:O	1:A:113:GLN:HG3	2.05	0.56
1:B:67:ILE:C	1:B:69:HIS:H	2.09	0.56
1:B:145:TYR:CE2	1:B:220:HIS:HD2	2.23	0.56
1:B:67:ILE:O	1:B:69:HIS:N	2.38	0.56
1:B:162:GLY:HA3	1:B:220:HIS:HB3	1.88	0.55
1:B:217:ILE:HG21	1:B:349:ILE:HD13	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:35:PHE:H	1:B:37:ASN:HD21	1.54	0.55
1:B:109:VAL:O	1:B:113:GLN:HG3	2.07	0.54
1:B:64:MET:HG2	1:B:64:MET:O	2.06	0.54
1:B:222:ASN:HB3	1:B:225:ALA:HB3	1.89	0.54
1:A:297:ARG:HH21	1:A:304:ARG:HD3	1.72	0.54
1:B:143:LEU:HD23	1:B:143:LEU:N	2.23	0.54
1:B:347:LEU:HD11	1:B:389:LYS:HG3	1.89	0.54
1:A:170:VAL:CG1	3:A:502:HEM:HBC1	2.38	0.53
1:B:145:TYR:CE2	1:B:220:HIS:CD2	2.96	0.53
1:A:264:ALA:HB2	2:A:501:HU0:N08	2.23	0.53
1:B:241:PRO:O	1:B:243:LEU:N	2.41	0.53
3:A:502:HEM:CMB	3:A:502:HEM:CBB	2.85	0.53
1:A:138:ASP:OD2	1:A:141:LYS:HD3	2.08	0.53
1:B:388:LEU:HD21	3:B:502:HEM:HAD2	1.91	0.53
1:B:105:ARG:HB3	1:B:250:GLU:HB3	1.90	0.53
1:B:241:PRO:O	1:B:244:SER:N	2.43	0.52
1:A:168:LEU:O	1:A:172:ILE:HG13	2.09	0.52
1:A:105:ARG:HH11	1:A:105:ARG:HG3	1.74	0.52
1:B:177:ALA:HB3	1:B:273:PHE:HZ	1.74	0.52
1:B:55:LEU:O	1:B:59:VAL:HG23	2.11	0.51
1:B:350:VAL:CG2	3:B:502:HEM:CHD	2.89	0.51
1:A:104:PRO:O	1:A:107:ILE:HG22	2.11	0.51
1:B:142:PRO:O	1:B:144:THR:N	2.44	0.51
1:B:159:CYS:SG	1:B:222:ASN:HB2	2.51	0.50
1:A:99:VAL:HG11	1:A:243:LEU:HD11	1.93	0.50
1:A:34:ASP:HA	1:A:37:ASN:OD1	2.12	0.50
1:A:144:THR:O	1:A:148:MET:HG3	2.12	0.50
1:B:35:PHE:H	1:B:37:ASN:ND2	2.08	0.50
3:B:502:HEM:HBC2	3:B:502:HEM:HMC1	1.92	0.50
1:B:280:GLN:HB3	1:B:283:ALA:HB2	1.94	0.49
1:B:32:LEU:HD12	1:B:40:MET:CG	2.41	0.49
1:B:167:SER:OG	3:B:502:HEM:CBB	2.45	0.49
1:B:226:PHE:HE2	1:B:354:ILE:HD11	1.75	0.49
1:B:105:ARG:CB	1:B:250:GLU:HB3	2.43	0.49
1:A:297:ARG:NH2	1:A:304:ARG:HD3	2.27	0.49
1:B:23:PHE:HD2	1:B:269:VAL:HG13	1.77	0.49
1:B:347:LEU:HD21	1:B:388:LEU:HB2	1.94	0.49
1:A:305:ASN:HB3	1:B:312:SER:OG	2.13	0.48
1:B:99:VAL:HG12	1:B:100:ARG:N	2.29	0.48
1:B:23:PHE:CD2	1:B:269:VAL:HG13	2.49	0.48
1:B:205:SER:O	1:B:208:GLU:N	2.47	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:210:ALA:O	1:B:213:VAL:N	2.47	0.48
1:B:36:TYR:CD1	1:B:65:LEU:HD12	2.48	0.47
1:B:217:ILE:CG2	1:B:349:ILE:HD13	2.44	0.47
1:A:214:PHE:HD1	1:A:214:PHE:O	1.98	0.47
1:B:141:LYS:HB3	1:B:142:PRO:CD	2.45	0.47
1:B:35:PHE:N	1:B:37:ASN:ND2	2.60	0.47
1:A:170:VAL:HG11	3:A:502:HEM:HBC1	1.97	0.47
1:B:136:LYS:HG2	1:B:147:ASN:CG	2.35	0.47
1:A:172:ILE:O	1:A:175:ALA:HB3	2.15	0.46
1:A:274:ASP:OD2	1:A:281:GLN:HG3	2.16	0.46
1:B:256:PRO:O	1:B:257:LYS:HD3	2.16	0.46
1:B:348:GLN:HA	1:B:351:THR:OG1	2.15	0.46
1:A:309:SER:O	1:A:312:SER:HB2	2.16	0.46
3:A:502:HEM:HMB2	3:A:502:HEM:CBB	2.23	0.46
1:B:24:ALA:HA	1:B:131:LEU:HB3	1.97	0.46
1:B:163:PHE:HE1	3:B:502:HEM:CMC	2.30	0.46
1:B:28:PRO:HG2	1:B:134:TRP:CD1	2.51	0.45
1:B:217:ILE:CG2	1:B:349:ILE:CD1	2.93	0.45
1:B:393:SER:O	1:B:396:GLU:N	2.49	0.45
1:B:32:LEU:HB3	1:B:33:PRO:HD2	1.96	0.45
1:B:158:ASP:CG	1:B:160:SER:HB3	2.37	0.45
1:B:208:GLU:C	1:B:210:ALA:H	2.20	0.45
1:B:162:GLY:HA3	1:B:220:HIS:O	2.16	0.45
1:B:264:ALA:HB2	2:B:501:HU0:N08	2.32	0.45
1:A:65:LEU:HD23	1:A:65:LEU:N	2.32	0.45
1:B:347:LEU:CD2	1:B:385:MET:HE3	2.47	0.45
1:A:352:LYS:O	1:A:357:PRO:HD3	2.16	0.45
1:B:282:THR:HA	1:B:289:ALA:HB1	1.98	0.45
1:B:151:LEU:O	1:B:152:PHE:CG	2.70	0.45
1:A:298:TYR:N	1:A:298:TYR:CD1	2.85	0.44
1:B:210:ALA:O	1:B:212:GLN:N	2.50	0.44
1:B:347:LEU:HD22	1:B:385:MET:CE	2.46	0.44
1:B:126:TYR:OH	1:B:171:GLU:HG3	2.17	0.44
1:B:150:VAL:HG22	1:B:161:LYS:HG3	1.98	0.44
3:B:502:HEM:HMC1	3:B:502:HEM:CBC	2.48	0.44
1:A:355:LEU:HD21	1:A:385:MET:SD	2.57	0.44
1:A:221:VAL:HG12	1:A:222:ASN:N	2.32	0.44
1:A:392:ARG:O	1:A:395:THR:N	2.50	0.44
1:B:141:LYS:CB	1:B:147:ASN:HD22	2.25	0.44
1:A:34:ASP:O	1:A:37:ASN:OD1	2.36	0.44
1:A:100:ARG:HD3	1:A:100:ARG:HA	1.73	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:193:ARG:NH1	1:B:194:ASP:OD1	2.43	0.44
1:B:89:ALA:O	1:B:93:GLY:N	2.49	0.44
1:B:243:LEU:HB3	1:B:246:GLY:O	2.18	0.43
1:B:94:LYS:O	1:B:96:HIS:ND1	2.50	0.43
1:B:67:ILE:C	1:B:69:HIS:N	2.72	0.43
1:B:344:SER:OG	1:B:392:ARG:HD2	2.19	0.43
1:B:343:ARG:HD3	1:B:391:VAL:HG12	1.99	0.43
1:B:35:PHE:O	1:B:35:PHE:CD1	2.72	0.43
1:B:162:GLY:CA	1:B:220:HIS:HB3	2.49	0.43
1:B:221:VAL:HG12	1:B:222:ASN:N	2.34	0.43
1:A:176:SER:HB3	1:A:206:CYS:SG	2.58	0.43
1:A:264:ALA:HB3	3:A:502:HEM:C1D	2.53	0.43
1:B:318:GLU:OE1	1:B:318:GLU:HA	2.19	0.43
1:B:353:TYR:HB3	3:B:502:HEM:HBC1	1.99	0.43
1:A:46:LEU:O	1:A:50:ILE:HG13	2.18	0.43
1:A:59:VAL:O	1:A:62:LEU:HD12	2.18	0.43
1:A:217:ILE:HG21	1:A:349:ILE:HD13	2.01	0.43
1:A:281:GLN:HB3	1:A:292:LEU:HD12	2.01	0.43
1:B:147:ASN:OD1	1:B:147:ASN:O	2.37	0.43
1:A:72:ASP:O	1:A:76:GLN:CG	2.67	0.43
1:A:145:TYR:CE1	1:A:220:HIS:CE1	3.07	0.42
1:A:281:GLN:O	1:A:289:ALA:CA	2.64	0.42
1:B:137:LYS:N	1:B:147:ASN:OD1	2.52	0.42
1:B:155:ARG:O	1:B:156:ASP:C	2.57	0.42
1:B:167:SER:CB	3:B:502:HEM:HBB2	2.47	0.42
1:A:27:ASN:O	1:A:74:LYS:NZ	2.46	0.42
1:A:347:LEU:HD22	1:A:385:MET:CE	2.49	0.42
3:B:502:HEM:CMC	3:B:502:HEM:CBC	2.97	0.42
1:A:40:MET:O	1:A:44:LYS:HG3	2.20	0.42
1:A:347:LEU:HD22	1:A:385:MET:HE2	2.02	0.42
1:B:188:MET:SD	1:B:316:VAL:HG22	2.59	0.42
1:B:163:PHE:CE1	3:B:502:HEM:CMC	3.03	0.42
1:A:105:ARG:HB3	1:A:250:GLU:HG2	2.02	0.42
1:B:168:LEU:O	1:B:168:LEU:HG	2.20	0.42
1:B:346:HIS:CD2	1:B:388:LEU:HD13	2.55	0.42
1:A:347:LEU:CD2	1:A:385:MET:CE	2.98	0.41
1:B:41:PHE:CD2	1:B:58:ARG:NH2	2.88	0.41
1:B:90:TYR:CZ	1:B:104:PRO:HD3	2.55	0.41
1:B:166:VAL:C	3:B:502:HEM:HBB1	2.40	0.41
1:B:181:ILE:N	1:B:182:PRO:CD	2.83	0.41
1:A:393:SER:O	1:A:397:LYS:HG3	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:161:LYS:HE2	1:B:161:LYS:HB3	1.88	0.41
1:A:231:ARG:HG3	2:A:501:HU0:C15	2.51	0.41
1:A:202:GLU:OE2	1:A:202:GLU:HA	2.21	0.41
1:B:211:LEU:HD13	1:B:341:SER:HB3	2.02	0.41
1:B:222:ASN:HB3	1:B:225:ALA:H	1.85	0.41
1:B:352:LYS:HD2	1:B:353:TYR:CE1	2.54	0.41
1:A:29:GLN:OE1	1:A:75:SER:OG	2.21	0.41
1:A:43:ALA:HB2	1:A:82:VAL:HG13	2.02	0.41
1:A:141:LYS:CB	1:A:147:ASN:ND2	2.84	0.41
3:A:502:HEM:CHA	3:A:502:HEM:CBA	2.91	0.41
1:B:326:ALA:O	1:B:330:GLU:HG2	2.21	0.41
1:B:352:LYS:CD	1:B:353:TYR:CE1	3.04	0.41
1:B:27:ASN:O	1:B:74:LYS:NZ	2.47	0.41
1:B:134:TRP:CE3	1:B:148:MET:CE	3.04	0.40
1:B:159:CYS:SG	1:B:221:VAL:HA	2.61	0.40
1:B:343:ARG:NE	1:B:391:VAL:CG1	2.84	0.40
1:A:173:ALA:O	1:A:176:SER:HB2	2.21	0.40
1:A:305:ASN:HA	1:A:308:CYS:SG	2.61	0.40
1:A:385:MET:CE	1:A:385:MET:HA	2.50	0.40
1:B:12:SER:HB3	1:B:15:TYR:HB2	2.03	0.40
1:B:207:LEU:HD21	1:B:273:PHE:CE2	2.56	0.40
1:B:211:LEU:HA	1:B:342:LEU:CD2	2.52	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:ARG:NH2	1:A:219:ASP:OD1[3_554]	1.62	0.58

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	367/392 (94%)	336 (92%)	30 (8%)	1 (0%)	41	56
1	B	367/392 (94%)	312 (85%)	38 (10%)	17 (5%)	2	2
All	All	734/784 (94%)	648 (88%)	68 (9%)	18 (2%)	5	7

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	35	PHE
1	B	37	ASN
1	B	62	LEU
1	B	64	MET
1	B	68	ASP
1	B	284	GLY
1	B	242	GLN
1	B	65	LEU
1	B	143	LEU
1	A	57	GLU
1	B	53	GLY
1	B	214	PHE
1	B	34	ASP
1	B	211	LEU
1	B	283	ALA
1	B	150	VAL
1	B	209	LYS
1	B	286	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	320/339 (94%)	288 (90%)	32 (10%)	7	10
1	B	320/339 (94%)	285 (89%)	35 (11%)	6	8
All	All	640/678 (94%)	573 (90%)	67 (10%)	7	9

All (67) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	MET
1	A	51	GLU
1	A	55	LEU
1	A	57	GLU
1	A	65	LEU
1	A	66	SER
1	A	71	THR
1	A	100	ARG
1	A	105	ARG
1	A	135	LYS
1	A	144	THR
1	A	149	ASP
1	A	176	SER
1	A	190	MET
1	A	191	GLN
1	A	205	SER
1	A	212	GLN
1	A	214	PHE
1	A	237	TRP
1	A	238	LYS
1	A	244	SER
1	A	269	VAL
1	A	272	CYS
1	A	280	GLN
1	A	309	SER
1	A	317	ARG
1	A	318	GLU
1	A	337	LYS
1	A	383	ASP
1	A	385	MET
1	A	396	GLU
1	A	401	LYS
1	B	12	SER
1	B	19	GLU
1	B	37	ASN
1	B	40	MET
1	B	55	LEU
1	B	58	ARG
1	B	70	LEU
1	B	80	ARG
1	B	105	ARG
1	B	143	LEU
1	B	144	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	149	ASP
1	B	153	SER
1	B	160	SER
1	B	171	GLU
1	B	190	MET
1	B	205	SER
1	B	214	PHE
1	B	217	ILE
1	B	219	ASP
1	B	224	LYS
1	B	238	LYS
1	B	250	GLU
1	B	272	CYS
1	B	297	ARG
1	B	308	CYS
1	B	310	LEU
1	B	318	GLU
1	B	321	LEU
1	B	344	SER
1	B	351	THR
1	B	355	LEU
1	B	385	MET
1	B	393	SER
1	B	401	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	346	HIS
1	B	37	ASN
1	B	290	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	HEM	B	502	2,1	27,50,50	0.82	2 (7%)	17,82,82	1.25	0
2	HU0	B	501	3	20,21,21	1.31	2 (10%)	24,29,29	2.34	5 (20%)
3	HEM	A	502	2,1	27,50,50	1.66	4 (14%)	17,82,82	1.24	0
4	ACY	B	503	-	1,3,3	4.38	1 (100%)	0,3,3	0.00	-
2	HU0	A	501	3	20,21,21	1.43	4 (20%)	24,29,29	2.07	4 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	B	502	2,1	-	3/6/54/54	-
2	HU0	B	501	3	-	2/5/5/5	0/3/3/3
2	HU0	A	501	3	-	2/5/5/5	0/3/3/3
3	HEM	A	502	2,1	-	2/6/54/54	-

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	HEM	C3B-C2B	-4.63	1.33	1.40
4	B	503	ACY	CH3-C	4.38	1.54	1.48
2	A	501	HU0	C09-N10	3.41	1.44	1.36
2	B	501	HU0	C09-N10	3.14	1.44	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	HU0	C03-C02	2.82	1.41	1.36
3	A	502	HEM	C3C-C2C	-2.74	1.36	1.40
3	B	502	HEM	C3B-C2B	-2.51	1.36	1.40
2	A	501	HU0	C03-C02	2.49	1.40	1.36
3	A	502	HEM	C3D-C2D	-2.43	1.30	1.37
2	A	501	HU0	C03-C04	-2.39	1.38	1.41
2	A	501	HU0	C14-C15	2.10	1.42	1.38
3	A	502	HEM	C1A-CHA	-2.04	1.35	1.41
3	B	502	HEM	C4D-C3D	2.03	1.47	1.42

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	HU0	C05-C09-N10	6.43	127.17	119.66
2	B	501	HU0	C19-C09-N10	-6.39	111.45	121.59
2	A	501	HU0	C05-C09-N10	5.09	125.61	119.66
2	A	501	HU0	BR1-C02-C19	-4.88	112.48	119.27
2	B	501	HU0	BR1-C02-C19	-4.49	113.03	119.27
2	A	501	HU0	C19-C09-N10	-3.22	116.48	121.59
2	A	501	HU0	C18-C12-C13	3.22	123.22	118.17
2	B	501	HU0	BR1-C02-C03	2.26	123.03	119.72
2	B	501	HU0	C18-C12-C13	2.14	121.54	118.17

There are no chirality outliers.

All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	501	HU0	C05-C09-N10-C11
2	A	501	HU0	C19-C09-N10-C11
2	B	501	HU0	C05-C09-N10-C11
2	B	501	HU0	C19-C09-N10-C11
3	A	502	HEM	C1A-C2A-CAA-CBA
3	A	502	HEM	C3A-C2A-CAA-CBA
3	B	502	HEM	C2D-C3D-CAD-CBD
3	B	502	HEM	C4D-C3D-CAD-CBD
3	B	502	HEM	C3D-CAD-CBD-CGD


There are no ring outliers.


5 monomers are involved in 40 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	502	HEM	24	0
2	B	501	HU0	1	0
3	A	502	HEM	12	0
4	B	503	ACY	1	0
2	A	501	HU0	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	371/392 (94%)	0.14	5 (1%) 77 75	43, 64, 88, 107	0
1	B	371/392 (94%)	0.51	25 (6%) 17 15	57, 82, 105, 118	0
All	All	742/784 (94%)	0.33	30 (4%) 38 35	43, 73, 100, 118	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	217	ILE	6.1
1	B	350	VAL	4.1
1	B	353	TYR	4.0
1	A	381	GLY	4.0
1	A	380	GLY	3.8
1	B	162	GLY	3.7
1	A	284	GLY	3.7
1	B	70	LEU	3.5
1	B	354	ILE	3.3
1	B	148	MET	3.3
1	B	214	PHE	3.3
1	B	347	LEU	3.2
1	A	285	GLY	3.0
1	B	380	GLY	2.8
1	B	50	ILE	2.8
1	B	145	TYR	2.8
1	B	154	PHE	2.7
1	B	142	PRO	2.6
1	B	134	TRP	2.6
1	B	149	ASP	2.5
1	A	283	ALA	2.4
1	B	355	LEU	2.4
1	B	166	VAL	2.4
1	B	144	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	146	GLU	2.2
1	B	218	HIS	2.2
1	B	284	GLY	2.2
1	B	387	PHE	2.2
1	B	150	VAL	2.2
1	B	254	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	ACY	B	503	4/4	0.72	0.71	49,69,78,82	0
3	HEM	B	502	43/43	0.92	0.29	61,73,82,92	0
2	HU0	B	501	19/19	0.94	0.19	60,67,94,98	0
2	HU0	A	501	19/19	0.97	0.19	52,59,85,93	0
3	HEM	A	502	43/43	0.98	0.17	43,49,67,72	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEM B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HU0 B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HU0 A 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.