



wwPDB X-ray Structure Validation Summary Report ⓘ

Sep 21, 2022 – 12:57 PM EDT

PDB ID : 8E23
Title : Human DNA polymerase theta in complex with allosteric inhibitor
Authors : Mader, P.; Pau, V.P.T.; Sicheri, F.
Deposited on : 2022-08-13
Resolution : 2.59 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.29
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.29


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.59 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	668	<div> <div>5%</div> <div>88%</div> <div>7%</div> <div>5%</div> </div>
1	D	668	<div> <div>20%</div> <div>79%</div> <div>12%</div> <div>10%</div> </div>
2	B	17	<div> <div>6%</div> <div>82%</div> <div>6%</div> <div>12%</div> </div>
2	E	17	<div> <div>53%</div> <div>18%</div> <div>29%</div> </div>
3	C	13	<div> <div>8%</div> <div>62%</div> <div>23%</div> <div>15%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	13	 A horizontal bar chart showing the quality of chain F. The bar is divided into three segments: a green segment on the left labeled '46%', a yellow segment in the middle labeled '15%', and a grey segment on the right labeled '38%'.

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 10562 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase theta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	637	Total	C	N	O	S	0	0	0
			4980	3171	855	927	27			
1	D	603	Total	C	N	O	S	0	0	0
			4478	2819	775	862	22			

There are 214 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1817	GLY	-	expression tag	UNP O75417
A	?	-	ALA	deletion	UNP O75417
A	?	-	THR	deletion	UNP O75417
A	?	-	ILE	deletion	UNP O75417
A	?	-	GLY	deletion	UNP O75417
A	?	-	SER	deletion	UNP O75417
A	?	-	ARG	deletion	UNP O75417
A	?	-	PHE	deletion	UNP O75417
A	?	-	LYS	deletion	UNP O75417
A	?	-	GLN	deletion	UNP O75417
A	?	-	ALA	deletion	UNP O75417
A	?	-	SER	deletion	UNP O75417
A	?	-	SER	deletion	UNP O75417
A	?	-	PRO	deletion	UNP O75417
A	?	-	GLN	deletion	UNP O75417
A	?	-	GLU	deletion	UNP O75417
A	?	-	ILE	deletion	UNP O75417
A	?	-	PRO	deletion	UNP O75417
A	?	-	ILE	deletion	UNP O75417
A	?	-	ARG	deletion	UNP O75417
A	?	-	ASP	deletion	UNP O75417
A	?	-	ASP	deletion	UNP O75417
A	?	-	GLN	deletion	UNP O75417
A	?	-	LYS	deletion	UNP O75417
A	?	-	HIS	deletion	UNP O75417

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	SER	deletion	UNP O75417
A	?	-	GLU	deletion	UNP O75417
A	?	-	ILE	deletion	UNP O75417
A	?	-	SER	deletion	UNP O75417
A	?	-	ALA	deletion	UNP O75417
A	?	-	SER	deletion	UNP O75417
A	?	-	LEU	deletion	UNP O75417
A	?	-	VAL	deletion	UNP O75417
A	?	-	PRO	deletion	UNP O75417
A	?	-	PRO	deletion	UNP O75417
A	?	-	MET	deletion	UNP O75417
A	?	-	LYS	deletion	UNP O75417
A	?	-	ASN	deletion	UNP O75417
A	?	-	GLN	deletion	UNP O75417
A	?	-	GLY	deletion	UNP O75417
A	?	-	SER	deletion	UNP O75417
A	?	-	LYS	deletion	UNP O75417
A	?	-	LYS	deletion	UNP O75417
A	?	-	THR	deletion	UNP O75417
A	?	-	LEU	deletion	UNP O75417
A	?	-	GLY	deletion	UNP O75417
A	?	-	SER	deletion	UNP O75417
A	?	-	THR	deletion	UNP O75417
A	?	-	ARG	deletion	UNP O75417
A	?	-	ARG	deletion	UNP O75417
A	?	-	GLY	deletion	UNP O75417
A	?	-	ILE	deletion	UNP O75417
A	?	-	ASP	deletion	UNP O75417
A	?	-	ASN	deletion	UNP O75417
A	?	-	GLY	deletion	UNP O75417
A	?	-	ARG	deletion	UNP O75417
A	?	-	LYS	deletion	UNP O75417
A	?	-	LEU	deletion	UNP O75417
A	?	-	ARG	deletion	UNP O75417
A	?	-	VAL	deletion	UNP O75417
A	?	-	GLY	deletion	UNP O75417
A	?	-	GLU	deletion	UNP O75417
A	?	-	SER	deletion	UNP O75417
A	?	-	PRO	deletion	UNP O75417
A	?	-	PRO	deletion	UNP O75417
A	?	-	SER	deletion	UNP O75417
A	?	-	GLN	deletion	UNP O75417

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	ALA	deletion	UNP O75417
A	?	-	VAL	deletion	UNP O75417
A	?	-	GLY	deletion	UNP O75417
A	?	-	LYS	deletion	UNP O75417
A	?	-	GLY	deletion	UNP O75417
A	?	-	LEU	deletion	UNP O75417
A	?	-	LEU	deletion	UNP O75417
A	?	-	PRO	deletion	UNP O75417
A	?	-	MET	deletion	UNP O75417
A	?	-	GLY	deletion	UNP O75417
A	?	-	ARG	deletion	UNP O75417
A	?	-	GLY	deletion	UNP O75417
A	?	-	LYS	deletion	UNP O75417
A	?	-	TYR	deletion	UNP O75417
A	?	-	LYS	deletion	UNP O75417
A	?	-	LYS	deletion	UNP O75417
A	?	-	GLY	deletion	UNP O75417
A	?	-	PHE	deletion	UNP O75417
A	?	-	SER	deletion	UNP O75417
A	?	-	VAL	deletion	UNP O75417
A	?	-	ASN	deletion	UNP O75417
A	?	-	PRO	deletion	UNP O75417
A	?	-	ARG	deletion	UNP O75417
A	?	-	CYS	deletion	UNP O75417
A	?	-	GLN	deletion	UNP O75417
A	?	-	ALA	deletion	UNP O75417
A	?	-	GLN	deletion	UNP O75417
A	?	-	MET	deletion	UNP O75417
A	?	-	GLU	deletion	UNP O75417
A	?	-	GLU	deletion	UNP O75417
A	?	-	ARG	deletion	UNP O75417
A	?	-	ALA	deletion	UNP O75417
A	?	-	LEU	deletion	UNP O75417
A	?	-	SER	deletion	UNP O75417
A	?	-	ARG	deletion	UNP O75417
A	?	-	LYS	deletion	UNP O75417
A	?	-	ARG	deletion	UNP O75417
A	?	-	LYS	deletion	UNP O75417
A	?	-	LEU	deletion	UNP O75417
A	?	-	GLN	deletion	UNP O75417
D	1817	GLY	-	expression tag	UNP O75417
D	?	-	ALA	deletion	UNP O75417

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	?	-	THR	deletion	UNP O75417
D	?	-	ILE	deletion	UNP O75417
D	?	-	GLY	deletion	UNP O75417
D	?	-	SER	deletion	UNP O75417
D	?	-	ARG	deletion	UNP O75417
D	?	-	PHE	deletion	UNP O75417
D	?	-	LYS	deletion	UNP O75417
D	?	-	GLN	deletion	UNP O75417
D	?	-	ALA	deletion	UNP O75417
D	?	-	SER	deletion	UNP O75417
D	?	-	SER	deletion	UNP O75417
D	?	-	PRO	deletion	UNP O75417
D	?	-	GLN	deletion	UNP O75417
D	?	-	GLU	deletion	UNP O75417
D	?	-	ILE	deletion	UNP O75417
D	?	-	PRO	deletion	UNP O75417
D	?	-	ILE	deletion	UNP O75417
D	?	-	ARG	deletion	UNP O75417
D	?	-	ASP	deletion	UNP O75417
D	?	-	ASP	deletion	UNP O75417
D	?	-	GLN	deletion	UNP O75417
D	?	-	LYS	deletion	UNP O75417
D	?	-	HIS	deletion	UNP O75417
D	?	-	SER	deletion	UNP O75417
D	?	-	GLU	deletion	UNP O75417
D	?	-	ILE	deletion	UNP O75417
D	?	-	SER	deletion	UNP O75417
D	?	-	ALA	deletion	UNP O75417
D	?	-	SER	deletion	UNP O75417
D	?	-	LEU	deletion	UNP O75417
D	?	-	VAL	deletion	UNP O75417
D	?	-	PRO	deletion	UNP O75417
D	?	-	PRO	deletion	UNP O75417
D	?	-	MET	deletion	UNP O75417
D	?	-	LYS	deletion	UNP O75417
D	?	-	ASN	deletion	UNP O75417
D	?	-	GLN	deletion	UNP O75417
D	?	-	GLY	deletion	UNP O75417
D	?	-	SER	deletion	UNP O75417
D	?	-	LYS	deletion	UNP O75417
D	?	-	LYS	deletion	UNP O75417
D	?	-	THR	deletion	UNP O75417

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	?	-	LEU	deletion	UNP O75417
D	?	-	GLY	deletion	UNP O75417
D	?	-	SER	deletion	UNP O75417
D	?	-	THR	deletion	UNP O75417
D	?	-	ARG	deletion	UNP O75417
D	?	-	ARG	deletion	UNP O75417
D	?	-	GLY	deletion	UNP O75417
D	?	-	ILE	deletion	UNP O75417
D	?	-	ASP	deletion	UNP O75417
D	?	-	ASN	deletion	UNP O75417
D	?	-	GLY	deletion	UNP O75417
D	?	-	ARG	deletion	UNP O75417
D	?	-	LYS	deletion	UNP O75417
D	?	-	LEU	deletion	UNP O75417
D	?	-	ARG	deletion	UNP O75417
D	?	-	VAL	deletion	UNP O75417
D	?	-	GLY	deletion	UNP O75417
D	?	-	GLU	deletion	UNP O75417
D	?	-	SER	deletion	UNP O75417
D	?	-	PRO	deletion	UNP O75417
D	?	-	PRO	deletion	UNP O75417
D	?	-	SER	deletion	UNP O75417
D	?	-	GLN	deletion	UNP O75417
D	?	-	ALA	deletion	UNP O75417
D	?	-	VAL	deletion	UNP O75417
D	?	-	GLY	deletion	UNP O75417
D	?	-	LYS	deletion	UNP O75417
D	?	-	GLY	deletion	UNP O75417
D	?	-	LEU	deletion	UNP O75417
D	?	-	LEU	deletion	UNP O75417
D	?	-	PRO	deletion	UNP O75417
D	?	-	MET	deletion	UNP O75417
D	?	-	GLY	deletion	UNP O75417
D	?	-	ARG	deletion	UNP O75417
D	?	-	GLY	deletion	UNP O75417
D	?	-	LYS	deletion	UNP O75417
D	?	-	TYR	deletion	UNP O75417
D	?	-	LYS	deletion	UNP O75417
D	?	-	LYS	deletion	UNP O75417
D	?	-	GLY	deletion	UNP O75417
D	?	-	PHE	deletion	UNP O75417
D	?	-	SER	deletion	UNP O75417

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	?	-	VAL	deletion	UNP O75417
D	?	-	ASN	deletion	UNP O75417
D	?	-	PRO	deletion	UNP O75417
D	?	-	ARG	deletion	UNP O75417
D	?	-	CYS	deletion	UNP O75417
D	?	-	GLN	deletion	UNP O75417
D	?	-	ALA	deletion	UNP O75417
D	?	-	GLN	deletion	UNP O75417
D	?	-	MET	deletion	UNP O75417
D	?	-	GLU	deletion	UNP O75417
D	?	-	GLU	deletion	UNP O75417
D	?	-	ARG	deletion	UNP O75417
D	?	-	ALA	deletion	UNP O75417
D	?	-	LEU	deletion	UNP O75417
D	?	-	SER	deletion	UNP O75417
D	?	-	ARG	deletion	UNP O75417
D	?	-	LYS	deletion	UNP O75417
D	?	-	ARG	deletion	UNP O75417
D	?	-	LYS	deletion	UNP O75417
D	?	-	LEU	deletion	UNP O75417
D	?	-	GLN	deletion	UNP O75417

- Molecule 2 is a DNA chain called DNA (5'-D(*CP*GP*TP*CP*CP*AP*AP*TP*GP*AP*CP*AP*GP*CP*CP*GP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	15	Total	C	N	O	P	0	0	0
			301	144	57	86	14			
2	E	12	Total	C	N	O	P	0	0	0
			241	116	46	68	11			


- Molecule 3 is a DNA chain called DNA (5'-D(*GP*C*GP*GP*CP*TP*GP*TP*CP*AP*TP*TP*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	11	Total	C	N	O	P	0	0	0
			223	108	39	66	10			
3	F	8	Total	C	N	O	P	0	0	0
			163	79	26	50	8			

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0
4	D	1	Total Mg 1 1	0	0

- Molecule 5 is 2'-3'-DIDEOXYGUANOSINE-5'-TRIPHOSPHATE (three-letter code: DG3) (formula: C₁₀H₁₆N₅O₁₂P₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C N O P 30 10 5 12 3	0	0
5	D	1	Total C N O P 30 10 5 12 3	0	0

- Molecule 6 is N-methyl-N-phenyl[(3aM)-3-(trifluoromethyl)cyclopenta[c]pyrazol-2(1H)-yl]ethanethioamide (three-letter code: UAF) (formula: C₁₆H₁₄F₃N₃S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	F	N	S	0	0
			23	16	3	3	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	67	Total	O	0	0
			67	67		
7	C	4	Total	O	0	0
			4	4		
7	D	19	Total	O	0	0
			19	19		
7	E	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: DNA polymerase theta





• Molecule 1: DNA polymerase theta






- Molecule 2: DNA (5'-D(*CP*GP*TP*CP*CP*AP*AP*TP*GP*AP*CP*AP*GP*CP*CP*GP*C)-3')




- Molecule 2: DNA (5'-D(*CP*GP*TP*CP*CP*AP*AP*TP*GP*AP*CP*AP*GP*CP*CP*GP*C)-3')



- Molecule 3: DNA (5'-D(*GP*C*GP*GP*CP*TP*GP*TP*CP*AP*TP*TP*G)-3')



- Molecule 3: DNA (5'-D(*GP*C*GP*GP*CP*TP*GP*TP*CP*AP*TP*TP*G)-3')



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	246.85Å 69.32Å 147.43Å 90.00° 122.55° 90.00°	Depositor
Resolution (Å)	73.53 – 2.59 104.04 – 2.59	Depositor EDS
% Data completeness (in resolution range)	98.8 (73.53-2.59) 98.8 (104.04-2.59)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.23 (at 2.58Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.247 , 0.295 0.244 , 0.293	Depositor DCC
R_{free} test set	1963 reflections (3.02%)	wwPDB-VP
Wilson B-factor (Å ²)	84.0	Xtriage
Anisotropy	0.228	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 77.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	10562	wwPDB-VP
Average B, all atoms (Å ²)	104.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DG3, MG, UAF

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.23	0/5074	0.43	0/6856
1	D	0.23	0/4549	0.43	0/6163
2	B	0.47	0/337	0.80	0/517
2	E	0.51	0/270	0.85	0/414
3	C	0.46	0/249	0.95	0/383
3	F	0.45	0/181	1.03	0/277
All	All	0.27	0/10660	0.50	0/14610

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4980	0	4940	29	0
1	D	4478	0	4136	49	0
2	B	301	0	169	1	0
2	E	241	0	136	5	0
3	C	223	0	125	2	0
3	F	163	0	91	2	0
4	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	1	0	0	0	0
5	A	30	0	12	0	0
5	D	30	0	12	1	0
6	A	23	0	0	0	0
7	A	67	0	0	2	0
7	C	4	0	0	0	0
7	D	19	0	0	0	0
7	E	1	0	0	0	0
All	All	10562	0	9621	82	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 82 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:2393:MET:HA	2:E:4:DC:H5'	1.73	0.69
1:A:1852:ILE:HB	1:A:1903:LEU:HD11	1.73	0.69
1:D:2241:ARG:HH21	1:D:2474:GLN:HB2	1.58	0.68
1:A:1854:LEU:HD23	1:A:1903:LEU:HD13	1.74	0.67
1:D:2241:ARG:NH2	1:D:2335:GLU:OE2	2.28	0.66

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	627/668 (94%)	612 (98%)	15 (2%)	0	100	100
1	D	575/668 (86%)	554 (96%)	21 (4%)	0	100	100
All	All	1202/1336 (90%)	1166 (97%)	36 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	539/586 (92%)	539 (100%)	0	100	100
1	D	446/586 (76%)	444 (100%)	2 (0%)	91	97
All	All	985/1172 (84%)	983 (100%)	2 (0%)	93	98

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	1949	GLN
1	D	2198	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	1969	GLN
1	D	2030	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	DG3	D	2601	4	25,32,32	0.87	1 (4%)	28,50,50	1.52	5 (17%)
5	DG3	A	2601	4	25,32,32	0.87	1 (4%)	28,50,50	1.50	5 (17%)
6	UAF	A	2602	-	20,25,25	2.52	8 (40%)	22,37,37	1.68	8 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	DG3	D	2601	4	-	5/18/31/31	0/3/3/3
5	DG3	A	2601	4	-	4/18/31/31	0/3/3/3
6	UAF	A	2602	-	-	3/17/18/18	0/3/3/3

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	2602	UAF	C05-N06	4.93	1.56	1.47
6	A	2602	UAF	C10-C09	4.08	1.56	1.39
6	A	2602	UAF	C10-C11	4.08	1.56	1.39
6	A	2602	UAF	C03-S04	-3.76	1.58	1.66
6	A	2602	UAF	C13-N06	3.69	1.42	1.37

The worst 5 of 18 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	2602	UAF	C11-C12-C08	3.69	109.31	106.18
5	D	2601	DG3	PB-O3B-PG	-3.50	120.81	132.83
5	A	2601	DG3	PA-O3A-PB	-3.23	121.75	132.83
5	A	2601	DG3	PB-O3B-PG	-3.17	121.94	132.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	2602	UAF	C13-N06-N07	-2.96	108.70	112.10

There are no chirality outliers.

5 of 12 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	2601	DG3	C5'-O5'-PA-O1A
5	A	2601	DG3	C5'-O5'-PA-O2A
5	D	2601	DG3	C5'-O5'-PA-O1A
5	D	2601	DG3	C5'-O5'-PA-O2A
6	A	2602	UAF	C12-C13-C14-F16


There are no ring outliers.

1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	2601	DG3	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand DG3 D 2601



Ligand DG3 A 2601





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	637/668 (95%)	0.71	34 (5%) 26 20	48, 77, 119, 187	0
1	D	603/668 (90%)	1.18	131 (21%) 0 0	66, 129, 187, 246	0
2	B	15/17 (88%)	0.77	1 (6%) 17 13	63, 91, 200, 233	0
2	E	12/17 (70%)	0.13	0 100 100	99, 119, 171, 175	0
3	C	11/13 (84%)	0.75	1 (9%) 9 6	62, 125, 215, 217	0
3	F	8/13 (61%)	0.57	0 100 100	130, 136, 175, 186	0
All	All	1286/1396 (92%)	0.93	167 (12%) 3 2	48, 94, 177, 246	0

The worst 5 of 167 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	2368	MET	4.8
1	D	2340	ALA	4.8
1	D	2344	HIS	4.7
1	D	2439	PHE	4.6
1	D	2249	ILE	4.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	MG	D	2600	1/1	0.59	0.09	146,146,146,146	0
5	DG3	D	2601	30/30	0.79	0.16	109,138,158,164	0
4	MG	A	2600	1/1	0.80	0.17	62,62,62,62	0
5	DG3	A	2601	30/30	0.97	0.22	47,63,78,84	0
6	UAF	A	2602	23/23	0.98	0.26	58,70,78,82	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around DG3 A 2601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around UAF A 2602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.