



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 8, 2022 – 03:38 PM EST

PDB ID : 8E3V
Title : Cobalt-reconstituted nitrogenase MoFeP mutant S188A from *Azotobacter vinelandii* after IDS oxidation
Authors : Rutledge, H.L.; Tezcan, F.A.
Deposited on : 2022-08-17
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.31.2
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	492	<div> <div>0%</div> <div> <div></div> <div>80%</div> <div>15%</div> <div>...</div> </div> </div>
1	C	492	<div> <div>2%</div> <div> <div></div> <div>81%</div> <div>13%</div> <div>...</div> </div> </div>
2	B	523	<div> <div>0%</div> <div> <div></div> <div>90%</div> <div>10%</div> </div> </div>
2	D	523	<div> <div>0%</div> <div> <div></div> <div>91%</div> <div>8%</div> </div> </div>

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 32582 atoms, of which 15259 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nitrogenase molybdenum-iron protein alpha chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	472	Total	C	H	N	O	S	0	1	0
			7319	2368	3592	634	700	25			
1	C	470	Total	C	H	N	O	S	0	1	0
			7282	2355	3583	628	691	25			


- Molecule 2 is a protein called Nitrogenase molybdenum-iron protein beta chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	522	Total	C	H	N	O	S	0	0	0
			8190	2652	4043	699	768	28			
2	D	522	Total	C	H	N	O	S	0	1	0
			8178	2651	4029	696	774	28			

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	188	ALA	SER	engineered mutation	UNP C1DGZ8
D	188	ALA	SER	engineered mutation	UNP C1DGZ8

- Molecule 3 is 3-HYDROXY-3-CARBOXY-ADIPIC ACID (three-letter code: HCA) (formula: C₇H₁₀O₇).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	H	O	0	0
			20	7	6	7		
3	C	1	Total	C	H	O	0	0
			20	7	6	7		

- Molecule 4 is iron-sulfur-molybdenum cluster with interstitial carbon (three-letter code: ICS) (formula: CFe₇MoS₉).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Fe	Mo	S	0	0
			18	1	7	1	9		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	C	1	Total	C	Fe	Mo	S	
			18	1	7	1	9	
							0	0

- Molecule 5 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	Fe		
			1	1	0	0
5	D	1	Total	Fe		
			1	1	0	0

- Molecule 6 is FE(8)-S(7) CLUSTER (three-letter code: CLF) (formula: Fe₈S₇) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	Fe	S		
			15	8	7	0	0
6	D	1	Total	Fe	S		
			15	8	7	0	0

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	304	Total	O		
			304	304	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	470	Total 470	O 470	0	0
7	C	296	Total 296	O 296	0	0
7	D	435	Total 435	O 435	0	0

● Molecule 2: Nitrogenase molybdenum-iron protein beta chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	77.13Å 130.04Å 107.76Å 90.00° 109.12° 90.00°	Depositor
Resolution (Å)	80.17 – 2.00 54.80 – 2.00	Depositor EDS
% Data completeness (in resolution range)	93.8 (80.17-2.00) 94.3 (54.80-2.00)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.16 (at 2.00Å)	Xtriage
Refinement program	PHENIX 1.19.1-4122	Depositor
R, R_{free}	0.182 , 0.208 0.174 , 0.203	Depositor DCC
R_{free} test set	12846 reflections (10.07%)	wwPDB-VP
Wilson B-factor (Å ²)	23.6	Xtriage
Anisotropy	0.501	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 41.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.026 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	32582	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ICS, CLF, FE, HCA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.38	0/3816	0.58	0/5151
1	C	0.38	0/3788	0.59	0/5115
2	B	0.37	0/4253	0.54	0/5755
2	D	0.35	0/4258	0.54	0/5765
All	All	0.37	0/16115	0.56	0/21786

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3727	3592	3620	49	0
1	C	3699	3583	3589	47	0
2	B	4147	4043	4040	36	0
2	D	4149	4029	4021	37	0
3	A	14	6	6	3	0
3	C	14	6	6	2	0
4	A	18	0	0	0	0
4	C	18	0	0	0	0
5	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	D	1	0	0	0	0
6	B	15	0	0	1	0
6	D	15	0	0	0	0
7	A	304	0	0	8	0
7	B	470	0	0	8	0
7	C	296	0	0	8	0
7	D	435	0	0	2	0
All	All	17323	15259	15282	159	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:277:ARG:HD3	7:C:624:HOH:O	1.64	0.95
1:C:186:PHE:CE1	2:D:120[B]:GLU:OE1	2.32	0.82
1:C:186:PHE:HE1	2:D:120[B]:GLU:OE1	1.63	0.81
2:B:209:THR:HG21	2:B:309:TRP:HE1	1.48	0.78
1:A:163:ILE:HG12	1:A:182:ARG:HH11	1.53	0.74
2:B:55:LEU:HD13	7:B:902:HOH:O	1.89	0.73
2:B:202:GLU:O	2:B:206:ARG:HG3	1.90	0.72
1:C:315:LYS:HE2	7:C:838:HOH:O	1.89	0.72
2:B:209:THR:HG21	2:B:309:TRP:NE1	2.05	0.71
1:C:5:SER:HB3	1:C:8:GLU:OE1	1.90	0.71
2:D:91:GLY:HA3	2:D:152:THR:HB	1.77	0.67
1:C:277:ARG:CD	7:C:624:HOH:O	2.32	0.65
1:A:124:VAL:HG23	1:A:125:PHE:HD1	1.61	0.65
2:B:171:LYS:HE2	2:B:172:GLU:OE2	1.98	0.64
1:A:22:GLU:CD	1:A:25:ARG:HH21	2.03	0.62
1:A:397:SER:O	1:A:397:SER:OG	2.17	0.61
2:B:394:LEU:HG	7:B:754:HOH:O	2.00	0.61
2:B:403:LYS:NZ	2:B:407:ASP:OD2	2.34	0.60
1:A:129:LYS:HD2	7:A:757:HOH:O	2.00	0.60
2:B:456:LEU:HD23	2:D:510:ARG:HG2	1.84	0.59
1:A:66:GLY:O	1:A:70:VAL:HG22	2.02	0.59
1:A:213:ASP:OD1	1:A:215:THR:HG23	2.03	0.59
2:D:216:LYS:CG	2:D:285:PRO:HB2	2.33	0.59
2:B:247:MET:HG2	2:B:341:PRO:HD3	1.84	0.58
1:A:93:ARG:HD2	1:A:111:THR:O	2.03	0.58
2:B:34:LYS:HD3	7:B:823:HOH:O	2.04	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:461:ARG:HB2	2:D:8:ILE:HD12	1.85	0.58
2:B:80:LEU:HD13	2:B:87:PRO:HG3	1.86	0.57
2:B:55:LEU:CD1	7:B:902:HOH:O	2.50	0.57
2:B:7:LYS:HD3	7:B:1167:HOH:O	2.03	0.57
1:C:275:CYS:HA	1:C:358:LEU:HD22	1.88	0.56
2:B:100:ARG:HD2	2:B:111:VAL:O	2.06	0.56
1:C:134:LEU:HD13	2:D:62:LEU:HD13	1.86	0.56
1:C:62:CYS:HB3	2:D:94:GLY:HA3	1.87	0.56
2:D:379:LEU:HD21	2:D:443:ILE:HG21	1.88	0.56
2:D:216:LYS:HG2	2:D:285:PRO:HB2	1.89	0.55
1:A:212:GLU:HA	1:A:212:GLU:OE1	2.08	0.54
1:C:442:HIS:HB3	3:C:501:HCA:O5	2.08	0.54
2:B:456:LEU:CD2	2:D:510:ARG:HG2	2.38	0.54
1:A:62:CYS:HB3	2:B:94:GLY:HA3	1.90	0.53
2:D:151:THR:HG23	2:D:162:LEU:HD11	1.91	0.53
1:C:387:TYR:O	1:C:391:MET:HG2	2.09	0.53
2:B:223:LYS:HE2	2:B:252:SER:OG	2.09	0.53
2:B:151:THR:HG23	2:B:162:LEU:HD11	1.91	0.52
1:C:442:HIS:HB2	7:C:734:HOH:O	2.09	0.52
1:A:213:ASP:HB2	7:A:783:HOH:O	2.10	0.52
1:A:100:TYR:CE1	1:A:110:VAL:HB	2.45	0.52
1:A:355:ILE:HG22	1:A:356:GLY:H	1.76	0.51
2:B:223:LYS:NZ	7:B:709:HOH:O	2.39	0.51
2:D:394:LEU:HD13	2:D:430:LEU:HB2	1.93	0.51
2:B:43:VAL:O	2:B:47:THR:HG23	2.11	0.50
1:A:212:GLU:HB2	7:A:762:HOH:O	2.10	0.50
2:B:456:LEU:HD23	2:D:510:ARG:CG	2.41	0.50
1:C:43:LYS:O	1:C:44:LYS:CB	2.59	0.50
1:C:186:PHE:CD1	2:D:120[B]:GLU:OE1	2.65	0.50
1:A:335:TRP:O	1:A:339:VAL:HG23	2.11	0.50
1:A:277:ARG:NH2	1:A:385:ASP:OD1	2.45	0.50
3:A:501:HCA:O2	3:A:501:HCA:O7	2.30	0.49
1:A:234:ASP:HB3	1:A:451:HIS:ND1	2.27	0.49
1:A:354:TYR:CZ	1:A:404:VAL:HG12	2.47	0.49
1:A:36:ASP:HA	1:A:396:ASP:OD1	2.13	0.48
1:C:100:TYR:CE1	1:C:110:VAL:HB	2.48	0.48
1:C:471:CYS:HB3	7:C:793:HOH:O	2.13	0.48
1:C:284:ARG:NH2	7:C:617:HOH:O	2.46	0.48
2:B:5:VAL:O	7:B:701:HOH:O	2.20	0.48
1:A:140:THR:HG23	7:A:701:HOH:O	2.13	0.48
1:A:419:ASP:O	1:A:467:LEU:CD1	2.61	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:14:GLN:O	7:C:601:HOH:O	2.20	0.48
1:C:280:ASN:O	1:C:284:ARG:HD3	2.14	0.48
1:C:343:ARG:HG2	1:C:347:GLU:HG2	1.94	0.48
1:A:163:ILE:HG12	1:A:182:ARG:NH1	2.25	0.48
1:C:416:ILE:N	1:C:416:ILE:HD13	2.28	0.48
2:D:221:ASN:OD1	2:D:287:ALA:HA	2.14	0.47
1:C:420:LEU:HB2	1:C:467:LEU:HD22	1.96	0.47
2:D:43:VAL:O	2:D:47:THR:HG23	2.14	0.47
2:B:369:LEU:HD13	2:B:369:LEU:N	2.29	0.47
1:C:203:ARG:HD2	1:C:204:ASP:OD1	2.13	0.47
1:A:5:SER:O	1:A:6:ARG:HB3	2.15	0.47
1:C:343:ARG:NH1	1:C:347:GLU:OE2	2.44	0.47
1:C:382:ALA:HB1	1:C:386:ASP:HB2	1.96	0.47
2:B:96:VAL:O	2:B:100:ARG:HG3	2.14	0.47
2:B:445:ASN:HB2	2:B:472:PRO:O	2.14	0.47
1:A:442:HIS:HB3	3:A:501:HCA:O6	2.15	0.46
1:C:354:TYR:CZ	1:C:404:VAL:HG12	2.50	0.46
3:C:501:HCA:O7	3:C:501:HCA:O1	2.34	0.46
1:A:203:ARG:HD2	1:A:204:ASP:OD1	2.14	0.46
1:C:347:GLU:HG3	7:C:869:HOH:O	2.14	0.46
1:A:210:ARG:HG3	1:A:263:GLU:HB3	1.97	0.46
1:C:106:VAL:O	1:C:144:LEU:HB2	2.15	0.46
1:C:355:ILE:HB	1:C:360:PRO:HD3	1.97	0.46
2:D:152:THR:HG22	2:D:154:MET:H	1.81	0.46
2:B:394:LEU:HD13	2:B:430:LEU:HB2	1.98	0.46
1:A:387:TYR:O	1:A:391:MET:HG2	2.15	0.45
1:A:133:LYS:HE2	1:A:137:GLU:OE2	2.17	0.45
2:D:194:VAL:HB	2:D:297:HIS:CG	2.52	0.45
2:D:88:TYR:O	2:D:149:VAL:HA	2.17	0.45
2:D:317:ASN:ND2	7:D:707:HOH:O	2.36	0.45
1:C:230:ASN:HA	1:C:235:ALA:H	1.81	0.45
1:A:93:ARG:HD3	1:A:113:ASN:HB2	1.99	0.45
1:C:104:THR:HA	1:C:108:ALA:O	2.17	0.44
1:A:366:ALA:N	7:A:621:HOH:O	2.45	0.44
2:B:194:VAL:HB	2:B:297:HIS:CG	2.52	0.44
2:D:215:ASP:OD1	2:D:216:LYS:CD	2.66	0.44
1:A:442:HIS:HB2	7:A:699:HOH:O	2.17	0.44
2:B:221:ASN:O	2:B:223:LYS:HG3	2.16	0.44
2:B:400:LYS:HG3	7:B:962:HOH:O	2.16	0.44
1:A:70:VAL:HA	1:A:96:ARG:NH1	2.33	0.44
1:A:182:ARG:NH2	7:A:630:HOH:O	2.51	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:134:LEU:C	1:A:134:LEU:HD23	2.37	0.44
1:A:355:ILE:HG22	1:A:356:GLY:N	2.33	0.44
1:C:225:ILE:HG13	1:C:249[B]:CYS:SG	2.57	0.44
2:D:445:ASN:HB2	2:D:472:PRO:O	2.18	0.44
1:A:474:LYS:HB3	2:D:322:LEU:HD21	1.99	0.43
2:D:170:LYS:HD3	2:D:177:ASP:HA	1.99	0.43
2:D:92:SER:OG	2:D:152:THR:HG21	2.18	0.43
2:D:369:LEU:C	2:D:369:LEU:HD22	2.39	0.43
2:D:358:SER:HB3	2:D:498:VAL:HG21	2.01	0.43
2:B:221:ASN:OD1	2:B:287:ALA:HA	2.19	0.43
2:D:369:LEU:N	2:D:369:LEU:HD13	2.34	0.43
1:C:196:HIS:CD2	1:C:281:TYR:CG	3.07	0.43
1:C:385:ASP:HB2	1:C:389:ARG:NH1	2.34	0.42
2:D:86:MET:HG2	2:D:138:CYS:SG	2.59	0.42
2:B:305:VAL:O	2:B:309:TRP:HB2	2.19	0.42
1:C:163:ILE:HG12	1:C:182:ARG:NH2	2.33	0.42
1:A:85:PRO:HB2	6:B:602:CLF:S2B	2.58	0.42
1:A:354:TYR:C	1:A:355:ILE:HG13	2.39	0.42
1:C:16:VAL:HG13	1:C:407:TYR:CE2	2.54	0.42
2:D:216:LYS:HG3	2:D:285:PRO:HB2	2.00	0.42
2:D:247:MET:HG2	2:D:341:PRO:HD3	2.01	0.42
1:A:70:VAL:HG23	1:A:71:VAL:HG23	2.02	0.42
1:C:134:LEU:C	1:C:134:LEU:HD12	2.40	0.42
1:C:226:ILE:HG22	1:C:279:MET:HB3	2.02	0.42
1:C:430:ILE:HG23	2:D:269:PHE:CG	2.54	0.42
2:D:494:LEU:O	2:D:498:VAL:HG23	2.20	0.42
1:A:275:CYS:SG	1:A:278:SER:OG	2.71	0.42
2:D:21:LYS:HE3	2:D:21:LYS:HB2	1.79	0.42
1:A:419:ASP:O	1:A:467:LEU:HD11	2.19	0.42
1:A:442:HIS:CG	3:A:501:HCA:H52	2.55	0.41
1:C:162:ASP:OD2	1:C:165:SER:OG	2.35	0.41
2:D:84:LYS:NZ	7:D:711:HOH:O	2.42	0.41
2:D:215:ASP:OD1	2:D:216:LYS:HD3	2.20	0.41
2:B:369:LEU:HD22	2:B:369:LEU:O	2.20	0.41
1:A:76:LYS:O	1:A:108:ALA:HA	2.21	0.41
1:A:382:ALA:HB1	1:A:386:ASP:HB2	2.01	0.41
1:A:350:ARG:NH2	1:A:416:ILE:O	2.54	0.41
1:C:125:PHE:N	1:C:125:PHE:CD1	2.89	0.41
1:A:420:LEU:HB2	1:A:467:LEU:HD13	2.02	0.41
1:C:223:VAL:HG11	1:C:247:LEU:HD13	2.03	0.41
1:C:196:HIS:CD2	1:C:281:TYR:CD1	3.08	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:156:GLU:HG3	2:B:187:PRO:HA	2.03	0.41
1:C:125:PHE:N	1:C:125:PHE:HD1	2.18	0.41
1:C:411:GLU:OE2	1:C:414:LYS:NZ	2.54	0.41
1:A:148:ILE:O	1:A:178:ILE:HA	2.21	0.41
2:B:71:GLN:O	2:B:196:GLY:HA3	2.20	0.41
2:B:86:MET:HG2	2:B:138:CYS:SG	2.61	0.41
1:C:76:LYS:O	1:C:108:ALA:HA	2.22	0.40
2:B:369:LEU:HD22	2:B:369:LEU:C	2.41	0.40
1:A:226:ILE:HD13	1:A:253:TRP:CD1	2.57	0.40
1:A:332:LYS:HG2	7:A:603:HOH:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	469/492 (95%)	447 (95%)	20 (4%)	2 (0%)	34	30
1	C	467/492 (95%)	448 (96%)	17 (4%)	2 (0%)	34	30
2	B	520/523 (99%)	508 (98%)	11 (2%)	1 (0%)	47	44
2	D	521/523 (100%)	507 (97%)	14 (3%)	0	100	100
All	All	1977/2030 (97%)	1910 (97%)	62 (3%)	5 (0%)	41	37

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	5	SER
1	C	5	SER
2	B	255	SER
1	A	355	ILE
1	C	355	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	396/415 (95%)	379 (96%)	17 (4%)	29	26
1	C	390/415 (94%)	372 (95%)	18 (5%)	27	23
2	B	446/454 (98%)	437 (98%)	9 (2%)	55	58
2	D	446/454 (98%)	442 (99%)	4 (1%)	78	83
All	All	1678/1738 (96%)	1630 (97%)	48 (3%)	42	43

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	SER
1	A	6	ARG
1	A	93	ARG
1	A	98	ASN
1	A	121	LYS
1	A	131	LEU
1	A	223	VAL
1	A	264	LEU
1	A	287	GLU
1	A	362	HIS
1	A	396	ASP
1	A	401	TYR
1	A	415	ARG
1	A	445	ASP
1	A	461	ARG
1	A	473	LYS
1	A	480	GLU
2	B	4	GLN
2	B	80	LEU
2	B	258	GLU
2	B	260	VAL
2	B	270	ARG
2	B	350	ARG
2	B	369	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	505	LEU
2	B	523	ARG
1	C	5	SER
1	C	12	LEU
1	C	23	LYS
1	C	98	ASN
1	C	107	ASN
1	C	133	LYS
1	C	134	LEU
1	C	182	ARG
1	C	284	ARG
1	C	347	GLU
1	C	362	HIS
1	C	384	ASN
1	C	401	TYR
1	C	409	PHE
1	C	416	ILE
1	C	445	ASP
1	C	467	LEU
1	C	475	LEU
2	D	26	LYS
2	D	212	SER
2	D	369	LEU
2	D	510	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	432	GLN
2	B	45	GLN
1	C	107	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	CLF	D	602	1,2	0,24,24	-	-	-		
3	HCA	C	501	-	13,13,13	0.96	0	14,18,18	1.69	2 (14%)
3	HCA	A	501	-	13,13,13	0.89	0	14,18,18	2.05	3 (21%)
6	CLF	B	602	1,2	0,24,24	-	-	-		
4	ICS	A	502	1	18,30,30	2.72	10 (55%)	-		
4	ICS	C	502	1	18,30,30	2.71	12 (66%)	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	CLF	D	602	1,2	-	-	0/12/10/10
3	HCA	C	501	-	-	4/17/17/17	-
3	HCA	A	501	-	-	13/17/17/17	-
6	CLF	B	602	1,2	-	-	0/12/10/10

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	502	ICS	S4B-FE7	-4.44	2.21	2.32
4	C	502	ICS	S1B-FE6	-4.43	2.21	2.32
4	A	502	ICS	S1B-FE6	-4.42	2.21	2.32
4	A	502	ICS	S3B-FE6	-4.39	2.21	2.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	502	ICS	S3B-FE6	-4.39	2.21	2.32
4	C	502	ICS	S4B-FE7	-4.30	2.21	2.32
4	A	502	ICS	S4B-FE5	-3.58	2.23	2.32
4	A	502	ICS	S2A-FE2	-3.46	2.23	2.32
4	A	502	ICS	S2B-FE6	-3.44	2.16	2.24
4	C	502	ICS	S2A-FE2	-3.31	2.24	2.32
4	C	502	ICS	S2B-FE6	-3.03	2.17	2.24
4	A	502	ICS	S3B-FE7	-2.98	2.25	2.32
4	C	502	ICS	S3B-FE7	-2.96	2.25	2.32
4	C	502	ICS	S4B-FE5	-2.95	2.25	2.32
4	C	502	ICS	S1B-FE5	-2.69	2.25	2.32
4	C	502	ICS	S1A-FE2	-2.48	2.26	2.32
4	C	502	ICS	S4A-FE3	-2.45	2.26	2.32
4	A	502	ICS	S1A-FE2	-2.44	2.26	2.32
4	A	502	ICS	S4A-FE3	-2.23	2.26	2.32
4	C	502	ICS	S2A-FE3	-2.16	2.27	2.32
4	A	502	ICS	S1B-FE5	-2.10	2.27	2.32
4	C	502	ICS	S2B-FE2	-2.09	2.20	2.24

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	501	HCA	O6-C7-C3	4.65	121.13	113.05
3	C	501	HCA	O7-C3-C7	4.40	115.04	108.86
3	A	501	HCA	O5-C7-C3	-3.36	117.50	122.25
3	C	501	HCA	O6-C7-C3	2.82	117.95	113.05
3	A	501	HCA	O7-C3-C7	2.66	112.61	108.86

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	501	HCA	C2-C3-C4-C5
3	A	501	HCA	O7-C3-C4-C5
3	C	501	HCA	C2-C3-C4-C5
3	C	501	HCA	O7-C3-C4-C5
3	C	501	HCA	C3-C4-C5-C6
3	C	501	HCA	C7-C3-C4-C5
3	A	501	HCA	C2-C3-C7-O5
3	A	501	HCA	C2-C3-C7-O6
3	A	501	HCA	C4-C3-C7-O6
3	A	501	HCA	C4-C3-C7-O5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	501	HCA	O7-C3-C7-O5
3	A	501	HCA	O7-C3-C7-O6
3	A	501	HCA	C7-C3-C4-C5
3	A	501	HCA	C1-C2-C3-C7
3	A	501	HCA	C1-C2-C3-C4
3	A	501	HCA	O1-C1-C2-C3
3	A	501	HCA	O2-C1-C2-C3


There are no ring outliers.


3 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	501	HCA	2	0
3	A	501	HCA	3	0
6	B	602	CLF	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand CLF D 602









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	472/492 (95%)	-0.15	7 (1%) 73 72	17, 26, 46, 61	0
1	C	470/492 (95%)	-0.14	10 (2%) 63 62	18, 26, 44, 57	0
2	B	522/523 (99%)	-0.25	3 (0%) 89 88	16, 23, 35, 50	0
2	D	522/523 (99%)	-0.19	3 (0%) 89 88	15, 24, 34, 53	0
All	All	1986/2030 (97%)	-0.18	23 (1%) 79 78	15, 24, 39, 61	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	125	PHE	4.0
1	A	42	SER	3.8
1	A	5	SER	3.7
1	C	174	LEU	3.0
1	C	169	VAL	2.8
1	C	215	THR	2.8
2	D	124	VAL	2.7
1	A	391	MET	2.5
1	C	125	PHE	2.4
1	C	44	LYS	2.4
2	B	215	ASP	2.3
2	D	177	ASP	2.3
2	B	125	PHE	2.2
1	C	45	CYS	2.2
1	A	415	ARG	2.2
1	A	174	LEU	2.2
1	A	397	SER	2.1
1	C	213	ASP	2.1
1	C	397	SER	2.1
2	D	214	ASP	2.1
1	C	22	GLU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	11	SER	2.1
2	B	124	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	HCA	C	501	14/14	0.94	0.13	17,22,26,27	0
3	HCA	A	501	14/14	0.95	0.12	18,22,28,28	0
6	CLF	D	602	15/15	0.95	0.07	20,23,26,27	1
6	CLF	B	602	15/15	0.96	0.07	19,21,22,25	2
5	FE	B	601	1/1	0.98	0.12	23,23,23,23	1
4	ICS	A	502	18/18	0.98	0.06	15,19,22,24	0
4	ICS	C	502	18/18	0.98	0.07	16,20,23,23	0
5	FE	D	601	1/1	0.99	0.12	24,24,24,24	1




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around CLF D 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CLF B 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ICS A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ICS C 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.