



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 21, 2020 – 08:38 PM BST

PDB ID : 6E41
Title : CRYSTAL STRUCTURE OF HUMAN INDOLEAMINE 2,3-DIOXYGENASE 1 (IDO1) in complex with ferric heme and an Epacadostat analog
Authors : Luo, S.; Tong, L.
Deposited on : 2018-07-16
Resolution : 2.29 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	405	<div> <div>2%</div> <div> <div></div> <div>81%</div> <div>11%</div> <div>• 7%</div> </div> </div>
1	B	405	<div> <div>2%</div> <div> <div></div> <div>84%</div> <div>9%</div> <div>7%</div> </div> </div>
1	C	405	<div> <div>3%</div> <div> <div></div> <div>78%</div> <div>14%</div> <div>• 7%</div> </div> </div>
1	D	405	<div> <div>%</div> <div> <div></div> <div>83%</div> <div>10%</div> <div>7%</div> </div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 12520 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Indoleamine 2,3-dioxygenase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	377	Total	C	N	O	S	0	1	0
			2981	1916	507	541	17			
1	B	376	Total	C	N	O	S	0	1	0
			2972	1911	506	538	17			
1	C	376	Total	C	N	O	S	0	1	0
			2972	1911	506	538	17			
1	D	378	Total	C	N	O	S	0	1	0
			2987	1919	509	542	17			

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	initiating methionine	UNP P14902
A	0	GLY	-	expression tag	UNP P14902
A	1	SER	-	expression tag	UNP P14902
A	2	SER	-	expression tag	UNP P14902
A	3	HIS	-	expression tag	UNP P14902
A	4	HIS	-	expression tag	UNP P14902
A	5	HIS	-	expression tag	UNP P14902
A	6	HIS	-	expression tag	UNP P14902
A	7	HIS	-	expression tag	UNP P14902
A	8	HIS	-	expression tag	UNP P14902
A	9	SER	-	expression tag	UNP P14902
A	10	SER	-	expression tag	UNP P14902
A	11	GLY	-	expression tag	UNP P14902
A	12	SER	-	expression tag	UNP P14902
A	13	ALA	-	expression tag	UNP P14902
A	14	ALA	-	expression tag	UNP P14902
A	116	ALA	LYS	engineered mutation	UNP P14902
A	117	ALA	LYS	engineered mutation	UNP P14902
B	-1	MET	-	initiating methionine	UNP P14902
B	0	GLY	-	expression tag	UNP P14902
B	1	SER	-	expression tag	UNP P14902

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	2	SER	-	expression tag	UNP P14902
B	3	HIS	-	expression tag	UNP P14902
B	4	HIS	-	expression tag	UNP P14902
B	5	HIS	-	expression tag	UNP P14902
B	6	HIS	-	expression tag	UNP P14902
B	7	HIS	-	expression tag	UNP P14902
B	8	HIS	-	expression tag	UNP P14902
B	9	SER	-	expression tag	UNP P14902
B	10	SER	-	expression tag	UNP P14902
B	11	GLY	-	expression tag	UNP P14902
B	12	SER	-	expression tag	UNP P14902
B	13	ALA	-	expression tag	UNP P14902
B	14	ALA	-	expression tag	UNP P14902
B	116	ALA	LYS	engineered mutation	UNP P14902
B	117	ALA	LYS	engineered mutation	UNP P14902
C	-1	MET	-	initiating methionine	UNP P14902
C	0	GLY	-	expression tag	UNP P14902
C	1	SER	-	expression tag	UNP P14902
C	2	SER	-	expression tag	UNP P14902
C	3	HIS	-	expression tag	UNP P14902
C	4	HIS	-	expression tag	UNP P14902
C	5	HIS	-	expression tag	UNP P14902
C	6	HIS	-	expression tag	UNP P14902
C	7	HIS	-	expression tag	UNP P14902
C	8	HIS	-	expression tag	UNP P14902
C	9	SER	-	expression tag	UNP P14902
C	10	SER	-	expression tag	UNP P14902
C	11	GLY	-	expression tag	UNP P14902
C	12	SER	-	expression tag	UNP P14902
C	13	ALA	-	expression tag	UNP P14902
C	14	ALA	-	expression tag	UNP P14902
C	116	ALA	LYS	engineered mutation	UNP P14902
C	117	ALA	LYS	engineered mutation	UNP P14902
D	-1	MET	-	initiating methionine	UNP P14902
D	0	GLY	-	expression tag	UNP P14902
D	1	SER	-	expression tag	UNP P14902
D	2	SER	-	expression tag	UNP P14902
D	3	HIS	-	expression tag	UNP P14902
D	4	HIS	-	expression tag	UNP P14902
D	5	HIS	-	expression tag	UNP P14902
D	6	HIS	-	expression tag	UNP P14902
D	7	HIS	-	expression tag	UNP P14902

Continued on next page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	8	HIS	-	expression tag	UNP P14902
D	9	SER	-	expression tag	UNP P14902
D	10	SER	-	expression tag	UNP P14902
D	11	GLY	-	expression tag	UNP P14902
D	12	SER	-	expression tag	UNP P14902
D	13	ALA	-	expression tag	UNP P14902
D	14	ALA	-	expression tag	UNP P14902
D	116	ALA	LYS	engineered mutation	UNP P14902
D	117	ALA	LYS	engineered mutation	UNP P14902

- # HEM

- Molecule 3 is N-(3-bromo-4-fluorophenyl)-N'-hydroxy-4-[2-(sulfamoylamino)ethyl]sulfanyl}-1,2,5-oxadiazole-3-carboximidamide (three-letter code: HQS) (formula: C₁₁H₁₂BrFN₆O₄S₂) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
3	A	1	Total	Br	C	F	N	O	S	0	0
			25	1	11	1	6	4	2		
3	A	1	Total	Br	C	F	N	O	S	0	0
			25	1	11	1	6	4	2		
3	B	1	Total	Br	C	F	N	O	S	0	0
			25	1	11	1	6	4	2		
3	C	1	Total	Br	C	F	N	O	S	0	0
			25	1	11	1	6	4	2		
3	C	1	Total	Br	C	F	N	O	S	0	0
			25	1	11	1	6	4	2		
3	D	1	Total	Br	C	F	N	O	S	0	0
			25	1	11	1	6	4	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	78	Total	O	0	0
			78	78		
4	B	66	Total	O	0	0
			66	66		
4	C	62	Total	O	0	0
			62	62		
4	D	80	Total	O	0	0
			80	80		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Indoleamine 2,3-dioxygenase 1




• Molecule 1: Indoleamine 2,3-dioxygenase 1




• Molecule 1: Indoleamine 2,3-dioxygenase 1





• Molecule 1: Indoleamine 2,3-dioxygenase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 ₁ 2 ₁ 2	Depositor
Cell constants a, b, c, α , β , γ	80.92Å 201.72Å 114.89Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	55.25 – 2.29 55.25 – 2.29	Depositor EDS
% Data completeness (in resolution range)	97.5 (55.25-2.29) 97.5 (55.25-2.29)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.56 (at 2.29Å)	Xtriage
Refinement program	PHENIX 1.12 _2829	Depositor
R, R_{free}	0.203 , 0.251 0.203 , 0.251	Depositor DCC
R_{free} test set	4121 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	42.4	Xtriage
Anisotropy	0.372	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 37.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12520	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 46.44 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.1439e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, HQS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.64	0/3052	0.72	3/4129 (0.1%)
1	B	0.75	1/3043 (0.0%)	0.74	1/4117 (0.0%)
1	C	0.73	2/3043 (0.1%)	0.76	5/4117 (0.1%)
1	D	0.69	1/3058 (0.0%)	0.71	2/4137 (0.0%)
All	All	0.70	4/12196 (0.0%)	0.73	11/16500 (0.1%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	31	ASN	C-O	-6.56	1.10	1.23
1	C	298	TYR	C-N	5.59	1.47	1.34
1	B	57	GLU	CG-CD	5.10	1.59	1.51
1	D	129	CYS	CB-SG	-5.09	1.73	1.81

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	55	LEU	CA-CB-CG	-6.32	100.78	115.30
1	A	55	LEU	CA-CB-CG	-6.00	101.50	115.30
1	C	221	VAL	C-N-CA	-5.96	106.80	121.70
1	D	55	LEU	CA-CB-CG	-5.73	102.12	115.30
1	A	130	VAL	CG1-CB-CG2	-5.60	101.94	110.90
1	B	55	LEU	CA-CB-CG	-5.53	102.57	115.30
1	C	276	LEU	CA-CB-CG	5.34	127.58	115.30
1	D	343	ARG	NE-CZ-NH2	-5.22	117.69	120.30
1	C	243	LEU	CA-CB-CG	5.20	127.27	115.30
1	A	56	ARG	NE-CZ-NH2	5.15	122.87	120.30
1	C	68	ASP	CB-CG-OD2	5.08	122.87	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2981	0	2994	29	0
1	B	2972	0	2988	16	0
1	C	2972	0	2988	35	0
1	D	2987	0	3001	26	0
2	A	43	0	30	4	0
2	B	43	0	30	2	0
2	C	43	0	30	2	0
2	D	43	0	30	2	0
3	A	50	0	0	2	0
3	B	25	0	0	1	0
3	C	50	0	0	5	0
3	D	25	0	0	0	0
4	A	78	0	0	1	0
4	B	66	0	0	1	0
4	C	62	0	0	2	0
4	D	80	0	0	0	0
All	All	12520	0	12091	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:175:ALA:HA	1:D:178:ILE:HD12	1.51	0.90
1:A:105:ARG:NH2	1:A:106:ASN:HB3	1.92	0.84
1:D:186:LYS:HE2	1:D:190:MET:HE2	1.62	0.82
1:D:186:LYS:HE2	1:D:190:MET:CE	2.17	0.73
1:D:204:ALA:O	1:D:208:GLU:HG3	1.93	0.69
1:B:401:LYS:HD2	4:B:607:HOH:O	1.97	0.65
1:A:126:TYR:O	1:A:130:VAL:HG12	1.97	0.64
1:D:186:LYS:CE	1:D:190:MET:HE2	2.28	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:333:ASP:O	1:B:337:LYS:HG3	1.97	0.64
1:A:175:ALA:HA	1:A:178:ILE:HD12	1.80	0.62
1:D:51:GLU:O	1:D:94:LYS:NZ	2.32	0.62
1:B:64:MET:HB2	1:B:106:ASN:OD1	1.98	0.62
1:A:140:ASN:HB2	1:A:141:LYS:HD3	1.82	0.61
1:C:191:GLN:HE22	1:C:323:LYS:HE2	1.65	0.61
1:B:175:ALA:HA	1:B:178:ILE:HD12	1.83	0.60
2:D:501:HEM:HMB1	2:D:501:HEM:HBB2	1.84	0.60
1:B:115:SER:HB3	1:B:120:LEU:O	2.01	0.59
1:D:119:GLU:HB2	1:D:301:PRO:HG3	1.85	0.59
1:D:186:LYS:CE	1:D:190:MET:CE	2.80	0.59
1:A:315:SER:HB3	1:A:318:GLU:HG3	1.84	0.58
1:C:193:ARG:NE	1:C:325:ASP:OD2	2.32	0.57
1:C:219:ASP:OD1	4:C:601:HOH:O	2.17	0.57
3:C:503:HQS:C19	3:C:503:HQS:N06	2.69	0.56
1:B:299:MET:O	1:B:304:ARG:NH1	2.38	0.56
1:C:101:LYS:HE3	1:C:243:LEU:HD23	1.88	0.56
1:A:64:MET:HB2	1:A:105:ARG:NH2	2.21	0.55
1:D:115:SER:HB3	1:D:120:LEU:O	2.06	0.55
1:C:175:ALA:HA	1:C:178:ILE:HD12	1.89	0.54
1:A:177:ALA:HB2	1:A:206:CYS:HB2	1.89	0.53
1:C:237:TRP:HB3	1:C:243:LEU:HD12	1.91	0.53
1:C:222:ASN:HB2	3:C:503:HQS:C19	2.39	0.53
1:D:127:ALA:HA	1:D:131:LEU:HG	1.91	0.52
1:D:186:LYS:NZ	1:D:190:MET:CE	2.73	0.52
1:D:268:SER:O	1:D:272:CYS:HB3	2.09	0.51
1:A:264:ALA:HB3	2:A:501:HEM:C4C	2.44	0.51
1:A:315:SER:CB	1:A:318:GLU:HG3	2.40	0.51
1:C:274:ASP:OD2	1:C:281:GLN:HG3	2.11	0.51
1:A:280:GLN:HB3	1:A:283:ALA:HB3	1.92	0.50
1:C:191:GLN:NE2	1:C:323:LYS:HE2	2.27	0.50
1:C:115:SER:HB3	1:C:120:LEU:O	2.11	0.49
1:C:106:ASN:HB2	4:C:635:HOH:O	2.12	0.49
1:C:218:HIS:HE1	1:C:352:LYS:HD2	1.77	0.49
1:C:54:GLN:O	1:C:58:ARG:HG2	2.12	0.49
1:C:55:LEU:HG	1:C:55:LEU:O	2.03	0.49
1:A:268:SER:O	1:A:272:CYS:HB3	2.12	0.49
3:A:503:HQS:C19	3:A:503:HQS:C05	2.91	0.49
1:B:317:ARG:NH1	1:B:398:SER:O	2.41	0.48
1:D:281:GLN:OE1	1:D:281:GLN:HA	2.12	0.48
1:C:375:GLU:O	1:C:381:GLY:HA3	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:58:ARG:HD2	1:A:58:ARG:HA	1.68	0.48
1:D:146:GLU:CD	1:D:146:GLU:H	2.17	0.48
1:D:186:LYS:NZ	1:D:190:MET:HE2	2.29	0.48
1:A:271:GLN:O	1:A:275:VAL:HG23	2.14	0.48
1:D:270:PHE:CD1	1:D:270:PHE:N	2.83	0.47
2:B:501:HEM:HBB2	2:B:501:HEM:HMB1	1.95	0.47
1:B:384:LEU:HD12	1:B:385:MET:N	2.30	0.46
1:C:264:ALA:HB3	2:C:501:HEM:C4C	2.50	0.46
1:D:189:GLN:HG2	1:D:190:MET:HG2	1.97	0.46
1:A:384:LEU:HD13	2:A:501:HEM:HMA2	1.97	0.46
1:C:321:LEU:HA	1:C:321:LEU:HD23	1.60	0.46
1:A:350:VAL:HG11	1:A:384:LEU:HD11	1.98	0.46
1:C:290:GLN:HA	1:C:290:GLN:NE2	2.30	0.46
1:C:268:SER:O	1:C:272:CYS:HB2	2.16	0.46
1:A:115:SER:HB3	1:A:120:LEU:O	2.15	0.46
1:D:61:LYS:HE2	1:D:61:LYS:HA	1.97	0.46
1:D:176:SER:HB3	1:D:206:CYS:SG	2.57	0.45
2:D:501:HEM:CMB	2:D:501:HEM:HBB2	2.45	0.45
1:A:219:ASP:OD1	4:A:602:HOH:O	2.21	0.45
1:C:197:LEU:HD22	1:C:198:LYS:HE2	1.99	0.45
3:C:502:HQS:N08	3:C:502:HQS:C12	2.80	0.45
1:B:274:ASP:OD2	1:B:281:GLN:HG3	2.17	0.45
1:A:126:TYR:CE1	1:A:130:VAL:HG11	2.52	0.45
1:A:185:PHE:O	1:A:189:GLN:NE2	2.49	0.45
1:A:218:HIS:HE1	1:A:352:LYS:HD2	1.82	0.45
1:A:21:VAL:HB	1:A:24:ALA:HB3	2.00	0.44
1:B:385:MET:O	1:B:389:LYS:HG3	2.17	0.44
2:B:501:HEM:HBB2	2:B:501:HEM:CMB	2.48	0.44
1:C:352:LYS:HB2	1:C:352:LYS:HE3	1.31	0.44
1:C:141:LYS:HB2	1:C:147:ASN:ND2	2.33	0.44
1:D:319:PHE:O	1:D:323:LYS:HG2	2.18	0.44
1:C:351:THR:HA	1:C:355:LEU:HD22	1.99	0.44
1:A:231:ARG:HD2	3:A:502:HQS:O15	2.17	0.44
2:A:501:HEM:HBA2	2:A:501:HEM:HHA	2.00	0.43
1:B:107:ILE:HD12	1:B:107:ILE:HG23	1.75	0.43
1:A:64:MET:HB2	1:A:105:ARG:HH22	1.83	0.43
1:C:401:LYS:HE2	1:C:401:LYS:HB2	1.78	0.43
1:C:378:GLY:O	1:C:382:THR:HG22	2.18	0.43
3:B:502:HQS:N08	3:B:502:HQS:C12	2.82	0.43
1:C:282:THR:HB	1:C:293:GLN:NE2	2.34	0.43
1:C:279:ILE:HG12	1:C:398:SER:OG	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:264:ALA:HB3	2:A:501:HEM:CHD	2.49	0.42
1:C:222:ASN:HB2	3:C:503:HQS:C20	2.49	0.42
3:C:503:HQS:C05	3:C:503:HQS:C19	2.97	0.42
1:A:121:PRO:HG2	1:A:298:TYR:CD2	2.53	0.42
1:B:101:LYS:HD2	1:B:243:LEU:HD23	2.01	0.42
1:B:209:LYS:O	1:B:209:LYS:HG2	2.19	0.42
1:D:186:LYS:CE	1:D:190:MET:HE1	2.49	0.42
1:A:177:ALA:HB2	1:A:206:CYS:CB	2.49	0.42
1:A:275:VAL:HG11	1:A:311:GLU:HG2	2.02	0.42
1:B:100:ARG:HD3	1:B:100:ARG:HA	1.77	0.42
1:B:315:SER:HB3	1:B:318:GLU:HB3	2.02	0.42
1:C:197:LEU:CD2	1:C:198:LYS:HE2	2.50	0.42
1:C:269:VAL:O	1:C:272:CYS:HB3	2.20	0.42
1:C:319:PHE:O	1:C:323:LYS:HG3	2.20	0.42
1:C:188:MET:SD	1:C:316:VAL:HG22	2.60	0.41
1:C:77:ARG:HA	1:C:77:ARG:HD2	1.89	0.41
1:B:143:LEU:HA	1:B:143:LEU:HD23	1.95	0.41
2:C:501:HEM:HBC2	2:C:501:HEM:HMC1	2.02	0.41
1:C:218:HIS:CE1	1:C:352:LYS:HD2	2.55	0.41
1:D:271:GLN:O	1:D:275:VAL:HG23	2.20	0.41
1:A:209:LYS:HA	1:A:209:LYS:HE2	2.03	0.40
1:D:160:SER:HB2	1:D:164:PHE:CE2	2.57	0.40
1:D:321:LEU:HA	1:D:321:LEU:HD23	1.94	0.40
1:C:21:VAL:HB	1:C:24:ALA:HB3	2.03	0.40
1:A:349:ILE:HA	1:A:349:ILE:HD13	1.88	0.40
1:D:279:ILE:HD13	1:D:395:THR:HG23	2.03	0.40
1:D:197:LEU:HD22	1:D:331:ALA:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	374/405 (92%)	360 (96%)	14 (4%)	0	100	100
1	B	373/405 (92%)	358 (96%)	15 (4%)	0	100	100
1	C	373/405 (92%)	358 (96%)	15 (4%)	0	100	100
1	D	375/405 (93%)	364 (97%)	11 (3%)	0	100	100
All	All	1495/1620 (92%)	1440 (96%)	55 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	323/346 (93%)	310 (96%)	13 (4%)	31	44
1	B	322/346 (93%)	315 (98%)	7 (2%)	52	69
1	C	322/346 (93%)	314 (98%)	8 (2%)	47	65
1	D	324/346 (94%)	318 (98%)	6 (2%)	57	73
All	All	1291/1384 (93%)	1257 (97%)	34 (3%)	46	63

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	46	LEU
1	A	48	ASP
1	A	55	LEU
1	A	80	ARG
1	A	105	ARG
1	A	186	LYS
1	A	190	MET
1	A	214	PHE
1	A	224	LYS
1	A	237	TRP
1	A	263	SER
1	A	272	CYS
1	A	323	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	214	PHE
1	B	222	ASN
1	B	224	LYS
1	B	237	TRP
1	B	263	SER
1	B	272	CYS
1	B	309	SER
1	C	80	ARG
1	C	105	ARG
1	C	214	PHE
1	C	215	HIS
1	C	222	ASN
1	C	224	LYS
1	C	287	HIS
1	C	309	SER
1	D	214	PHE
1	D	237	TRP
1	D	263	SER
1	D	272	CYS
1	D	292	LEU
1	D	309	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	54	GLN
1	B	287	HIS
1	C	29	GLN
1	C	69	HIS
1	C	293	GLN
1	C	348	GLN
1	C	360	GLN
1	D	191	GLN
1	D	287	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	HQS	C	503	-	21,26,26	2.59	7 (33%)	22,36,36	2.49	6 (27%)
2	HEM	B	501	1,3	27,50,50	2.00	5 (18%)	17,82,82	1.99	7 (41%)
2	HEM	D	501	1,3	27,50,50	1.89	6 (22%)	17,82,82	2.07	8 (47%)
3	HQS	C	502	2	21,26,26	2.12	6 (28%)	22,36,36	2.54	6 (27%)
3	HQS	B	502	2	21,26,26	2.12	4 (19%)	22,36,36	2.55	6 (27%)
3	HQS	D	502	2	21,26,26	2.09	4 (19%)	22,36,36	2.50	6 (27%)
3	HQS	A	502	2	21,26,26	2.21	3 (14%)	22,36,36	2.44	6 (27%)
2	HEM	A	501	1,3	27,50,50	1.84	6 (22%)	17,82,82	2.07	6 (35%)
2	HEM	C	501	1,3	27,50,50	1.80	6 (22%)	17,82,82	2.18	10 (58%)
3	HQS	A	503	-	21,26,26	2.32	8 (38%)	22,36,36	2.46	6 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HQS	C	503	-	-	2/11/18/18	0/2/2/2
2	HEM	B	501	1,3	-	0/6/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	D	501	1,3	-	0/6/54/54	-
3	HQS	C	502	2	-	2/11/18/18	0/2/2/2
3	HQS	B	502	2	-	5/11/18/18	0/2/2/2
3	HQS	D	502	2	-	3/11/18/18	0/2/2/2
3	HQS	A	502	2	-	2/11/18/18	0/2/2/2
2	HEM	A	501	1,3	-	2/6/54/54	-
2	HEM	C	501	1,3	-	2/6/54/54	-
3	HQS	A	503	-	-	2/11/18/18	0/2/2/2

All (55) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	503	HQS	C09-S10	6.84	1.85	1.76
3	C	503	HQS	C02-N01	6.38	1.48	1.36
3	A	503	HQS	C02-N01	6.01	1.48	1.36
3	A	502	HQS	C09-S10	5.97	1.84	1.76
3	B	502	HQS	C05-C02	5.88	1.55	1.47
3	D	502	HQS	C02-N01	5.88	1.47	1.36
3	C	502	HQS	C05-C02	5.47	1.54	1.47
3	A	502	HQS	C05-C02	5.38	1.54	1.47
3	B	502	HQS	C02-N01	5.23	1.46	1.36
3	C	502	HQS	C02-N01	5.19	1.46	1.36
3	D	502	HQS	C05-C02	4.93	1.54	1.47
2	B	501	HEM	C3B-C2B	-4.85	1.33	1.40
2	A	501	HEM	C3B-CAB	4.69	1.57	1.47
2	C	501	HEM	C3B-CAB	4.62	1.57	1.47
2	B	501	HEM	C3C-C2C	-4.53	1.34	1.40
2	A	501	HEM	C3C-C2C	-4.46	1.34	1.40
3	A	503	HQS	C09-S10	4.43	1.82	1.76
3	C	502	HQS	C09-S10	4.42	1.82	1.76
3	A	502	HQS	C02-N01	4.38	1.45	1.36
2	D	501	HEM	C3B-C2B	-4.24	1.34	1.40
2	D	501	HEM	C3C-C2C	-4.17	1.34	1.40
3	B	502	HQS	C09-S10	3.97	1.81	1.76
3	C	503	HQS	C18-N01	3.78	1.49	1.41
3	C	503	HQS	C05-C02	3.73	1.52	1.47
2	B	501	HEM	C3B-CAB	3.69	1.55	1.47
3	A	503	HQS	BR-C22	3.59	1.98	1.89
3	D	502	HQS	C09-S10	3.47	1.81	1.76
2	D	501	HEM	CAA-C2A	3.14	1.56	1.52
2	C	501	HEM	C3B-C2B	-3.13	1.36	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	HEM	CAA-C2A	3.10	1.56	1.52
3	A	503	HQS	C18-N01	3.09	1.47	1.41
2	B	501	HEM	C3C-CAC	3.03	1.54	1.47
2	D	501	HEM	C3C-CAC	3.01	1.54	1.47
2	D	501	HEM	C3B-CAB	2.99	1.54	1.47
3	C	503	HQS	BR-C22	2.92	1.96	1.89
2	C	501	HEM	C3C-C2C	-2.86	1.36	1.40
2	C	501	HEM	C3C-CAC	2.84	1.53	1.47
2	C	501	HEM	CAA-C2A	2.79	1.56	1.52
3	D	502	HQS	S14-N13	2.75	1.72	1.62
3	A	503	HQS	S14-N13	2.72	1.72	1.62
2	A	501	HEM	C3C-CAC	2.67	1.53	1.47
2	D	501	HEM	CAD-C3D	2.63	1.56	1.52
3	B	502	HQS	S14-N13	2.54	1.72	1.62
2	A	501	HEM	C3B-C2B	-2.49	1.36	1.40
3	A	503	HQS	C05-C02	2.46	1.50	1.47
2	A	501	HEM	CAD-C3D	2.42	1.56	1.52
2	C	501	HEM	CAD-C3D	2.42	1.56	1.52
2	A	501	HEM	CAA-C2A	2.32	1.55	1.52
3	C	503	HQS	C20-C21	2.31	1.42	1.37
3	A	503	HQS	C20-C21	2.26	1.42	1.37
3	C	502	HQS	S14-N13	2.12	1.70	1.62
3	A	503	HQS	S14-N17	2.07	1.74	1.59
3	C	503	HQS	S14-N17	2.07	1.74	1.59
3	C	502	HQS	S14-N17	2.04	1.74	1.59
3	C	502	HQS	BR-C22	2.01	1.94	1.89

All (67) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	503	HQS	O16-S14-O15	-8.23	101.13	119.96
3	B	502	HQS	O16-S14-O15	-8.20	101.19	119.96
3	C	502	HQS	O16-S14-O15	-8.19	101.21	119.96
3	C	503	HQS	O16-S14-O15	-8.19	101.22	119.96
3	A	502	HQS	O16-S14-O15	-8.18	101.24	119.96
3	D	502	HQS	O16-S14-O15	-8.13	101.34	119.96
3	B	502	HQS	C11-S10-C09	5.53	110.54	101.82
3	C	502	HQS	C11-S10-C09	5.51	110.51	101.82
3	D	502	HQS	C11-S10-C09	5.26	110.10	101.82
3	C	503	HQS	C11-S10-C09	4.97	109.65	101.82
3	A	502	HQS	C11-S10-C09	4.87	109.49	101.82
3	A	503	HQS	C11-S10-C09	4.85	109.47	101.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	HEM	C4C-C3C-C2C	3.82	109.57	106.90
2	D	501	HEM	CMA-C3A-C4A	-3.60	122.93	128.46
2	A	501	HEM	CMB-C2B-C3B	3.57	131.37	124.68
2	C	501	HEM	CMC-C2C-C3C	3.51	131.25	124.68
3	B	502	HQS	N01-C02-N03	-3.50	118.40	123.68
2	A	501	HEM	CBD-CAD-C3D	-3.48	106.06	112.48
2	B	501	HEM	CBD-CAD-C3D	-3.45	106.13	112.48
3	D	502	HQS	N01-C02-N03	-3.40	118.56	123.68
3	C	502	HQS	N01-C02-N03	-3.38	118.58	123.68
2	C	501	HEM	CMB-C2B-C3B	3.37	130.99	124.68
2	D	501	HEM	CAA-CBA-CGA	-3.35	107.05	112.67
2	B	501	HEM	CMD-C2D-C1D	-3.21	123.53	128.46
2	C	501	HEM	CMA-C3A-C4A	-3.20	123.55	128.46
2	D	501	HEM	CMB-C2B-C3B	3.19	130.64	124.68
3	D	502	HQS	C18-N01-C02	-3.08	121.82	128.25
3	A	502	HQS	N01-C02-N03	-3.04	119.09	123.68
3	A	503	HQS	C18-N01-C02	-2.98	122.04	128.25
3	C	502	HQS	C18-N01-C02	-2.92	122.15	128.25
3	A	503	HQS	N01-C02-N03	-2.89	119.32	123.68
3	C	503	HQS	N01-C02-N03	-2.89	119.32	123.68
2	C	501	HEM	C4C-C3C-C2C	2.89	108.91	106.90
3	A	502	HQS	C18-N01-C02	-2.87	122.25	128.25
2	A	501	HEM	CMD-C2D-C1D	-2.85	124.09	128.46
3	B	502	HQS	C18-N01-C02	-2.80	122.42	128.25
2	A	501	HEM	C4C-C3C-C2C	2.75	108.82	106.90
3	C	503	HQS	C18-N01-C02	-2.75	122.51	128.25
2	B	501	HEM	CMA-C3A-C4A	-2.68	124.34	128.46
2	A	501	HEM	CMC-C2C-C3C	2.63	129.61	124.68
2	B	501	HEM	C4A-C3A-C2A	2.62	108.82	107.00
2	C	501	HEM	CMD-C2D-C1D	-2.62	124.44	128.46
2	B	501	HEM	C4C-C3C-C2C	2.59	108.71	106.90
2	C	501	HEM	C4A-C3A-C2A	2.50	108.73	107.00
2	C	501	HEM	C1D-C2D-C3D	2.44	108.70	107.00
3	D	502	HQS	O15-S14-N13	2.32	111.44	106.88
3	C	502	HQS	O16-S14-N13	2.30	111.41	106.88
3	A	502	HQS	O16-S14-N13	2.30	111.39	106.88
3	B	502	HQS	O15-S14-N13	2.29	111.37	106.88
2	C	501	HEM	CAA-CBA-CGA	-2.28	108.85	112.67
2	D	501	HEM	C1D-C2D-C3D	2.27	108.57	107.00
2	A	501	HEM	C1D-C2D-C3D	2.27	108.57	107.00
3	C	503	HQS	O16-S14-N13	2.27	111.33	106.88
2	B	501	HEM	C3C-C4C-NC	-2.25	106.70	110.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	503	HQS	O15-S14-N13	2.24	111.29	106.88
3	B	502	HQS	O16-S14-N13	2.24	111.27	106.88
2	D	501	HEM	C3C-C4C-NC	-2.22	106.76	110.94
3	A	503	HQS	O16-S14-N13	2.21	111.23	106.88
3	C	503	HQS	O15-S14-N13	2.17	111.14	106.88
3	D	502	HQS	O16-S14-N13	2.17	111.14	106.88
2	B	501	HEM	CMB-C2B-C3B	2.16	128.72	124.68
3	C	502	HQS	O15-S14-N13	2.15	111.11	106.88
2	C	501	HEM	CBD-CAD-C3D	-2.13	108.55	112.48
2	C	501	HEM	C3C-C4C-NC	-2.10	106.99	110.94
3	A	502	HQS	O15-S14-N13	2.07	110.94	106.88
2	D	501	HEM	CMA-C3A-C2A	2.06	128.83	124.94
2	D	501	HEM	CMD-C2D-C1D	-2.03	125.35	128.46

There are no chirality outliers.

All (20) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	C	503	HQS	S10-C11-C12-N13
3	C	503	HQS	C12-C11-S10-C09
3	C	502	HQS	S10-C11-C12-N13
3	C	502	HQS	C12-C11-S10-C09
3	B	502	HQS	S10-C11-C12-N13
3	B	502	HQS	C12-C11-S10-C09
3	B	502	HQS	C11-C12-N13-S14
3	B	502	HQS	C12-N13-S14-O15
3	B	502	HQS	C12-N13-S14-O16
3	D	502	HQS	C12-C11-S10-C09
3	D	502	HQS	C12-N13-S14-O15
3	A	502	HQS	S10-C11-C12-N13
3	A	502	HQS	C12-C11-S10-C09
2	A	501	HEM	C1A-C2A-CAA-CBA
2	A	501	HEM	C3A-C2A-CAA-CBA
3	A	503	HQS	C12-N13-S14-O15
2	C	501	HEM	C1A-C2A-CAA-CBA
2	C	501	HEM	C3A-C2A-CAA-CBA
3	A	503	HQS	C12-N13-S14-O16
3	D	502	HQS	S10-C11-C12-N13


There are no ring outliers.


9 monomers are involved in 18 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	503	HQS	4	0
2	B	501	HEM	2	0
2	D	501	HEM	2	0
3	C	502	HQS	1	0
3	B	502	HQS	1	0
3	A	502	HQS	1	0
2	A	501	HEM	4	0
2	C	501	HEM	2	0
3	A	503	HQS	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	377/405 (93%)	0.08	9 (2%) 59 66	33, 48, 70, 90	0
1	B	376/405 (92%)	0.15	9 (2%) 59 66	31, 46, 66, 93	0
1	C	376/405 (92%)	0.14	14 (3%) 41 48	31, 50, 72, 96	0
1	D	378/405 (93%)	0.08	5 (1%) 77 81	31, 46, 65, 82	0
All	All	1507/1620 (93%)	0.11	37 (2%) 57 64	31, 47, 68, 96	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	376	ALA	6.4
1	C	379	THR	6.1
1	B	375	GLU	5.8
1	B	380	GLY	5.7
1	C	378	GLY	5.3
1	B	376	ALA	4.9
1	A	378	GLY	4.2
1	C	284	GLY	3.9
1	A	376	ALA	3.9
1	A	377	LYS	3.7
1	B	377	LYS	3.5
1	D	284	GLY	3.4
1	B	378	GLY	3.3
1	C	377	LYS	3.1
1	C	375	GLU	2.9
1	B	27	ASN	2.9
1	C	287	HIS	2.9
1	B	379	THR	2.8
1	D	286	GLY	2.8
1	A	285	GLY	2.7
1	C	381	GLY	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	286	GLY	2.5
1	B	284	GLY	2.4
1	D	372	SER	2.4
1	A	373	LYS	2.3
1	B	374	LEU	2.3
1	C	14	ALA	2.3
1	A	286	GLY	2.2
1	A	375	GLU	2.2
1	C	312	SER	2.2
1	A	105	ARG	2.2
1	D	283	ALA	2.1
1	D	379	THR	2.1
1	C	285	GLY	2.1
1	A	282	THR	2.0
1	C	359	SER	2.0
1	C	282	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	HQS	C	503	25/25	0.90	0.22	45,57,92,100	0
3	HQS	A	503	25/25	0.91	0.21	43,55,84,100	0
2	HEM	C	501	43/43	0.95	0.13	39,45,52,63	0
3	HQS	D	502	25/25	0.96	0.14	38,49,69,76	0
3	HQS	A	502	25/25	0.96	0.17	44,54,67,78	0
2	HEM	A	501	43/43	0.96	0.13	37,43,51,64	0
2	HEM	B	501	43/43	0.96	0.14	36,42,48,59	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	HQS	C	502	25/25	0.96	0.21	44,52,72,80	0
3	HQS	B	502	25/25	0.97	0.12	40,49,70,74	0
2	HEM	D	501	43/43	0.97	0.12	37,41,49,57	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HQS C 503:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HQS A 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HQS D 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around HQS A 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HQS C 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HQS B 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.